



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 192

Issued: 7:00 AM, Thursday, 20 August 2026

Valid until: 7:00 AM, Friday, 21 August 2026



SYNOPSIS: At 3:00 AM today, the center of Tropical Depression "NENENG" was estimated based on all available data at 390 km North of Itbayat, Batanes (24.3°N, 121.9°E) with maximum sustained winds of 45 km/h near the center and gustiness of up to 55 km/h. It is moving West Northwestward at 30 km/h. Southwest Monsoon affecting Luzon.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

TROPICAL STORM SAUDEL (2618)	TROPICAL DEPRESSION
LOCATION: 2,960 KM EAST OF NORTHEASTERN MINDANAO (10.7°N, 152.5°E)	LOCATION: 1,100 KM WEST OF EXTREME NORTHERN LUZON (19.3°N, 110.9°E)
MAXIMUM SUSTAINED WINDS: 75 KM/H NEAR THE CENTER	MAXIMUM SUSTAINED WINDS: 45 KM/H NEAR THE CENTER
GUSTINESS: UP TO 90 KM/H	GUSTINESS: UP TO 55 KM/H
MOVEMENT: NORTHWESTWARD AT 25 KM/H	MOVEMENT: SOUTHWESTWARD AT 10 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Ilocos Region, Batanes, Zambales, and Bataan	Occasional rains	Moderate to strong from southwest	23 – 28	21 – 27	70 – 98	>12
Metro Manila, Cordillera Administrative Region, the rest of Cagayan Valley, the rest of Central Luzon, Cavite, Batangas, Laguna, Rizal, Occidental Mindoro, Oriental Mindoro, and Palawan	Cloudy skies with scattered rains and thunderstorms	Metro Manila, Cordillera Administrative Region, Cavite, Batangas, Laguna, Rizal, Occidental Mindoro, Oriental Mindoro, and Palawan Moderate to strong from southwest; the rest of Cagayan Valley, the rest of Central Luzon – Moderate from southwest	20 – 31	17 – 30	70 – 98	4 – 8
The rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from south to southwest	24 – 36	23 – 33	50 – 96	0 – 4



FARM ADVISORY	
SOIL MOISTURE CONDITION (August 1 – 10, 2026)	ENSO ALERT SYSTEM STATUS (Updated as of 06 August 2026)
 Wet – Ilocos Region, Cagayan, Isabela, Cordillera Administrative Region, Central Luzon, National Capital Region, most areas of CALABARZON, MIMAROPA except Puerto Princesa, Western part of Panay, Negros Occidental, Southern Leyte, Zamboanga del Norte, Bukidnon, Davao del Norte, Davao del Sur, Surigao del Norte, Surigao del Sur, and Lanao del Sur Moist – Rest of Cagayan Valley, Alabat, Mulanay, most of Bicol Region, Eastern part of Panay, Samar, Eastern Samar, General Santos City, rest of Caraga, and rest of BARMM Dry – Rest of the country	 EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Moderate El Niño is present in the Tropical Pacific. Climate models predict that El Niño will continue until the first half of 2027 and may reach a very strong state before the end of 2026. Farmers are advised to conserve water, maintain irrigation systems, and establish rainwater harvesting facilities to maximize available water during dry periods. The use of drought-tolerant crops and soil moisture conservation practices is encouraged to reduce the impacts of El Niño. Farmers should monitor daily DOST-PAGASA weather updates, as localized thunderstorms may still bring heavy rainfall, strong winds, lightning, and possible flash flooding. Secure farm structures, clear drainage canals, and adjust farm activities based on weather conditions to minimize risks.

AREAS AFFECTED BY THE WEATHER SYSTEMS
SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS - Prevent flooding and protect farm assets by clearing drainage canals, irrigation channels, and waterways, securing farm structures, and moving crops and farm inputs to elevated areas. - Adjust farm operations by rescheduling planting, spraying, fertilizing, and harvesting, and avoiding fertilizer or pesticide application during heavy rain. - Protect workers and reduce losses by suspending field activities during severe weather and preparing contingency plans for harvesting, post-harvest handling, transportation, and marketing. - Continue monitoring weather forecasts issued by DOST-PAGASA and local authorities to guide timely agricultural decision-making and risk reduction
FISHING ADVISORY
GALE WARNING AND SEA CONDITION
No Gale warning is raised.
Moderate to rough seas are expected over the northern and western seaboard of Luzon while moderate seas are expected over the eastern section of the country . Meanwhile, slight to moderate seas will be experienced over the rest of the archipelago . Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	38.0 °C (Casiguran, 1988)	Maximum Temperature	39.4 °C (Tuguegarao, 1960)
Minimum Temperature	13.8 °C (Baguio City, 1931)	Minimum Temperature	12.8 °C (Baguio City, 1923)
Rainfall	433.4 mm (Baguio City, 1999)	Rainfall	969.8 mm (Baguio City, 2008)
PREPARED/UPLOADED BY: MTR / JOT		VERIFIED BY: MEVT	

"tracking the sky...helping the country"



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 192

Inilabas ng: 7:00 AM Huwebes, 20 Agosto 2026

May bisa hanggang: 7:00 AM Biyernes, 21 Agosto 2026

SYNOPSIS: Kaninang 3:00 AM, ang sentro ng Tropical Depression "NENENG" ay tinatayang nasa 390 km hilaga ng Itbayat, Batanes (24.3°, 121.9°E) na may taglay na lakas ng hangin na 45 km/h malapit sa gitna at pagbugso na umaabot sa 55 km/h. Ito ay kumikilos patungong kanluran hilagang kanluran sa bilis na 30 km/h. Habagat ang nakakaapekto sa Luzon.

TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM

TROPICAL STORM SAUDEL (2618)	TROPICAL DEPRESSION
LOKASYON: 2,960 KM SILANGAN NG HILAGANG MINDANAO (10.7°N, 152.5°E)	LOKASYON: 1,100 KM KANLURAN NG DULONG HILAGANG LUZON (19.3°N, 110.9°E)
MALAKAS NA HANGIN: 75 KM/H MALAPIT SA GITNA	MALAKAS NA HANGIN: 45 KM/H MALAPIT SA GITNA
PAGBUGSO NG HANGIN: AABOT SA 90 KM/H	PAGBUGSO NG HANGIN: AABOT SA 55 KM/H
PAGKILOS: HILAGANG KANLURAN SA BILIS AN 25 KM/H	PAGKILOS: PATUNGONG TIMOG-KANLURAN SA BILIS NA 10KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Rehiyon ng Ilocos, Batanes, Zambales, at Bataan	Paminsan-minsang pag-ulan	Katamtaman hanggang sa malakas mula timog-kanluran	23 – 28	21 – 27	70 – 98	>12
Metro Manila, Rehiyon ng Cordillera, Natitirang bahagi ng Cagayan, Natitirang bahagi ng Central Luzon, Cavite, Batangas, Laguna, Rizal, Occidental Mindoro, Oriental Mindoro, at Palawan	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Metro Manila, Rehiyon ng Cordillera, Cavite, Batangas, Laguna, Rizal, Occidental Mindoro, Oriental Mindoro, at Palawan – Katamtaman hanggang sa malakas mula timog-kanluran Natitirang bahagi ng Cagayan, Natitirang bahagi ng Central Luzon – Katamtaman mula timog-kanluran;	20 – 31	17 – 30	70 – 98	4 – 8
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	24 – 36	23 – 33	50 – 96	0 – 4



PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Agosto 1 – 10, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 06 Agosto 2026)
Basa – Rehiyon ng Ilocos, Cagayan, Isabela, Rehiyo ng Cordillera, Gitnang Luzon, NCR, karamihan ng lugar sa CALABARZON, MIMAROPA maliban sa Puerto Princesa, kanlurang bahagi ng Panay, Negros Occidental, Southern Leyte, Zamboanga del Norte, Bukidnon, Davao del Norte, Davao del Sur, Surigao del Norte, Surigao del Sur, at Lanao del Sur Katamtaman – Natitirang bahagi ng Lambak ng Cagayan, Alabat, Mulanay, karamihan ng lugar sa Rehiyon ng Bicol, silangang bahagi ng Panay, Samar, Eastern Samar, General Santos City, natitirang bahagi ng Caraga, at natitirang bahagi ng BARMM Tuyo – Natitirang bahagi bahagi	EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Kasalukuyang umiiral ang katamtamang El Niño sa Tropical Pacific. Ayon sa mga climate model, inaasahang magpapatuloy ang El Niño hanggang sa unang kalahati ng 2027 at may posibilidad na maging mas malakas bago matapos ang 2026. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihin ang irigasyon, maghanda ng imbakan ng tubig-ulan, at gumamit ng mga barayting matibay sa tagtuyot. Subaybayan ang mga ulat ng DOST-PAGASA dahil maaari pa ring magkaroon ng mga pagkulong at pagkidlat na may kasamang malakas na ulan, bugso ng hangin, at posibleng pagbaha. Panatilihin ang mga pasilidad sa bukid at iangkop ang mga gawaing pangsakahan batay sa lagay ng panahon.

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS
HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN • Iwasan ang pagbaha at protektahan ang mga pananim at kagamitan sa pamamagitan ng paglilinis ng mga kanal, irigasyon, at daluyan ng tubig, pagpapatibay ng mga pasilidad sa bukid, at paglilipat ng mga pananim at input sa mataas at ligtas na lugar. • Iangkop ang mga gawain sa bukid sa lagay ng panahon sa pamamagitan ng pagsasaayos ng iskedyul ng pagtatanim, pag-spray, paglalagay ng pataba, at pag-aani, at pag-iwas sa paglalagay ng pataba o pestisidyo kapag malakas ang ulan. • Panatilihin ang mga manggagawa at mabawasan ang pagkalugi sa pamamagitan ng pagsuspende ng mga gawain sa bukid kapag masama ang panahon at paghahanda ng mga contingency plan para sa pag-aani, post-harvest, transportasyon, at pagbebenta. • Patuloy na subaybayan ang mga weather forecast na inilalabas ng DOST-PAGASA at mga lokal na awtoridad upang makatulong sa maagap na pagpapasya sa mga gawaing pang-agrikultura at pagbawas ng panganib.

PAYO SA MGA MANGINGISDA
GALE WARNING AT KONDISYON NG KARAGATAN
Walang nakataas na Gale warning.



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



Katamtaman hanggang sa maalon na karagatan ang inaasahan sa **hilaga at kanlurang mga baybayin ng Luzon habang katamtamang pag-alon naman ang maararanasan sa silangang baybayin ng bansa**. Samantala, banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	38.0 °C (Casiguran, 1988)	Pinakamataas na Temperatura	39.4 °C (Tuguegarao, 1960)
Pinakamababang Temperatura	13.8 °C (Baguio City, 1931)	Pinakamababang Temperatura	12.8 °C (Baguio City, 1923)
Pinakamaraming Ulan	433.4 mm (Baguio City, 1999)	Pinakamaraming Ulan	969.8 mm (Baguio City, 2008)
INIHANDA HANDA/INI-UPLOAD NINA: MTR/ JOT		BINIGYANG PANSIN NI: MEVT	