



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 114

Issued: 6:00 PM, Thursday, 21 May 2026

Valid until: 4:00 PM, Friday, 22 May 2026

SYNOPSIS: At 3:00 PM today, the Low Pressure Area (LPA) was estimated based on all available data at 925 km East of Southeastern Mindanao (6.6°N, 134.0°E). Easterlies affecting Luzon and Visayas.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Surigao del Norte and Surigao del Sur	Cloudy skies with scattered rains and thunderstorms	Light to moderate from northeast to east	25 – 34	23 – 32	60 – 98	4 – 8
Metro Manila, the rest of Luzon, and Visayas	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Central Luzon, Southern Luzon, and Visayas – Light to moderate from east; The rest of Luzon – Light to moderate from southeast to northeast	22 – 39	17 – 32	45 – 96	0 – 4
The rest of Mindanao	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from northeast to east	21 – 35	20 – 32	45 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
TROUGH OF LPA, EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS • Avoid applying fertilizer (especially nitrogen-heavy or foliar fertilizers) during heavy rains to prevent nutrient leaching and waste. • Strengthen protection of young crops by providing temporary windbreaks or staking to prevent lodging due to strong winds and rain. • Harvest mature and ready-to-harvest crops early if continuous heavy rains are expected to reduce postharvest losses. • Ensure proper postharvest drying areas are covered or relocated indoors to prevent spoilage and mold development. • Protect stored grains and farm inputs by elevating them from the ground and using waterproof coverings to avoid moisture damage.	The Heat Index is a human discomfort index that gives the apparent temperature on what humans perceive or feel as the temperature (from the surroundings) affecting the body. High air temperature and high relative humidity results to high apparent temperature. https://www.pagasa.dost.gov.ph/climate/climate-heat-index




- Maintain good soil structure through regular weeding and organic matter application to improve moisture retention.
- Expect increased incidence of insect pests (aphids, mites, whiteflies) due to warm conditions—conduct regular field inspection.
- Practice safety first: avoid fieldwork during thunderstorms due to lightning hazards, especially in open fields and under tall trees.

FARM ADVISORY

SOIL MOISTURE CONDITION

(May 1 – 10, 2026)




Wet – Sorsogon, Borongan, Masbate North Cotabato, Surigao del Sur and Davao del Norte

Moist – Capi, southern part of Palawan, Leyte, Southern Leyte, Guiuan, Bohol, Zamboanga Peninsula, Misamis Occidental, Lanao del Norte, South Cotabato, Maguindanao, and Agusan del Norte

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(Updated as of 07 May 2026)



EL NIÑO ALERT

<https://pagasa.dost.gov.ph/climate/climate-advisories#>

El Niño is expected to develop by mid-2026, increasing the possibility of below-normal rainfall, dry spells, and drought. Farmers are advised to maintain irrigation systems, use drought-tolerant crops, and harvest mature crops early when needed. Localized thunderstorms may still occur, especially in the afternoon or evening, bringing heavy rain, strong winds, lightning, and possible flash flooding in low-lying areas. Farmers should stay alert to daily weather updates, secure farm structures, and avoid field activities during thunderstorms, and adjust planting schedules based on DOST-PAGASA forecasts.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning was raised.

Slight to moderate seas will prevail over the **entire archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES

Maximum Temperature	40.4 °C (Tuguegarao City, 1955)
Minimum Temperature	13.6 °C (Baguio City, 1954)
Rainfall	557.7 mm (Tayabas, 1976)

MONTHLY EXTREMES

Maximum Temperature	42.2 °C (Tuguegarao, 1969)
Minimum Temperature	11.0 °C (Baguio City, 1907)
Rainfall	730.3 mm (Baguio City, 1980)

PREPARED/UPLOADED BY: **MTR / ARL**

VERIFIED BY: **RAMF**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 114

Inilabas ng: 6:00 PM, Huwebes, 21 Mayo 2026

May bisa hanggang: 4:00 PM, Biyernes, 22 Mayo 2026

SYNOPSIS: Kaninang 3:00 PM, ang Low Pressure Area (LPA) ay tinatayang nasa 925 km silangan ng Timog-silangan Mindanao (6.6°N, 134.0°E). Easterlies ang nakakaapekto sa Luzon at Kabisayaan.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABAS A NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Surigao del Norte at Surigao del Sur	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula hilagang silangan hanggang silangan	25 – 34	23 – 32	60 – 98	4 – 8
Metro Manila, natitirang bahagi ng Luzon, at Kabisayaan	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Gitnang Luzon, Katimugang Luzon, at Kabisayaan – Mahina hanggang sa katamtaman mula silangan; Natitirang bahagi ng Luzon – Mahina hanggang sa katamtaman mula timog-silangan hanggang hilagang silangan	22 – 39	17 – 32	45 – 96	0 – 4
Natitirang bahagi ng Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula hilagang silangan hanggang silangan	21 – 35	20 – 32	45 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS	PAGSUBAYBAY AT PAGTATAYA NG HEAT INDEX (NAOBSERBAHAN AT 2-ARAW NA PAGTATAYA)
TROUGH NG LPA, EASTERLIES, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN - Avoid applying fertilizer (especially nitrogen-heavy or foliar fertilizers) during heavy rains to prevent nutrient leaching and waste. - Strengthen protection of young crops by providing temporary windbreaks or staking to prevent lodging due to strong winds and rain. - Harvest mature and ready-to-harvest crops early if continuous heavy rains are expected to reduce postharvest losses. - Ensure proper postharvest drying areas are covered or relocated indoors to prevent spoilage and mold development. - Protect stored grains and farm inputs by elevating them from the ground and using waterproof coverings to avoid moisture damage.	Ang init na nararamdaman ng katawan ng tao (apparent temperature) ay hindi akma ng nasusukat gamit lamang ang temperature ng hangin (air temperature). Ito ay mas tamang naitataya kung isasama ang datos ng alinsangan o halumigmig (relative humidity). Ang impormasyon na ito ay tinatawag na Heat Index at ito ay matutukoy gamit ang Heat Index Chart. https://www.pagasa.dost.gov.ph/climate/climate-heat-index




- Maintain good soil structure through regular weeding and organic matter application to improve moisture retention.
- Expect increased incidence of insect pests (aphids, mites, whiteflies) due to warm conditions—conduct regular field inspection.
- Practice safety first: avoid fieldwork during thunderstorms due to lightning hazards, especially in open fields and under tall trees.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Mayo 1 – 10, 2026)


ENSO ALERT SYSTEM STATUS (mula noong 07 Mayo 2026)



Basa – Sorsogon, Borongan, Masbate North Cotabato, Surigao del Sur at Davao del Norte

Katamtaman – Capiz, katimugang bahagi ng Palawan, Leyte, Southern Leyte, Guiuan, Bohol, Zamboanga Peninsula, Misamis Occidental, Lanao del Norte, South Cotabato, Maguindanao, at Agusan del Norte

Tuyo – Natitirang bahagi



EL NIÑO ALERT

<https://pagasa.dost.gov.ph/climate/climate-advisories#>

Inaasahang ang El Niño sa kalagitnaan ng 2026, na magdudulot ng tagtuyot at posibleng kakulangan sa tubig. Pinapayuhan ang mga magsasaka na panatilihin ang maayos na irigasyon, gumamit ng drought-tolerant na pananim, at anihin agad ang mga hinog na tanim kung kinakailangan. Maaari pa ring magkaroon ng localized thunderstorms, lalo na sa hapon o gabi, na may kasamang malakas na ulan, hangin, kidlat, at posibleng flash flood sa mabababang lugar. Panatiling updated sa araw-araw na lagay ng panahon, tiyakin ang kaligtasan ng mga pasilidad sa bukid, iwasan ang trabaho sa bukid tuwing may thunderstorm, at iangkop ang taniman ayon sa forecast ng DOST-PAGASA.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa **buong kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES

MONTHLY EXTREMES

Pinakamataas na Temperatura	40.4 °C (Tuguegarao City, 1955)	Pinakamataas na Temperatura	42.2 °C (Tuguegarao, 1969)
Pinakamababang Temperatura	13.6 °C (Baguio City, 1954)	Pinakamababang Temperatura	11.0 °C (Baguio City, 1907)
Pinakamaraming Ulan	557.7 mm (Tayabas, 1976)	Pinakamaraming Ulan	730.3 mm (Baguio City, 1980)

INIHANDA HANDA/INI-UPLOAD NINA: **MTR / ARL**

BINIGYANG PANSIN NI: **RAMF**

SSS