



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 212

Issued: 7:00 AM, Tuesday, 15 September 2026

Valid until: 7:00 AM, Wednesday, 16 September 2026

SYNOPSIS: Easterlies affecting Extreme Northern Luzon.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

TROPICAL DEPRESSION

LOCATION: 2,675 KM EAST OF EASTERN VISAYAS (12.4°N, 150.0°E)

MAXIMUM SUSTAINED WINDS: 55 KM/H NEAR THE CENTER

GUSTINESS: UP TO 70 KM/H

MOVEMENT: NORTH NORTHEASTWARD AT 15 KM/H



FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Batanes and Babuyan Islands	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from east to northeast	25 – 30	23 – 28	60 – 98	0 – 4
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Rest of Luzon and Visayas – Light to moderate from northeast to northwest; Mindanao – Light to moderate from southwest to west	22 – 36	16 – 33	45 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Adjust planting, spraying, and harvesting schedules based on expected rainfall.
- Ensure proper field drainage to prevent waterlogging and root rot.
- Store harvested crops and farm inputs in elevated, dry, and covered areas.
- Apply mulch to reduce soil erosion and maintain soil moisture balance.
- Conduct regular field inspections for lodging, stem rot, and nutrient deficiencies.
- Remove and destroy infected plant parts to limit disease spread.
- Apply pest and disease control measures during dry windows.
- Stay alert and informed! Always follow the latest weather advisories from local authorities and your local government. Keep updated through the official DOST-PAGASA website, social media accounts, and PANaHON App for timely weather information, warnings, and safety updates.



FARM ADVISORY			
SOIL MOISTURE CONDITION (September 1 – 10, 2026)		ENSO ALERT SYSTEM STATUS (Updated as of 07 September 2026)	
 Legend - DRY (0-75mm) - MOIST (76mm-150mm) - WET (>150mm) Wet – Ilocos Region, Aparri, Itbayat, most of Cagayan Valley, Cordillera Administrative Region, Central Luzon, National Capital Region, most part of CALABARZON and MIMAROPA, Iloilo, and Catarman Moist – Basco, Cagayan, some parts of Cavite, Mulanay, Romblon, Albay, Catanduanes, Southern Leyte, Negros Occidental, Davao, and South Cotabato Dry – Casiguran, Alabat Puerto Princesa, and the rest of the country		 EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.p df Moderate to strong El Niño is present in the Tropical Pacific. Climate models predict that El Niño will continue until the first half of 2027 and may reach a very strong state before the end of 2026. Farmers are advised to conserve water, maintain irrigation systems, and harvest rainwater to ensure adequate water supply during El Niño. Use drought-tolerant crops and soil moisture conservation practices. Regularly monitor DOST-PAGASA weather updates and adjust farm activities accordingly. Despite generally drier conditions, localized thunderstorms may still bring heavy rain, strong winds, lightning, and possible flash flooding.	
FISHING ADVISORY			
GALE WARNING AND SEA CONDITION			
No Gale Warning is raised.			
Slight to moderate seas will be experienced over the whole archipelago . Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.			
ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	37.0 °C (Tuguegarao, 1988)	Maximum Temperature	38.9 °C (Tuguegarao, 1963)
Minimum Temperature	14.0 °C (Baguio City, 1908)	Minimum Temperature	12.6 °C (Baguio City, 1990)
Rainfall	535.6 mm (Baguio City, 2018)	Rainfall	799.8 mm (Baguio City, 1911)
PREPARED/UPLOADED BY: MTR/JOT		VERIFIED BY: MEVT	



TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 212

Inilabas ng: 7:00 AM Martes, 15 Setyembre 2026 May bisa hanggang: 7:00 AM Miyerkules, 16 Setyembre 2026

SYNOPSIS: Easterlies ang nakakaapekto sa Dulong Hilagang Luzon.

TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM

TROPICAL DEPRESSION

LOKASYON: 2,675 KM SILANGAN NG SILANGANG KABISAYAAN (12.4°N, 150.0°E)

TAGLAY NA LAKAS NG HANGIN: 55 KM/H MALAPIT SA GITNA

PAGBUGSO: UMAABOT SA 70 KM/H

PAGKILOS: HILAGA-HILAGANG SILANGAN SA BILIS NA 15 KM/H



LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Batanes at Babuyan Islands	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	25 – 30	23 – 28	60 – 98	0 – 4
Metro Manila at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Natitirang bahagi ng Luzon at Kabisayaan – Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilagang kanluran; Mindanao – Mahina hanggang sa katamtaman mula timog-kanluran hanggang kanluran	22 – 36	16 – 33	45 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

EASTERLIES, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- layon ang iskedyul ng pagtanim, pag-iispra, at pag-aani batay sa inaasahang dami ng ulan.
- Siguraduhing maayos ang daluyan ng tubig sa bukid upang maiwasan ang pagbabara ng tubig at pagkabulok ng ugat.
- Itago ang mga naaning pananim at farm inputs sa mataas, tuyo, at may bubong na lugar.
- Maglagay ng mulch upang mabawasan ang pagguho ng lupa at mapanatili ang tamang halumigmig ng lupa.
- Magsagawa ng regular na pag-iinspeksyon sa bukid para sa pagkadapa ng pananim, pagkabulok ng tangkay, at kakulangan sa sustansya.
- Tanggalin at sirain ang mga apektadong bahagi ng halaman upang maiwasan ang pagkalat ng sakit.
- Isagawa ang pest at disease control sa mga panahong tuyo o walang ulan.
- Laging makinig sa mga payo ng awtoridad at lokal na pamahalaan para sa mga ulat panahon. Maging updated sa DOST-PAGASA website, social media, at PANaHON App.



PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Setyembre 1 – 10, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 07 Setyembre 2026)
 Basa – Rehiyon ng Aparri, Itbayat, malaking bahagi ng Cagayan Valley, Cordillera Administrative Region, Gitnang Luzon, National Capital Region, malaking bahagi ng CALABARZON, at MIMAROPA, Iloilo, at Catarman Moist – Basco, Cagayan, some ilang bahagi ng Cavite, Mulanay, Romblon, Albay, Catanduanes, Southern Leyte, Negros Occidental, Davao, at South Cotabato Tuyo – Casiguran, Alabat Puerto Princesa at natitirang bahagi bahagi	 EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Kasalukuyang umiiral ang katamtamang hanggang sa malakas na El Niño sa Tropical Pacific. Ayon sa mga forecast, inaasahang magpapatuloy ang El Niño hanggang sa unang kalahati ng 2027 at may posibilidad na maging mas malakas bago matapos ang 2026. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatiliing maayos ang irigasyon, at mag-ipon ng tubig-ulan upang matiyak ang suplay ng tubig sa panahon ng El Niño. Gumamit ng mga pananim na matibay sa tagtuyot at mga pamamaraan sa pagpapanatili ng halumigmig ng lupa. Regular na subaybayan ang mga update ng DOST-PAGASA at iangkop ang mga gawaing pansaka ayon sa kondisyon ng panahon. Bagama’t mas tuyo ang karaniwang kondisyon, maaari pa ring magkaroon ng localized thunderstorms na may malakas na ulan, hangin, pagkidlat, at posibleng biglaang pagbaha.

PAYO SA MGA MANGINGISDA	
GALE WARNING AT KONDISYON NG KARAGATAN	
Walang nakataas na Gale Warning.	
Banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa buong kapuluan . Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.	

DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	37.0 °C (Tuguegarao, 1988)	Pinakamataas na Temperatura	38.9 °C (Tuguegarao, 1963)
Pinakamababang Temperatura	14.0 °C (Baguio City, 1908)	Pinakamababang Temperatura	12.6 °C (Baguio City, 1990)
Pinakamaraming Ulan	535.6 mm (Baguio City, 2018)	Pinakamaraming Ulan	799.8 mm (Baguio City, 1911)

INIHANDA HANDA/INI-UPLOAD NINA: MTR/JOT		BINIGYANG PANSIN NI: MEVT	
--	--	----------------------------------	--