



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 177

Issued: 7:00 AM, Monday, 03 August 2026

Valid until: 7:00 AM, Tuesday, 04 August 2026

SYNOPSIS: At 3:00 AM today, the center of Tropical Depression "LUIS" was estimated based on all available data at 130 km East of Casiguran, Aurora (15.9°N, 123.3°E) with maximum sustained winds of 55 km/h near the center and gustiness of up to 70 km/h. It is almost stationary.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

TYPHOON DOLPHIN (2613)

LOCATION: 2,850 KM EAST NORTHEAST OF EXTREME NORTHERN LUZON (24.1°N, 149.4°E)

MAXIMUM SUSTAINED WINDS: 155 KM/H

GUSTINESS: UP TO 190 KM/H

MOVEMENT: WEST NORTHWESTWARD AT 25 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Cagayan, Isabela, Quirino, Apayao, Kalinga, Mountain Province, Ifugao, Aurora, Quezon, and Camarines Norte	Rains with gusty winds	Cagayan, Isabela, Quirino, Apayao, Kalinga, Mountain Province, Ifugao, and Aurora – Moderate from Northeast to Northwest Quezon and Camarines Norte – Light to moderate from West to Southwest	24 – 31	18 – 30	65 – 100	8 – 12
Metro Manila, Ilocos Region, Central Luzon, the rest of Cordillera Administrative Region, the rest of Cagayan Valley, the rest of CALABARZON, Occidental Mindoro, Oriental Mindoro, and Marinduque	Cloudy skies with scattered rainshowers and thunderstorms	Ilocos Region, Central Luzon, the rest of Cordillera Administrative Region, and the rest of Cagayan Valley – Moderate from Northeast to Northwest Metro Manila, the rest of CALABARZON, Occidental Mindoro, Oriental Mindoro, and Marinduque – Light to moderate from West to Southwest	22 – 31	17 – 30	65 – 98	6 – 12
Antique, Iloilo, Guimaras, and Negros Occidental	Cloudy skies with scattered rainshowers and thunderstorms	Light to moderate from West to Southwest	24 – 31	21 – 30	60 – 98	4 – 8
The rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Rest of Visayas, rest of Bicol Region, and rest of MIMAROPA – Light to moderate from West to Southwest; Mindanao – Light to	23 – 35	20 – 31	45 – 97	0 – 4



		moderate from South to Southwest				
--	--	----------------------------------	--	--	--	--


AREAS AFFECTED BY THE WEATHER SYSTEMS

TC LUIS, SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Clear canals, ditches, and drainage channels to prevent waterlogging and flooding.
- Reinforce dikes, embankments, and pond walls to minimize erosion and structural damage.
- Implement soil conservation practices, such as mulching or contour barriers, to reduce erosion during heavy rainfall.
- Collect and store rainwater for future irrigation once weather conditions improve.
- Secure farm machinery, tools, fertilizers, chemicals, and harvested produce in safe, elevated storage areas.
- Keep farm records of weather impacts, crop losses, and management actions to improve future preparedness.
- Assess field conditions before allowing workers to return, ensuring the area is free from hazards such as unstable trees, damaged electrical lines, or deep floodwaters.
- Follow official advisories from DOST-PAGASA, the Department of Agriculture, and local government units.

FARM ADVISORY

SOIL MOISTURE CONDITION (July 11 – 20, 2026)




Wet – Zambales, Bataan, Pampanga, Nueva Ecija, Cordillera Administrative Region, Rizal, some portions of Cavite, northern parts of Palawan, Romblon, Occidental Mindoro, most areas of Panay, Negros Occidental, Bukidnon, Davao del Norte and some parts of BARMM

Moist – Ilocos Norte, Ilocos Sur, Pangasinan, Isabela, Bulacan, Quezon City, Batangas,

Tayabas, southern parts of Palawan, Dumangas, Southern Leyte, Eastern Samar, Davao del Sur, and General Santos City

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS (Updated as of 22 July 2026)



EL NIÑO

<https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf>

A weak to moderate El Niño is currently present in the tropical Pacific. Climate models indicate that it is likely to intensify and persist through the first half of 2027 (97% probability). There is a 57% probability of El Niño strengthening to a strong event during the July–August–September (JAS) 2026 season, while a very strong El Niño is favored during the October–November–December (OND) 2026 and November–December–January (NDJ) 2026–2027 seasons, with an estimated 81% probability.

Farmers are advised to conserve water, maintain irrigation systems, and establish rainwater harvesting facilities to maximize available water during dry periods. The use of drought-tolerant crops and soil moisture conservation practices is encouraged to reduce the impacts of El Niño. Farmers should monitor daily DOST-PAGASA weather updates, as localized thunderstorms may still bring heavy rainfall, strong winds, lightning, and possible flash flooding. Secure farm structures, clear drainage canals, and adjust farm activities based on weather conditions to minimize risks.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale warning has been raised.



Moderate seas will prevail over the **seaboards of Northern and Central Luzon**, while the **rest of the archipelago** will have slight to moderate seas. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	37.5 °C (Tuguegarao City, 1988 and 2007)	Maximum Temperature	39.4 °C (Tuguegarao, 1960)
Minimum Temperature	12.8 °C (Baguio City, 1923)	Minimum Temperature	12.8 °C (Baguio City, 1923)
Rainfall	290.5 mm (Iba, Zambales; 1972)	Rainfall	969.8 mm (Baguio City, 2008)
PREPARED/UPLOADED BY: RAMF / JAE		VERIFIED BY: MEVT	



TAYA NG PANAHAON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 177

Inilabas ng: 7:00 AM Lunes, 03 Agosto 2026

May bisa hanggang: 7:00 AM Martes, 04 Agosto 2026

SYNOPSIS: Kaninang 3:00 AM, ang sentro ng Tropical Depression "LUIS" ay tinatayang nasa 130 km Silangan ng Casiguran, Aurora (15.9°N, 123.3°E) na may taglay na lakas ng hangin na 55 km/h malapit sa gitna at pagbugso na umaabot sa 70 km/h. Ito ay halos hindi gumagalaw.

BAGYO SA LABAS NG PAR KANINANG 3:00 AM

TYPHOON DOLPHIN (2613)

LOKASYON: 2,850 KM SILANGANG HILAGANG SILANGANG NG DULONG HILAGANG LUZON (24.1°N, 149.4°E)

TAGLAY NA LAKAS NG HANGIN: 155 KM/H

PAGBUGSO: HANGGANG 190 KM/H

PAGKILOS: KANLURAN HILAGANG KANLURAN SA BILIS NA 25 KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHAON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Cagayan, Isabela, Quirino, Apayao, Kalinga, Mountain Province, Ifugao, Aurora, Quezon, at Camarines Norte	Maulan na may pagbugso ng hangin	Cagayan, Isabela, Quirino, Apayao, Kalinga, Mountain Province, Ifugao, at Aurora – Katamtaman mula hilagang silangan hanggang hilagang kanluran Quezon, at Camarines Norte – Mahina hanggang sa katamtaman mula kanluran hanggang timog-kanluran	24 – 31	18 – 30	65 – 100	8 – 12
Metro Manila, Rehiyon ng Ilocos, Gitnang Luzon, natitirang bahagi ng Cordillera Administrative Region, natitirang bahagi ng Lambak ng Cagayan, natitirang bahagi ng CALABARZON, Occidental Mindoro, Oriental Mindoro, at Marinduque	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Rehiyon ng Ilocos, Gitnang Luzon, natitirang bahagi ng Cordillera Administrative Region, at natitirang bahagi ng Lambak ng Cagayan – Katamtaman mula hilagang silangan hanggang hilagang kanluran Metro Manila, natitirang bahagi ng CALABARZON, Occidental Mindoro, Oriental Mindoro, at Marinduque – Mahina hanggang sa katamtaman mula kanluran hanggang timog-kanluran	22 – 31	17 – 30	65 – 98	6 – 12
Antique, Iloilo, Guimaras, at Negros Occidental	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula kanluran hanggang timog-kanluran	24 – 31	21 – 30	60 – 98	4 – 8
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan	Natitirang bahagi ng Kabisayaan, natitirang bahagi ng Rehiyon ng Bicol, at natitirang bahagi	23 – 35	20 – 31	45 – 97	0 – 4



	o pagkidlat-pagkulong	MIMAROPA – Mahina hanggang sa katamtaman mula kanluran hanggang timog-kanluran Mindanao – Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran				
--	-----------------------	---	--	--	--	--


SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

TC LUIS, HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Linisin ang mga kanal, estero, at daluyan ng tubig upang maiwasan ang pagbabara, pagbaha, at pananatili ng tubig sa sakahan.
- Patibayin ang mga pilapil, dike, at pader ng palaisdaan upang mabawasan ang pagguho ng lupa at pagkasira ng mga estruktura.
- Gumamit ng mga pamamaraang pangangalaga sa lupa, tulad ng pagmumulch at paggawa ng contour barriers, upang mabawasan ang pagguho ng lupa dulot ng malalakas na pag-ulan.
- Mag-ipon at mag-imbak ng tubig-ulan para magamit sa irigasyon kapag bumuti na ang kondisyon ng panahon.
- Ilagay sa ligtas at mataas na lugar ang mga makinarya, kagamitan, pataba, kemikal, at mga inaning ani upang maiwasan ang pagkasira dulot ng pagbaha.
- Panatilihin ang talaan ng mga epekto ng panahon, pinsala sa pananim, at mga isinagawang hakbang sa pamamahala upang mapabuti ang paghahanda sa mga susunod na kalamidad.
- Suriing mabuti ang kondisyon ng sakahan bago pahintulatang makabalik ang mga manggagawa, at tiyaking wala nang panganib tulad ng mga punong maaaring bumagsak, naputol na linya ng kuryente, o malalim na baha.
- Sundin ang mga opisyal na babala at abiso mula sa DOST-PAGASA, Department of Agriculture (DA), at mga lokal na pamahalaan (LGUs) upang makagawa ng angkop na hakbang para sa kaligtasan at pamamahala ng sakahan.

PAYONG PANGSAKAHAN


KALAGAYAN NG LUPANG SAKAHAN (Hulyo 11 – 20, 2026)



Basa – Zambales, Bataan, Pampanga, Nueva Ecija, Rehiyon ng Cordillera (CAR), Rizal, ilang bahagi ng Cavite, hilagang bahagi ng Palawan, Romblon, Occidental Mindoro, karamihan ng Panay, Negros Occidental, Bukidnon, Davao del Norte, at ilang bahagi ng Bangsamoro Autonomous Region in Muslim Mindanao (BARMM)

Katamtaman – Ilocos Norte, Ilocos Sur, Pangasinan, Isabela,

ENSO ALERT SYSTEM STATUS (mula noong 22 Hulyo 2026)



EL NIÑO

<https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf>

Kasalukuyang umiiral ang mahina hanggang katamtamang El Niño sa tropical Pacific. Inaasahang lalakas ito at magpapatuloy hanggang unang kalahati ng 2027 (97% posibilidad). May 57% posibilidad na maging strong El Niño sa Hulyo–Agosto–Setyembre (JAS) 2026 at 81% posibilidad na maging very strong El Niño sa Oktubre–Nobyembre–Disyembre (OND) 2026 at Nobyembre–Disyembre–Enero (NDJ) 2026–2027.

Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihin ang irigasyon, maghanda ng imbak ng tubig-ulan, at gumamit ng mga barayting matibay sa tagtuyot. Subaybayan ang mga ulat ng DOST-PAGASA dahil maaari pa ring magkaroon ng mga pagkulong at pagkidlat na may kasamang malakas na ulan, bugso ng hangin, at posibleng pagbaha. Panatiliing ligtas ang mga pasilidad sa bukid at iangkop ang mga gawaing pangsakahan



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



Bulacan, Lungsod Quezon, Batangas, Tayabas, timog na bahagi ng Palawan, Dumangas, Southern Leyte, Eastern Samar, Davao del Sur, at General Santos
Tuyo – Natitirang bahagi bahagi

batay sa lagay ng panahon.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale warning.

Katamtaman na pag-alon ng karagatan ang iiral sa **mga baybayin ng Hilaga at Gitnang Luzon**, samantalang banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES

MONTHLY EXTREMES

Pinakamataas na Temperatura 37.5 °C (Tuguegarao City, 1988 and 2007)

Pinakamataas na Temperatura 39.4 °C (Tuguegarao, 1960)

Pinakamababang Temperatura 12.8 °C (Baguio City, 1923)

Pinakamababang Temperatura 12.8 °C (Baguio City, 1923)

Pinakamaraming Ulan 290.5 mm (Iba, Zambales; 1972)

Pinakamaraming Ulan 969.8 mm (Baguio City, 2008)

INIHANDA HANDA/INI-UPLOAD NINA: **RAMF / JAE**

BINIGYANG PANSIN NI: **MEVT**