



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 155

Issued: 7:00 AM, Thursday, 09 July 2026



Valid until: 7:00 AM, Friday, 10 July 2026

SYNOPSIS: At 3:00 AM today, the center of the eye of Typhoon "INDAY" {BAVI} was estimated based on all available data at 940 km East of Northern Luzon (17.7°N, 130.6°E) with maximum sustained winds of 175 km/h near the center and gustiness of up to 215 km/h. It is moving West Northwestward at 20 km/h. Southwest Monsoon affecting Palawan, Visayas, and Mindanao.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Cagayan Valley, Cordillera Administrative Region, Ilocos Norte, Aurora, and Catanduanes	Rains with gusty winds	Cagayan Valley, Cordillera Administrative Region, Aurora, and Catanduanes – Moderate to strong from Northwest to West; Ilocos Norte – Light to moderate from Northwest to West	24 – 37	16 – 36	65 – 100	> 12
Eastern Visayas and the rest of Bicol Region	Cloudy skies with scattered rains and thunderstorms	Rest of Bicol Region – Moderate to strong from Northwest to West; Eastern Visayas – Moderate to strong from Southwest	24 – 33	21 – 31	60 – 98	6 – 12
MIMAROPA, Western Visayas, Negros Island Region, Zamboanga Peninsula, BARMM, Lanao del Norte, Sultan Kudarat, Sarangani, and South Cotabato	Cloudy skies with scattered rains and thunderstorms	Zamboanga Peninsula, BARMM, Lanao del Norte, Sultan Kudarat, Sarangani, and South Cotabato – Moderate to strong from Southwest; Palawan, Western Visayas, and Negros Island Region – Light to moderate from West to Southwest; Rest of MIMAROPA – Light to moderate from Northwest to West	23 – 32	21 – 30	65 – 98	8 – 12
The rest of Visayas and Mindanao	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Rest of Visayas – Light to moderate from West to Southwest; Rest of Mindanao – Moderate to strong from Southwest	24 – 35	20 – 30	50 – 96	0 – 6



Metro Manila and the rest of Luzon	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Quezon – Moderate to strong from Northwest to West; Rest of Luzon – Light to moderate from Northwest to West	24 – 35	21 – 33	45 – 96	0 – 4
---	--	---	---------	---------	---------	-------

FARM ADVISORY	
SOIL MOISTURE CONDITION (June 21 – 30, 2026)	ENSO ALERT SYSTEM STATUS (Updated as of 24 June 2026)
 Wet – Zambales, Bataan, most parts of Palawan, Romblon, Occidental Mindoro, some portions of Capiz, some portions of Bukidnon, Davao del Norte, and Lanao del Sur Moist – Ilocos Sur, Itbayat, Nueva Ecija, most parts of Aurora, Tayabas, Laguna, most parts of Cavite, Batangas, most parts of Cordillera Administrative Region, Quezon City, Southern Leyte, Leyte, some portions of Eastern Samar, Davao del Sur, Maguindanao, and Negros Occidental Dry – Rest of the country	 EL NIÑO https://www.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring El Niño is expected to develop by mid-2026, increasing the possibility of below-normal rainfall, dry spells, and drought. Farmers are advised to maintain irrigation systems, use drought-tolerant crops, and harvest mature crops early when needed. Localized thunderstorms may still occur, especially in the afternoon or evening, bringing heavy rain, strong winds, lightning, and possible flash flooding in low-lying areas. Farmers should stay alert to daily weather updates, secure farm structures, and avoid field activities during thunderstorms, and adjust planting schedules based on DOST-PAGASA forecasts.

AREAS AFFECTED BY THE WEATHER SYSTEMS
TC INDAY, SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS - Inspect crops regularly for signs of flooding, waterlogging, pest infestations, and disease outbreaks, and implement appropriate control measures as soon as conditions permit. - Secure greenhouses, nurseries, seedbeds, storage facilities, and other farm structures by reinforcing roofs, coverings, and loose materials against strong winds. - Avoid field operations during thunderstorms to protect farmers and workers from lightning, strong winds, and other weather-related hazards. - Check irrigation systems, pumps, and drainage facilities after heavy rains, and repair any damaged or blocked sections to restore efficient water management. - Prepare contingency plans for harvesting, post-harvest handling, transportation, and marketing to minimize production and economic losses during prolonged adverse weather conditions. - Remove fallen branches, lodged plants, and other debris from fields to improve drainage, reduce disease risks, and facilitate recovery after adverse weather. - Maintain communication with local agricultural offices and disaster risk reduction authorities for updates, technical assistance, and emergency response support. - Continue monitoring weather forecasts, rainfall advisories, and tropical cyclone bulletins issued by DOST-PAGASA and local authorities to guide timely agricultural decision-making and risk reduction.



FISHING ADVISORY

GALE WARNING AND SEA CONDITION

Gale warning has been raised over **the northern and eastern seaboard of Luzon** (Batanes, the northern and eastern coasts of Cagayan {Buguey, Santa Teresita, Gonzaga, Santa Ana, Gattaran, Lal-Lo, Baggao, Peñablanca} including Babuyan Islands, Isabela, the northern coast of Aurora {Dilasag, Casiguran}, Polillo Islands {the northern coast of Panukulan, Burdeos, the eastern coast of Patnanungan, and the northern and eastern coasts of Jomalig}, the eastern coast of Camarines Norte {Jose Panganiban, Capalonga, Paracale, Vinzons, Talisay, Daet, Mercedes}, and the northern and eastern coasts of Catanduanes {Pandan, Viga, Bagamanoc, Panganiban, Gigmoto}) and **the eastern seaboard of Visayas** (the northern and eastern coast of Northern Samar {Laoang, Palapag, Mapanas, Gamay, Lapinig}).

Moderate to rough seas will prevail over **Mindanao and the eastern section of Luzon and Visayas**, while slight to moderate seas will prevail over **the rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	41.0 °C (Tuguegarao City, 1915)	Maximum Temperature	41.0 °C (Tuguegarao, 1915)
Minimum Temperature	13.9 °C (Baguio City, 1909)	Minimum Temperature	12.2 °C (Baguio City, 1907)
Rainfall	709.6 mm (Baguio City, 1986)	Rainfall	1,085.8 mm (Baguio City, 2001)

PREPARED/UPLOADED BY: **RAMF / ARL**

VERIFIED BY: **MEVT**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 155



Inilabas ng: 7:00 AM, Huwebes, 09 Hulyo 2026 May bisa hanggang: 7:00 AM, Biyernes, 10 Hulyo 2026

SYNOPSIS: Kaninang 3:00 AM, ang Super Typhoon "INDAY" {BAVI} ay tinatayang nasa 940 km silangan ng Hilagang Luzon (17.7°N, 130.6°E) na may taglay na lakas ng hangin na 175 km/h malapit sa gitna at pagbugso na umaabot sa 215 km/h. Ito ay kumikilos patungo sa kanluran hilagang kanluran sa bilis na 20 km/h. Habagat ang nakakaapekto sa Palawan, Kabisayaan, at Mindanao.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Lambak ng Cagayan, Cordillera Administrative Region, Ilocos Norte, Aurora, at Catanduanes	Maulan na may pagbugso ng hangin	Lambak ng Cagayan, Cordillera Administrative Region, Aurora, at Catanduanes – Katamtaman hanggang sa malakas mula hilagang kanluran hanggang kanluran; Ilocos Norte – Mahina hanggang sa katamtaman mula hilagang kanluran hanggang kanluran	24 – 37	16 – 36	65 – 100	> 12
Silangang Kabisayaan at natitirang bahagi ng Rehiyon ng Bicol	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Silangang Kabisayaan – Katamtaman hanggang sa malakas mula timog-kanluran; Natitirang bahagi ng Rehiyon ng Bicol – Katamtaman hanggang sa malakas mula hilagang kanluran hanggang kanluran;	24 – 33	21 – 31	60 – 98	6 – 12
MIMAROPA, Kanlurang Kabisayaan, Negros Island Region, Zamboanga Peninsula, BARMM, Lanao del Norte, Sultan Kudarat, Sarangani, at South Cotabato	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Zamboanga Peninsula, BARMM, Lanao del Norte, Sultan Kudarat, Sarangani, at South Cotabato – Katamtaman hanggang sa malakas mula timog-kanluran; Palawan, Kanlurang Kabisayaan, Negros Island Region – Mahina hanggang sa katamtaman mula kanluran hanggang timog-kanluran; Natitirang bahagi ng MIMAROPA – Mahina hanggang sa katamtaman mula hilagang kanluran hanggang kanluran	23 – 32	21 – 30	65 – 98	8 – 12



Natitirang bahagi ng Kabisayaan at Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	Natitirang bahagi ng Kabisayaan – Mahina hanggang sa katamtaman mula kanluran hanggang timog-kanluran; Natitirang bahagi ng Mindanao – Katamtaman hanggang sa malakas mula timog-kanluran	24 – 35	20 – 30	50 – 96	0 – 6
Metro Manila at natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	Quezon – Katamtaman hanggang sa malakas mula hilagang kanluran hanggang kanluran; Natitirang bahagi ng Luzon – Mahina hanggang sa katamtaman mula hilagang kanluran hanggang kanluran	24 – 35	21 – 33	45 – 96	0 – 4

PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Hunyo 21 – 30, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 24 Hunyo 2026)
 Legend - DRY (0 - 75 mm) - MOIST (76 - 150 mm) - WET (>150 mm) Basa – Zambales, Bataan, malaking bahagi ng Palawan, Romblon, Occidental Mindoro, ilang bahagi ng Capiz, ilang bahagi ng Bukidnon, Davao del Norte, at Lanao del Sur Katamtaman – Ilocos Sur, Itbayat, Nueva Ecija, malaking bahagi ng Aurora, Tayabas, Laguna, malaking bahagi ng Cavite, Batangas, malaking bahagi ng Cordillera <i>Administrative Region, Quezon City, Southern Leyte, Leyte, ilang bahagi ng Eastern Samar, Davao del Sur, Maguindanao, at Negros Occidental</i> Tuyo – Natitirang bahagi bahagi	 EL NIÑO https://www.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring Inaasahang ang El Niño sa kalagitnaan ng 2026, na magdudulot ng tagtuyot at posibleng kakulangan sa tubig. Pinapayuhan ang mga magsasaka na panatilihin ang maayos na irigasyon, gumamit ng drought-tolerant na pananim, at anihin agad ang mga hinog na tanim kung kinakailangan. Maaari pa ring magkaroon ng localized thunderstorms, lalo na sa hapon o gabi, na may kasamang malakas na ulan, hangin, kidlat, at posibleng flash flood sa mabababang lugar. Panatiling updated sa araw-araw na lagay ng panahon, tiyakin ang kaligtasan ng mga pasilidad sa bukid, iwasan ang trabaho sa bukid tuwing may thunderstorm, at iangkop ang taniman ayon sa forecast ng DOST-PAGASA.

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS
TC INDAY, HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN Regular na suriin ang mga pananim upang matukoy ang mga palatandaan ng pagbaha, waterlogging, pagdami ng peste, at pagkalat ng mga sakit, at agad na magsagawa ng angkop na mga hakbang sa pagkontrol kapag ligtas na ang kalagayan. .



- Patibayin ang mga greenhouse, nursery, punlaan, imbakan, at iba pang estruktura sa sakahan sa pamamagitan ng pagsasaayos at pagpapatatag ng mga bubong, takip, at maluluwag na bahagi upang mabawasan ang pinsala dulot ng malalakas na hangin.
- Iwasan ang pagsasagawa ng mga gawaing pangbukid habang may pagkulog at pagkidlat upang maprotektahan ang mga magsasaka at manggagawa laban sa kidlat, malalakas na hangin, at iba pang panganib na dulot ng masamang panahon.
- Suriin ang mga sistema ng irigasyon, mga bomba ng tubig, at mga pasilidad ng paagusan pagkatapos ng malalakas na pag-ulan, at agad na kumpunihin o alisin ang anumang bara o sira upang maibalik ang maayos na pamamahala ng tubig.
- Maghanda ng contingency plan para sa pag-aani, pangangasiwa pagkatapos ng anihan, transportasyon, at pagbebenta ng ani upang mabawasan ang pagkalugi sa produksyon at kabuhayan sa panahon ng matagal na masamang lagay ng panahon.
- Alisin ang mga natumbang sanga, nakahigang pananim, at iba pang mga kalat sa bukirin upang mapabuti ang daloy ng tubig, mabawasan ang panganib ng sakit sa pananim, at mapabilis ang pagbangon ng sakahan matapos ang masamang panahon.
- Panatilihin ang pakikipag-ugnayan sa mga lokal na tanggapan ng agrikultura at mga awtoridad sa disaster risk reduction upang makatanggap ng mga pinakabagong abiso, teknikal na suporta, at agarang tulong kung kinakailangan.
- Patuloy na subaybayan ang mga weather forecast, rainfall advisories, at tropical cyclone bulletins na inilalabas ng DOST-PAGASA at mga lokal na awtoridad upang makatulong sa maagap na pagpapasya sa mga gawaing pang-agrikultura at pagbawas ng panganib.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Nakataas ang Gale Warning sa hilaga at silangang mga baybayin ng Luzon (Batanes, hilaga at silangang mga baybayin ng Cagayan {Buguey, Santa Teresita, Gonzaga, Santa Ana, Gattaran, Lal-Lo, Baggao, Peñablanca} kasama ang Babuyan Islands, Isabela, hilagang baybayin ng Aurora {Dilasag, Casiguran}, Pollilo Islands {hilagang baybayin ng Panukulan, Burdeos, silangang baybayin ng Patnanungan, at hilaga at silangang mga baybayin ng Jomalig}, silangang baybayin ng Camarines Norte {Jose Panganiban, Capalonga, Paracale, Vinzons, Talisay, Daet, Mercedes}, hilaga at silangang mga baybayin ng Catanduanes {Pandan, Viga, Bagamanoc, Panganiban, Gigmoto}) at **silangang baybayin ng Kabisayaan** (hilaga at silangang mga baybayin ng Northern Samar {Laoang, Palapag, Mapanas, Gamay, Lapinig}).

Katamtaman hanggang sa maalon na karagatan ang iiral sa **Mindanao at silangang baybayin ng Luzon at Kabisayaan**, samantala, banayad hanggang sa katamtamang pag-alon ng karagatan ang inaasahan sa **natitirang bahagi ng bansa**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES

MONTHLY EXTREMES

Pinakamataas na Temperatura 41.0 °C (Tuguegarao City, 1915)

Pinakamababang Temperatura 13.9 °C (Baguio City, 1909)

Pinakamaraming Ulan 709.6 mm (Baguio City, 1986)

Pinakamataas na Temperatura 41.0 °C (Tuguegarao, 1915)

Pinakamababang Temperatura 12.2 °C (Baguio City, 1907)

Pinakamaraming Ulan 1,085.8 mm (Baguio City, 2001)

INIHANDA HANDA/INI-UPLOAD NINA: **RAMF / ARL**

BINIGYANG PANSIN NI: **MEVT**