



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 208

Issued: 7:00 AM, Thursday, 10 September 2026

Valid until: 7:00 AM, Friday, 11 September 2026

SYNOPSIS: Southwest Monsoon affecting Central Luzon, Southern Luzon, and Visayas.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Zambales	Monsoon Rains	Light to moderate from southwest	23 – 28	21 – 26	70 – 99	>12
Metro Manila, the rest of Central Luzon, Pangasinan, La Union, Benguet, Isabela, Nueva Vizcaya, Quirino, Rizal, Cavite, Batangas, Oriental Mindoro, and Occidental Mindoro	Occasional rains	Pangasinan, La Union, Benguet, Isabela, Nueva Vizcaya, and Quirino – Light to moderate from northeast to northwest; Metro Manila, the rest of Central Luzon, Rizal, Cavite, Batangas, Oriental Mindoro, and Occidental Mindoro – Light to moderate from southwest	22 – 31	16 – 27	60 – 99	8 – 12
Visayas, the rest of Luzon, Zamboanga Peninsula, and Northern Mindanao	Cloudy skies with scattered rains and thunderstorms	Visayas and the rest of Luzon – Light to moderate from southwest; Zamboanga Peninsula, and Northern Mindanao – Light to moderate from south southwest	23 – 37	18 – 31	60 – 98	4 – 8
The rest of Mindanao	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from south southwest	23 – 36	21 – 34	45 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS


- Inspect crops regularly for signs of flooding, waterlogging, pest infestations, and disease outbreaks, and implement appropriate control measures as soon as conditions permit.
- Secure greenhouses, nurseries, seedbeds, storage facilities, and other farm structures by reinforcing roofs, coverings, and loose materials against strong winds.
- Avoid field operations during thunderstorms to protect farmers and workers from lightning, strong winds, and other weather-related hazards.



- Check irrigation systems, pumps, and drainage facilities after heavy rains, and repair any damaged or blocked sections to restore efficient water management.
- Prepare contingency plans for harvesting, post-harvest handling, transportation, and marketing to minimize production and economic losses during prolonged adverse weather conditions.
- Stay alert and informed! Always follow the latest weather advisories from local authorities and your local government. Keep updated through the official DOST-PAGASA website, social media accounts, and PANaHON App for timely weather information, warnings, and safety updates.

FARM ADVISORY

SOIL MOISTURE CONDITION (August 21 – 31, 2026)




Wet – Ilocos Region, Itbayat, Aparri, Tuguegarao, Isabela, Cordillera Administrative Region, Central Luzon, National Capital Region, most areas of CALABARZON, and most areas of MIMAROPA,

Moist – Calayan, Basco, Nueva Viscaya, Alabat, Pagasa Island, most of Bicol Region, Catbalogan, Maasin, Zamboanga del Norte, Davao del Sur, Davao del Norte, Surigao del Norte, Surigao del Sur, and BARMM

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS (Updated as of 26 August 2026)



EL NIÑO

<https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf>

Moderate to strong El Niño is present in the Tropical Pacific. Climate models predict that El Niño will continue until the first half of 2027 and may reach a very strong state before the end of 2026.

Farmers are advised to conserve water, maintain irrigation systems, and harvest rainwater to ensure adequate water supply during El Niño. Use drought-tolerant crops and soil moisture conservation practices. Regularly monitor DOST-PAGASA weather updates and adjust farm activities accordingly. Despite generally drier conditions, localized thunderstorms may still bring heavy rain, strong winds, lightning, and possible flash flooding.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning is raised.

Slight to moderate seas will be experienced over **the whole archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES

MONTHLY EXTREMES

Maximum Temperature	37.1 °C (Cagayan de Oro, 1989)	Maximum Temperature	38.9 °C (Tuguegarao, 1963)
Minimum Temperature	12.9 °C (Baguio City, 1978)	Minimum Temperature	12.6 °C (Baguio City, 1990)
Rainfall	446.8 mm (Laoag City, 1994)	Rainfall	799.8 mm (Baguio City, 1911)

PREPARED/UPLOADED BY: NRE / ARL

VERIFIED BY: MTR



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 208

Inilabas ng: 7:00 AM Huwebes, 10 Setyembre 2026 May bisa hanggang: 7:00 AM Biyernes, 11 Setyembre 2026

SYNOPSIS: Habagat ang nakaaapekto sa Gitnang Luzon, Katimugang Luzon, at Kabisayaan.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Zambales	Pag-ulan dulot ng Habagat	Mahina hanggang sa katamtaman mula timog-kanluran	23 – 28	21 – 26	70 – 99	>12
Metro Manila, natitirang bahagi ng Gitnang Luzon, Pangasinan, La Union, Benguet, Isabela, Nueva Vizcaya, Quirino, Rizal, Cavite, Batangas, Oriental Mindoro, at Occidental Mindoro	Paminsan-minsang pag-ulan	Pangasinan, La Union, Benguet, Isabela, Nueva Vizcaya, at Quirino – Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilagang kanluran; Metro Manila, natitirang bahagi ng Gitnang Luzon, Rizal, Cavite, Batangas, Oriental Mindoro, at Occidental Mindoro – Mahina hanggang sa katamtaman mula timog-kanluran	22 – 31	16 – 27	60 – 99	8 – 12
Kabisayaan, natitirang bahagi ng Luzon, Zamboanga Peninsula, at Northern Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Kabisayaan at sa natitirang bahagi ng Luzon – Mahina hanggang sa katamtaman mula timog-kanluran; Zamboanga Peninsula at Northern Mindanao – Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	23 – 37	18 – 31	60 – 98	4 – 8
Natitirang bahagi ng Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	23 – 36	21 – 34	45 – 96	0 – 4



SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Regular na suriin ang mga pananim upang matukoy ang mga palatandaan ng pagbaha, waterlogging, pagdami ng peste, at pagkalat ng mga sakit, at agad na magsagawa ng angkop na mga hakbang sa pagkontrol kapag ligtas na ang kalagayan. .



- Patibayin ang mga greenhouse, nursery, punlaan, imbakán, at iba pang estruktura sa sakahan sa pamamagitan ng pagsasaayos at pagpapatatag ng mga bubong, takip, at maluluwag na bahagi upang mabawasan ang pinsala dulot ng malalakas na hangin.
- Iwasan ang pagsasagawa ng mga gawaing pangbukid habang may pagkulong at pagkidlat upang maprotektahan ang mga magsasaka at manggagawa laban sa kidlat, malalakas na hangin, at iba pang panganib na dulot ng masamang panahon.
- Suriin ang mga sistema ng irigasyon, mga bomba ng tubig, at mga pasilidad ng paagusan pagkatapos ng malalakas na pag-ulan, at agad na kumpunihin o alisin ang anumang bara o sira upang maibalik ang maayos na pamamahala ng tubig.
- Maghanda ng contingency plan para sa pag-aani, pangangasiwa pagkatapos ng anihan, transportasyon, at pagbebenta ng ani upang mabawasan ang pagkalugi sa produksyon at kabuhayan sa panahon ng matagal na masamang lagay ng panahon.
- Laging makinig sa mga payo ng awtoridad at lokal na pamahalaan para sa mga ulat panahon. Maging updated sa DOST-PAGASA website, social media, at PANaHON App.

PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (August 21 – 31, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 26 Agosto 2026)
 Basa – Rehiyon ng Ilocos, Itbayat, Aparri, Tuguegarao, Isabela, Cordillera Administrative Region, Gitnang Luzon, National Capital Region, malaking bahagi ng CALABARZON, at malaking bahagi ng MIMAROPA, Moist – Calayan, Basco, Nueva Viscaya, Alabat, Pag-asa Island, malaking bahagi sa Rehiyon ng Bicol, Catbalogan, Maasin, Zamboanga del Norte, Davao del Sur, Davao del Norte, Surigao del Sur, at BARMM Tuyo – Natitirang bahagi bahagi	 EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Kasalukuyang umiiral ang katamtamang hanggang s amalakas na El Niño sa Tropical Pacific. Ayon sa mga climate model, inaasahang magpapatuloy ang El Niño hanggang sa unang kalahati ng 2027 at may posibilidad na maging mas malakas bago matapos ang 2026. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihin ang irigasyon, at mag-apon ng tubig-ulan upang matiyak ang suplay ng tubig sa panahon ng El Niño. Gumamit ng mga pananim na matibay sa tagtuyot at mga pamamaraan sa pagpapanatili ng halumigmig ng lupa. Regular na subaybayan ang mga update ng DOST-PAGASA at iangkop ang mga gawaing pansaka ayon sa kondisyon ng panahon. Bagama't mas tuyo ang karaniwang kondisyon, maaari pa ring magkaroon ng localized thunderstorms na may malakas na ulan, hangin, pagkidlat, at posibleng biglaang pagbaha.

PAYO SA MGA MANGINGISDA
GALE WARNING AT KONDISYON NG KARAGATAN
Walang nakataas na Gale Warning.
Banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa buong kapuluan . Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	37.1 °C (Cagayan de Oro, 1989)	Pinakamataas na Temperatura	38.9 °C (Tuguegarao, 1963)
Pinakamababang Temperatura	12.9 °C (Baguio City, 1978)	Pinakamababang Temperatura	12.6 °C (Baguio City, 1990)
Pinakamaraming Ulan	446.8 mm (Laoag City, 1994)	Pinakamaraming Ulan	799.8 mm (Baguio City, 1911)
INIHANDA HANDA/INI-UPLOAD NINA: NRE / ARL		BINIGYANG PANSIN NI: MTR	