



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 195

Issued: 7:00 AM, Tuesday, 25 August 2026

Valid until: 7:00 AM, Friday, 26 August 2026

SYNOPSIS: Southwest Monsoon affecting Luzon.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

TYPHOON SAUDEL (2618) {FORMERLY "OBET"}

LOCATION: 1,180 KM EAST NORTHEAST OF EXTREME
NORTHERN LUZON (25.7°N, 132.1°E)

MAXIMUM SUSTAINED WINDS: 150 KM/H NEAR THE
CENTER

GUSTINESS: UP TO 185 KM/H

MOVEMENT: WEST NORTHWESTWARD AT 25 KM/H

TROPICAL DEPRESSION ATSANI (2621)

LOCATION: 1,760 KM EAST OF NORTHERN LUZON (18.5°N,
136.3°E)

MAXIMUM SUSTAINED WINDS: 55 KM/H NEAR THE CENTER

GUSTINESS: UP TO 70 KM/H

MOVEMENT: NORTHWARD AT 30 KM/H

FORECAST AREA	AGRI- WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Metro Manila, Ilocos Region, Cordillera Administrative Region, Cagayan Valley, Central Luzon, Cavite, Batangas, and Rizal	Cloudy skies with scattered rains and thunderstorms	Moderate to strong from southwest	22 – 33	17 – 31	65 – 98	4 – 8
The rest of Luzon	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Moderate to strong from southwest	24 – 34	22 – 32	60 – 97	0 – 6
The rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from south to southwest	23 – 36	20 – 32	50 – 96	0 – 4



FARM ADVISORY	
SOIL MOISTURE CONDITION (August 1 – 10, 2026)	ENSO ALERT SYSTEM STATUS (Updated as of 06 August 2026)
Wet – Ilocos Region, Cagayan, Isabela, Cordillera Administrative Region, Central Luzon, National Capital Region, most areas of CALABARZON, MIMAROPA except Puerto Princesa, Western part of Panay, Negros Occidental, Southern Leyte, Zamboanga del Norte, Bukidnon, Davao del Norte, Davao del Sur, Surigao del Norte, Surigao del Sur, and Lanao del Sur Moist – Rest of Cagayan Valley, Alabat, Marikina, most of Bicol Region, Eastern part of Panay, Samar, Eastern Samar, General Santos City, rest of Caraga, and rest of BARMM Dry – Rest of the country	EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Moderate El Niño is present in the Tropical Pacific. Climate models predict that El Niño will continue until the first half of 2027 and may reach a very strong state before the end of 2026. Farmers are advised to conserve water, maintain irrigation systems, and establish rainwater harvesting facilities to maximize available water during dry periods. The use of drought-tolerant crops and soil moisture conservation practices is encouraged to reduce the impacts of El Niño. Farmers should monitor daily DOST-PAGASA weather updates, as localized thunderstorms may still bring heavy rainfall, strong winds, lightning, and possible flash flooding. Secure farm structures, clear drainage canals, and adjust farm activities based on weather conditions to minimize risks.

AREAS AFFECTED BY THE WEATHER SYSTEMS
SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS • Monitor daily weather forecasts and advisories from DOST-PAGASA. • Clear and maintain irrigation canals, drainage ditches, and waterways to prevent flooding. • Strengthen nurseries, greenhouses, seedbeds, and trellises; relocate seedlings to safer areas if possible. • Adjust planting, spraying, and harvesting schedules based on expected rainfall. • Store harvested crops and farm inputs in elevated, dry, and covered areas. • Avoid fertilizer application and pesticide spraying during heavy rainfall. • Ensure the safety of farmers and farm workers by suspending field activities during severe weather. • Prepare contingency plans for harvesting, post-harvest handling, transportation, and marketing to minimize production and economic losses during prolonged adverse weather conditions. • Maintain communication with local agricultural offices and disaster risk reduction authorities for updates, technical assistance, and emergency response support. • Continue monitoring weather forecasts issued by DOST-PAGASA and local authorities to guide timely agricultural decision-making and risk reduction

FISHING ADVISORY
GALE WARNING AND SEA CONDITION
No Gale warning is raised.
Moderate to rough seas are expected over the seaboards of Luzon , while slight to moderate seas will be experienced over the rest of the archipelago . Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	37.6 °C (Butuan City, 1919)	Maximum Temperature	39.4 °C (Tuguegarao, 1960)
Minimum Temperature	13.8 °C (Baguio City, 1935)	Minimum Temperature	12.8 °C (Baguio City, 1923)
Rainfall	301.4 mm (Dagupan City, 2004)	Rainfall	969.8 mm (Baguio City, 2008)
PREPARED/UPLOADED BY: NRE / ARL		VERIFIED BY: MEVT	

"tracking the sky...helping the country"



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 195

Inilabas ng: 7:00 AM AM Huwebes, 25 Agosto 2026

May bisa hanggang: 7:00 AM Biyernes, 26 Agosto 2026

SYNOPSIS: Habagat ang nakakaapekto sa Luzon.

TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM

TYPHOON SAUDEL (2618) {DATING "OBET"}	TROPICAL DEPRESSION ATSANI (2621)
LOKASYON: 1,180 KM SILANGAN NG HILAGANG SILANGAN NG DULONG HILAGANG LUZON (25.7°N, 132.1°E)	LOKASYON: 1,760 KM SILANGAN NG HILAGANG LUZON (18.5°N, 136.3°E)
MALAKAS NA HANGIN: 150 KM/H MALAPIT SA GITNA	MALAKAS NA HANGIN: 55 KM/H MALAPIT SA GITNA
PAGBUGSO NG HANGIN: AABOT SA 185 KM/H	PAGBUGSO NG HANGIN: AABOT SA 70 KM/H
PAGKILOS: PA-KANLURAN SA BILIS NA 25 KM/H	PAGKILOS: PA-HILAGANG KANLURAN SA BILIS NA 30 KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Metro Manila, Rehiyon ng Ilocos, Cordillera Administrative Region, Lambak ng Cagayan, Gitnang Luzon, Cavite, Batangas, at Rizal	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Katamtaman hanggang sa malakas mula timog-kanluran	22 – 33	17 – 31	65 – 98	4 – 8
Natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Katamtaman hanggang sa malakas mula timog-kanluran	24 – 34	22 – 32	60 – 97	0 – 6
Mindanao, at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	23 – 36	20 – 32	50 – 96	0 – 4



PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Agosto 11 – 20, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 06 Agosto 2026)
Basa – Rehiyon ng Ilocos, Cagayan, Isabela, Rehiyo ng Cordillera, Gitnang Luzon, NCR, karamihan ng lugar sa CALABARZON, MIMAROPA maliban sa Puerto Princesa, kanlurang bahagi ng Panay, Negros Occidental, Southern Leyte, Zamboanga del Norte, Bukidnon, Davao del Norte, Davao del Sur, Surigao del Norte, Surigao del Sur, at Lanao del Sur Katamtaman – Natitirang bahagi ng Lambak ng Cagayan, Alabat, Mulanay, karamihan ng lugar sa Rehiyon ng Bicol, silangang bahagi ng Panay, Samar, Eastern Samar, General Santos City, natitirang bahagi ng Caraga, at natitirang bahagi ng BARMM Tuyo – Natitirang bahagi bahagi	EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Kasalukuyang umiiral ang katamtamang El Niño sa Tropical Pacific. Ayon sa mga climate model, inaasahang magpapatuloy ang El Niño hanggang sa unang kalahati ng 2027 at may posibilidad na maging mas malakas bago matapos ang 2026. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihin ang irigasyon, maghanda ng imbakan ng tubig-ulan, at gumamit ng mga barayting matibay sa tagtuyot. Subaybayan ang mga ulat ng DOST-PAGASA dahil maaari pa ring magkaroon ng mga pagkulong at pagkidlat na may kasamang malakas na ulan, bugso ng hangin, at posibleng pagbaha. Panatilihin ligtas ang mga pasilidad sa bukid at iangkop ang mga gawaing pangsakahan batay sa lagay ng panahon.

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS
HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN • Subaybayan araw-araw ang mga ulat at babala sa panahon mula sa PAGASA. • Linisin at panatilihin ang mga kanal ng irigasyon, daluyan ng tubig, at mga estero upang maiwasan ang pagbaha. • Patibayin ang mga punlaan, greenhouse, seedbed, at trellis; ilipat sa mas ligtas na lugar ang mga punla kung maaari. • layon ang iskedyul ng pagtatanim, pag-iispra, at pag-aani batay sa inaasahang dami ng ulan. • Siguraduhing maayos ang daluyan ng tubig sa bukid upang maiwasan ang pagbabara ng tubig at pagkabulok ng ugat. • Itago ang mga naaning pananim at farm inputs sa mataas, tuyo, at may bubong na lugar. • Iwasan ang paglalagay ng pataba at pag-spray ng pestisidyo sa panahon ng malakas na ulan. • Unahin ang kaligtasan ng mga magsasaka at manggagawang bukid sa pamamagitan ng pansamantalang pagtigil ng 2ocal2 sa bukid kapag masama ang panahon. • Maghanda ng contingency plan para 2ocal2-aani, pangangasiwa pagkatapos ng anihan, transportasyon, at pagbebenta ng ani upang mabawasan ang pagkalugi sa produksyon at kabuhayan sa panahon ng matagal na masamang lagay ng panahon. • Panatilihin ang pakikipag-ugnayan sa mga 2ocal na tanggapan ng agrikultura at mga awtoridad sa disaster risk reduction upang makatanggap ng mga pinakabagong abiso, teknikal na suporta, at agarang tulong kung kinakailangan. • Patuloy na subaybayan ang mga weather forecast na inilalabas ng DOST-PAGASA at mga 2ocal na awtoridad upang makatulong sa maagap na pagpapasya sa mga gawaing pang-agrikultura at pagbawas ng panganib.



PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale warning.

Katamtaman hanggang sa maalon na karagatan ang inaasahan sa **baybayin ng Luzon**, samantalaang banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES

MONTHLY EXTREMES

Pinakamataas na Temperatura 37.6 °C (Butuan City, 1919)

Pinakamataas na Temperatura 39.4 °C (Tuguegarao, 1960)

Pinakamababang Temperatura 13.8 °C (Baguio City, 1935)

Pinakamababang Temperatura 12.8 °C (Baguio City, 1923)

Pinakamaraming Ulan 301.4 mm (Dagupan City, 2004)

Pinakamaraming Ulan 969.8 mm (Baguio City, 2008)

INIHANDA HANDA/INI-UPLOAD NINA: **NRE / ARL**

BINIGYANG PANSIN NI: **MEVT**