Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 259

Issued: 7:00 AM, Wednesday, 11 November 2026 **Valid until: 7:00 AM, Thursday, 12 November 2026**

SYNOPSIS: Northeast Monsoon affecting Luzon. Easterlies affecting the rest of the country.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY
TYPHOON CEMPAKA (2632) (FORMERLY SAMUEL)
LOCATION: 2,440 KM EAST NORTHEAST OF EXTREME NORTHERN LUZON (26.9°N, 144.9°E)
MAXIMUM SUSTAINED WINDS: 140 KM/H NEAR THE CENTER
GUSTINESS: UP TO 170 KM/H
MOVEMENT: EAST NORTHEASTWARD AT 35 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Mindanao, Eastern Visayas, and Central Visayas	Cloudy skies with scattered rains and thunderstorms	Light to moderate from east to northeast	23 – 35	20 – 32	50 – 97	0 – 4
Cagayan, Isabela, Aurora, Quezon, and Camarines Norte	Cloudy skies with rains	Moderate to strong from northeast	22 – 31	20 – 29	55 – 98	4 – 8
Palawan, Masbate, and the rest of Visayas	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	**Palawan and Masbate** – Moderate to strong from northeast; **The rest of Visayas** – Light to moderate from east to northeast	23 – 34	21 – 32	50 – 98	0 – 4
Metro Manila and the rest of Luzon	Partly cloudy to cloudy skies with isolated light rains	Moderate to strong from northeast	21 – 34	15 – 30	45 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

NORTHEAST MONSOON, EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Clean and maintain irrigation canals, drainage systems, pumps, and water storage facilities to ensure efficient water management.
- Harvest mature crops promptly and ensure proper drying and storage to minimize postharvest losses and preserve produce quality.
- Monitor crops regularly for pest infestations, disease development, and signs of water stress, and implement appropriate management measures.
- Ensure adequate field drainage in areas prone to waterlogging to protect crops from prolonged soil saturation.
- Conserve available water through efficient irrigation scheduling, particularly in areas experiencing limited rainfall or declining soil moisture.
- Remove weeds and crop residues that may harbor pests and disease-causing organisms, while retaining beneficial ground cover where appropriate.
- Stay alert and informed! Always follow the latest weather advisories from local authorities and your local government. Keep updated through the official DOST-PAGASA website, social media accounts, and PANaHON App for timely weather information, warnings, and safety updates.


Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100
Tel. No.: 8284 -0800 local 4915
Website: http://bagong.pagasa.dost.gov.ph

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

FARM ADVISORY

SOIL MOISTURE CONDITION
(November 01 – 10, 2026)




Wet – Itbayat, Quezon, Puerto Princesa, Cuyo Island, Camarines Norte, Camarines Sur, Catanduanes, some parts of Albay, some parts of Panay Island, Samar, Eastern Samar, some parts of Leyte, Zamboanga del Norte, some parts of Bukidnon, Davao del Norte, Surigao del Sur, and Lanao del Sur

Moist – Pangasinan, La Union, most parts of Cagayan Valley, Cordillera Administrative Region, most parts of Central Luzon, National Capital Region, Cavite, Rizal, rest of MIMAROPA, Sorsogon, Bohol, Cebu, Northern Samar, Davao del Sur, North Cotabato, and rest of BARMM

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS
(Updated as of 04 November 2026)



EL NIÑO

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimateassessment/EN_Advisory_5.pdf

Very Strong El Niño is currently present in the tropical Pacific and is expected to persist until the first half of 2027, potentially reaching its peak by the end of 2026.

El Niño increases the likelihood of rainfall deficits, which may result in dry spells and drought in several areas of the country. However, episodes of heavy rainfall conditions may still occur due to the passage of tropical cyclones and other rain-bearing weather systems. However, above-normal rainfall conditions may still occur during the passage of tropical cyclones and other rain-bearing weather systems. Farmers are advised to conserve water, maintain irrigation systems, and harvest rainwater to ensure adequate water supply during El Niño. Use drought-tolerant crops and soil moisture conservation practices. Regularly monitor DOST-PAGASA weather updates and adjust farm activities accordingly. Despite generally drier conditions, localized thunderstorms may still bring heavy rain, strong winds, lightning, and possible flash flooding.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

Gale Warning is raised over **the northern and eastern seaboards of Northern Luzon** ((Isabela and the northern and eastern coasts of mainland Cagayan {Santa Ana, Gonzaga, Lal-Lo, Gattaran})).

Moderate to rough seas will prevail **over Luzon,** while slight to moderate seas will be experienced over the **rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	37.1 ºC (Laoag City, 1972)	**Maximum Temperature**	38.5 ºC (NAIA, 2005)
Minimum Temperature	10.9 ºC (Baguio City, 1908)	**Minimum Temperature**	9.2 ºC (Baguio City, 1989)
Rainfall	393.4 mm (Casiguran, 1957)	**Rainfall**	698.7 mm (Baguio City, 1980)

PREPARED/UPLOADED BY: NRE / HGDE **VERIFIED BY: MTR**

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 259

Inilabas ng: 7:00 AM Miyerkules, 11 Nobyembre 2026 May bisa hanggang: 7:00 AM Huwebes, 12 Nobyembre 2026

SYNOPSIS: Amihan ang nakakaapekto sa Luzon. Easterlies ang nakakaapekto sa natitirang bahagi ng bansa.

BAGYO SA LABAS NG PAR SIMULA KANINANG 3:00 AM
TYPHOON CEMPAKA (2632) (DATING SAMUEL)
LOKASYON: 2,440 KM SILANGAN HILAGANG SILANGAN NG DULONG HILAGANG LUZON (26.9°N, 144.9°E)
TAGLAY NA LAKAS NG HANGIN: 140 KM/H MALAPIT SA GITNA
PAGBUGSO: HANGGANG 170 KM/H
PAGKILOS: SILANGAN HILAGANG SILANGAN SA BILIS NA 35 KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (^{0}C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Mindanao, Eastern Visayas, at Central Visayas	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	23 – 35	20 – 32	50 – 97	0 – 4
Cagayan, Isabela, Aurora, Quezon, at Camarines Norte	Maulap na kalangitan na may pag-ulan	Katamtaman hanggang sa malakas mula hilagang silangan	22 – 31	20 – 29	55 – 98	4 – 8
Palawan, Masbate, at sa natitirang bahagi ng Kabisayaan	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	**Palawan at Masbate** – Katamtaman hanggang sa malakas mula hilagang silangan; **natitirang bahagi ng Kabisayaan** – Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	23 – 34	21 – 32	50 – 98	0 – 4
Metro Manila at sa natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may mahinang pag-ulan	Katamtaman hanggang sa malakas mula hilagang silangan	21 – 34	15 – 30	45 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

AMIHAN, EASTERLIES, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Linisin at panatilihing maayos ang mga kanal ng irigasyon, sistema ng paagusan, mga bomba ng patubig, at mga pasilidad sa imbakan ng tubig upang matiyak ang mahusay na pamamahala ng tubig.
- Anihin agad ang mga pananim na nasa hustong gulang na at tiyakin ang wastong pagpapatuyo at pag-iimbak ng mga ito upang mabawasan ang pagkalugi pagkatapos ng anihan at mapanatili ang kalidad ng mga produkto.
- Regular na subaybayan ang mga pananim para sa posibleng pagdami ng mga peste, paglitaw ng mga sakit, at mga palatandaan ng kakulangan sa tubig, at magsagawa ng angkop na mga hakbang sa pamamahala.
- Tiyakin ang maayos na daloy ng tubig palabas sa mga bukirin, lalo na sa mga lugar na madaling bahain o mag-ipon ng tubig, upang maiwasan ang matagal na pagkababad ng mga pananim sa sobrang tubig.
- Pangalagaan ang natitirang suplay ng tubig sa pamamagitan ng maayos at napapanahong pagdidilig, lalo na sa mga lugar na nakararanas ng kaunting pag-ulan o pagbaba ng halumigmig ng lupa.

Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100
Tel. No.: 8284 -0800 local 4915
Website: http://bagong.pagasa.dost.gov.ph


Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

- Alisin ang mga damo at mga tira-tirang bahagi ng pananim na maaaring pamahayan ng mga peste at organismong nagdudulot ng sakit, habang pinananatili ang kapaki-pakinabang na pantakip sa lupa kung kinakailangan.
- Laging makinig sa mga payo ng mga awtoridad at lokal na pamahalaan tungkol sa mga kondisyon ng panahon. Manatiling updated sa mga ulat at abiso mula sa DOST-PAGASA website, social media accounts, at PANaHON App.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN
(Nobyembre 01 –10, 2026)




Basa – Itbayat, Quezon, Puerto Princesa, Cuyo Island, Camarines Norte, Camarines Sur, Catanduanes, ilang bahagi ng Albay, ilang bahagi ng Panay Island, Samar, Eastern Samar, ilang bahagi ng Leyte, Zamboanga del Norte, ilang bahagi ng Bukidnon, Davao del Norte, Surigao del Sur, at Lanao del Sur

Katamtaman – Pangasinan, La Union, karamihang bahagi ng Cagayan Valley, Cordillera Administrative Region, karamihang bahagi ng Central Luzon, National Capital Region, Cavite, Rizal, natitirang bahagi ng MIMAROPA, Sorsogon, Bohol, Cebu, Northern Samar, Davao del Sur, North Cotabato, at natitirang bahagi ng BARMM

Tuyo – natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS
(mula noong 04 Nobyembre 2026)



EL NIÑO

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimateassessment/EN_Advisory_5.pdf

Kasalukuyang umiiral ang napakalakas na El Niño (Very Strong El Niño) sa tropical Pacific. Inaasahang magpapatuloy ito hanggang sa unang kalahati ng taong 2027 at posibleng maabot ang pinakamataas na tindi nito sa pagtatapos ng 2026.

Pinapataas ng El Niño ang posibilidad na makaranas ng kakulangan sa pag-ulan sa ilang bahagi ng bansa, na maaaring magdulot ng mga dry spell at tagtuyot. Gayunpaman, maaari pa ring magkaroon ng mga panahon ng malakas na pag-ulan dahil sa pagdaan ng mga bagyo at iba pang weather systems na nagdadala ng ulan.. Gayunpaman, maaari pa ring magkaroon ng mas mataas sa karaniwang dami ng ulan kapag may pagdaan ng mga tropical cyclone at iba pang weather systems na nagdadala ng ulan. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihing maayos ang irigasyon, at mag-ipon ng tubig-ulan upang matiyak ang suplay ng tubig sa panahon ng El Niño. Gumamit ng mga pananim na matibay sa tagtuyot at mga pamamaraan sa pagpapanatili ng halumigmig ng lupa. Regular na subaybayan ang mga update ng DOST-PAGASA at iangkop ang mga gawaing pansaka ayon sa kondisyon ng panahon. Bagama't mas tuyo ang karaniwang kondisyon, maaari pa ring magkaroon ng localized thunderstorms na may malakas na ulan, hangin, pagkidlat, at posibleng biglaang pagbaha.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Nakataas ang Gale Warning sa **hilaga at silangang baybayin ng Hilagang Luzon** ((Isabela at sa hilaga at silangang baybayin sa kalupaan ng Cagayan {Santa Ana, Gonzaga, Lal-Lo, Gattaran})).

Katamtaman hanggang sa maalon na karagatan ang inaasahan **sa Luzon,** samantalang banayad hanggang sa katamtaman na pag-alon ng karagatan ang mararanasan sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

DAGDAG KAALAMAN			
DAILY EXTREMES		**MONTHLY EXTREMES**	
Pinakamataas na Temperatura	37.1 ºC (Laoag City, 1972)	**Pinakamataas na Temperatura**	38.5 ºC (NAIA, 2005)
Pinakamababang Temperatura	10.9 ºC (Baguio City, 1908)	**Pinakamababang Temperatura**	9.2 ºC (Baguio City, 1989)
Pinakamaraming Ulan	393.4 mm (Casiguran, 1957)	**Pinakamaraming Ulan**	698.7 mm (Baguio City, 1980)

INIHANDA HANDA/INI-UPLOAD NINA: NRE / HGDE **BINIGYANG PANSIN NI: MTR**