



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 209

Issued: 7:00 AM, Friday, 11 September 2026

Valid until: 7:00 AM, Saturday, 12 September 2026

SYNOPSIS: Southwest Monsoon affecting Central Luzon, Southern Luzon, and Visayas.



FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Pangasinan, La Union, Benguet, Zambales, and Bataan	Occasional rains	Pangasinan, La Union, Benguet – Light to moderate from southeast to northeast; Zambales and Bataan – Light to moderate from southwest to south	22 – 31	17 – 30	70 – 99	>12
Metro Manila, the rest of Luzon, Western Visayas, and Northern Samar	Cloudy skies with scattered rains and thunderstorms	Rest of Northern Luzon – Light to moderate from southeast to northeast; Metro Manila, the rest of Luzon, Western Visayas, and Northern Samar – Light to moderate from southwest to south	23 – 33	18 – 31	60 – 99	6 – 12
The rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Rest of Visayas – Light to moderate from southwest to south; Mindanao – Light to moderate from south to southwest	23 – 36	19 – 33	60 – 98	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Inspect crops regularly for signs of flooding, waterlogging, pest infestations, and disease outbreaks, and implement appropriate control measures as soon as conditions permit.
- Secure greenhouses, nurseries, seedbeds, storage facilities, and other farm structures by reinforcing roofs, coverings, and loose materials against strong winds.
- Avoid field operations during thunderstorms to protect farmers and workers from lightning, strong winds, and other weather-related hazards.
- Check irrigation systems, pumps, and drainage facilities after heavy rains, and repair any damaged or blocked sections to restore efficient water management.
- Prepare contingency plans for harvesting, post-harvest handling, transportation, and marketing to minimize production and economic losses during prolonged adverse weather conditions.
- Stay alert and informed! Always follow the latest weather advisories from local authorities and your local government. Keep updated through the official DOST-PAGASA website, social media accounts, and PANaHON App for timely weather information, warnings, and safety updates.



FARM ADVISORY	
SOIL MOISTURE CONDITION (August 21 – 31, 2026)	ENSO ALERT SYSTEM STATUS (Updated as of 06 September 2026)
 Wet – Ilocos Region, Itbayat, Aparri, Tuguegarao, Isabela, Cordillera Administrative Region, Central Luzon, National Capital Region, most areas of CALABARZON, and most areas of MIMAROPA, Moist – Calayan, Basco, Nueva Viscaya, Alabat, Pagasa Island, most of Bicol Region, Catbalogan, Maasin, Zamboanga del Norte, Davao del Sur, Davao del Norte, Surigao del Norte, Surigao del Sur, and BARMM Dry – Rest of the country	 EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Moderate to strong El Niño is present in the Tropical Pacific. Climate models predict that El Niño will continue until the first half of 2027 and may reach a very strong state before the end of 2026. Farmers are advised to conserve water, maintain irrigation systems, and harvest rainwater to ensure adequate water supply during El Niño. Use drought-tolerant crops and soil moisture conservation practices. Regularly monitor DOST-PAGASA weather updates and adjust farm activities accordingly. Despite generally drier conditions, localized thunderstorms may still bring heavy rain, strong winds, lightning, and possible flash flooding.

FISHING ADVISORY
GALE WARNING AND SEA CONDITION
No Gale Warning is raised.
Slight to moderate seas will be experienced over the whole archipelago . Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	38.2 °C (Surigao City, 2008)	Maximum Temperature	38.9 °C (Tuguegarao, 1963)
Minimum Temperature	13.2 °C (Baguio City, 1971&1989)	Minimum Temperature	12.6 °C (Baguio City, 1990)
Rainfall	537.5 mm (Alabat, 2017)	Rainfall	799.8 mm (Baguio City, 1911)

PREPARED/UPLOADED BY: MTR/JOT	VERIFIED BY: NRE
--------------------------------------	-------------------------



TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 209

Inilabas ng: 7:00 AM Biyernes, 11 Setyembre 2026 May bisa hanggang: 7:00 AM Sabado, 12 Setyembre 2026

SYNOPSIS: Habagat ang nakaaapekto sa Gitnang Luzon, Katimugang Luzon, at Kabisayaan.

LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Pangasinan, La Union, Benguet, Zambales, at Bataan	Paminsan-minsang pag-ulan	Pangasinan, La Union, at Benguet – Mahina hanggang sa katamtaman mula timog-silangan hanggang hilagang silangan; Zambales at Bataan – Mahina hanggang sa katamtaman mula timog-kanluran hanggang timog	22 – 31	17 – 30	70 – 99	>12
Metro Manila, natitirang bahagi ng Luzon, Kanlurang Kabisayaan, at Hilagang Samar	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Natitirang bahagi ng Hilagang Luzon – Mahina hanggang sa katamtaman mula timog-silangan hanggang hilagang silangan; Metro Manila, natitirang bahagi ng Luzon, Kanlurang Kabisayaan, at Hilagang Samar – Mahina hanggang sa katamtaman mula timog-kanluran hanggang timog	23 – 33	18 – 31	60 – 99	6 – 12
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Natitirang bahagi ng Kabisayaan – Mahina hanggang sa katamtaman mula timog-kanluran hanggang timog Mindanao – Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	23 – 36	19 – 33	60 – 98	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Regular na suriin ang mga pananim upang matukoy ang mga palatandaan ng pagbaha, waterlogging, pagdami ng peste, at pagkalat ng mga sakit, at agad na magsagawa ng angkop na mga hakbang sa pagkontrol kapag ligtas na ang kalagayan.
- Patibayin ang mga greenhouse, nursery, punlaan, imbakan, at iba pang estruktura sa sakahan sa pamamagitan ng pagsasaayos at pagpapatatag ng mga bubong, takip, at maluluwag na bahagi upang mabawasan ang pinsala dulot ng malalakas na hangin.
- Iwasan ang pagsasagawa ng mga gawaing pangbukid habang may pagkulong at pagkidlat upang maprotektahan ang mga magsasaka at manggagawa laban sa kidlat, malalakas na hangin, at iba pang panganib na dulot ng masamang panahon.



- Suriin ang mga sistema ng irigasyon, mga bomba ng tubig, at mga pasilidad ng paagusan pagkatapos ng malalakas na pag-ulan, at agad na kumpunihin o alisin ang anumang bara o sira upang maibalik ang maayos na pamamahala ng tubig.
- Maghanda ng contingency plan para sa pag-aani, pangangasiwa pagkatapos ng anihan, transportasyon, at pagbebenta ng ani upang mabawasan ang pagkalugi sa produksyon at kabuhayan sa panahon ng matagal na masamang lagay ng panahon.
- Laging makinig sa mga payo ng awtoridad at lokal na pamahalaan para sa mga ulat panahon. Maging updated sa DOST-PAGASA website, social media, at PANaHON App.

PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (August 21 – 31, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 06 Setyembre 2026)
Basa – Rehiyon ng Ilocos, Itbayat, Aparri, Tuguegarao, Isabela, Cordillera Administrative Region, Gitnang Luzon, National Capital Region, malaking bahagi ng CALABARZON, at malaking bahagi ng MIMAROPA, Moist – Calayan, Basco, Nueva Viscaya, Alabat, Pag-asa Island, malaking bahagi sa Rehiyon ng Bicol, Catbalogan, Maasin, Zamboanga del Norte, Davao del Sur, Davao del Norte, Surigao del Norte, Surigao del Sur, at BARM Tuyo – Natitirang bahagi bahagi	EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Kasalukuyang umiiral ang katamtamang hanggang sa malakas na El Niño sa Tropical Pacific. Ayon sa mga forecast, inaasahang magpapatuloy ang El Niño hanggang sa unang kalahati ng 2027 at may posibilidad na maging mas malakas bago matapos ang 2026. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihin maayos ang irigasyon, at mag-ipon ng tubig-ulan upang matiyak ang suplay ng tubig sa panahon ng El Niño. Gumamit ng mga pananim na matibay sa tagtuyot at mga pamamaraan sa pagpapanatili ng halumigmig ng lupa. Regular na subaybayan ang mga update ng DOST-PAGASA at iangkop ang mga gawaing pansaka ayon sa kondisyon ng panahon. Bagama't mas tuyo ang karaniwang kondisyon, maaari pa ring magkaroon ng localized thunderstorms na may malakas na ulan, hangin, pagkidlat, at posibleng biglaang pagbaha.

PAYO SA MGA MANGINGISDA
GALE WARNING AT KONDISYON NG KARAGATAN
Walang nakataas na Gale Warning.
Banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa buong kapuluan . Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	38.2 °C (Surigao City, 2008)	Pinakamataas na Temperatura	38.9 °C (Tuguegarao, 1963)
Pinakamababang Temperatura	13.2 °C (Baguio City, 1971&1989)	Pinakamababang Temperatura	12.6 °C (Baguio City, 1990)
Pinakamaraming Ulan	537.5 mm (Alabat, 2017)	Pinakamaraming Ulan	799.8 mm (Baguio City, 1911)
INIHANDA HANDA/INI-UPLOAD NINA: MTR/JOT		BINIGYANG PANSIN NI: NRE	



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)

