



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 183

Issued: 7:00 AM, Monday, 10 August 2026

Valid until: 7:00 AM, Tuesday, 11 August 2026

SYNOPSIS: Southwest Monsoon affecting Luzon and the western section of Visayas.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

TROPICAL STORM PEILOU (2616)

LOCATION: 2,515 KM EAST OF EXTREME NORTHERN LUZON (20.3°N, 145.0°E)

MAXIMUM SUSTAINED WINDS: 65 KM/H NEAR THE CENTER



GUSTINESS: UP TO 80 KM/H

MOVEMENT: EAST SOUTHEASTWARD AT 25 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Benguet, Zambales, and Bataan	Monsoon Rains	Strong from southwest	24 – 27	17 – 25	70 – 99	> 12
Metro Manila, Ilocos Region, the rest of Cordillera Administrative Region, Nueva Vizcaya, Tarlac, Nueva Ecija, Pampanga, Bulacan, Rizal, Cavite, Batangas, Oriental Mindoro, and Occidental Mindoro	Occasional rains	Metro Manila, Ilocos Region, the rest of Cordillera Administrative Region, Nueva Vizcaya, Tarlac, Rizal, Cavite, Batangas, Oriental Mindoro, and Occidental Mindoro – Strong from southwest Nueva Ecija, Pampanga, and Bulacan – Moderate to strong from southwest	24 – 33	19 – 32	70 – 99	> 12
Western Visayas, the rest of Cagayan Valley, the rest of CALABARZON, the rest of MIMAROPA, Camarines Norte, and Camarines Sur	Cloudy skies with scattered rains and thunderstorms	Rest of Cagayan Valley and the rest of MIMAROPA – Strong from southwest Rest of CALABARZON, Camarines Norte, and Camarines Sur – Moderate to strong from southwest Western Visayas – Moderate to strong from south to southwest	24 – 33	21 – 30	65 – 98	4 – 8
The rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Rest of Luzon – Moderate to strong from southwest Mindanao and the rest of Visayas – Moderate to strong	23 – 36	21 – 32	45 – 96	0 – 6



		from south to southwest				
--	--	-------------------------	--	--	--	--

FARM ADVISORY	
SOIL MOISTURE CONDITION (July 21 – 31, 2026)	ENSO ALERT SYSTEM STATUS (Updated as of 22 July 2026)
 Wet – Ilocos Norte, Ilocos Sur, Pangasinan, Isabela, Zambales, Bataan, Pampanga, Nueva Ecija, Bulacan, Tarlac, Cordillera Administrative Region, northern part of National Capital Region, Quezon, Rizal, some portions of Cavite, northern parts of Palawan, Romblon, Occidental Mindoro, Oriental Mindoro, West Panay, Samar, Southern Leyte, Negros Occidental, Zamboanga del Norte, Bukidnon, Davao del Norte, Davao del Sur, South Cotabato, Surigao del Norte, Surigao del Sur, and some parts of BARMM Moist – Cagayan, Aurora, Batangas, some parts of Palawan, Albay, Catanduanes, East Panay, Eastern Samar, Negros Oriental, and Zamboanga del Sur Dry – Rest of the country	 EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf A weak to moderate El Niño is currently present in the tropical Pacific. Climate models indicate that it is likely to intensify and persist through the first half of 2027 (97% probability). There is a 57% probability of El Niño strengthening to a strong event during the July–August–September (JAS) 2026 season, while a very strong El Niño is favored during the October–November–December (OND) 2026 and November–December–January (NDJ) 2026–2027 seasons, with an estimated 81% probability. Farmers are advised to conserve water, maintain irrigation systems, and establish rainwater harvesting facilities to maximize available water during dry periods. The use of drought-tolerant crops and soil moisture conservation practices is encouraged to reduce the impacts of El Niño. Farmers should monitor daily DOST-PAGASA weather updates, as localized thunderstorms may still bring heavy rainfall, strong winds, lightning, and possible flash flooding. Secure farm structures, clear drainage canals, and adjust farm activities based on weather conditions to minimize risks.

AREAS AFFECTED BY THE WEATHER SYSTEMS
SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS - Inspect crops regularly for signs of flooding, waterlogging, pest infestations, and disease outbreaks, and implement appropriate control measures as soon as conditions permit. - Secure greenhouses, nurseries, seedbeds, storage facilities, and other farm structures by reinforcing roofs, coverings, and loose materials against strong winds. - Avoid field operations during thunderstorms to protect farmers and workers from lightning, strong winds, and other weather-related hazards. - Check irrigation systems, pumps, and drainage facilities after heavy rains, and repair any damaged or blocked sections to restore efficient water management. - Prepare contingency plans for harvesting, post-harvest handling, transportation, and marketing to minimize production and economic losses during prolonged adverse weather conditions. - Remove fallen branches, lodged plants, and other debris from fields to improve drainage, reduce disease risks, and facilitate recovery after adverse weather. - Maintain communication with local agricultural offices and disaster risk reduction authorities for updates, technical assistance, and emergency response support.



- Continue monitoring weather forecasts, rainfall advisories, and tropical cyclone bulletins issued by DOST-PAGASA and local authorities to guide timely agricultural decision-making and risk reduction.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

Gale warning was raised over **the western seaboard of Central Luzon** (Zambales and Bataan), **the western seaboard of Northern Luzon** (the western coast of Ilocos Norte {Burgos, Pasuquin, Laoag City, Bacarra, Paoay}, the western coast of Pangasinan {Bolinao, Bani, Agno, Burgos, Dasol, and Infanta}), **and the seaboard of Extreme Northern Luzon** (Batanes and Babuyan Islands {Babuyan Is., Calayan Is., Dalupiri Is.}).

Rough seas are expected over the **northern and western seaboard of Luzon**, while moderate to rough seas will be experienced over the **rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES

MONTHLY EXTREMES

Maximum Temperature	38.3 °C (Tuguegarao City, 1959)	Maximum Temperature	39.4 °C (Tuguegarao, 1960)
Minimum Temperature	13.7 °C (Baguio City, 1930)	Minimum Temperature	12.8 °C (Baguio City, 1923)
Rainfall	256.0 mm (NAIA; 1976)	Rainfall	969.8 mm (Baguio City, 2008)

PREPARED/UPLOADED BY: **RAMF / JAE**

VERIFIED BY: **MEVT**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 183

Inilabas ng: 7:00 AM Lunes, 10 Agosto 2026 May bisa hanggang: 7:00 AM Martes, 11 Agosto 2026

SYNOPSIS: Habagat ang nakakaapekto sa Luzon at sa kanlurang bahagi ng Kabisayaan.

BAGYO SA LABAS NG PAR KANINANG 3:00 AM

TROPICAL STORM PEILOU (2616)

LOKASYON: 2,515 KM SILANGAN NG DULONG HILAGANG LUZON (20.3°N, 145.0°E)

TAGLAY NA LAKAS NG HANGIN: 65 KM/H MALAPIT SA GITNA



PAGBUGSO: HANGGANG 80 KM/H

PAGKILOS: SILANGAN TIMOG-SILANGAN SA BILIS NA 25 KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Benguet, Zambales, at Bataan	Pag-ulan dulot ng Habagat	Malakas mula timog-kanluran	24 – 27	17 – 25	70 – 99	> 12
Metro Manila, Rehiyon ng Ilocos, natitirang bahagi ng Cordillera Administrative Region, Nueva Vizcaya, Tarlac, Nueva Ecija, Pampanga, Bulacan, Rizal, Cavite, Batangas, Oriental Mindoro, at Occidental Mindoro	Paminsan-minsang pag-ulan	Metro Manila, Rehiyon ng Ilocos, natitirang bahagi ng Cordillera Administrative Region, Nueva Vizcaya, Tarlac, Rizal, Cavite, Batangas, Oriental Mindoro, at Occidental Mindoro – Malakas mula timog-kanluran Nueva Ecija, Pampanga, at Bulacan – Katamtaman hanggang sa malakas mula timog-kanluran	24 – 33	19 – 32	70 – 99	> 12
Kanlurang Kabisayaan, natitirang bahagi ng Lambak ng Cagayan, natitirang bahagi ng CALABARZON, natitirang bahagi ng MIMAROPA, Camarines Norte, at Camarines Sur	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Natitirang bahagi ng Lambak ng Cagayan at natitirang bahagi ng MIMAROPA – Malakas mula timog-kanluran Natitirang bahagi ng CALABARZON, Camarines Norte, at Camarines Sur – Katamtaman hanggang sa malakas mula timog-kanluran Kanlurang Kabisayaan – Katamtaman hanggang sa malakas mula timog hanggang timog-kanluran	24 – 33	21 – 30	65 – 98	4 – 8
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Natitirang bahagi ng Luzon – Katamtaman hanggang sa malakas mula timog-kanluran	23 – 36	21 – 32	45 – 96	0 – 6



		Mindanao at natitirang bahagi ng Kabisayaan – Katamtaman hanggang sa malakas mula timog hanggang timog-kanluran				
--	--	---	--	--	--	--

PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Hulyo 21 – 31, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 22 Hulyo 2026)
 Legend - DRY (0-75mm) - MOIST (76mm-150mm) - WET (>150mm) Basa – Ilocos Norte, Ilocos Sur, Pangasinan, Isabela, Zambales, Bataan, Pampanga, Nueva Ecija, Bulacan, Tarlac, Cordillera Administrative Region, hilagang bahagi ng National Capital Region, Quezon, Rizal, ilang bahagi ng Cavite, hilagang bahagi ng Palawan, Romblon, Occidental Mindoro, Oriental Mindoro, kanlurang bahagi ng Panay, Samar, Southern Leyte, Negros Occidental, Zamboanga del Norte, Bukidnon, Davao del Norte, Davao del Sur, South Cotabato, Surigao del Norte, Surigao del Sur, at ilang bahagi ng BARMM Katamtaman – Cagayan, Aurora, Batangas, ilang bahagi ng Palawan, Albay, Catanduanes, silangang bahagi ng Panay, Eastern Samar, Negros Oriental, at Zamboanga del Sur Tuyo – Natitirang bahagi bahagi	 EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Kasalukuyang umiiral ang mahina hanggang katamtamang El Niño sa tropical Pacific. Inaasahang lalakas ito at magpapatuloy hanggang unang kalahati ng 2027 (97% posibilidad). May 57% posibilidad na maging strong El Niño sa Hulyo–Agosto–Setyembre (JAS) 2026 at 81% posibilidad na maging very strong El Niño sa Oktubre–Nobyembre–Disyembre (OND) 2026 at Nobyembre–Disyembre–Enero (NDJ) 2026–2027. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihin ang irigasyon, maghanda ng imbakan ng tubig-ulan, at gumamit ng mga barayting matibay sa tagtuyot. Subaybayan ang mga ulat ng DOST-PAGASA dahil maaari pa ring magkaroon ng mga pagkulong at pagkidlat na may kasamang malakas na ulan, bugso ng hangin, at posibleng pagbaha. Panatiliing ligtas ang mga pasilidad sa bukid at iangkop ang mga gawaing pangsakahan batay sa lagay ng panahon.

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS
HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN - Regular na suriin ang mga pananim upang matukoy ang mga palatandaan ng pagbaha, waterlogging, pagdami ng peste, at pagkalat ng mga sakit, at agad na magsagawa ng angkop na mga hakbang sa pagkontrol kapag ligtas na ang kalagayan. - Patibayin ang mga greenhouse, nursery, punlaan, imbakan, at iba pang estruktura sa sakahan sa pamamagitan ng pagsasaayos at pagpapatatag ng mga bubong, takip, at maluluwag na bahagi upang mabawasan ang pinsala dulot ng malalakas na hangin. - Iwasan ang pagsasagawa ng mga gawaing pangbukid habang may pagkulong at pagkidlat upang maprotektahan ang mga magsasaka at manggagawa laban sa kidlat, malalakas na hangin, at iba pang panganib na dulot ng masamang panahon. - Suriin ang mga sistema ng irigasyon, mga bomba ng tubig, at mga pasilidad ng paagusan pagkatapos ng malalakas na pag-ulan, at agad na kumpunihin o alisin ang anumang bara o sira upang maibalik ang maayos na pamamahala ng tubig. - Maghanda ng contingency plan para sa pag-aani, pangangasiwa pagkatapos ng anihan, transportasyon, at pagbebenta ng ani upang mabawasan ang pagkalugi sa produksyon at kabuhayan sa panahon ng matagal na masamang lagay ng panahon.



- Alisin ang mga natumbang sanga, nakahigang pananim, at iba pang mga kalat sa bukirin upang mapabuti ang daloy ng tubig, mabawasan ang panganib ng sakit sa pananim, at mapabilis ang pagbangon ng sakahan matapos ang masamang panahon.
- Panatilihin ang pakikipag-ugnayan sa mga lokal na tanggapan ng agrikultura at mga awtoridad sa disaster risk reduction upang makatanggap ng mga pinakabagong abiso, teknikal na suporta, at agarang tulong kung kinakailangan.
- Patuloy na subaybayan ang mga weather forecast, rainfall advisories, at tropical cyclone bulletins na inilalabas ng DOST-PAGASA at mga lokal na awtoridad upang makatulong sa maagap na pagpapasya sa mga gawaing pang-agrikultura at pagbawas ng panganib.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Nakataas ang Gale warning sa **kanlurang baybayin ng Gitnang Luzon** (Zambales at Bataan), **kanlurang baybayin ng Hilagang Luzon** (kanlurang baybayin ng Ilocos Norte {Burgos, Pasuquin, Laoag City, Bacarra, Paoay}, kanlurang baybayin ng Pangasinan {Bolinao, Bani, Agno, Burgos, Dasol, at Infanta}), **at baybayin ng Dulong Hilagang Luzon** (Batanes at Babuyan Islands {Babuyan Is., Calayan Is., Dalupiri Is.}).

Maalon na karagatan ang inaasahan sa **hilaga at kanlurang mga baybayin ng Luzon**, samantalang katamtaman hanggang sa maalon na karagatan ang mararanasan sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	38.3 °C (Tuguegarao City, 1959)	Pinakamataas na Temperatura	39.4 °C (Tuguegarao, 1960)
Pinakamababang Temperatura	13.7 °C (Baguio City, 1930)	Pinakamababang Temperatura	12.8 °C (Baguio City, 1923)
Pinakamaraming Ulan	256.0 mm (NAIA; 1976)	Pinakamaraming Ulan	969.8 mm (Baguio City, 2008)
INIHANDA HANDA/INI-UPLOAD NINA: RAMF / JAE		BINIGYANG PANSIN NI: MEVT	