



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 190

Issued: 7:00 AM, Tuesday, 18 August 2026 Valid until: 7:00 AM, Wednesday, 19 August 2026

SYNOPSIS: At 3:00 AM today, the Low Pressure Area (LPA) was estimated based on all available data at 1,115 km East of Northern Luzon (19.6°N, 132.1°E). Southwest Monsoon affecting Luzon and Visayas.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Benguet, La Union, Pangasinan, Zambales, Bataan, Cavite, Batangas, and Occidental Mindoro	Monsoon Rains	Moderate to strong from southwest	23 – 30	17 – 28	70 – 99	>12
Metro Manila, Ilocos Sur, Abra, Tarlac, Pampanga, Bulacan, Nueva Ecija, Laguna, Rizal, Oriental Mindoro, and Antique	Occasional rains	Metro Manila, Ilocos Sur, Abra, and Oriental Mindoro – Moderate to strong from southwest Tarlac, Pampanga, Bulacan, Nueva Ecija, Laguna, Rizal, and Antique – Light to moderate from south to southwest	23 – 32	20 – 29	70 – 98	>12
Negros Island Region, the rest of Luzon, and the rest of Western Visayas	Cloudy skies with scattered rains and thunderstorms	The rest of the northern and western section of Luzon – Moderate to strong from southwest; Negros Island Region, the rest of Luzon, and the rest of Western Visayas – Light to moderate from south to southwest	24 – 34	18 – 32	70 – 98	4 – 8
The rest of Visayas	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from south to southwest	25 – 35	23 – 33	65 – 97	0 – 6



Mindanao	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	The eastern section of Mindanao – Moderate to strong from south to southwest; The rest of Mindanao – Light to moderate from south to southwest	23 – 35	20 – 31	45 – 96	0 – 4
-----------------	--	---	---------	---------	---------	-------

FARM ADVISORY	
SOIL MOISTURE CONDITION (August 1 – 10, 2026)	ENSO ALERT SYSTEM STATUS (Updated as of 06 August 2026)
Wet – Ilocos Region, Cagayan, Isabela, Cordillera Administrative Region, Central Luzon, National Capital Region, most areas of CALABARZON, MIMAROPA except Puerto Princesa, Western part of Panay, Negros Occidental, Southern Leyte, Zamboanga del Norte, Bukidnon, Davao del Norte, Davao del Sur, Surigao del Norte, Surigao del Sur, and Lanao del Sur Moist – Rest of Cagayan Valley, Alabat, Marikina, most of Bicol Region, Eastern part of Panay, Samar, Eastern Samar, General Santos City, rest of Caraga, and rest of BARMM Dry – Rest of the country	EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Moderate El Niño is present in the Tropical Pacific. Climate models predict that El Niño will continue until the first half of 2027 and may reach a very strong state before the end of 2026. Farmers are advised to conserve water, maintain irrigation systems, and establish rainwater harvesting facilities to maximize available water during dry periods. The use of drought-tolerant crops and soil moisture conservation practices is encouraged to reduce the impacts of El Niño. Farmers should monitor daily DOST-PAGASA weather updates, as localized thunderstorms may still bring heavy rainfall, strong winds, lightning, and possible flash flooding. Secure farm structures, clear drainage canals, and adjust farm activities based on weather conditions to minimize risks.

AREAS AFFECTED BY THE WEATHER SYSTEMS
SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS - Inspect crops regularly for signs of flooding, waterlogging, pest infestations, and disease outbreaks, and implement appropriate control measures as soon as conditions permit. - Secure greenhouses, nurseries, seedbeds, storage facilities, and other farm structures by reinforcing roofs, coverings, and loose materials against strong winds. - Avoid field operations during thunderstorms to protect farmers and workers from lightning, strong winds, and other weather-related hazards. - Check irrigation systems, pumps, and drainage facilities after heavy rains, and repair any damaged or blocked sections to restore efficient water management.



- Prepare contingency plans for harvesting, post-harvest handling, transportation, and marketing to minimize production and economic losses during prolonged adverse weather conditions.
- Maintain communication with local agricultural offices and disaster risk reduction authorities for updates, technical assistance, and emergency response support.
- Continue monitoring weather forecasts issued by DOST-PAGASA and local authorities to guide timely agricultural decision-making and risk reduction

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale warning is raised.

Moderate to rough seas are expected over the **northern and western seaboard of Luzon and the eastern section of Mindanao**, while slight to moderate seas will be experienced over the **rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	37.7 °C (Tuguegarao City, 1960)	Maximum Temperature	39.4 °C (Tuguegarao, 1960)
Minimum Temperature	14.3 °C (Baguio City, 1916)	Minimum Temperature	12.8 °C (Baguio City, 1923)
Rainfall	272.0 mm (Sangley Point, 1997)	Rainfall	969.8 mm (Baguio City, 2008)

PREPARED/UPLOADED BY: NRE / ARL

VERIFIED BY: MEVT



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 190

Inilabas ng: 7:00 AM Martes, 18 Agosto 2026

May bisa hanggang: 7:00 AM Miyerkules, 19 Agosto 2026

SYNOPSIS: Kaninang 3:00 AM, ang Low Pressure Area (LPA) ay tinatayang nasa 1,115 km silangan ng Hilagang Luzon (19.6°N, 132.1°E). Habagat ang nakakaapekto sa Luzon at Kabisayaan.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Benguet, La Union, Pangasinan, Zambales, Bataan, Cavite, Batangas, at Occidental Mindoro	Pag-ulan dulot ng Habagat	Katamtaman hanggang sa malakas mula timog-kanluran	23 – 30	17 – 28	70 – 99	>12
Metro Manila, Ilocos Sur, Abra, Tarlac, Pampanga, Bulacan, Nueva Ecija, Laguna, Rizal, Oriental Mindoro, at Antique	Paminsan-minsang pag-ulan	Metro Manila, Ilocos Sur, at Oriental Mindoro – Katamtaman hanggang sa malakas mula timog-kanluran Abra, Tarlac, Pampanga, Bulacan, Nueva Ecija, Laguna, Rizal, at Antique – Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	23 – 32	20 – 29	70 – 98	>12
Negros Island Region, natitirang bahagi ng Luzon, at sa natitirang bahagi ng Western Visayas	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Natitirang bahagi sa hilaga at kanluran ng Luzon – Katamtaman hanggang sa malakas mula timog-kanluran; Negros Island Region, natitirang bahagi ng Luzon, at sa natitirang bahagi ng Western Visayas – Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	24 – 34	18 – 32	70 – 98	4 – 8
Natitirang bahagi ng Kabisayaan	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-	Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	25 – 35	23 – 33	65 – 97	0 – 6



	ulan o pagkidlat-pagkulong					
Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Silangang bahagi ng Mindanao – Katamtaman hanggang sa malakas mula timog hanggang timog-kanluran; Natitirang bahagi ng Mindanao – Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	23 – 35	20 – 31	45 – 96	0 – 4

PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Agosto 1 – 10, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 06 Agosto 2026)
Basa – Rehiyon ng Ilocos, Cagayan, Isabela, Rehiyo ng Cordillera, Gitnang Luzon, NCR, karamihan ng lugar sa CALABARZON, MIMAROPA maliban sa Puerto Princesa, kanlurang bahagi ng Panay, Negros Occidental, Southern Leyte, Zamboanga del Norte, Bukidnon, Davao del Norte, Davao del Sur, Surigao del Norte, Surigao del Sur, at Lanao del Sur Katamtaman – Natitirang bahagi ng Lambak ng Cagayan, Alabat, Mulanay, karamihan ng lugar sa Rehiyon ng Bicol, silangang bahagi ng Panay, Samar, Eastern Samar, General Santos City, natitirang bahagi ng Caraga, at natitirang bahagi ng BARMM Tuyo – Natitirang bahagi bahagi	EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Kasalukuyang umiiral ang katamtamang El Niño sa Tropical Pacific. Ayon sa mga climate model, inaasahang magpapatuloy ang El Niño hanggang sa unang kalahati ng 2027 at may posibilidad na maging mas malakas bago matapos ang 2026. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihin ang irigasyon, maghanda ng imbakan ng tubig-ulan, at gumamit ng mga barayting matibay sa tagtuyot. Subaybayan ang mga ulat ng DOST-PAGASA dahil maaari pa ring magkaroon ng mga pagkulong at pagkidlat na may kasamang malakas na ulan, bugso ng hangin, at posibleng pagbaha. Panatiliing ligtas ang mga pasilidad sa bukid at iangkop ang mga gawaing pangsakahan batay sa lagay ng panahon.

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS



HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Regular na suriin ang mga pananim upang matukoy ang mga palatandaan ng pagbaha, waterlogging, pagdami ng peste, at pagkalat ng mga sakit, at agad na magsagawa ng angkop na mga hakbang sa pagkontrol kapag ligtas na ang kalagayan. .
- Patibayin ang mga greenhouse, nursery, punlaan, imbakan, at iba pang estruktura sa sakahan sa pamamagitan ng pagsasaayos at pagpapatatag ng mga bubong, takip, at maluluwag na bahagi upang mabawasan ang pinsala dulot ng malalakas na hangin.
- Iwasan ang pagsasagawa ng mga gawaing pangbukid habang may pagkulong at pagkidlat upang maprotektahan ang mga magsasaka at manggagawa laban sa kidlat, malalakas na hangin, at iba pang panganib na dulot ng masamang panahon.
- Suriin ang mga sistema ng irigasyon, mga bomba ng tubig, at mga pasilidad ng paagusan pagkatapos ng malalakas na pag-ulan, at agad na kumpunihin o alisin ang anumang bara o sira upang maibalik ang maayos na pamamahala ng tubig.
- Maghanda ng contingency plan para sa pag-aani, pangangasiwa pagkatapos ng anihan, transportasyon, at pagbebenta ng ani upang mabawasan ang pagkalugi sa produksyon at kabuhayan sa panahon ng matagal na masamang lagay ng panahon.
- Panatilihin ang pakikipag-ugnayan sa mga lokal na tanggapan ng agrikultura at mga awtoridad sa disaster risk reduction upang makatanggap ng mga pinakabagong abiso, teknikal na suporta, at agarang tulong kung kinakailangan.
- Patuloy na subaybayan ang mga weather forecast na inilalabas ng DOST-PAGASA at mga lokal na awtoridad upang makatulong sa maagap na pagpapasya sa mga gawaing pang-agrikultura at pagbawas ng panganib.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale warning.

Katamtaman hanggang sa maalon na karagatan ang inaasahan sa **hilaga at kanlurang mga baybayin ng Luzon at sa silangang baybayin ng Mindanao**, samantalang banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	37.7 °C (Tuguegarao City, 1960)	Pinakamataas na Temperatura	39.4 °C (Tuguegarao, 1960)
Pinakamababang Temperatura	14.3 °C (Baguio City, 1916)	Pinakamababang Temperatura	12.8 °C (Baguio City, 1923)
Pinakamaraming Ulan	272.0 mm (Sangley Point, 1997)	Pinakamaraming Ulan	969.8 mm (Baguio City, 2008)
INIHANDA HANDA/INI-UPLOAD NINA: NRE / ARL		BINIGYANG PANSIN NI: MEVT	