Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 257

Issued: 7:00 AM, Monday, 09 November 2026 **Valid until: 7:00 AM, Tuesday, 10 November 2026**

SYNOPSIS: Northeast Monsoon affecting Northern and Central Luzon. Easterlies affecting the rest of the country.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY
TYPHOON CEMPAKA (2632)
LOCATION: 1,440 KM EAST NORTHEAST OF EXTREME NORTHERN LUZON (23.0°N, 135.6°E)
MAXIMUM SUSTAINED WINDS: 120 KM/H NEAR THE CENTER
GUSTINESS: UP TO 150 KM/H
MOVEMENT: WEST NORTHWESTWARD AT 15 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Caraga, Camarines Norte, Camarines Sur, Catanduanes, Albay, Sorsogon, Davao Oriental, and Davao Occidental	Cloudy skies with scattered rains and thunderstorms	**Camarines Norte, Camarines Sur, Catanduanes, Albay, and Sorsogon** – Moderate to strong from northeast; **Caraga, Davao Oriental, and Davao Occidental** – Light to moderate from east to northeast	25 – 33	22 – 32	55 – 98	4 – 8
Cagayan, Isabela, Quirino, Apayao, Kalinga, Mountain Province, Ifugao, Aurora, and Quezon	Cloudy skies with rains	Moderate to strong from northeast	23 – 31	16 – 29	55 – 98	4 – 8
Metro Manila, Ilocos Region, the rest of Cordillera Administrative Region, the rest of Cagayan Valley, the rest of Central Luzon, and the rest of CALABARZON	Partly cloudy to cloudy skies with isolated light rains	**Ilocos Region, the rest of Cordillera Administrative Region, the rest of Cagayan Valley** – Moderate to strong from northeast; **Metro Manila, the rest of Central Luzon, and the rest of CALABARZON** – Light to moderate from northeast	24 – 34	14 – 32	50 – 98	0 – 6
The rest of the country	Partly cloudy to cloudy skies with	**Visayas and the rest of Luzon** –	23 – 35	18 – 32	45 – 96	0 – 4

Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100
Tel. No.: 8284 -0800 local 4915
Website: http://bagong.pagasa.dost.gov.ph

	isolated rainshowers or thunderstorms	Light to moderate from northeast; **Rest of Mindanao** – Light to moderate from east to northeast				


AREAS AFFECTED BY THE WEATHER SYSTEMS

NORTHEAST MONSOON, EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Clean and maintain irrigation canals, drainage systems, pumps, and water storage facilities to ensure efficient water management.
- Harvest mature crops promptly and ensure proper drying and storage to minimize postharvest losses and preserve produce quality.
- Monitor crops regularly for pest infestations, disease development, and signs of water stress, and implement appropriate management measures.
- Ensure adequate field drainage in areas prone to waterlogging to protect crops from prolonged soil saturation.
- Conserve available water through efficient irrigation scheduling, particularly in areas experiencing limited rainfall or declining soil moisture.
- Remove weeds and crop residues that may harbor pests and disease-causing organisms, while retaining beneficial ground cover where appropriate.
- Stay alert and informed! Always follow the latest weather advisories from local authorities and your local government. Keep updated through the official DOST-PAGASA website, social media accounts, and PANaHON App for timely weather information, warnings, and safety updates.

FARM ADVISORY


SOIL MOISTURE CONDITION
(November 01 – 10, 2026)



Wet – Itbayat, Quezon, Puerto Princesa, Cuyo Island, Camarines Norte, Camarines Sur, Catanduanes, some parts of Albay, some parts of Panay Island, Samar, Eastern Samar, some parts of Leyte, Zamboanga del Norte, some parts of Bukidnon, Davao del Norte, Surigao del Sur, and Lanao del Sur

Moist – Pangasinan, La Union, most parts of Cagayan Valley, Cordillera Administrative Region, most parts of Central Luzon, National Capital Region, Cavite, Rizal,

ENSO ALERT SYSTEM STATUS
(Updated as of 04 November 2026)



EL NIÑO

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimateassessment/EN_Advisory_5.pdf

Very Strong El Niño is currently present in the tropical Pacific and is expected to persist until the first half of 2027, potentially reaching its peak by the end of 2026.

El Niño increases the likelihood of below-normal rainfall, which may lead to adverse impacts, including dry spells and droughts in some areas of the country. However, above-normal rainfall conditions may still occur during the passage of tropical cyclones and other rain-bearing weather systems. Farmers are advised to conserve water, maintain irrigation systems, and harvest rainwater to ensure adequate water supply during El Niño. Use drought-tolerant crops and soil moisture conservation practices. Regularly monitor DOST-PAGASA weather updates and adjust farm activities accordingly. Despite

rest of MIMAROPA, Sorsogon, Bohol, Cebu, Northern Samar, Davao del Sur, North Cotabato, and rest of BARMM **Dry** – Rest of the country	generally drier conditions, localized thunderstorms may still bring heavy rain, strong winds, lightning, and possible flash flooding.

FISHING ADVISORY
GALE WARNING AND SEA CONDITION
No Gale Warning is raised. Moderate to rough seas will prevail **over the seaboards of Northern Luzon, the eastern sections of Central and Southern Luzon,** while slight to moderate seas will be experienced over the **rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		**MONTHLY EXTREMES**	
Maximum Temperature	36.5 ºC (Maasin, Gen Santos City, 1997,1994)	**Maximum Temperature**	38.5 ºC (NAIA, 2005)
Minimum Temperature	10.9 ºC (Baguio City, 1907)	**Minimum Temperature**	9.2 ºC (Baguio City, 1989)
Rainfall	237.8 mm (Baler Radar, 2017)	**Rainfall**	698.7 mm (Baguio City, 1980)

PREPARED/UPLOADED BY: HGDE / JAE **VERIFIED BY: NRE**

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 257

Inilabas ng: 7:00 AM Lunes, 09 Nobyembre 2026 **May bisa hanggang: 7:00 AM Martes, 10 Nobyembre 2026**

SYNOPSIS: Amihan ang nakakaapekto sa Hilaga at Gitnang Luzon. Easterlies ang nakakaapekto sa natitirang bahagi ng bansa.

BAGYO SA LABAS NG PAR SIMULA KANINANG 3:00 AM
TYPHOON CEMPAKA (2632)
LOKASYON: 1,440 KM SILANGAN HILAGANG SILANGAN NG DULONG HILAGANG LUZON (23.0°N, 135.6°E)
TAGLAY NA LAKAS NG HANGIN: 120 KM/H MALAPIT SA GITNA
PAGBUGSO: HANGGANG 150 KM/H
PAGKILOS: KANLURAN HILAGANG KANLURAN SA BILIS NA 15 KM/H

LUGAR NG PAGTAYA	**LAGAY NG PANAHON PANG-AGRIKULTURA**	**HANGIN**	**TEMPERATURA (^{0}C)**		**RH%**	**PAGKABASA NG DAHON (ORAS)**
			Mababang Bukirin	Mataas na Bukirin		
Caraga, Camarines Norte, Camarines Sur, Catanduanes, Albay, Sorsogon, Davao Oriental, at Davao Occidental	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	**Camarines Norte, Camarines Sur, Catanduanes, Albay, and Sorsogon** – Katamtaman hanggang sa malakas mula hilagang silangan; **Caraga, Davao Oriental, and Davao Occidental** – Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	25 – 33	22 – 32	55 – 98	4 – 8
Cagayan, Isabela, Quirino, Apayao, Kalinga, Mountain Province, Ifugao, Aurora, at Quezon	Maulap na kalangitan na may pag-ulan	Katamtaman hanggang sa malakas mula hilagang silangan	23 – 31	16 – 29	55 – 98	4 – 8
Metro Manila, Ilocos Region, natitirang bahagi ng Cordillera Administrative Region,	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan	**Ilocos Region, natitirang bahagi ng Cordillera Administrative Region, natitirang bahagi ng Cagayan Valley** –	24 – 34	14 – 32	50 – 98	0 – 6

Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100
Tel. No.: 8284 -0800 local 4915
Website: http://bagong.pagasa.dost.gov.ph

natitirang bahagi ng Cagayan Valley, natitirang bahagi ng Gitnang Luzon, at natitirang bahagi ng CALABARZON		Katamtaman hanggang sa malakas mula hilagang silangan; **Metro Manila, natitirang bahagi ng Gitnang Luzon, at natitirang bahagi ng CALABARZON** – Mahina hanggang sa katamtaman mula hilagang silangan				
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	**Visayas at natitirang bahagi ng Luzon** – Katamtaman hanggang sa malakas mula hilagang silangan; **Natitirang bahagi ng Mindanao** – Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	23 – 35	18 – 32	45 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

AMIHAN, EASTERLIES, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN


- Linisin at panatilihing maayos ang mga kanal ng irigasyon, sistema ng paagusan, mga bomba ng patubig, at mga pasilidad sa imbakan ng tubig upang matiyak ang mahusay na pamamahala ng tubig.
- Anihin agad ang mga pananim na nasa hustong gulang na at tiyakin ang wastong pagpapatuyo at pag-iimbak ng mga ito upang mabawasan ang pagkalugi pagkatapos ng anihan at mapanatili ang kalidad ng mga produkto.
- Regular na subaybayan ang mga pananim para sa posibleng pagdami ng mga peste, paglitaw ng mga sakit, at mga palatandaan ng kakulangan sa tubig, at magsagawa ng angkop na mga hakbang sa pamamahala.
- Tiyakin ang maayos na daloy ng tubig palabas sa mga bukirin, lalo na sa mga lugar na madaling bahain o mag-ipon ng tubig, upang maiwasan ang matagal na pagkababad ng mga pananim sa sobrang tubig.
- Pangalagaan ang natitirang suplay ng tubig sa pamamagitan ng maayos at napapanahong pagdidilig, lalo na sa mga lugar na nakararanas ng kaunting pag-ulan o pagbaba ng halumigmig ng lupa.
- Alisin ang mga damo at mga tira-tirang bahagi ng pananim na maaaring pamahayan ng mga peste at organismong nagdudulot ng sakit, habang pinananatili ang kapaki-pakinabang na pantakip sa lupa kung kinakailangan.
- Laging makinig sa mga payo ng mga awtoridad at lokal na pamahalaan tungkol sa mga kondisyon ng panahon. Manatiling updated sa mga ulat at abiso mula sa DOST-PAGASA website, social media accounts, at PANaHON App.

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN
(Nobyembre 01 –10, 2026)




Basa – Itbayat, Quezon, Puerto Princesa, Cuyo Island, Camarines Norte, Camarines Sur, Catanduanes, ilang bahagi ng Albay, ilang bahagi ng Panay Island, Samar, Eastern Samar, ilang bahagi ng Leyte, Zamboanga del Norte, ilang bahagi ng Bukidnon, Davao del Norte, Surigao del Sur, at Lanao del Sur

Katamtaman – Pangasinan, La Union, karamihang bahagi ng Cagayan Valley, Cordillera Administrative Region, karamihang bahagi ng Central Luzon, National Capital Region, Cavite, Rizal, natitirang bahagi ng MIMAROPA, Sorsogon, Bohol, Cebu, Northern Samar, Davao del Sur, North Cotabato, at natitirang bahagi ng BARMM

Tuyo – natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS
(mula noong 04 Nobyembre 2026)



EL NIÑO

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimateassessment/EN_Advisory_5.pdf

Kasalukuyang umiiral ang napakalakas na El Niño (Very Strong El Niño) sa tropical Pacific. Inaasahang magpapatuloy ito hanggang sa unang kalahati ng taong 2027 at posibleng maabot ang pinakamataas na tindi nito sa pagtatapos ng 2026.

Ang El Niño ay nagpapataas ng posibilidad na magkaroon ng mas mababa sa karaniwang dami ng ulan, na maaaring magdulot ng mga negatibong epekto tulad ng dry spell at tagtuyot sa ilang bahagi ng bansa. Gayunpaman, maaari pa ring magkaroon ng mas mataas sa karaniwang dami ng ulan kapag may pagdaan ng mga tropical cyclone at iba pang weather systems na nagdadala ng ulan. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihing maayos ang irigasyon, at mag-ipon ng tubig-ulan upang matiyak ang suplay ng tubig sa panahon ng El Niño. Gumamit ng mga pananim na matibay sa tagtuyot at mga pamamaraan sa pagpapanatili ng halumigmig ng lupa. Regular na subaybayan ang mga update ng DOST-PAGASA at iangkop ang mga gawaing pansaka ayon sa kondisyon ng panahon. Bagama't mas tuyo ang karaniwang kondisyon, maaari pa ring magkaroon ng localized thunderstorms na may malakas na ulan, hangin, pagkidlat, at posibleng biglaang pagbaha.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtaman hanggang sa maalon na karagatan ang inaasahan **sa mga baybayin ng Hilagang Luzon, silangang baybayin ng Gitna at Katimugang Luzon,** samantalang banayad hanggang sa katamtaman na pag-alon ng karagatan ang mararanasan sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	36.5 ºC (Maasin, Gen Santos City, 1997,1994)	**Pinakamataas na Temperatura**	38.5 ºC (NAIA, 2005)
Pinakamababang Temperatura	10.9 ºC (Baguio City, 1907)	**Pinakamababang Temperatura**	9.2 ºC (Baguio City, 1989)

Pinakamaraming Ulan	237.8 mm (Baler Radar, 2017)	**Pinakamaraming Ulan**	698.7 mm (Baguio City, 1980)

INIHANDA HANDA/INI-UPLOAD NINA: HGDE / JAE **BINIGYANG PANSIN NI: NRES**