Republic of the Philippines
**DEPARTMENT OF SCIENCE AND TECHNOLOGY**
**Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)**

BAGONG PILIPINAS

# FARM WEATHER FORECAST AND ADVISORIES
## FWFA: NO. 26 – 246

**Issued: 7:00 AM, Monday, 26 October 2026** **Valid until: 7:00 AM, Tuesday, 27 October 2026**

**SYNOPSIS: Intertropical Convergence Zone (ITCZ) affecting the western section of Mindanao.**

| FORECAST AREA | AGRI-WEATHER | WINDS | TEMPERATURE (0C) | | RH% | LEAF WETNESS (HRS) |
|---|---|---|---|---|---|---|
| | | | LOWLAND | UPLAND | | |
| **Zamboanga Peninsula, Misamis Occidental, Basilan, and Tawi-Tawi** | Cloudy skies with scattered rains and thunderstorms | Light to moderate from northeast | 24 – 34 | 22 – 32 | 60 – 98 | 4 – 8 |
| **Batanes and Babuyan Islands** | Partly cloudy to cloudy skies with isolated light rains | Moderate from northeast | 23 – 30 | 21 – 29 | 50 – 96 | 0 – 4 |
| **Metro Manila and the rest of the country** | Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms | Light to moderate from northeast | 23 – 35 | 16 – 33 | 45 – 96 | 0 – 4 |

**AREAS AFFECTED BY THE WEATHER SYSTEMS**

**ITCZ, NORTHEASTERLY WINDFLOW, THUNDERSTORMS AND MODERATE TO HEAVY RAINS**


- Clean and maintain irrigation canals, drainage systems, pumps, and water storage facilities to ensure efficient water management.
- Harvest mature crops promptly and ensure proper drying and storage to minimize postharvest losses and preserve produce quality.
- Monitor crops regularly for pest infestations, disease development, and signs of water stress, and implement appropriate management measures.
- Ensure adequate field drainage in areas prone to waterlogging to protect crops from prolonged soil saturation.
- Conserve available water through efficient irrigation scheduling, particularly in areas experiencing limited rainfall or declining soil moisture.
- Remove weeds and crop residues that may harbor pests and disease-causing organisms, while retaining beneficial ground cover where appropriate.
- Stay alert and informed! Always follow the latest weather advisories from local authorities and your local government. Keep updated through the official DOST-PAGASA website, social media accounts, and PANaHON App for timely weather information, warnings, and safety updates.

Republic of the Philippines
**DEPARTMENT OF SCIENCE AND TECHNOLOGY**
**Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)**

BAGONG PILIPINAS

## FARM ADVISORY

### SOIL MOISTURE CONDITION
*(October 11 – 20, 2026)*





**Wet** – Nueva Vizcaya, Quirino, Most areas in Central Luzon, Cordillera Administrative Region, Quezon City, Rizal, Quezon, Palawan, Romblon, Camarines Norte, Catanduanes, Most areas in Western Visayas, Samar, Bukidnon, Davao del Norte, Davao del Sur, and Lanao del Sur

**Moist** – Ilocos Region, Batanes, Isabela, Zambales, Nueva Ecija, Cavite, Batangas, Pasay, Occidental Mindoro, Oriental Mindoro, Camarines Sur, Albay, Northern Samar, Surigao del Norte, Surigao del Sur, and Maguindanao

**Dry** –Rest of the country

### ENSO ALERT SYSTEM STATUS
*(Updated as of 21 October 2026)*




**EL NIÑO**

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimateassessment/EN_Advisory_5.pdf

**A strong to very strong El Niño is present in the Tropical Pacific. Most climate models predict that the ongoing El Niño will persist until the first quarter of 2027, with its peak expected before the end of 2026. Its associated impacts may continue through the first half of 2027.**

El Niño increases the likelihood of below-normal rainfall, which may lead to adverse impacts, including dry spells and droughts in some areas of the country. However, above-normal rainfall conditions may still occur during the passage of tropical cyclones and other rain-bearing weather systems. Farmers are advised to conserve water, maintain irrigation systems, and harvest rainwater to ensure adequate water supply during El Niño. Use drought-tolerant crops and soil moisture conservation practices. Regularly monitor DOST-PAGASA weather updates and adjust farm activities accordingly. Despite generally drier conditions, localized thunderstorms may still bring heavy rain, strong winds, lightning, and possible flash flooding.

## FISHING ADVISORY

### GALE WARNING AND SEA CONDITION

No Gale Warning is raised.

Moderate seas will prevail **over Extreme Northern Luzon** while slight to moderate seas will be experienced over the **rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

## ADDITIONAL INFORMATION

| DAILY EXTREMES | | MONTHLY EXTREMES | |
|---|---|---|---|
| **Maximum Temperature** | 36.3 ºC (Cagayan de Oro and General Santos City, 2009) | **Maximum Temperature** | 38.5 ºC (Tuguegarao, 1987) |
| **Minimum Temperature** | 11.3 ºC (Baguio City, 1913) | **Minimum Temperature** | 11.3 ºC (Baguio City, 1913) |
| **Rainfall** | 304.4 mm (Infanta, 1978) | **Rainfall** | 994.6 mm (Baguio City, 1998) |

**PREPARED/UPLOADED BY: MTR / JAE** **VERIFIED BY: MEVT**

Republic of the Philippines
**DEPARTMENT OF SCIENCE AND TECHNOLOGY**
**Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)**

BAGONG PILIPINAS

# TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN
## FWFA: NO. 26 – 246

**Inilabas ng: 7:00 AM Lunes, 26 Oktubre 2026** **May bisa hanggang: 7:00 AM Martes, 27 Oktubre 2026**

**SYNOPSIS: Intertropical Convergence Zone (ITCZ) ang nakakaapekto sa kanlurang bahagi ng Mindanao.**

| LUGAR NG PAGTAYA | LAGAY NG PANAHON PANG-AGRIKULTURA | HANGIN | TEMPERATURA ($^0$C) | | RH% | PAGKABASA NG DAHON (ORAS) |
|---|---|---|---|---|---|---|
| | | | Mababang Bukirin | Mataas na Bukirin | | |
| **Zamboanga Peninsula, Misamis Occidental, Basilan, at Tawi-Tawi** | Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog | Mahina hanggang sa katamtaman mula hilagang silangan | 24 – 34 | 22 – 32 | 60 – 98 | 4 – 8 |
| **Batanes at mga Isla ng Babuyan** | Partly cloudy to cloudy skies with isolated light rains | Katamtaman mula hilagang silangan | 23 – 30 | 21 – 29 | 50 – 96 | 0 – 4 |
| **Metro Manila at natitirang bahagi ng bansa** | Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog | Mahina hanggang sa katamtaman mula hilagang silangan | 23 – 35 | 16 – 33 | 45 – 96 | 0 – 4 |

## SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

**ITCZ, NORTHEASTERLY WINDFLOW, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN**


- Linisin at panatilihing maayos ang mga kanal ng irigasyon, sistema ng paagusan, mga bomba ng patubig, at mga pasilidad sa imbakan ng tubig upang matiyak ang mahusay na pamamahala ng tubig.
- Anihin agad ang mga pananim na nasa hustong gulang na at tiyakin ang wastong pagpapatuyo at pag-iimbak ng mga ito upang mabawasan ang pagkalugi pagkatapos ng anihan at mapanatili ang kalidad ng mga produkto.
- Regular na subaybayan ang mga pananim para sa posibleng pagdami ng mga peste, paglitaw ng mga sakit, at mga palatandaan ng kakulangan sa tubig, at magsagawa ng angkop na mga hakbang sa pamamahala.
- Tiyakin ang maayos na daloy ng tubig palabas sa mga bukirin, lalo na sa mga lugar na madaling bahain o mag-ipon ng tubig, upang maiwasan ang matagal na pagkababad ng mga pananim sa sobrang tubig.
- Pangalagaan ang natitirang suplay ng tubig sa pamamagitan ng maayos at napapanahong pagdidilig, lalo na sa mga lugar na nakararanas ng kaunting pag-ulan o pagbaba ng halumigmig ng lupa.
- Alisin ang mga damo at mga tira-tirang bahagi ng pananim na maaaring pamahayan ng mga peste at organismong nagdudulot ng sakit, habang pinananatili ang kapaki-pakinabang na pantakip sa lupa kung kinakailangan.
- Laging makinig sa mga payo ng mga awtoridad at lokal na pamahalaan tungkol sa mga kondisyon ng panahon. Manatiling updated sa mga ulat at abiso mula sa DOST-PAGASA website, social media accounts, at PANaHON App.

Republic of the Philippines
**DEPARTMENT OF SCIENCE AND TECHNOLOGY**
**Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)**

BAGONG PILIPINAS

## PAYONG PANGSAKAHAN

### KALAGAYAN NG LUPANG SAKAHAN
*(Oktubre 11 –20, 2026)*





**Basa** – Nueva Vizcaya, Quirino, karamihan sa mga lugar sa Gitnang Luzon, Cordillera Administrative Region, Quezon City, Rizal, Quezon, Palawan, Romblon, Camarines Norte, Catanduanes, karamihan sa mga lugar sa Kanlurang Visayas, Samar, Bukidnon, Davao del Norte, Davao del Sur, at Lanao del Sur

**Katamtaman** – Rehiyon ng Ilocos, Batanes, Isabela, Zambales, Nueva Ecija, Cavite, Batangas, Pasay, Occidental Mindoro, Oriental Mindoro, Camarines Sur, Albay, Northern Samar, Surigao del Norte, Surigao del Sur, at Maguindanao

**Tuyo** –natitirang bahagi bahagi ng bansa

### ENSO ALERT SYSTEM STATUS
*(mula noong 21 Oktubre 2026)*




**EL NIÑO**

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimateassessment/EN_Advisory_5.pdf

**Ang malakas hanggang sa napakalakas na El Niño ay umiiral sa Tropical Pacific. Batay sa karamihan ng mga climate model, inaasahang magpapatuloy ang El Niño hanggang sa unang quarter ng 2027 at maaaring umabot sa pinakamalakas nitong antas bago matapos ang 2026. Maaaring magpatuloy ang mga kaugnay nitong epekto hanggang sa unang kalahati ng 2027.**

Ang El Niño ay nagpapataas ng posibilidad na magkaroon ng mas mababa sa karaniwang dami ng ulan, na maaaring magdulot ng mga negatibong epekto tulad ng dry spell at tagtuyot sa ilang bahagi ng bansa. Gayunpaman, maaari pa ring magkaroon ng mas mataas sa karaniwang dami ng ulan kapag may pagdaan ng mga tropical cyclone at iba pang weather systems na nagdadala ng ulan. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihing maayos ang irigasyon, at mag-ipon ng tubig-ulan upang matiyak ang suplay ng tubig sa panahon ng El Niño. Gumamit ng mga pananim na matibay sa tagtuyot at mga pamamaraan sa pagpapanatili ng halumigmig ng lupa. Regular na subaybayan ang mga update ng DOST-PAGASA at iangkop ang mga gawaing pansaka ayon sa kondisyon ng panahon. Bagama't mas tuyo ang karaniwang kondisyon, maaari pa ring magkaroon ng localized thunderstorms na may malakas na ulan, hangin, pagkidlat, at posibleng biglaang pagbaha.

## PAYO SA MGA MANGINGISDA

### GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtaman nap ag-alon ang inaasahan **sa Dulong HIlagang Luzon** habang banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

## DAGDAG KAALAMAN

| DAILY EXTREMES | | MONTHLY EXTREMES | |
|---|---|---|---|
| **Pinakamataas na Temperatura** | 36.3 ºC (Cagayan de Oro and General Santos City, 2009) | **Pinakamataas na Temperatura** | 38.5 ºC (Tuguegarao, 1987) |
| **Pinakamababang Temperatura** | 11.3 ºC (Baguio City, 1913) | **Pinakamababang Temperatura** | 11.3 ºC (Baguio City, 1913) |
| **Pinakamaraming Ulan** | 304.4 mm (Infanta, 1978) | **Pinakamaraming Ulan** | 994.6 mm (Baguio City, 1998) |

**INIHANDA HANDA/INI-UPLOAD NINA: MTR / JAE** **BINIGYANG PANSIN NI: MEVT**

Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100

Tel. No.: 8284 -0800 local 4915
Website: http://bagong.pagasa.dost.gov.ph