



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 166

Issued: 7:00 AM, Wednesday, 22 July 2026

Valid until: 7:00 AM, Thursday, 23 July 2026

SYNOPSIS: Southwest Monsoon affecting Mindanao and Palawan. Trough of Low Pressure Area (LPA) affecting the eastern sections of Southern Luzon and Visayas.



FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Mindanao, Western Visayas, Negros Island Region, Central Visayas, and Palawan	Cloudy skies with rains and thunderstorms	Mindanao, and Palawan – Light to moderate from southwest to west; Western Visayas, Negros Island Region, and Central Visayas – Light to moderate from northeast to northwest;	23 – 33	21 – 31	60 – 98	4 – 8
Bicol Region and Eastern Visayas	Cloudy skies with rains and thunderstorms	Light to moderate from northeast to northwest;	24 – 34	22 – 32	55 – 97	0 – 6
Metro Manila and the rest of Luzon	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Rest of Visayas, Central Luzon and the rest of Southern Luzon – Light to moderate from northeast to northwest; Rest of Luzon – Light to moderate with variable direction	24 – 36	17 – 34	45 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

SOUTHWEST MONSOON, TROUGH OF LPA, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Clear canals, ditches, and drainage channels to prevent waterlogging and flooding.
- Implement soil conservation practices, such as mulching to reduce erosion during heavy rainfall.
- Collect and store rainwater for future irrigation once weather conditions improve.
- Reinforce dikes, embankments, and pond walls to minimize erosion and structural damage.
- Secure farm machinery, tools, fertilizers, chemicals, and harvested produce in safe, elevated storage areas.
- Keep farm records of weather impacts, crop losses, and management actions to improve future preparedness.
- Assess field conditions before allowing workers to return, ensuring the area is free from hazards such as unstable trees, damaged electrical lines, or deep floodwaters.
- Follow official advisories from DOST-PAGASA, the Department of Agriculture, and local government units.



FARM ADVISORY	
SOIL MOISTURE CONDITION (July 11 – 20, 2026)	ENSO ALERT SYSTEM STATUS (Updated as of 06 July 2026)
 Wet – Zambales, Bataan, Pampanga, Nueva Ecija, Cordillera Administrative Region, Rizal, some portions of Cavite, northern parts of Palawan, Romblon, Occidental Mindoro, most areas of Panay, Negros Occidental, Bukidnon, Davao del Norte and some parts of BARMM Moist – Ilocos Norte, Ilocos Sur, Pangasinan, Isabela, Bulacan, Quezon City, Batangas, Tayabas, southern parts of Palawan, Dumangas, Southern Leyte, Eastern Samar, Davao del Sur, and General Santos City Dry – Rest of the country	 EL NIÑO https://www.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring A weak to moderate El Niño continues to persist in the tropical Pacific. Climate models suggest that it will continue to intensify, becoming very strong by the October–November–December 2026 season. Farmers are advised to maintain irrigation systems, use drought-tolerant crops, and harvest mature crops early when needed. Localized thunderstorms may still occur, especially in the afternoon or evening, bringing heavy rain, strong winds, lightning, and possible flash flooding in low-lying areas. Farmers should stay alert to daily weather updates, secure farm structures, and avoid field activities during thunderstorms, and adjust planting schedules based on DOST-PAGASA forecasts.

FISHING ADVISORY
GALE WARNING AND SEA CONDITION
No Gale warning was raised
Slight to moderate seas will prevail over the whole archipelago . Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST-PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	39.0 °C (Tuguegarao City, 1983)	Maximum Temperature	41.0 °C (Tuguegarao, 1915)
Minimum Temperature	14.2 °C (Baguio City, 1959)	Minimum Temperature	12.2 °C (Baguio City, 1907)
Rainfall	467.4 mm (Baguio City, 2003)	Rainfall	1,085.8 mm (Baguio City, 2001)

PREPARED/UPLOADED BY: MGA / HGDE	VERIFIED BY: MEVT
----------------------------------	-------------------



TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 166

Inilabas ng: 7:00 AM Miyerkules, 22 Hulyo 2026

May bisa hanggang: 7:00 AM Huwebes, 23 Hulyo 2026

SYNOPSIS: Habagat ang nakakaapekto sa Mindanao at Palawan. Ang Trough ng Low Pressure Area (LPA) ang nakakaapekto sa silangang bahagi ng Katimugang Luzon at Kabisayaan.

LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Mindanao, Kanlurang Kabisayaan, Negros Island Region, Gitnang Kabisayaan at Palawan	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mindanao, at Palawan – Mahina hanggang sa katamtaman mula timog-kanluran hanggang kanluran; Kanlurang Kabisayaan, Negros Island Region, at Gitnang Kabisayaan – Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilagang kanluran;	23 – 33	21 – 31	60 – 98	4 – 8
Rehiyon ng Bicol at Silangang Kabisayaan	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilagang kanluran;	24 – 34	22 – 32	55 – 97	0 – 6
Metro Manila, at natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Natitirang bahagi ng Kabisayaan, Gitnang Luzon, at natitirang bahagi ng Katimugang Luzon – Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilagang kanluran; Natitirang bahagi ng Luzon – Mahina hanggang sa katamtaman na may pabagu-bagong direksyon	24 – 36	17 – 34	45 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

HABAGAT, TROUGH NG LPA, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Linisin ang mga kanal, estero, at daluyan ng tubig upang maiwasan ang pagbabara, pagbaha, at pananatili ng tubig sa sakahan.
- Gumamit ng mga pamamaraang pangangalaga sa lupa, tulad ng pagmumulch upang mabawasan ang pagguho ng lupa dulot ng malalakas na pag-ulan.
- Mag-ipon at mag-imbak ng tubig-ulan para magamit sa irigasyon kapag bumuti na ang kondisyon ng panahon.
- Patibayin ang mga pilapil, dike, at pader ng palaisdaan upang mabawasan ang pagguho ng lupa at pagkasira ng mga estruktura.
- Ilagay sa ligtas at mataas na lugar ang mga makinarya, kagamitan, pataba, kemikal, at mga inaning ani upang maiwasan ang pagkasira dulot ng pagbaha.
- Panatilihin ang talaan ng mga epekto ng panahon, pinsala sa pananim, at mga isinagawang hakbang sa pamamahala upang mapabuti ang paghahanda sa mga susunod na kalamidad.



- Suriing mabuti ang kondisyon ng sakahan bago pahintulatang makabalik ang mga manggagawa, at tiyaking wala nang panganib tulad ng mga punong maaaring bumagsak, naputol na linya ng kuryente, o malalim na baha.
- Sundin ang mga opisyal na babala at abiso mula sa DOST-PAGASA, Department of Agriculture (DA), at mga lokal na pamahalaan (LGUs) upang makagawa ng angkop na hakbang para sa kaligtasan at pamamahala ng sakahan.

PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Hulyo 11 – 20, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 06 Hulyo 2026)
 Basa – Zambales, Bataan, Pampanga, Nueva Ecija, Rehiyon ng Cordillera (CAR), Rizal, ilang bahagi ng Cavite, hilagang bahagi ng Palawan, Romblon, Occidental Mindoro, karamihan ng Panay, Negros Occidental, Bukidnon, Davao del Norte, at ilang bahagi ng Bangsamoro Autonomous Region in Muslim Mindanao (BARMM) Katamtaman – Ilocos Norte, Ilocos Sur, Pangasinan, Isabela, Bulacan, Lungsod Quezon, Batangas, Tayabas, timog na bahagi ng Palawan, Dumangas, Southern Leyte, Eastern Samar, Davao del Sur, at General Santos Tuyo – Natitirang bahagi bahagi	 EL NIÑO https://www.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring Patuloy na umiiral ang mahina hanggang sa katamtamang El Niño sa tropikal na Karagatang Pasipiko. Ayon sa mga climate model, inaasahang patuloy pa itong lalakas at magiging napakalakas sa panahon ng Oktubre–Nobyembre–Disyembre 2026. Pinapayuhan ang mga magsasaka na panatilihin ang maayos na irigasyon, gumamit ng drought-tolerant na pananim, at anihin agad ang mga hinog na tanim kung kinakailangan. Maaari pa ring magkaroon ng localized thunderstorms, lalo na sa hapon o gabi, na may kasamang malakas na ulan, hangin, kidlat, at posibleng flash flood sa mabababang lugar. Panatiling updated sa araw-araw na lagay ng panahon, tiyakin ang kaligtasan ng mga pasilidad sa bukid, iwasan ang trabaho sa bukid tuwing may thunderstorm, at iangkop ang taniman ayon sa forecast ng DOST-PAGASA.

PAYO SA MGA MANGINGISDA			
GALE WARNING AT KONDISYON NG KARAGATAN			
Walang nakataas na Gale Warning Banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral sa buong kapuluan . Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.			
DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	39.0 °C (Tuguegarao City, 1983)	Pinakamataas na Temperatura	41.0 °C (Tuguegarao, 1915)
Pinakamababang Temperatura	14.2 °C (Baguio City, 1959)	Pinakamababang Temperatura	12.2 °C (Baguio City, 1907)
Pinakamaraming Ulan	467.4 mm (Baguio City, 2003)	Pinakamaraming Ulan	1,085.8 mm (Baguio City, 2001)
INIHANDA HANDA/INI-UPLOAD NINA: MGA / HGDE		BINIGYANG PANSIN NI: MEVT	