



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 174

Issued: 7:00 AM, Thursday, 30 July 2026

Valid until: 7:00 AM, Friday, 31 July 2026

SYNOPSIS: At 3:00 AM today, the Low Pressure Area (LPA) was estimated based on all available data over the coastal waters of Nasugbu, Batangas (14.1°N, 120.4°E). Easterlies affecting Northern Luzon.



FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Metro Manila, Ilocos Region, Cordillera Administrative Region, Central Luzon, and CALABARZON	Cloudy skies with scattered rains and thunderstorms	Metro Manila and CALABARZON – Light to moderate from southwest to southeast; Ilocos Region, Cordillera Administrative Region, Central Luzon – Light to moderate from east to southeast	23 – 34	17 – 32	70 – 98	4 – 8
Cagayan Valley	Cloudy skies with scattered rains and thunderstorms	Light to moderate from east to southeast	24 – 33	22 – 32	60 – 98	2 – 6
The rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Mindanao – Light to moderate from south to southwest; Rest of Southern Luzon and Visayas – Light to moderate from southwest to southeast; Rest of Luzon – Light to moderate from east to southeast	24 – 33	21 – 32	45 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

LPA, EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Ensure transport vehicles are in good working condition and equipped with emergency supplies before travel.
- Secure harvested produce, farm inputs, and equipment properly during transport to prevent damage from rain and strong winds.
- Keep fertilizers, pesticides, fuels, and other farm chemicals in secure, elevated, and well-ventilated storage areas away from food, feeds, and water sources.
- Maximize rainfall by using rainwater harvesting systems, such as roof catchments, storage tanks, farm ponds, or small reservoirs.
- Cover rainwater storage tanks and reservoirs to reduce contamination, evaporation, and mosquito breeding.
- Use harvested rainwater efficiently by adopting water-saving irrigation methods, such as drip irrigation or alternate wetting and drying (AWD) for rice.
- Regularly monitor official weather updates and agricultural advisories to guide farming activities and minimize weather-related risks..



FARM ADVISORY	
SOIL MOISTURE CONDITION (July 11 – 20, 2026)	ENSO ALERT SYSTEM STATUS (Updated as of 22 July 2026)
 Wet – Zambales, Bataan, Pampanga, Nueva Ecija, Cordillera Administrative Region, Rizal, some portions of Cavite, northern parts of Palawan, Romblon, Occidental Mindoro, most areas of Panay, Negros Occidental, Bukidnon, Davao del Norte and some parts of BARMM Moist – Ilocos Norte, Ilocos Sur, Pangasinan, Isabela, Bulacan, Quezon City, Batangas, Tayabas, southern parts of Palawan, Dumangas, Southern Leyte, Eastern Samar, Davao del Sur, and General Santos City Dry – Rest of the country	 EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf A weak to moderate El Niño is currently present in the tropical Pacific. Climate models indicate that it is likely to intensify and persist through the first half of 2027 (97% probability). There is a 57% probability of El Niño strengthening to a strong event during the July–August–September (JAS) 2026 season, while a very strong El Niño is favored during the October–November–December (OND) 2026 and November–December–January (NDJ) 2026–2027 seasons, with an estimated 81% probability. Farmers are advised to conserve water, maintain irrigation systems, and establish rainwater harvesting facilities to maximize available water during dry periods. The use of drought-tolerant crops and soil moisture conservation practices is encouraged to reduce the impacts of El Niño. Farmers should monitor daily DOST-PAGASA weather updates, as localized thunderstorms may still bring heavy rainfall, strong winds, lightning, and possible flash flooding. Secure farm structures, clear drainage canals, and adjust farm activities based on weather conditions to minimize risks.

FISHING ADVISORY
GALE WARNING AND SEA CONDITION
No Gale warning has been raised.
Slight to moderate seas will prevail over the entire archipelago . Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST-PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	38.4 °C (Tuguegarao City, 1916)	Maximum Temperature	41.0 °C (Tuguegarao, 1915)
Minimum Temperature	14.2 °C (Baguio City, 1908)	Minimum Temperature	12.2 °C (Baguio City, 1907)
Rainfall	486.7 mm (Baguio City, 1951)	Rainfall	1,085.8 mm (Baguio City, 2001)
PREPARED/UPLOADED BY: MTR / ARL		VERIFIED BY: MEVT	



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 174

Inilabas ng: 7:00 AM Huwebes, 30 Hulyo 2026

May bisa hanggang: 7:00 AM Biyernes, 31 Hulyo 2026

SYNOPSIS: Kaninang 3:00 AM, ang Low Pressure Area (LPA) ay tinatayang nasa katubigan sa baybayin ng Nasugbu, Batangas (14.1°N, 120.4°E). Easterlies ang nakakaapekto sa Hilagang Luzon.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Metro Manila, Rehiyon ng Ilocos, Rehiyon ng Cordillera, Gitnang Luzon, at CALABARZON	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	Metro Manila at CALABARZON – Mahina hanggang sa katamtaman mula timog-kanluran hanggang timog-silangan; Rehiyon ng Ilocos, Rehiyon ng Cordillera, Gitnang Luzon – Mahina hanggang sa katamtaman mula silangan hanggang timog-silangan	23 – 34	17 – 32	70 – 98	4 – 8
Lambak ng Cagayan	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	Mahina hanggang sa katamtaman mula silangan hanggang timog-silangan	24 – 33	22 – 32	60 – 98	2 – 6
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	Mindanao – Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran; Natitirang bahagi ng Southern Luzon at Kabisayaan – Mahina hanggang sa katamtaman mula timog-kanluran hanggang timog-silangan; Natitirang bahagi ng Luzon – Mahina hanggang sa katamtaman mula silangan hanggang timog-silangan;	24 – 33	21 – 32	45 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

LPA, EASTERLIES, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Tiyaking nasa maayos na kondisyon ang mga sasakyang gagamitin sa transportasyon at may sapat na kagamitang pang-emergency bago bumiyaha.
- Siguraduhing maayos na nakaseguro ang mga inaning produkto, kagamitang pansakahan, at mga input sa agrikultura habang dinadala upang maiwasan ang pagkasira dulot ng ulan at malalakas na hangin.
- Itago ang mga pataba, pestisidyo, panggatong, at iba pang kemikal sa pagsasaka sa ligtas, mataas, tuyo, at maaliwalas na imbakan na malayo sa pagkain, pakain sa hayop, at mga pinagkukunan ng tubig.
- Sulitin ang pag-aani ng tubig-ulan sa pamamagitan ng paggamit ng mga rainwater harvesting system tulad ng imbakan mula sa bubong, tangke ng tubig, farm ponds, o maliliit na imbakan ng tubig.
- Takpan ang mga tangke at imbakan ng tubig-ulan upang mabawasan ang kontaminasyon, pagsingaw ng tubig, at pamumugaran ng lamok.



- Gamitin nang episyente ang naipong tubig-ulan sa pamamagitan ng mga water-saving irrigation methods, tulad ng drip irrigation o *Alternate Wetting and Drying (AWD)* para sa palayan.
- Regular na subaybayan ang mga opisyal na ulat ng panahon at mga abisong pang-agrikultura upang magabayan ang mga gawain sa bukid at mabawasan ang panganib na dulot ng masamang panahon.

PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Hulyo 11 – 20, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 22 Hulyo 2026)
Basa – Zambales, Bataan, Pampanga, Nueva Ecija, Rehiyon ng Cordillera (CAR), Rizal, ilang bahagi ng Cavite, hilagang bahagi ng Palawan, Romblon, Occidental Mindoro, karamihan ng Panay, Negros Occidental, Bukidnon, Davao del Norte, at ilang bahagi ng Bangsamoro Autonomous Region in Muslim Mindanao (BARMM) Katamtaman – Ilocos Norte, Ilocos Sur, Pangasinan, Isabela, Bulacan, Lungsod Quezon, Batangas, Tayabas, timog na bahagi ng Palawan, Dumangas, Southern Leyte, Eastern Samar, Davao del Sur, at General Santos Tuyo – Natitirang bahagi bahagi	EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Kasalukuyang umiiral ang mahina hanggang katamtamang El Niño sa tropical Pacific. Inaasahang lalakas ito at magpapatuloy hanggang unang kalahati ng 2027 (97% posibilidad). May 57% posibilidad na maging strong El Niño sa Hulyo–Agosto–Setyembre (JAS) 2026 at 81% posibilidad na maging very strong El Niño sa Oktubre–Nobyembre–Disyembre (OND) 2026 at Nobyembre–Disyembre–Enero (NDJ) 2026–2027. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihin ang irigasyon, maghanda ng imbakan ng tubig-ulan, at gumamit ng mga barayting matibay sa tagtuyot. Subaybayan ang mga ulat ng DOST-PAGASA dahil maaari pa ring magkaroon ng mga pagkulong at pagkidlat na may kasamang malakas na ulan, bugso ng hangin, at posibleng pagbaha. Panatilihin ligtas ang mga pasilidad sa bukid at iangkop ang mga gawaing pangsakahan batay sa lagay ng panahon.

PAYO SA MGA MANGINGISDA
GALE WARNING AT KONDISYON NG KARAGATAN
Walang nakataas na Gale warning.
Banayad hanggang sa katamtaman na pag-alon ng karagatan ang iiral sa buong kapuluan . Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	38.4 °C (Tuguegarao City, 1916)	Pinakamataas na Temperatura	41.0 °C (Tuguegarao, 1915)
Pinakamababang Temperatura	14.2 °C (Baguio City, 1908)	Pinakamababang Temperatura	12.2 °C (Baguio City, 1907)
Pinakamaraming Ulan	486.7 mm (Baguio City, 1951)	Pinakamaraming Ulan	1,085.8 mm (Baguio City, 2001)
INIHANDA HANDA/INI-UPLOAD NINA: MTR / ARL		BINIGYANG PANSIN NI: MEVT	