Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 250

Issued: 7:00 AM, Friday, 30 October 2026 Valid until: 7:00 AM, Saturday, 31 October 2026

SYNOPSIS: At 3:00 AM today, the Low Pressure Area (LPA) was estimated based on all available data at 585 km East of Borongan City, Eastern Samar (12.0°N, 130.8°E). Shear Line affecting the eastern sections of Northern and Central Luzon. Northeast Monsoon affecting the rest of Northern Luzon.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY
SUPER TYPHOON IN-FA (2631)
LOCATION: 2,935 KM EAST OF NORTHERN LUZON (17.3°N, 149.3°E)
MAXIMUM SUSTAINED WINDS: 185 KM/H NEAR THE CENTER
GUSTINESS: UP TO 230 KM/H
MOVEMENT: WEST NORTHWESTWARD AT 30 KM/H


FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Cagayan, Isabela, Quirino, Nueva Vizcaya, Aurora, and Quezon	Cloudy skies with scattered rains and isolated thunderstorms	Moderate from northeast;	22 – 31	20 – 29	65– 98	4 – 8
Visayas, Zamboanga Peninsula, BARMM, Northern Mindanao, Caraga, and Palawan	Cloudy skies with scattered rains and isolated thunderstorms	**Visayas, Zamboanga Peninsula, BARMM, Northern Mindanao, and Caraga** – Light to moderate from northeast to north **Palawan** – Moderate from northeast;	23 – 35	21 – 32	60 – 98	4 – 8
Ilocos Region, Cordillera Administrative Region, and Batanes	Partly cloudy to cloudy skies with isolated light rains	Moderate from northeast;	22 – 34	15 – 32	50 – 97	0 – 6
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	**Rest of Luzon**– Moderate from northeast **Rest of the country**– Light to moderate from northeast to north	23 – 35	21 – 32	45 – 96	0 – 4

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

FARM ADVISORY

SOIL MOISTURE CONDITION
(October 11 – 20, 2026)




Wet – Nueva Vizcaya, Quirino, Most areas in Central Luzon, Cordillera Administrative Region, Quezon City, Rizal, Quezon, Palawan, Romblon, Camarines Norte, Catanduanes, Most areas in Western Visayas, Samar, Bukidnon, Davao del Norte, Davao del Sur, and Lanao del Sur

Moist – Ilocos Region, Batanes, Isabela, Zambales, Nueva Ecija, Cavite, Batangas, Pasay, Occidental Mindoro, Oriental Mindoro, Camarines Sur, Albay, Northern Samar, Surigao del Norte, Surigao del Sur, and Maguindanao

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS
(Updated as of 21 October 2026)



EL NIÑO

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimateassessment/EN_Advisory_5.pdf

A strong to very strong El Niño is present in the Tropical Pacific. Most climate models predict that the ongoing El Niño will persist until the first quarter of 2027, with its peak expected before the end of 2026. Its associated impacts may continue through the first half of 2027.

El Niño increases the likelihood of below-normal rainfall, which may lead to adverse impacts, including dry spells and droughts in some areas of the country. However, above-normal rainfall conditions may still occur during the passage of tropical cyclones and other rain-bearing weather systems. Farmers are advised to conserve water, maintain irrigation systems, and harvest rainwater to ensure adequate water supply during El Niño. Use drought-tolerant crops and soil moisture conservation practices. Regularly monitor DOST-PAGASA weather updates and adjust farm activities accordingly. Despite generally drier conditions, localized thunderstorms may still bring heavy rain, strong winds, lightning, and possible flash flooding.

AREAS AFFECTED BY THE WEATHER SYSTEMS

SHEAR LINE, TROUGH OF LPA, NORTHEAST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Monitor crops regularly for pest infestations, disease development, and signs of water stress, and implement appropriate management measures.
- Clean and maintain irrigation canals, drainage systems, pumps, and water storage facilities to ensure efficient water management.
- Harvest mature crops promptly and ensure proper drying and storage to minimize postharvest losses and preserve produce quality.
- Ensure adequate field drainage in areas prone to waterlogging to protect crops from prolonged soil saturation.
- Conserve available water through efficient irrigation scheduling, particularly in areas experiencing limited rainfall or declining soil moisture.
- Stay alert and informed! Always follow the latest weather advisories from local authorities and your local government. Keep updated through the official DOST-PAGASA website, social media accounts, and PANaHON App for timely weather information, warnings, and safety updates.

Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100

Tel. No.: 8284 -0800 local 4915
Website: http://bagong.pagasa.dost.gov.ph

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

FISHING ADVISORY
GALE WARNING AND SEA CONDITION
No Gale Warning is raised. Moderate seas will prevail **over the seaboards of Luzon** while slight to moderate seas will be experienced over the **rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		**MONTHLY EXTREMES**	
Maximum Temperature	36.0 ºC (Dagupan City, 1990)	**Maximum Temperature**	38.5 ºC (Tuguegarao, 1987)
Minimum Temperature	11.8 ºC (Baguio City, 1920)	**Minimum Temperature**	11.3 ºC (Baguio City, 1913)
Rainfall	458.5 mm (Virac, 1958)	**Rainfall**	994.6 mm (Baguio City, 1998)

PREPARED/UPLOADED BY: MGA / JAE **VERIFIED BY: MEVT**

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 250

Inilabas ng: 7:00 AM Biyernes, 30 Oktubre 2026 May bisa hanggang: 7:00 AM Sabado, 31 Oktubre 2026

SYNOPSIS: Kaninang 3:00AM ang sentro ng Low Pressure Area (LPA) ay tinatayang nasa 585 km silangan ng Borongan City, Eastern Samar (12.0°N, 130.8°E). Shear Line ang nakakaapekto sa silangang bahagi ng Hilaga at Gitnang Luzon. Amihan ang nakakaapekto sa natitirang bahagi ng Hilagang Luzon.

TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM
SUPER TYPHOON IN-FA (2631)
LOKASYON: 2,935 KM SILANGAN NG HILAGANG LUZON (17.3°N, 149.3°E)
TAGLAY NA LAKAS NG HANGIN: 185 KM/H MALAPIT SA GITNA
PAGBUGSO: UMAABOT SA 230 KM/H
PAGKILOS: PA- KANLURAN HILAGANG KANLURAN SA BILIS NA 30 KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (^{0}C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Cagayan, Isabela, Quirino, Nueva Vizcaya, Aurora, at Quezon	Maulap na kalangitan na may kalat-kalat na pag-ulan at pulo-pulong pagkidlat-pagkulog	Katamtaman mula hilagang silangan;	22 – 31	20 – 29	65– 98	4 – 8
Kabisayaan, Zamboanga Peninsula, BARMM, Northern Mindanao, Caraga, at Palawan	Maulap na kalangitan na may kalat-kalat na pag-ulan at pulo-pulong pagkidlat-pagkulog	**Kabisayaan, Zamboanga Peninsula, BARMM, Northern Mindanao, at Caraga** – – Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilaga **Palawan** – Katamtaman mula hilagang silangan;	23 – 35	21 – 32	60 – 98	4 – 8
Rehiyon ng Ilocos, Cordillera Administrative Region, at Batanes	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan	Katamtaman mula hilagang silangan;	22 – 34	15 – 32	50 – 97	0 – 6
Metro Manila at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	**Natitirang bahagi ng Luzon** – Katamtaman mula hilagang silangan; **Natitirang bahagi ng bansa** – Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilaga	23 – 35	21 – 32	45 – 96	0 – 4


Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100
Tel. No.: 8284 -0800 local 4915
Website: http://bagong.pagasa.dost.gov.ph

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN
(Oktubre 11 –20, 2026)




Basa – Nueva Vizcaya, Quirino, karamihan sa mga lugar sa Gitnang Luzon, Cordillera Administrative Region, Quezon City, Rizal, Quezon, Palawan, Romblon, Camarines Norte, Catanduanes, karamihan sa mga lugar sa Kanlurang Visayas, Samar, Bukidnon, Davao del Norte, Davao del Sur, at Lanao del Sur

Katamtaman – Rehiyon ng Ilocos, Batanes, Isabela, Zambales, Nueva Ecija, Cavite, Batangas, Pasay, Occidental Mindoro, Oriental Mindoro, Camarines Sur, Albay, Northern Samar, Surigao del Norte, Surigao del Sur, at Maguindanao

Tuyo –natitirang bahagi bahagi ng bansa

ENSO ALERT SYSTEM STATUS
(mula noong 21 Oktubre 2026)



EL NIÑO

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimateassessment/EN_Advisory_5.pdf

Ang malakas hanggang sa napakalakas na El Niño ay umiiral sa Tropical Pacific. Batay sa karamihan ng mga climate model, inaasahang magpapatuloy ang El Niño hanggang sa unang quarter ng 2027 at maaaring umabot sa pinakamalakas nitong antas bago matapos ang 2026. Maaaring magpatuloy ang mga kaugnay nitong epekto hanggang sa unang kalahati ng 2027.

Ang El Niño ay nagpapataas ng posibilidad na magkaroon ng mas mababa sa karaniwang dami ng ulan, na maaaring magdulot ng mga negatibong epekto tulad ng dry spell at tagtuyot sa ilang bahagi ng bansa. Gayunpaman, maaari pa ring magkaroon ng mas mataas sa karaniwang dami ng ulan kapag may pagdaan ng mga tropical cyclone at iba pang weather systems na nagdadala ng ulan. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihing maayos ang irigasyon, at mag-ipon ng tubig-ulan upang matiyak ang suplay ng tubig sa panahon ng El Niño. Gumamit ng mga pananim na matibay sa tagtuyot at mga pamamaraan sa pagpapanatili ng halumigmig ng lupa. Regular na subaybayan ang mga update ng DOST-PAGASA at iangkop ang mga gawaing pansaka ayon sa kondisyon ng panahon. Bagama't mas tuyo ang karaniwang kondisyon, maaari pa ring magkaroon ng localized thunderstorms na may malakas na ulan, hangin, pagkidlat, at posibleng biglaang pagbaha.

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

SHEAR LINE, TROUGH NG LPA, AMIHAN, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Regular na subaybayan ang mga pananim para sa posibleng pagdami ng mga peste, paglitaw ng mga sakit, at mga palatandaan ng kakulangan sa tubig, at magsagawa ng angkop na mga hakbang sa pamamahala.
- Linisin at panatilihing maayos ang mga kanal ng irigasyon, sistema ng paagusan, mga bomba ng patubig, at mga pasilidad sa imbakan ng tubig upang matiyak ang mahusay na pamamahala ng tubig.
- Anihin agad ang mga pananim na nasa hustong gulang na at tiyakin ang wastong pagpapatuyo at pag-iimbak ng mga ito upang mabawasan ang pagkalugi pagkatapos ng anihan at mapanatili ang kalidad ng mga produkto.
- Tiyakin ang maayos na daloy ng tubig palabas sa mga bukirin, lalo na sa mga lugar na madaling bahain o mag-ipon ng tubig, upang maiwasan ang matagal na pagkababad ng mga pananim sa sobrang tubig.
- Pangalagaan ang natitirang suplay ng tubig sa pamamagitan ng maayos at napapanahong pagdidilig, lalo na sa mga lugar na nakararanas ng kaunting pag-ulan o pagbaba ng halumigmig ng lupa.
- Laging makinig sa mga payo ng mga awtoridad at lokal na pamahalaan tungkol sa mga kondisyon ng panahon. Manatiling updated sa mga ulat at abiso mula sa DOST-PAGASA website, social media accounts, at PANaHON App.

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

PAYO SA MGA MANGINGISDA
GALE WARNING AT KONDISYON NG KARAGATAN
Walang nakataas na Gale Warning. Katamtamang maalon na karagatan ang inaasahan **sa mga baybayin ng Luzon,** samantalang banayad hanggang sa katamtaman na pag-alon ng karagatan ang mararanasan sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN			
DAILY EXTREMES		**MONTHLY EXTREMES**	
Pinakamataas na Temperatura	36.0 ºC (Dagupan City, 1990)	**Pinakamataas na Temperatura**	38.5 ºC (Tuguegarao, 1987)
Pinakamababang Temperatura	11.8 ºC (Baguio City, 1920)	**Pinakamababang Temperatura**	11.3 ºC (Baguio City, 1913)
Pinakamaraming Ulan	458.5 mm (Virac, 1958)	**Pinakamaraming Ulan**	994.6 mm (Baguio City, 1998)

INIHANDA HANDA/INI-UPLOAD NINA: MGA / JAE **BINIGYANG PANSIN NI: MEVT**