



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 196

Issued: 7:00 AM, Wednesday, 26 August 2026 Valid until: 7:00 AM, Thursday, 27 August 2026

SYNOPSIS: Southwest Monsoon affecting Luzon.



FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Zambales	Occasional rains	Moderate to strong from southwest	25 – 28	24 – 27	70 – 98	4 – 8
Metro Manila, Ilocos Region, Cordillera Administrative Region, Cagayan Valley, the rest of Central Luzon, Cavite, Batangas, Rizal, Occidental Mindoro, Palawan, and Antique	Cloudy skies with scattered rains and thunderstorms	Moderate to strong from southwest	22 – 33	17 – 31	65 – 98	4 – 8
The rest of Luzon and Western Visayas	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Moderate to strong from southwest	24 – 34	22 – 32	60 – 97	0 – 6
The rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from south to southwest	23 – 35	20 – 32	50 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Clear and maintain irrigation canals, drainage ditches, and waterways to prevent flooding.
- Strengthen nurseries, greenhouses, seedbeds, and trellises; relocate seedlings to safer areas if possible.
- Store harvested crops and farm inputs in elevated, dry, and covered areas.
- Avoid fertilizer application and pesticide spraying during heavy rainfall.
- Ensure the safety of farmers and farm workers by suspending field activities during severe weather.
- Prepare contingency plans for harvesting, post-harvest handling, transportation, and marketing to minimize production and economic losses during prolonged adverse weather conditions.
- Maintain communication with local agricultural offices and disaster risk reduction authorities for updates, technical assistance, and emergency response support.
- Continue monitoring weather forecasts issued by DOST-PAGASA and local authorities to guide timely agricultural decision-making and risk reduction



FARM ADVISORY	
SOIL MOISTURE CONDITION (August 11 – 20, 2026)	ENSO ALERT SYSTEM STATUS (Updated as of 06 August 2026)
 Wet – Ilocos Region, Itbayat, Aparri, Tuguegarao, Isabela, Cordillera Administrative Region, Central Luzon, National Capital Region, most areas of CALABARZON, and most areas of MIMAROPA, Moist – Calayan, Basco, Nueva Viscaya, Alabat, Pag-asa Island, most of Bicol Region, Catbalogan, Maasin, Zamboanga del Norte, Davao del Sur, Davao del Norte, Surigao del Norte, Surigao del Sur, and BARMM Dry – Rest of the country	 EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Moderate El Niño is present in the Tropical Pacific. Climate models predict that El Niño will continue until the first half of 2027 and may reach a very strong state before the end of 2026. Farmers are advised to conserve water, maintain irrigation systems, and establish rainwater harvesting facilities to maximize available water during dry periods. The use of drought-tolerant crops and soil moisture conservation practices is encouraged to reduce the impacts of El Niño. Farmers should monitor daily DOST-PAGASA weather updates, as localized thunderstorms may still bring heavy rainfall, strong winds, lightning, and possible flash flooding. Secure farm structures, clear drainage canals, and adjust farm activities based on weather conditions to minimize risks.

FISHING ADVISORY
GALE WARNING AND SEA CONDITION
No Gale warning is raised.
Moderate to rough seas are expected over the seaboards of Luzon and western section of Visayas , while slight to moderate seas will be experienced over the rest of the archipelago . Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST-PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	38.3 °C (Butuan City, 1960)	Maximum Temperature	39.4 °C (Tuguegarao, 1960)
Minimum Temperature	14.0 °C (Baguio City, 1930)	Minimum Temperature	12.8 °C (Baguio City, 1923)
Rainfall	395.2 mm (Sinait, 2004)	Rainfall	969.8 mm (Baguio City, 2008)

PREPARED/UPLOADED BY: MGA / JAE	VERIFIED BY: MEVT
--	--------------------------



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 196

Inilabas ng: 7:00 AM Miyerkules, 26 Agosto 2026 May bisa hanggang: 7:00 AM Huwebes, 27 Agosto 2026

SYNOPSIS: Habagat ang nakakaapekto sa Luzon.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Zambales	Paminsan-minsang pag-ulan	Katamtaman hanggang sa malakas mula timog-kanluran	25 – 28	24 – 27	70 – 98	4 – 8
Metro Manila, Rehiyon ng Ilocos, Cordillera Administrative Region, Lambak ng Cagayan, natitirang bahagi ng Gitnang Luzon, Cavite, Batangas, Rizal, Occidental Mindoro, Palawan, at Antique	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Katamtaman hanggang sa malakas mula timog-kanluran	22 – 33	17 – 31	65 – 98	4 – 8
Natitirang bahagi ng Luzon at Kanlurang Kabisayaan	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Katamtaman hanggang sa malakas mula timog-kanluran	24 – 34	22 – 32	60 – 97	0 – 6
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	23 – 35	20 – 32	50 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Linisin at panatilihin ang mga kanal ng irigasyon, daluyan ng tubig, at mga estero upang maiwasan ang pagbaha.
- Patibayin ang mga punlaan, greenhouse, seedbed, at trellis; ilipat sa mas ligtas na lugar ang mga punla kung maaari.
- Siguraduhing maayos ang daluyan ng tubig sa bukid upang maiwasan ang pagbabara ng tubig at pagkabulok ng ugat.
- Itago ang mga naaning pananim at farm inputs sa mataas, tuyong, at may bubong na lugar.
- Iwasan ang paglalagay ng pataba at pag-spray ng pestisidyo sa panahon ng malakas na ulan.
- Unahin ang kaligtasan ng mga magsasaka at manggagawang bukid sa pamamagitan ng pansamantalang pagtigil ng 1ocal1 sa bukid kapag masama ang panahon.
- Maghanda ng contingency plan para 1ocal1-aani, pangangasiwa pagkatapos ng anihan, transportasyon, at pagbebenta ng ani upang mabawasan ang pagkalugi sa produksyon at kabuhayan sa panahon ng matagal na masamang lagay ng panahon.
- Panatilihin ang pakikipag-ugnayan sa mga 1ocal na tanggapan ng agrikultura at mga awtoridad sa disaster risk reduction upang makatanggap ng mga pinakabagong abiso, teknikal na suporta, at agarang tulong kung kinakailangan.
- Patuloy na subaybayan ang mga weather forecast na inilalabas ng DOST-PAGASA at mga 1ocal na awtoridad upang makatulong sa maagap na pagpapasya sa mga gawaing pang-agrikultura at pagbawas ng panganib.



PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Agosto 11 – 20, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 06 Agosto 2026)
Basa – Rehiyon ng Ilocos, Itbayat, Aparri, Tuguegarao, Isabela, Cordillera Administrative Region, Gitnang Luzon, National Capital Region, malaking bahagi ng CALABARZON, at malaking bahagi ng MIMAROPA, Moist – Calayan, Basco, Nueva Viscaya, Alabat, Pag-asa Island, malaking bahagi sa Rehiyon ng Bicol, Catbalogan, Maasin, Zamboanga del Norte, Davao del Sur, Davao del Norte, Surigao del Norte, Surigao del Sur, at BARMM Tuyo – Natitirang bahagi bahagi	EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Kasalukuyang umiiral ang katamtamang El Niño sa Tropical Pacific. Ayon sa mga climate model, inaasahang magpapatuloy ang El Niño hanggang sa unang kalahati ng 2027 at may posibilidad na maging mas malakas bago matapos ang 2026. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihin ang irigasyon, maghanda ng imbakan ng tubig-ulan, at gumamit ng mga barayting matibay sa tagtuyot. Subaybayan ang mga ulat ng DOST-PAGASA dahil maaari pa ring magkaroon ng mga pagkulong at pagkidlat na may kasamang malakas na ulan, bugso ng hangin, at posibleng pagbaha. Panatilihin ang mga pasilidad sa bukid at iangkop ang mga gawaing pangsakahan batay sa lagay ng panahon.

PAYO SA MGA MANGINGISDA
GALE WARNING AT KONDISYON NG KARAGATAN
Walang nakataas na Gale warning.
Katamtaman hanggang sa maalon na karagatan ang inaasahan sa baybayin ng Luzon at kanlurang bahagi ng Kabisayaan , samantalaang banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa natitirang bahagi ng kapuluan . Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	38.3 °C (Butuan City, 1960)	Pinakamataas na Temperatura	39.4 °C (Tuguegarao, 1960)
Pinakamababang Temperatura	140 °C (Baguio City, 1930)	Pinakamababang Temperatura	12.8 °C (Baguio City, 1923)
Pinakamaraming Ulan	395.2 mm (Sinait, 2004)	Pinakamaraming Ulan	969.8 mm (Baguio City, 2008)
INIHANDA HANDA/INI-UPLOAD NINA: MGA / JAE		BINIGYANG PANSIN NI: MEVT	