



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 156

Issued: 7:00 AM, Friday, 10 July 2026



Valid until: 7:00 AM, Saturday, 11 July 2026

SYNOPSIS: At 3:00 AM today, the center of Typhoon "INDAY" {BAVI} was estimated based on all available data at 640 km East of Basco, Batanes (20.1°N, 128.1°E) with maximum sustained winds of 150 km/h near the center and gustiness of up to 185 km/h. It is moving Northwestward at 20 km/h. Southwest Monsoon affecting Palawan, Visayas, and Mindanao.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Batanes	Stormy	Gusty winds	26 – 30	23 – 28	75 – 100	> 12
Cordillera Administrative Region, Ilocos Norte, Cagayan, and Isabela	Rains with gusty winds	Moderate from Northwest to Southwest	25 – 36	16 – 35	70 – 100	> 12
MIMAROPA, Western Visayas, Negros Island Region, Zambales, Bataan, Cavite, and Batangas	Occasional rains	MIMAROPA, Western Visayas, Negros Island Region, Cavite, and Batangas – Moderate to strong from West to Southwest; Zambales and Bataan – Moderate from Northwest to Southwest	24 – 33	21 – 31	65 – 98	8 – 12
Bicol Region, the rest of Ilocos Region, the rest of Cagayan Valley, the rest of Central Luzon, and Quezon	Cloudy skies with scattered rains and thunderstorms	Bicol Region and Quezon – Moderate to strong from West to Southwest; Rest of Ilocos Region, the rest of Cagayan Valley, and the rest of Central Luzon – Moderate from Northwest to Southwest	24 – 35	21 – 32	65 – 98	8 – 12
Metro Manila, Zamboanga Peninsula, BARMM, SOCCSKSARGEN, the rest of Luzon, and the rest of Visayas	Cloudy skies with scattered rainshowers and thunderstorms	Rest of Luzon – Moderate from Northwest to Southwest; Rest of Visayas – Moderate to strong from West to Southwest; Zamboanga Peninsula, BARMM, SOCCSKSARGEN –	23 – 32	20 – 29	60 – 98	8 – 12



		Light to moderate from Southwest				
The rest of Mindanao	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Eastern sections of Mindanao – Moderate to strong from West to Southwest; Rest of Mindanao – Light to moderate from Southwest	24 – 32	20 – 30	50 – 97	0 – 6

FARM ADVISORY	
SOIL MOISTURE CONDITION (June 21 – 30, 2026)	ENSO ALERT SYSTEM STATUS (Updated as of 24 June 2026)
 Wet – Zambales, Bataan, most parts of Palawan, Romblon, Occidental Mindoro, some portions of Capiz, some portions of Bukidnon, Davao del Norte, and Lanao del Sur Moist – Ilocos Sur, Irbayat, Nueva Ecija, most parts of Aurora, Tayabas, Laguna, most parts of Cavite, Batangas, most parts of Cordillera Administrative Region, Quezon City, Southern Leyte, Leyte, some portions of Eastern Samar, Davao del Sur, Maguindanao, and Negros Occidental Dry – Rest of the country	 EL NIÑO https://www.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring El Niño is expected to develop by mid-2026, increasing the possibility of below-normal rainfall, dry spells, and drought. Farmers are advised to maintain irrigation systems, use drought-tolerant crops, and harvest mature crops early when needed. Localized thunderstorms may still occur, especially in the afternoon or evening, bringing heavy rain, strong winds, lightning, and possible flash flooding in low-lying areas. Farmers should stay alert to daily weather updates, secure farm structures, and avoid field activities during thunderstorms, and adjust planting schedules based on DOST-PAGASA forecasts.

AREAS AFFECTED BY THE WEATHER SYSTEMS
TC INDAY, SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS - Inspect crops regularly for signs of flooding, waterlogging, pest infestations, and disease outbreaks, and implement appropriate control measures as soon as conditions permit. - Secure greenhouses, nurseries, seedbeds, storage facilities, and other farm structures by reinforcing roofs, coverings, and loose materials against strong winds. - Avoid field operations during thunderstorms to protect farmers and workers from lightning, strong winds, and other weather-related hazards. - Check irrigation systems, pumps, and drainage facilities after heavy rains, and repair any damaged or blocked sections to restore efficient water management. - Prepare contingency plans for harvesting, post-harvest handling, transportation, and marketing to minimize production and economic losses during prolonged adverse weather conditions. - Remove fallen branches, lodged plants, and other debris from fields to improve drainage, reduce disease risks, and facilitate recovery after adverse weather. - Maintain communication with local agricultural offices and disaster risk reduction authorities for updates, technical assistance, and emergency response support.



- Continue monitoring weather forecasts, rainfall advisories, and tropical cyclone bulletins issued by DOST-PAGASA and local authorities to guide timely agricultural decision-making and risk reduction.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

Gale warning has been raised over **the seaboard of extreme Northern Luzon** (Batanes and Babuyan Islands), **the northern and eastern seaboard of Northern Luzon** (the northern and eastern coasts of mainland Cagayan {Gonzaga, Santa Ana, Santa Teresita, Aparri, Buguey, Lal-Lo, Gattaran, Baggao, Peñablanca} and Isabela), and **the eastern seaboard of Luzon** (Aurora, the northern and eastern coasts of Catanduanes {Pandan, Viga, Bagamanoc, Panganiban}, Pollilo Islands {the northern coast of Panukulan, Burdeos, the eastern coast of Patnanungan, and the northern and eastern coasts of Jomalig}, the eastern coast of Camarines Norte {Jose Panganiban, Capalonga, Paracale, Vinzons, Talisay, Daet, Mercedes, Basud}, and the northern coast of Camarines Sur {Siruma, Tinambac, Lagonoy, Garchitorena, Caramoan}).

Moderate to rough seas will prevail over **Southern Luzon, Visayas, and the northern and eastern seaboard of Mindanao**, while moderate seas will be experienced over the **rest of Luzon**. Slight to moderate seas are expected over **the rest of Mindanao**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	40.5 °C (Tuguegarao City, 1915)	Maximum Temperature	41.0 °C (Tuguegarao, 1915)
Minimum Temperature	14.0 °C (Baguio City, 1908)	Minimum Temperature	12.2 °C (Baguio City, 1907)
Rainfall	288.1 mm (Baguio City, 2002)	Rainfall	1,085.8 mm (Baguio City, 2001)

PREPARED/UPLOADED BY: **RAMF / HGDE**

VERIFIED BY: **MEVT**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 156

Inilabas ng: 7:00 AM, Biyernes, 10 Hulyo 2026

May bisa hanggang: 7:00 AM, Sabado, 11 Hulyo 2026

SYNOPSIS: Kaninang 3:00 AM, ang Typhoon "INDAY" {BAVI} ay tinatayang nasa 640 km silangan ng Basco, Batanes (20.1°N, 128.1°E) na may taglay na lakas ng hangin na 150 km/h malapit sa gitna at pagbugso na umaabot sa 185 km/h. Ito ay kumikilos patungo sa hilagang kanluran sa bilis na 20 km/h. Habagat ang nakakaapekto sa Palawan, Kabisayaan, at Mindanao.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Batanes	Masungit na panahon	Pagbugso ng hangin	26 – 30	23 – 28	75 – 100	> 12
Cordillera Administrative Region, Ilocos Norte, Cagayan, at Isabela	Maulan na may pagbugso ng hangin	Katamtaman mula hilagang kanluran hanggang timog-kanluran	25 – 36	16 – 35	70 – 100	> 12
MIMAROPA, Kanlurang Kabisayaan, Negros Island Region, Zambales, Bataan, Cavite, at Batangas	Paminsan-minsang pag-ulan	MIMAROPA, Kanlurang Kabisayaan, Negros Island Region, Cavite, at Batangas – Katamtaman hanggang sa malakas mula kanluran hanggang timog-kanluran; Zambales at Bataan – Katamtaman mula hilagang kanluran hanggang timog-kanluran	24 – 33	21 – 31	65 – 98	8 – 12
Rehiyon ng Bicol, natitirang bahagi ng Rehiyon ng Ilocos, natitirang bahagi ng Lambak ng Cagayan, natitirang bahagi ng Gitnang Luzon, at Quezon	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Rehiyon ng Bicol at Quezon – Katamtaman hanggang sa malakas mula kanluran hanggang timog-kanluran; Natitirang bahagi ng Rehiyon ng Ilocos, natitirang bahagi ng Lambak ng Cagayan, at natitirang bahagi ng Gitnang Luzon – Katamtaman mula hilagang kanluran hanggang timog-kanluran	24 – 35	21 – 32	65 – 98	8 – 12



Metro Manila, Zamboanga Peninsula, BARMM, SOCCSKSARGEN, natitirang bahagi ng Luzon, at natitirang bahagi ng Kabisayaan	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Natitirang bahagi ng Luzon – Katamtaman mula hilagang kanluran hanggang timog-kanluran Natitirang bahagi ng Kabisayaan – Katamtaman hanggang sa malakas mula kanluran hanggang timog-kanluran; Zamboanga Peninsula, BARMM, at SOCCSKSARGEN – Mahina hanggang sa katamtaman mula timog-kanluran	23 – 32	20 – 29	60 – 98	8 – 12
Natitirang bahagi ng Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Silangang bahagi ng Mindanao – Katamtaman hanggang sa malakas mula kanluran hanggang timog-kanluran; Natitirang bahagi ng Mindanao – Mahina hanggang sa katamtaman mula timog-kanluran	24 – 32	20 – 30	50 – 97	0 – 6

PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Hunyo 21 – 30, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 24 Hunyo 2026)
Basa – Zambales, Bataan, malaking bahagi ng Palawan, Romblon, Occidental Mindoro, ilang bahagi ng Capiz, ilang bahagi ng Bukidnon, Davao del Norte, at Lanao del Sur Katamtaman – Ilocos Sur, Itbayat, Nueva Ecija, malaking bahagi ng Aurora, Tayabas, Laguna, malaking bahagi ng Cavite, Batangas, malaking bahagi ng Cordillera <i>Administrative Region, Quezon City, Southern Leyte, Leyte, ilang bahagi ng Eastern Samar, Davao del Sur, Maguindanao, at Negros Occidental</i> Tuyo – Natitirang bahagi bahagi	EL NIÑO https://www.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring Inaasahang ang El Niño sa kalagitnaan ng 2026, na magdudulot ng tagtuyot at posibleng kakulangan sa tubig. Pinapayuhan ang mga magsasaka na panatilihin ang maayos na irigasyon, gumamit ng drought-tolerant na pananim, at anihin agad ang mga hinog na tanim kung kinakailangan. Maaari pa ring magkaroon ng localized thunderstorms, lalo na sa hapon o gabi, na may kasamang malakas na ulan, hangin, kidlat, at posibleng flash flood sa mabababang lugar. Panatiling updated sa araw-araw na lagay ng panahon, tiyakin ang kaligtasan ng mga pasilidad sa bukid, iwasan ang trabaho sa bukid tuwing may thunderstorm, at iangkop ang taniman ayon sa forecast ng DOST-PAGASA.



SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

TC INDAY, HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Regular na suriin ang mga pananim upang matukoy ang mga palatandaan ng pagbaha, waterlogging, pagdami ng peste, at pagkalat ng mga sakit, at agad na magsagawa ng angkop na mga hakbang sa pagkontrol kapag ligtas na ang kalagayan.
- Patibayin ang mga greenhouse, nursery, punlaan, imbak, at iba pang estruktura sa sakahan sa pamamagitan ng pagsasaayos at pagpapatatag ng mga bubong, takip, at maluluwag na bahagi upang mabawasan ang pinsala dulot ng malalakas na hangin.
- Iwasan ang pagsasagawa ng mga gawaing pangbukid habang may pagkulong at pagkidlat upang maprotektahan ang mga magsasaka at manggagawa laban sa kidlat, malalakas na hangin, at iba pang panganib na dulot ng masamang panahon.
- Suriin ang mga sistema ng irigasyon, mga bomba ng tubig, at mga pasilidad ng paagusan pagkatapos ng malalakas na pag-ulan, at agad na kumpunihin o alisin ang anumang bara o sira upang maibalik ang maayos na pamamahala ng tubig.
- Maghanda ng contingency plan para sa pag-aani, pangangasiwa pagkatapos ng anihan, transportasyon, at pagbebenta ng ani upang mabawasan ang pagkalugi sa produksyon at kabuhayan sa panahon ng matagal na masamang lagay ng panahon.
- Alisin ang mga natumbang sanga, nakahigang pananim, at iba pang mga kalat sa bukirin upang mapabuti ang daloy ng tubig, mabawasan ang panganib ng sakit sa pananim, at mapabilis ang pagbangon ng sakahan matapos ang masamang panahon.
- Panatilihin ang pakikipag-ugnayan sa mga lokal na tanggapan ng agrikultura at mga awtoridad sa disaster risk reduction upang makatanggap ng mga pinakabagong abiso, teknikal na suporta, at agarang tulong kung kinakailangan.
- Patuloy na subaybayan ang mga weather forecast, rainfall advisories, at tropical cyclone bulletins na inilalabas ng DOST-PAGASA at mga lokal na awtoridad upang makatulong sa maagap na pagpapasya sa mga gawaing pang-agrikultura at pagbawas ng panganib.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Nakataas ang Gale Warning sa baybayin ng Dulong Hilagang Luzon (Batanes at Babuyan Islands), **hilaga at silangang mga baybayin ng Hilagang Luzon** (hilaga at silangang mga baybayin sa kalupaan ng Cagayan {Gonzaga, Santa Ana, Santa Teresita, Aparri, Buguey, Lal-Lo, Gattaran, Baggao, Peñablanca} at Isabela), at **silangang baybayin ng Luzon** (Aurora, hilaga at silangang mga baybayin ng Catanduanes {Pandan, Viga, Bagamanoc, Panganiban}, Polillo Islands {hilagang baybayin ng Panukulan, Burdeos, silangang baybayin ng Patnanungan, at hilaga at silangang mga baybayin ng Jomalig}, silangang baybayin ng Camarines Norte {Jose Panganiban, Capalonga, Paracale, Vinzons, Talisay, Daet, Mercedes, Basud}, at hilagang baybayin ng Camarines Sur {Siruma, Tinambac, Lagonoy, Garchitorena, Caramoan}).

Katamtaman hanggang sa maalon na karagatan ang iiral sa **Katimugan Luzon, Kabisayaan, at hilaga at silangang mga baybayin ng Mindanao**, samantalang katamtamang pag-alon ang mararanasan sa **natitirang baybayin ng Luzon**. Banayad hanggang sa katamtamang pag-alon ng karagatan ang inaasahan sa **natitirang baybayin ng Mindanao**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	40.5 °C (Tuguegarao City, 1915)	Pinakamataas na Temperatura	41.0 °C (Tuguegarao, 1915)
Pinakamababang Temperatura	14.0 °C (Baguio City, 1908)	Pinakamababang Temperatura	12.2 °C (Baguio City, 1907)
Pinakamaraming Ulan	288.1 mm (Baguio City, 2002)	Pinakamaraming Ulan	1,085.8 mm (Baguio City, 2001)
INIHANDA HANDA/INI-UPLOAD NINA: RAMF / HGDE		BINIGYANG PANSIN NI: MEVT	