



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 159

Issued: 7:00 AM, Tuesday, 14 July 2026


Valid until: 7:00 AM, Wednesday, 14 July 2026

SYNOPSIS: At 3:00 AM today, the center of Tropical Storm "JOSIE" {HAISHEN} was estimated based on all available data at 1,095 km East of Eastern Visayas (12.9°N, 134.7°E) with maximum sustained winds of 65 km/h near the center and gustiness of up to 80 km/h. It is moving Northwestward at 25 km/h. Southwest Monsoon affecting the western section of Northern Luzon.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Ilocos Norte, Ilocos Sur, and La Union	Cloudy skies with scattered rains and thunderstorms	Moderate to strong from south to southwest	25 – 33	22 – 31	65 – 98	4 – 8
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Northern and western sections of Luzon – Moderate to strong from south to southwest; Rest of the country – Moderate to strong from south to southwest	23 – 37	17 – 36	50 – 98	0 – 6

FARM ADVISORY

SOIL MOISTURE CONDITION
(June 21 – 30, 2026)




Dry – Rest of the country

Wet – Zambales, Bataan, most parts of Palawan, Romblon, Occidental Mindoro, some portions of Capiz, some portions of Bukidnon, Davao del Norte, and Lanao del Sur

Moist – Ilocos Sur, Itbayat, Nueva Ecija, most parts of Aurora, Tayabas, Laguna, most parts of Cavite, Batangas, most parts of Cordillera Administrative Region, Quezon City, Southern Leyte, Leyte, some portions of Eastern Samar, Davao del Sur, Maguindanao, and Negros Occidental

ENSO ALERT SYSTEM STATUS
(Updated as of 24 June 2026)



EL NIÑO

<https://www.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

El Niño is expected to develop by mid-2026, increasing the possibility of below-normal rainfall, dry spells, and drought. Farmers are advised to maintain irrigation systems, use drought-tolerant crops, and harvest mature crops early when needed. Localized thunderstorms may still occur, especially in the afternoon or evening, bringing heavy rain, strong winds, lightning, and possible flash flooding in low-lying areas. Farmers should stay alert to daily weather updates, secure farm structures, and avoid field activities during thunderstorms, and adjust planting schedules based on DOST-PAGASA forecasts.



AREAS AFFECTED BY THE WEATHER SYSTEMS

SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Inspect crops regularly for signs of flooding, waterlogging, pest infestations, and disease outbreaks, and implement appropriate control measures as soon as conditions permit.
- Secure greenhouses, nurseries, seedbeds, storage facilities, and other farm structures by reinforcing roofs, coverings, and loose materials against strong winds.
- Avoid field operations during thunderstorms to protect farmers and workers from lightning, strong winds, and other weather-related hazards.
- Check irrigation systems, pumps, and drainage facilities after heavy rains, and repair any damaged or blocked sections to restore efficient water management.
- Prepare contingency plans for harvesting, post-harvest handling, transportation, and marketing to minimize production and economic losses during prolonged adverse weather conditions.
- Remove fallen branches, lodged plants, and other debris from fields to improve drainage, reduce disease risks, and facilitate recovery after adverse weather.
- Maintain communication with local agricultural offices and disaster risk reduction authorities for updates, technical assistance, and emergency response support.
- Continue monitoring weather forecasts, rainfall advisories, and tropical cyclone bulletins issued by DOST-PAGASA and local authorities to guide timely agricultural decision-making and risk reduction.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale warning was raised

Moderate to rough seas will prevail over **the northern and western sections of Luzon** while slight to moderate seas are expected over **the rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	39.3 °C (Tuguegarao City, 1912)	Maximum Temperature	41.0 °C (Tuguegarao, 1915)
Minimum Temperature	13.5 °C (Baguio City, 1907)	Minimum Temperature	12.2 °C (Baguio City, 1907)
Rainfall	306.7 mm (Daet, 1982)	Rainfall	1,085.8 mm (Baguio City, 2001)

PREPARED/UPLOADED BY: **RAMF / JOT**

VERIFIED BY: **MEVT**



TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 159

Inilabas ng: 7:00 AM, Martes, 14 Hulyo 2026

May bisa hanggang: 7:00 AM, Miyerkules, 15 Hulyo 2026


SYNOPSIS: Kaninang 3:00 AM, ang sentro ng Tropical Storm "JOSIE" {HAISHEN} ay tinatayang nasa 1,095 km Silangan ng Eastern Visayas (12.9°N, 134.7°E) na may taglay na lakas ng hangin na 65 km/h malapit sa gitna at pagbugso na umaabot sa 80 km/h. Ito ay kumikilos pa-hilagang kanluran sa bilis na 25 km/h. Habagat ang nakakaapekto sa kanlurang bahagi ng Hilagang Luzon.

LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Ilocos Norte, Ilocos Sur, at La Union	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Katamtaman hanggang sa malakas mula timog hanggang timog-kanluran	25 – 33	22 – 31	65 – 98	4 – 8
Metro Manila at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Hilaga at kanlurang mga bahagi ng Luzon – Katamtaman hanggang sa malakas mula timog hanggang timog-kanluran; Natitirang bahagi ng bansa – Mahina hanggang sa katamtaman mula timog-silangan hanggang timog	23 – 37	17 – 36	50 – 98	0 – 6

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN
(Hunyo 21 – 30, 2026)


ENSO ALERT SYSTEM STATUS
(mula noong 24 Hunyo 2026)



Basa – Zambales, Bataan, malaking bahagi ng Palawan, Romblon, Occidental Mindoro, ilang bahagi ng Capiz, ilang bahagi ng Bukidnon, Davao del Norte, at Lanao del Sur

Katamtaman – Ilocos Sur, Itbayat, Nueva Ecija, malaking bahagi ng Aurora, Tayabas, Laguna, malaking bahagi ng Cavite, Batangas, malaking bahagi ng Cordillera

Administrative Region, Quezon City, Southern Leyte, Leyte, ilang bahagi ng Eastern Samar, Davao del Sur, Maguindanao,



EL NIÑO

<https://www.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Inaasahang ang El Niño sa kalagitnaan ng 2026, na magdudulot ng tagtuyot at posibleng kakulangan sa tubig. Pinapayuhan ang mga magsasaka na panatilihin ang maayos na irigasyon, gumamit ng drought-tolerant na pananim, at anihin agad ang mga hinog na tanim kung kinakailangan. Maaari pa ring magkaroon ng localized thunderstorms, lalo na sa hapon o gabi, na may kasamang malakas na ulan, hangin, kidlat, at posibleng flash flood sa mabababang lugar. Panatiling updated sa araw-araw na lagay ng panahon, tiyakin ang kaligtasan ng mga pasilidad sa bukid, iwasan ang trabaho sa bukid tuwing may thunderstorm, at iangkop ang taniman ayon sa forecast ng DOST-PAGASA.



at *Negros Occidental*

Tuyo – *Natitirang bahagi bahagi*

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Regular na suriin ang mga pananim upang matukoy ang mga palatandaan ng pagbaha, waterlogging, pagdami ng peste, at pagkalat ng mga sakit, at agad na magsagawa ng angkop na mga hakbang sa pagkontrol kapag ligtas na ang kalagayan. .
- Patibayin ang mga greenhouse, nursery, punlaan, imbakan, at iba pang estruktura sa sakahan sa pamamagitan ng pagsasaayos at pagpapatatag ng mga bubong, takip, at maluluwag na bahagi upang mabawasan ang pinsala dulot ng malalakas na hangin.
- Iwasan ang pagsasagawa ng mga gawaing pangbukid habang may pagkulong at pagkidlat upang maprotektahan ang mga magsasaka at manggagawa laban sa kidlat, malalakas na hangin, at iba pang panganib na dulot ng masamang panahon.
- Suriin ang mga sistema ng irigasyon, mga bomba ng tubig, at mga pasilidad ng paagusan pagkatapos ng malalakas na pag-ulan, at agad na kumpunihin o alisin ang anumang bara o sira upang maibalik ang maayos na pamamahala ng tubig.
- Maghanda ng contingency plan para sa pag-aani, pangangasiwa pagkatapos ng anihan, transportasyon, at pagbebenta ng ani upang mabawasan ang pagkalugi sa produksyon at kabuhayan sa panahon ng matagal na masamang lagay ng panahon.
- Alisin ang mga natumbang sanga, nakahigang pananim, at iba pang mga kalat sa bukirin upang mapabuti ang daloy ng tubig, mabawasan ang panganib ng sakit sa pananim, at mapabilis ang pagbangon ng sakahan matapos ang masamang panahon.
- Panatilihin ang pakikipag-ugnayan sa mga lokal na tanggapan ng agrikultura at mga awtoridad sa disaster risk reduction upang makatanggap ng mga pinakabagong abiso, teknikal na suporta, at agarang tulong kung kinakailangan.
- Patuloy na subaybayan ang mga weather forecast, rainfall advisories, at tropical cyclone bulletins na inilalabas ng DOST-PAGASA at mga lokal na awtoridad upang makatulong sa maagap na pagpapasya sa mga gawaing pang-agrikultura at pagbawas ng panganib.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning

Katamtaman hanggang sa maalon na karagatan ang iiral sa **hilaga at kanlurang mga baybayin ng Luzon**, samantalang banayad hanggang sa katamtamang pag-alon ng karagatan ang inaasahan sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES

MONTHLY EXTREMES

Pinakamataas na Temperatura	39.3 °C (Tuguegarao City, 1912)	Pinakamataas na Temperatura	41.0 °C (Tuguegarao, 1915)
Pinakamababang Temperatura	13.5 °C (Baguio City, 1907)	Pinakamababang Temperatura	12.2 °C (Baguio City, 1907)
Pinakamaraming Ulan	306.7 mm (Daet, 1982)	Pinakamaraming Ulan	1,085.8 mm (Baguio City, 2001)

INIHANDA HANDA/INI-UPLOAD NINA: **RAMF / JOT**

BINIGYANG PANSIN NI: **MEVT**