



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 203

Issued: 7:00 AM, Friday, 04 September 2026

Valid until: 7:00 AM, Saturday, 05 September 2026

SYNOPSIS: Southwest Monsoon affecting Luzon and Visayas.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

TROPICAL DEPRESSION

LOCATION: 1,770 KM EAST OF EXTREME NORTHERN LUZON (19.0°N, 138.3°E)

MAXIMUM SUSTAINED WINDS: 45 KM/H NEAR THE CENTER

GUSTINESS: UP TO 55 KM/H

MOVEMENT: NORTHWESTWARD AT 20 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Zambales and Bataan	Monsoon Rains	Moderate to strong from southwest	23 – 28	21 – 27	60 – 98	>12
Metro Manila, Pangasinan, Pampanga, Tarlac, Bulacan, Rizal, Cavite, Batangas, and Occidental Mindoro	Occasional rains	Moderate to strong from southwest	23 – 30	21 – 29	60 – 98	>12
Cagayan Valley, Cordillera Administrative Region, the rest of Ilocos Region, the rest of Central Luzon, the rest of CALABARZON, the rest of MIMAROPA, Antique, Iloilo, and Guimaras	Cloudy skies with scattered rains and thunderstorms	Cagayan Valley, Cordillera Administrative Region, the rest of Ilocos Region, the rest of Central Luzon, the rest of CALABARZON, the rest of MIMAROPA – Moderate to strong from southwest; Antique, Iloilo, and Guimaras – Light to moderate from south to southwest	24 – 32	17 – 31	60 – 98	4 – 8
The rest of Luzon and Visayas	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	The rest of Luzon – Moderate to strong from southwest; The rest of Visayas – Light to moderate from south to southwest	24 – 36	22 – 33	50 – 96	0 – 4
Mindanao	Partly cloudy to cloudy skies with isolated rainshowers or	Light to moderate from south to southwest	23 – 36	18 – 33	50 – 96	0 – 4



	thunderstorms					
--	---------------	--	--	--	--	--

AREAS AFFECTED BY THE WEATHER SYSTEMS

SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Monitor soil moisture and field water levels to determine whether additional irrigation is necessary or should be suspended.
- Open or maintain field drainage outlets to quickly remove excess water from low-lying crop areas.
- Check slope areas, terraces, and farm roads for erosion, landslides, or obstruction that may affect farm operations and access.
- Inspect rainwater harvesting facilities, ponds, and farm reservoirs for overflow, leaks, or structural damage.
- Keep seeds, feeds, fertilizers, pesticides, and other farm inputs properly sealed and protected from moisture.
- Monitor stored crops for mold, fungal growth, and spoilage, especially when high humidity persists.
- Stay alert and informed! Always follow the latest weather advisories from local authorities and your local government. Keep updated through the official DOST-PAGASA website, social media accounts, and PANaHON App for timely weather information, warnings, and safety updates.


FARM ADVISORY

SOIL MOISTURE CONDITION

(August 21 – 31, 2026)

ENSO ALERT SYSTEM STATUS


(Updated as of 26 August 2026)



Wet – Ilocos Region, Itbayat, Aparri, Tuguegarao, Isabela, Cordillera Administrative Region, Central Luzon, National Capital Region, most areas of CALABARZON, and most areas of MIMAROPA,

Moist – Calayan, Basco, Nueva Viscaya, Alabat, Pag-asa Island, most of Bicol Region, Catbalogan, Maasin, Zamboanga del Norte, Davao del Sur, Davao del Norte, Surigao del Norte, Surigao del Sur, and BARMM

Dry – Rest of the country



EL NIÑO

<https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf>

Moderate to strong El Niño is present in the Tropical Pacific. Climate models predict that El Niño will continue until the first half of 2027 and may reach a very strong state before the end of 2026.

Farmers are advised to conserve water, maintain irrigation systems, and harvest rainwater to ensure adequate water supply during El Niño. Use drought-tolerant crops and soil moisture conservation practices. Regularly monitor DOST-PAGASA weather updates and adjust farm activities accordingly. Despite generally drier conditions, localized thunderstorms may still bring heavy rain, strong winds, lightning, and possible flash flooding.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale warning raised.

Moderate to rough seas are expected over the **seaboards of Luzon**, while slight to moderate seas will be experienced over rest of the archipelago. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	38.0 °C (Tuguegarao, 1983)	Maximum Temperature	38.9 °C (Tuguegarao, 1963)
Minimum Temperature	14.0 °C (Baguio City, 1959)	Minimum Temperature	12.6 °C (Baguio City, 1990)
Rainfall	397.1 mm (Baguio City, 1992)	Rainfall	799.8 mm (Baguio City, 1911)
PREPARED/UPLOADED BY: MTR / JOT		VERIFIED BY: MEVT	

"tracking the sky...helping the country"



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 203

Inilabas ng: 7:00 AM Biyernes, 04 Setyembre 2026 May bisa hanggang: 7:00 AM Sabado, 05 Setyembre 2026

SYNOPSIS: Habagat ang nakaaapekto sa Luzon at Kabisayaan.

TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM

TROPICAL DEPRESSION

LOKASYON: 1,770 KM SILANGAN NG DULONG HILAGANG LUZON (19.0°N, 138.3°E)

LAKAS NG HANGIN: 45 KM/H MALAPIT SA GITNA

PAGBUGSO: UMAABOT HANGGANG 55 KM/H

PAGKILOS: HILAGANG SILANGAN SA BILIS NA 20KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Zambales at Bataan	Pag-ulan dulot ng Habagat	Katamtaman hanggang sa malakas mula timog-kanluran	23 – 28	21 – 27	60 – 98	>12
Metro Manila, Pangasinan, Pampanga, Tarlac, Bulacan, Rizal, Cavite, Batangas, and Occidental Mindoro	Paminsan-minsang pag-ulan	Katamtaman hanggang sa malakas mula timog-kanluran	23 – 30	21 – 29	60 – 98	>12
Lambak ng Cagayan, Rehiyon ng Cordillera, natitirang bahagi ng Rehiyon ng Ilocos, natitirang bahagi ng Gitnang Luzon, natitirang bahagi ng CALABARZON, natitirang bahagi ng MIMAROPA, Antique, Iloilo, at Guimaras	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Lambak ng Cagayan, Rehiyon ng Cordillera, natitirang bahagi ng Rehiyon ng Ilocos, natitirang bahagi ng Gitnang Luzon, natitirang bahagi ng CALABARZON, natitirang bahagi ng MIMAROPA – Katamtaman hanggang sa malakas mula timog-kanluran; Antique, Iloilo at Guimaras – Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	24 – 32	17 – 31	60 – 98	4 – 8
Natitirang bahagi ng Luzon at Kabisayaan	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Natitirang bahagi ng Luzon – Katamtaman hanggang sa malakas mula timog-kanluran; Natitirang bahagi ng Kabisayaan – Mahina hanggang sa katamtaman mula timog hanggang	24 – 36	22 – 33	50 – 96	0 – 4



		timog-kanluran				
Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	23 – 36	18 – 33	50 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS


HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Subaybayan ang pagkabasa ng lupa at antas ng tubig sa mga sakahan upang matukoy kung kailangan pang magpatubig o pansamantalang itigil ang irigasyon.
- Buksan at panatilihin maayos ang mga daluyan ng tubig sa bukid upang mabilis na maalisan ang sobrang tubig sa mga mabababang bahagi ng taniman.
- Suriin ang mga dalisdis, pilapil, at daanan sa sakahan para sa mga senyales ng pagguho ng lupa, pagguho ng pilapil, landslide, o anumang bara na maaaring makaapekto sa operasyon at pag-access sa sakahan.
- Suriin ang mga pasilidad para sa pag-iimbak ng tubig-ulan, palaisdaan, at mga imbak ng tubig sa sakahan upang matukoy ang pag-apaw, pagtagas, o pinsala sa istruktura.
- Panatilihin maayos na nakasara at protektado laban sa kahalumigmigan ang mga binhi, pakain, pataba, pestisidyo, at iba pang kagamitang pang-agrikultura.
- Regular na suriin ang mga nakaimbak na ani upang agad na matukoy ang amag, pagkabulok, at pagkasira, lalo na kung patuloy ang mataas na halumigmig.
- Laging makinig sa mga payo ng awtoridad at lokal na pamahalaan para sa mga ulat panahon. Maging updated sa DOST-PAGASA website, social media, at PANaHON App.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN

(August 21 – 31, 2026)




Basa – Rehiyon ng Ilocos, Itbayat, Aparri, Tuguegarao, Isabela, Cordillera Administrative Region, Gitnang Luzon, National Capital Region, malaking bahagi ng CALABARZON, at malaking bahagi ng MIMAROPA,

Moist – Calayan, Basco, Nueva Viscaya, Alabat, Pag-asa Island, malaking bahagi sa Rehiyon ng Bicol, Catbalogan, Maasin, Zamboanga del Norte, Davao del Sur, Davao del Norte, Surigao del Norte, Surigao del Sur, at BARM

Tuyo – Natitirang bahagi bahagi

ENSO ALERT SYSTEM STATUS

(mula noong 26 Agosto 2026)



EL NIÑO

<https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf>

Kasalukuyang umiiral ang katamtamang hanggang sa amalakas na El Niño sa Tropical Pacific. Ayon sa mga climate model, inaasahang magpapatuloy ang El Niño hanggang sa unang kalahati ng 2027 at may posibilidad na maging mas malakas bago matapos ang 2026.

Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihin maayos ang irigasyon, at mag-ipan ng tubig-ulan upang matiyak ang suplay ng tubig sa panahon ng El Niño. Gumamit ng mga pananim na matibay sa tagtuyot at mga pamamaraan sa pagpapanatili ng halumigmig ng lupa. Regular na subaybayan ang mga update ng DOST-PAGASA at iangkop ang mga gawaing pansaka ayon sa kondisyon ng panahon. Bagama't mas tuyo ang karaniwang kondisyon, maaari pa ring magkaroon ng localized thunderstorms na may malakas na ulan, hangin, pagkidlat, at posibleng biglaang pagbaha.



PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtaman hanggang sa maalon na karagatan ang inaasahan sa **baybayin ng Luzon**, samantalang banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa **natitirang bahagi ng bansa**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES

MONTHLY EXTREMES

Pinakamataas na Temperatura	38.0 °C (Tuguegarao, 1983)	Pinakamataas na Temperatura	38.9 °C (Tuguegarao, 1963)
Pinakamababang Temperatura	14.0 °C (Baguio City, 1959)	Pinakamababang Temperatura	12.6 °C (Baguio City, 1990)
Pinakamaraming Ulan	397.1 mm (Baguio City, 1992)	Pinakamaraming Ulan	799.8 mm (Baguio City, 1911)

INIHANDA HANDA/INI-UPLOAD NINA: **MTR / JOT**

BINIGYANG PANSIN NI: **MEVT**