Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration
(PAGASA)

BAGONG PILIPINAS

WEEKEND/SPECIAL FARM WEATHER OUTLOOK

WSFWO: NO. 26 – 251

Issued: 4:00 PM, Friday, 30 October 2026 **Valid until: 7:00 AM, Tuesday, 03 November 2026**

Tomorrow to Sunday (October 31–November 1): Cloudy skies with scattered rains and isolated thunderstorms will prevail over Bicol Region, Cagayan, Isabela, Aurora, and Quezon due to the shear line. Meanwhile, the trough of the LPA embedded along the Intertropical Convergence Zone (ITCZ) will bring cloudy skies with scattered rains and thunderstorms over Western Visayas, Negros Island Region, Central Visayas, Northern Mindanao, Zamboanga Peninsula, BARMM, and SOCCSKSARGEN. Amihan will bring partly cloudy to cloudy skies with isolated light rains over Apayao, Ilocos Norte, and Batanes. The rest of the country will have partly cloudy to cloudy skies with isolated rainshowers or thunderstorms.

Monday to Tuesday (November 2–3): Another surge of Amihan is expected to prevail over Northern and Central Luzon, bringing cloudy skies with light rains over Cagayan, Isabela, and Aurora, while partly cloudy to cloudy skies with isolated light rains will prevail over Cordillera Administrative Region, Ilocos Region, and the rest of Cagayan Valley. Meanwhile, a tropical cyclone (TC) may briefly enter the Philippine Area of Responsibility (PAR). Although this TC will not directly affect the landmass, its trough may cause cloudy skies with scattered rains and thunderstorms over Bicol Region and Eastern Visayas. The rest of the country will have partly cloudy to cloudy skies with isolated rainshowers or thunderstorms.

FORECAST AREA	TEMPERATURE		RH (%)	LEAF WETNESS (HRS)
	LOWLAND	UPLAND		
LUZON	23 – 34	15 – 32	45 – 98	4 – 8
VISAYAS	25 – 34	22 – 33	50 – 98	4 – 8
MINDANAO	23 – 36	21 – 33	50 – 98	4 – 8

AREAS AFFECTED BY THE WEATHER SYSTEMS

LPA, ITCZ, NORTHEAST MONSOON, TROUGH OF TC, THUNDERSTORMS AND MODERATE TO HEAVY RAINS


- Clean and maintain drainage canals to prevent waterlogging and flooding.
- Delay fertilizer application when heavy rainfall is forecast to minimize nutrient loss.
- Avoid pesticide spraying during rainy or windy conditions to ensure effectiveness.
- Regularly inspect and maintain irrigation and drainage systems.
- Remove debris from canals and waterways to improve water flow.
- Harvest and store excess rainwater for future use during dry periods.
- Harvest mature crops before prolonged or heavy rainfall, when feasible.
- Continue monitoring weather forecasts, rainfall advisories, and other relevant information from DOST-PAGASA and local authorities for timely decision-making.

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

FARM ADVISORY

SOIL MOISTURE CONDITION
(October 11 – 20, 2026)




Wet – Nueva Vizcaya, Quirino, Most areas in Central Luzon, Cordillera Administrative Region, Quezon City, Rizal, Quezon, Palawan, Romblon, Camarines Norte, Catanduanes, Most areas in Western Visayas, Samar, Bukidnon, Davao del Norte, Davao del Sur, and Lanao del Sur

Moist – Ilocos Region, Batanes, Isabela, Zambales, Nueva Ecija, Cavite, Batangas, Pasay, Occidental Mindoro, Oriental Mindoro, Camarines Sur, Albay, Northern Samar, Surigao del Norte, Surigao del Sur, and Maguindanao

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS
(Updated as of 21 October 2026)



EL NIÑO

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimateassessment/EN_Advisory_5.pdf

A strong to very strong El Niño is present in the Tropical Pacific. Most climate models predict that the ongoing El Niño will persist until the first quarter of 2027, with its peak expected before the end of 2026. Its associated impacts may continue through the first half of 2027.

El Niño increases the likelihood of below-normal rainfall, which may lead to adverse impacts, including dry spells and droughts in some areas of the country. However, above-normal rainfall conditions may still occur during the passage of tropical cyclones and other rain-bearing weather systems. Farmers are advised to conserve water, maintain irrigation systems, and harvest rainwater to ensure adequate water supply during El Niño. Use drought-tolerant crops and soil moisture conservation practices. Regularly monitor DOST-PAGASA weather updates and adjust farm activities accordingly. Despite generally drier conditions, localized thunderstorms may still bring heavy rain, strong winds, lightning, and possible flash flooding.

PREPARED/UPLOADED BY: **MTR / JAE** VERIFIED BY: **MEVT**

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration
(PAGASA)

BAGONG PILIPINAS

TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 26 – 251

Inilabas ng: 4:00 PM, Biyernes, 30 Oktubre 2026 **May bisa hanggang: 7:00 AM, Martes, 03 Nobyembre 2026**

Bukas hanggang Linggo (Oktubre 31–Nobyembre 1): Maulap na kalangitan na may kalat-kalat na pag-ulan at pulu-pulong pagkidlat-pagkulog ang mararanasan sa Rehiyon ng Bicol, Cagayan, Isabela, Aurora, at Quezon dahil sa shear line. Magdadala naman ang trough ng LPA na nakapaloob sa Intertropical Convergence Zone (ITCZ) ng maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog sa Kanlurang Kabisayaan, Negros Island Region, Gitnang Kabisayaan, Hilagang Mindanao, Zamboanga Peninsula, BARMM, at SOCCSKSARGEN. Samantala, magdadala ang Amihan ng bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan sa Apayao, Ilocos Norte, at Batanes. Ang natitirang bahagi ng bansa ay magkakaroon ng bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog.

Lunes hanggang Martes (Nobyembre 2–3): Inaasahang lalakas muli ang Amihan sa Hilaga at Gitnang Luzon na magdadala ng maulap na kalangitan na may mahinang pag-ulan sa Cagayan, Isabela, at Aurora, habang bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan naman ang mararanasan sa Cordillera Administrative Region, Rehiyon ng Ilocos, at natitirang bahagi ng Lambak ng Cagayan. Samantala, posibleng pansamantalang pumasok sa Philippine Area of Responsibility (PAR) ang isang Tropical Cyclone (TC). Bagama't hindi direktang makaaapekto ang TC na ito sa kalupaan, maaaring magdulot ang trough nito ng maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog sa Rehiyon ng Bicol at Silangang Kabisayaan. Ang natitirang bahagi ng bansa ay magkakaroon ng bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog.

LUGAR NG PAGTAYA	TEMPERATURA (^{0}C)		RH (%)	PAGKABASA NG DAHON (ORAS)
	Mababang Bukirin	Mataas na Bukirin		
LUZON	23 – 34	15 – 32	45 – 98	4 – 8
VISAYAS	25 – 34	22 – 33	50 – 98	4 – 8
MINDANAO	23 – 36	21 – 33	50 – 98	4 – 8

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

LPA, ITCZ, NORTHEAST MONSOON, TROUGH OF TC, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Linisin at panatilihing maayos ang mga kanal upang maiwasan ang pagbaha at pamamalagi ng tubig sa bukirin.
- Ipagpaliban ang paglalagay ng pataba kung inaasahan ang malakas na pag-ulan upang mabawasan ang pagkawala ng sustansya sa lupa.
- Iwasan ang pag-iisprey ng pestisidyo kapag umuulan o malakas ang hangin upang matiyak ang bisa nito.
- Regular na suriin at panatilihing maayos ang mga sistema ng irigasyon at paagusan ng tubig.
- Alisin ang mga bara at dumi sa mga kanal at daluyan ng tubig upang mapabuti ang daloy ng tubig.
- Mag-ipon at mag-imbak ng tubig-ulan para magamit sa panahon ng tagtuyot.
- Anihin ang mga hinog na pananim bago ang inaasahang matagal o malakas na pag-ulan, kung maaari.
- Laging makinig sa mga payo ng awtoridad at lokal na pamahalaan para sa mga ulat panahon.Maging updated sa DOST-PAGASA website, social media, at PANaHON App.

Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100


Tel. No.: 8284 -0800 local 4915
Website: http://bagong.pagasa.dost.gov.ph

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration
(PAGASA)

BAGONG PILIPINAS

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN
(Oktubre 11 –20, 2026)




Basa – Nueva Vizcaya, Quirino, karamihan sa mga lugar sa Gitnang Luzon, Cordillera Administrative Region, Quezon City, Rizal, Quezon, Palawan, Romblon, Camarines Norte, Catanduanes, karamihan sa mga lugar sa Kanlurang Visayas, Samar, Bukidnon, Davao del Norte, Davao del Sur, at Lanao del Sur

Katamtaman – Rehiyon ng Ilocos, Batanes, Isabela, Zambales, Nueva Ecija, Cavite, Batangas, Pasay, Occidental Mindoro, Oriental Mindoro, Camarines Sur, Albay, Northern Samar, Surigao del Norte, Surigao del Sur, at Maguindanao

Tuyo –natitirang bahagi bahagi ng bansa

ENSO ALERT SYSTEM STATUS
(mula noong 21 Oktubre 2026)



EL NIÑO

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimateassessment/EN_Advisory_5.pdf

Ang malakas hanggang sa napakalakas na El Niño ay umiiral sa Tropical Pacific. Batay sa karamihan ng mga climate model, inaasahang magpapatuloy ang El Niño hanggang sa unang quarter ng 2027 at maaaring umabot sa pinakamalakas nitong antas bago matapos ang 2026. Maaaring magpatuloy ang mga kaugnay nitong epekto hanggang sa unang kalahati ng 2027.

Ang El Niño ay nagpapataas ng posibilidad na magkaroon ng mas mababa sa karaniwang dami ng ulan, na maaaring magdulot ng mga negatibong epekto tulad ng dry spell at tagtuyot sa ilang bahagi ng bansa. Gayunpaman, maaari pa ring magkaroon ng mas mataas sa karaniwang dami ng ulan kapag may pagdaan ng mga tropical cyclone at iba pang weather systems na nagdadala ng ulan. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihing maayos ang irigasyon, at mag-ipon ng tubig-ulan upang matiyak ang suplay ng tubig sa panahon ng El Niño. Gumamit ng mga pananim na matibay sa tagtuyot at mga pamamaraan sa pagpapanatili ng halumigmig ng lupa. Regular na subaybayan ang mga update ng DOST-PAGASA at iangkop ang mga gawaing pansaka ayon sa kondisyon ng panahon. Bagama't mas tuyo ang karaniwang kondisyon, maaari pa ring magkaroon ng localized thunderstorms na may malakas na ulan, hangin, pagkidlat, at posibleng biglaang pagbaha.

PREPARED/UPLOADED BY: **MTR/ JAE** VERIFIED BY: **MEVT**