



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 122

Issued: 7:00 AM, Monday, 01 June 2026

Valid until: 7:00 AM, Tuesday, 02 June 2026



SYNOPSIS: At 3:00 AM today, the center of the eye of Typhoon "DOMENG" {JANGMI} was estimated based on all available data at 650 km East Northeast of Itbayat, Batanes (23.7°N 127.3°E) with maximum sustained winds of 130 km/h near the center and gustiness of up to 160 km/h. It is moving North Northwestward at 15 km/h. Southwest Monsoon affecting Central Luzon, Southern Luzon, and the western section of Visayas.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Metro Manila, Central Luzon, CALABARZON, Bicol Region, MIMAROPA, and Western Visayas	Cloudy skies with scattered rains and thunderstorms	Metro Manila, Central Luzon, CALABARZON, Bicol Region, MIMAROPA – Light to moderate from southwest; Western Visayas – Light to moderate from south to southwest	24 – 36	17 – 33	60 – 98	4 – 8
The rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Extreme Northern Luzon – Moderate to strong from west to southwest; Rest of Luzon – Light to moderate from southwest; Rest of Visayas and Mindanao – Light to moderate from south to southwest	23 – 34	22 – 32	45 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS • Ensure proper drainage in farms and gardens to prevent waterlogging and root damage to crops. • Reinforce plant supports such as stakes and trellises to protect crops from strong winds and heavy downpours. • Clear canals, drainage systems, and waterways to maintain proper water flow and reduce flooding risks. • Monitor crops for signs of pests and diseases, especially fungal infections that commonly develop during wet conditions.	The Heat Index is a human discomfort index that gives the apparent temperature on what humans perceive or feel as the temperature (from the surroundings) affecting the body. High air temperature and high relative humidity results to high apparent temperature. https://www.pagasa.dost.gov.ph/climate/climate-heat-index



- Store fertilizers, feeds, harvested produce, and farm equipment in dry and elevated areas to prevent spoilage and damage.
- Cover harvested crops and agricultural products properly during transport to protect them from rain exposure, contamination, and spoilage.
- Keep updated with local advisories from LGUs and DOST-PAGASA for early warnings.

FARM ADVISORY	
SOIL MOISTURE CONDITION (May 11 – 20, 2026)	ENSO ALERT SYSTEM STATUS (Updated as of 26 May 2026)
 Wet – Davao del Norte, North Cotabato, and Surigao del Sur Moist – Aurora, Infanta, Alabat, Sorsogon, Samar, Leyte, Zamboanga del Norte, Bukidnon, Davao del Sur, Surigao del Norte, Agusan del Norte, Maguindanao, and Lanao del Sur Dry – Rest of the country	 EL NIÑO ALERT https://pagasa.dost.gov.ph/climate/climate-advisories# El Niño is expected to develop by mid-2026, increasing the possibility of below-normal rainfall, dry spells, and drought. Farmers are advised to maintain irrigation systems, use drought-tolerant crops, and harvest mature crops early when needed. Localized thunderstorms may still occur, especially in the afternoon or evening, bringing heavy rain, strong winds, lightning, and possible flash flooding in low-lying areas. Farmers should stay alert to daily weather updates, secure farm structures, and avoid field activities during thunderstorms, and adjust planting schedules based on DOST-PAGASA forecasts.

FISHING ADVISORY
GALE WARNING AND SEA CONDITION
No Gale Warning was raised.
Moderate to rough seas will prevail over Extreme Northern Luzon while slight to moderate seas will prevail over the rest of the archipelago . Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	41.1 °C (Tuguegarao City, 1961)	Maximum Temperature	41.7 °C (Tuguegarao, 1963)
Minimum Temperature	13.9 °C (Baguio City, 1963)	Minimum Temperature	13.0 °C (Malaybalay, 1962)
Rainfall	395.4 mm (Tagbilaran City, 1995)	Rainfall	533.6 mm (Baguio City, 1993)

PREPARED/UPLOADED BY: MTR/JAE	VERIFIED BY: MEVT
-------------------------------	-------------------



TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 120

Inilabas ng: 7:00 AM, Lunes, 01 Hunyo 2026

May bisa hanggang: 7:00 AM, Martes, 02 Hunyo 2026

SYNOPSIS: Kaninang 3:00 AM, ang sentro ng mata ng Typhoon "DOMENG" {JANGMI} ay tinatayang nasa 650 km Silangan Hilagang Silangan ng Itbayat, Batanes (23.7°N 127.3°E) na may taglay na lakas ng hangin na 130 km/h malapit sa gitna at pagbugso na umaabot sa 160 km/h. Ito ay kumikilos pa- Hilaga Hilagang Kanluran sa bilis na km/h. Habagat ang nakakaapekto sa Central Luzon, Southern Luzon, at kanlurang bahagi ng Visayas.

LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABAS A NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Metro Manila, Central Luzon, CALABARZON, Bicol Region, MIMAROPA, at Western Visayas	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	Metro Manila, Central Luzon, CALABARZON, Bicol Region, MIMAROPA - Mahina hanggang sa katamtaman mula timog kanluran; Western Visayas – Mahina hanggang sa katamtaman mula timog hanggang timog kanluran	24 – 36	17 – 33	60 – 98	4 – 8
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	Dulong Hilagang Luzon – Katamtaman hanggang sa malakas mula kanluran hanggang timog kanluran; Natitirang bahagi ng Luzon - Mahina hanggang sa katamtaman mula timog kanluran; Natitirang bahagi ng Visayas at Mindanao – Mahina hanggang sa katamtaman mula timog hanggang timog kanluran	23 – 34	22 – 32	45 – 96	0 – 4


SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS	PAGSUBAYBAY AT PAGTATAYA NG HEAT INDEX (NAOBSERBAHAN AT 2-ARAW NA PAGTATAYA)
HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN • Tiyakin ang maayos na drainage sa mga sakahan at hardin upang maiwasan ang pag-ipon ng tubig (waterlogging) at pagkasira ng ugat ng mga pananim. • Palakasin ang suporta ng mga halaman tulad ng pagtatali (staking) at trellis upang maprotektahan ang mga pananim laban sa malalakas na hangin at matinding pag-ulan. • Linisin ang mga kanal, drainage system, at daluyan ng tubig upang mapanatili ang maayos na agos ng tubig at mabawasan ang panganib ng pagbaha.	Ang init na nararamdaman ng katawan ng tao (apparent temperature) ay hindi akmang nasusukat gamit lamang ang temperature ng hangin (air temperature). Ito ay mas tamang naitataya kung isasama ang datos ng alinsangan o halumigmig (relative humidity). Ang impormasyon na ito ay tinatawag na Heat Index at ito ay matutukoy gamit ang Heat Index Chart. https://www.pagasa.dost.gov.ph/climate/climate-heat-index



- Bantayang mabuti ang mga pananim para sa mga senyales ng peste at sakit, lalo na ang mga fungal infection na karaniwang lumalaganap sa tag-ulan.
- Itago ang mga abono, pakain, aning produkto, at kagamitang pansakahan sa tuyo at nakataas na lugar upang maiwasan ang pagkasira at pagkawala ng kalidad.
- Takpan nang maayos ang mga inaning produkto at agrikultural na paninda habang inilalako o dinadala upang maprotektahan laban sa ulan, kontaminasyon, at pagkasira.
- Laging makinig at mag-update sa mga abiso mula sa LGUs at DOST-PAGASA para sa maagang babala at tamang paghahanda.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Mayo 11 – 20, 2026)




Basa – Davao del Norte, North Cotabato, at Surigao del Sur

Katamtaman – Aurora, Infanta, Alabat, Sorsogon, Samar, Leyte, Zamboanga del Norte, Bukidnon, Davao del Sur, Surigao del Norte, Agusan del Norte, Maguindanao, at Lanao del Sur

Tuyo – Natitirang bahagi

ENSO ALERT SYSTEM STATUS (mula noong 26 Mayo 2026)



EL NIÑO

ALERT

<https://pagasa.dost.gov.ph/climate/climate-advisories#>

Inaasahang ang El Niño sa kalagitnaan ng 2026, na magdudulot ng tagtuyot at posibleng kakulangan sa tubig. Pinapayuhan ang mga magsasaka na panatilihin ang maayos na irigasyon, gumamit ng drought-tolerant na pananim, at anihin agad ang mga hinog na tanim kung kinakailangan. Maaari pa ring magkaroon ng localized thunderstorms, lalo na sa hapon o gabi, na may kasamang malakas na ulan, hangin, kidlat, at posibleng flash flood sa mabababang lugar. Panatiling updated sa araw-araw na lagay ng panahon, tiyakin ang kaligtasan ng mga pasilidad sa bukid, iwasan ang trabaho sa bukid tuwing may thunderstorm, at iangkop ang taniman ayon sa forecast ng DOST-PAGASA.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtaman hanggang sa malakas na pag-alon ang inaasahan sa **Dulong Hialgang Luzon** habang banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES

MONTHLY EXTREMES

Pinakamataas na Temperatura	41.1 °C (Tuguegarao City, 1961)
Pinakamababang Temperatura	13.9 °C (Baguio City, 1963)
Pinakamaraming Ulan	395.4 mm (Tagbilaran City, 1995)

Pinakamataas na Temperatura	41.7 °C (Tuguegarao, 1963)
Pinakamababang Temperatura	13.0 °C (Malaybalay, 1962)
Pinakamaraming Ulan	533.6 mm (Baguio City, 1993)

INIHANDA HANDA/INI-UPLOAD NINA: **MTR/JAE**

BINIGYANG PANSIN NI: **MEVT**