



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 191

Issued: 7:00 AM, Wednesday, 19 August 2026 Valid until: 7:00 AM, Thursday, 20 August 2026

SYNOPSIS: At 3:00 AM today, the center of Tropical Depression "NENENG" was estimated based on all available data at 675 km East of Itbayat, Batanes (21.3°N, 128.5°E) with maximum sustained winds of 55 km/h near the center and gustiness of up to 70 km/h. It is moving Westward at 15 km/h. Southwest Monsoon affecting Luzon and the western section of Visayas.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

TROPICAL DEPRESSION	TROPICAL DEPRESSION
LOCATION: 3,090 KM EAST OF NORTHEASTERN MINDANAO (8.1°N, 154.4°E)	LOCATION: 670 KM WEST OF CALAYAN, CAGAYAN (19.2°N, 115.1°E)
MAXIMUM SUSTAINED WINDS: 55 KM/H NEAR THE CENTER	MAXIMUM SUSTAINED WINDS: 45 KM/H NEAR THE CENTER
GUSTINESS: UP TO 70 KM/H	GUSTINESS: UP TO 55 KM/H
MOVEMENT: WESTWARD SLOWLY	MOVEMENT: WESTWARD AT 20 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Zambales, Bataan, and Occidental Mindoro	Monsoon Rains	Moderate to strong from southwest	23 – 29	21 – 27	70 – 99	>12
Metro Manila, Ilocos Sur, La Union, Pangasinan, Abra, Benguet, Tarlac, Pampanga, Bulacan, Nueva Ecija, Laguna, Rizal, Cavite, Batangas, and Oriental Mindoro	Occasional rains	Metro Manila, Ilocos Sur, La Union, Pangasinan, Abra, Benguet, Cavite, Batangas, and Oriental Mindoro – Moderate to strong from southwest Tarlac, Pampanga, Bulacan, Nueva Ecija, Laguna, and Rizal – Light to moderate from south to southwest	23 – 32	17 – 29	65 – 98	>12
The rest of Luzon, Antique, and Aklan	Cloudy skies with scattered rains and thunderstorms	Rest of the northern and western section of Luzon – Moderate to strong from southwest; Eastern section of Luzon – Moderate	24 – 33	20 – 31	60 – 98	4 – 8



		from southwest; Antique and Aklan – Light to moderate from south to southwest				
Mindanao and the rest of Visayas	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Eastern section of Visayas, and Mindanao – Moderate from southwest; Rest of Visayas, and Mindanao – Light to moderate from south to southwest	25 – 35	23 – 33	50 – 97	0 – 6

FARM ADVISORY	
SOIL MOISTURE CONDITION (August 1 – 10, 2026)	ENSO ALERT SYSTEM STATUS (Updated as of 06 August 2026)
Wet – Ilocos Region, Cagayan, Isabela, Cordillera Administrative Region, Central Luzon, National Capital Region, most areas of CALABARZON, MIMAROPA except Puerto Princesa, Western part of Panay, Negros Occidental, Southern Leyte, Zamboanga del Norte, Bukidnon, Davao del Norte, Davao del Sur, Surigao del Norte, Surigao del Sur, and Lanao del Sur Moist – Rest of Cagayan Valley, Alabat, Mulanay, most of Bicol Region, Eastern part of Panay, Samar, Eastern Samar, General Santos City, rest of Caraga, and rest of BARMM Dry – Rest of the country	EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Moderate El Niño is present in the Tropical Pacific. Climate models predict that El Niño will continue until the first half of 2027 and may reach a very strong state before the end of 2026. Farmers are advised to conserve water, maintain irrigation systems, and establish rainwater harvesting facilities to maximize available water during dry periods. The use of drought-tolerant crops and soil moisture conservation practices is encouraged to reduce the impacts of El Niño. Farmers should monitor daily DOST-PAGASA weather updates, as localized thunderstorms may still bring heavy rainfall, strong winds, lightning, and possible flash flooding. Secure farm structures, clear drainage canals, and adjust farm activities based on weather conditions to minimize risks.



AREAS AFFECTED BY THE WEATHER SYSTEMS

SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Monitor daily weather forecasts and advisories from DOST-PAGASA.
- Clear and maintain irrigation canals, drainage ditches, and waterways to prevent flooding.
- Strengthen nurseries, greenhouses, seedbeds, and trellises; relocate seedlings to safer areas if possible.
- Adjust planting, spraying, and harvesting schedules based on expected rainfall.
- Store harvested crops and farm inputs in elevated, dry, and covered areas.
- Avoid fertilizer application and pesticide spraying during heavy rainfall.
- Ensure the safety of farmers and farm workers by suspending field activities during severe weather.
- Prepare contingency plans for harvesting, post-harvest handling, transportation, and marketing to minimize production and economic losses during prolonged adverse weather conditions.
- Maintain communication with local agricultural offices and disaster risk reduction authorities for updates, technical assistance, and emergency response support.
- Continue monitoring weather forecasts issued by DOST-PAGASA and local authorities to guide timely agricultural decision-making and risk reduction

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale warning is raised.

Moderate to rough seas are expected over the **northern and western seaboard of Luzon**, while moderate seas are expected over **the eastern section of the country**. Slight to moderate seas will be experienced over the **rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	37.2 °C (Cagayan De Oro, 1990)	Maximum Temperature	39.4 °C (Tuguegarao, 1960)
Minimum Temperature	13.5 °C (Baguio City, 1908)	Minimum Temperature	12.8 °C (Baguio City, 1923)
Rainfall	475.4 mm (Sangley Point, 2013)	Rainfall	969.8 mm (Baguio City, 2008)

PREPARED/UPLOADED BY: **MGA / JAE**

VERIFIED BY: **MEVT**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 191

Inilabas ng: 7:00 AM AM Miyerkules, 19 Agosto 2026 May bisa hanggang: 7:00 AM Huwebes, 20 Agosto 2026

SYNOPSIS: Kaninang 3:00 AM, ang sentro ng Tropical Depression "NENENG" ay tinatayang nasa 675 km silangan ng Itbayat, Batanes (21.3°, 128.5°E) na may taglay na lakas ng hangin na 55 km/h malapit sa gitna at pagbugso na umaabot sa 70 km/h. Ito ay kumikilos patungong kanluran sa bilis na 15 km/h. Habagat ang nakakaapekto sa Luzon at kanlurang bahagi ng Kabisayaan.


TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM

TROPICAL DEPRESSION	TROPICAL DEPRESSION
LOKASYON: 3,090 KM SILANGAN NG HILAGANG SILANGAN NG MINDANAO (8.1°N, 154.4°E)	LOKASYON: 670 KM KANLURAN NG CALAYAN, CAGAYAN (19.2°N, 115.1°E)
MALAKAS NA HANGIN: 55 KM/H MALAPIT SA GITNA	MALAKAS NA HANGIN: 45 KM/H MALAPIT SA GITNA
PAGBUGSO NG HANGIN: AABOT SA 70 KM/H	PAGBUGSO NG HANGIN: AABOT SA 55 KM/H
PAGKILOS: MABAGAL NA KUMIKILOS PATUNGONG KANLURAN	PAGKILOS: PATUNGONG KANLURAN SA BILIS NA 20KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Zambales, Bataan, at Occidental Mindoro	Pag-ulan dulot ng Habagat	Katamtaman hanggang sa malakas mula timog-kanluran	23 – 29	21 – 27	70 – 99	>12
Metro Manila, Ilocos Sur, La Union, Pangasinan, Abra, Benguet, Tarlac, Pampanga, Bulacan, Nueva Ecija, Laguna, Rizal, Cavite, Batangas, at Oriental Mindoro	Paminsan-minsang pag-ulan	Metro Manila, Ilocos Sur, La Union, Pangasinan, Abra, Benguet, Cavite, Batangas, at Oriental Mindoro – Katamtaman hanggang sa malakas mula timog-kanluran Tarlac, Pampanga, Bulacan, Nueva Ecija, Laguna, at Rizal – Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	23 – 32	17 – 29	65 – 98	>12
Natitirang bahagi ng Luzon, Antique, at Aklan	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Natitirang bahagi sa hilaga at kanluran ng Luzon – Katamtaman hanggang sa malakas mula timog-kanluran; Silangang bahagi ng Luzon – Katamtaman mula timog-kanluran;	24 – 33	20 – 31	60 – 98	4 – 8



		Antique at Aklan – Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran				
Mindanao, at natitirang bahagi ng Kabisayaan	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Silangang bahagi ng Kabisayaan at Mindanao – Katamtaman mula timog-kanluran; Natitirang bahagi ng Kabisayaan at Mindanao – Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	25 – 35	23 – 33	50– 97	0 – 6





Tuyo – Natitirang bahagi bahagi

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Subaybayan araw-araw ang mga ulat at babala sa panahon mula sa PAGASA.
- Linisin at panatilihin ang mga kanal ng irigasyon, daluyan ng tubig, at mga estero upang maiwasan ang pagbaha.
- Patibayin ang mga punlaan, greenhouse, seedbed, at trellis; ilipat sa mas ligtas na lugar ang mga punla kung maaari.
- layon ang iskedyul ng pagtatanim, pag-iispra, at pag-aani batay sa inaasahang dami ng ulan.
- Siguraduhing maayos ang daluyan ng tubig sa bukid upang maiwasan ang pagbabara ng tubig at pagkabulok ng ugat.
- Itago ang mga naaning pananim at farm inputs sa mataas, tuyo, at may bubong na lugar.
- lwasan ang paglalagay ng pataba at pag-spray ng pestisidyo sa panahon ng malakas na ulan.
- Unahin ang kaligtasan ng mga magsasaka at manggagawang bukid sa pamamagitan ng pansamantalang pagtigil ng gawain sa bukid kapag masama ang panahon.
- Maghanda ng contingency plan para sa pag-aani, pangangasiwa pagkatapos ng anihan, transportasyon, at pagbebenta ng ani upang mabawasan ang pagkalugi sa produksyon at kabuhayan sa panahon ng matagal na masamang lagay ng panahon.
- Panatilihin ang pakikipag-ugnayan sa mga lokal na tanggapan ng agrikultura at mga awtoridad sa disaster risk reduction upang makatanggap ng mga pinakabagong abiso, teknikal na suporta, at agarang tulong kung kinakailangan.
- Patuloy na subaybayan ang mga weather forecast na inilalabas ng DOST-PAGASA at mga lokal na awtoridad upang makatulong sa maagap na pagpapasya sa mga gawaing pang-agrikultura at pagbawas ng panganib.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale warning.

Katamtaman hanggang sa maalon na karagatan ang inaasahan sa **hilaga at kanlurang mga baybayin ng Luzon**, samantalaang katamtamang pag-alon ng karagataan ng inaasaahan sa **silangang baybayin ng bansa**. Banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	37.2 °C (Cagayan De Oro, 1990)	Pinakamataas na Temperatura	39.4 °C (Tuguegarao, 1960)
Pinakamababang Temperatura	13.5 °C (Baguio City, 1908)	Pinakamababang Temperatura	12.8 °C (Baguio City, 1923)
Pinakamaraming Ulan	475.4 mm (Sangle Point, 2013)	Pinakamaraming Ulan	969.8 mm (Baguio City, 2008)
INIHANDA HANDA/INI-UPLOAD NINA: MGA / JAE		BINIGYANG PANSIN NI: MEVT	