Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 261

Issued: 7:00 AM, Friday, 13 November 2026 **Valid until: 7:00 AM, Saturday, 14 November 2026**

SYNOPSIS: Northeast Monsoon affecting Northern Luzon. Easterlies affecting the rest of the country.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Eastern Visayas, Caraga, Davao Region, SOCCSKSARGEN, Albay, Sorsogon, Catanduanes, Basilan, Sulu, and Tawi-Tawi	Cloudy skies with scattered rains and thunderstorms	**Eastern Visayas, Albay, Sorsogon, and Catanduanes** – Moderate from northeast to east; **Caraga, Davao Region, SOCCSKSARGEN, Basilan, Sulu, and Tawi-Tawi –** Light to moderate from northeast to east	22 – 34	20 – 32	60 – 98	4 – 8
Cagayan, Isabela, Apayao, and Kalinga	Cloudy skies with rains	**Cagayan and Isabela** – Moderate from northeast to east; **Apayao and Kalinga –** Light to moderate from northeast to east	23 – 31	18 – 30	55 – 98	4 – 8
Ilocos Region, the rest of Cordillera Administrative Region, and the rest of Cagayan Valley	Partly cloudy to cloudy skies with isolated light rains	**Rest of Cagayan Valley** – Moderate from northeast to east; **Ilocos Region and the rest of Cordillera Administrative Region –** Light to moderate from northeast to east	22 – 34	14 – 30	45 – 96	0 – 6
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	**Aurora, Quezon, and the rest of Bicol Region** – Moderate from northeast to east; **Rest of the country –** Light to moderate from northeast to east	22 – 35	20 – 32	45 – 96	0 – 4

Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100


Tel. No.: 8284 -0800 local 4915
Website: http://bagong.pagasa.dost.gov.ph

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

FARM ADVISORY

SOIL MOISTURE CONDITION
(November 01 – 10, 2026)




Wet – *Casiguran, Itbayat, most parts of Quezon, Camarines Norte, Catanduanes, Sorsogon, Leyte, Zamboanga del Norte, Bukidnon, Surigao del Norte, Surigao del Sur, and Lanao del Sur*

Moist – *most parts of Cagayan Valley, La Trinidad, Science Garden, Bataan, Rizal, Oriental Mindoro, Northern Palawan, Camarines Sur, Albay, Iloilo, Bohol, Northern Samar, Samar, Eastern Samar, Davao del Norte, Davao del Sur, North Cotabato, and rest of BARMM*

Dry – *Tuguegarao, Mulanay, rest of the country*

ENSO ALERT SYSTEM STATUS
(Updated as of 04 November 2026)



EL NIÑO

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimateassessment/EN_Advisory_5.pdf

Very Strong El Niño is currently present in the tropical Pacific and is expected to persist until the first half of 2027, potentially reaching its peak by the end of 2026.

El Niño increases the likelihood of rainfall deficits, which may result in dry spells and drought in several areas of the country. However, episodes of heavy rainfall conditions may still occur due to the passage of tropical cyclones and other rain-bearing weather systems. However, above-normal rainfall conditions may still occur during the passage of tropical cyclones and other rain-bearing weather systems. Farmers are advised to conserve water, maintain irrigation systems, and harvest rainwater to ensure adequate water supply during El Niño. Use drought-tolerant crops and soil moisture conservation practices. Regularly monitor DOST-PAGASA weather updates and adjust farm activities accordingly. Despite generally drier conditions, localized thunderstorms may still bring heavy rain, strong winds, lightning, and possible flash flooding.

AREAS AFFECTED BY THE WEATHER SYSTEMS

NORTHEAST MONSOON, EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Clean and maintain irrigation canals, drainage systems, pumps, and water storage facilities to ensure efficient water management.
- Harvest mature crops promptly and ensure proper drying and storage to minimize postharvest losses and preserve produce quality.
- Monitor crops regularly for pest infestations, disease development, and signs of water stress, and implement appropriate management measures.
- Ensure adequate field drainage in areas prone to waterlogging to protect crops from prolonged soil saturation.
- Conserve available water through efficient irrigation scheduling, particularly in areas experiencing limited rainfall or declining soil moisture.
- Remove weeds and crop residues that may harbor pests and disease-causing organisms, while retaining beneficial ground cover where appropriate.
- Stay alert and informed! Always follow the latest weather advisories from local authorities and your local government. Keep updated through the official DOST-PAGASA website, social media accounts, and PANaHON App for timely weather information, warnings, and safety updates.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning is raised.

Moderate seas will prevail **over the eastern seaboards of Luzon and Visayas** while slight to moderate seas will be

Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100

Tel. No.: 8284 -0800 local 4915
Website: http://bagong.pagasa.dost.gov.ph

experienced over the **rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		**MONTHLY EXTREMES**	
Maximum Temperature	36.4 ºC (Borongan and Zamboanga City, 1968 and 2022)	**Maximum Temperature**	38.5 ºC (NAIA, 2005)
Minimum Temperature	11.0 ºC (Baguio City, 1908)	**Minimum Temperature**	9.2 ºC (Baguio City, 1989)
Rainfall	320.9 mm (Daet, 1977)	**Rainfall**	698.7 mm (Baguio City, 1980)

PREPARED/UPLOADED BY: RAMF / ARL **VERIFIED BY: NRE**

Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100

Tel. No.: 8284 -0800 local 4915
Website: http://bagong.pagasa.dost.gov.ph

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 261

Inilabas ng: 7:00 AM Biyernes, 13 Nobyembre 2026 **May bisa hanggang: 7:00 AM Sabado, 14 Nobyembre 2026**

SYNOPSIS: Amihan ang nakakaapekto sa Hilagang Luzon. Easterlies ang nakakaapekto sa natitirang bahagi ng bansa.

LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (^{0}C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Silangang Kabisayaan, Caraga, Rehiyon ng Davao, SOCCSKSARGEN, Albay, Sorsogon, Catanduanes, Basilan, Sulu, at Tawi-Tawi	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	**Silangang Kabisayaan, Albay, Sorsogon, at Catanduanes** – Katamtaman mula hilagang silangan hanggang silangan; **Caraga, Rehiyon ng Davao, SOCCSKSARGEN, Basilan, Sulu, at Tawi-Tawi** – Mahina hanggang sa katamtaman mula hilagang silangan hanggang silangan	22 – 34	20 – 32	60 – 98	4 – 8
Cagayan, Isabela, Apayao, at Kalinga	Maulap na kalangitan na may mahinang pag-ulan	**Cagayan at Isabela** – Katamtaman mula hilagang silangan hanggang silangan; **Apayao at Kalinga** – Mahina hanggang sa katamtaman mula hilagang silangan hanggang silangan	23 – 31	18 – 30	55 – 98	4 – 8
Rehiyon ng Ilocos, natitirang bahagi ng Cordillera Administrative Region, at natitirang bahagi ng Lambak ng Cagayan	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan	**Natitirang bahagi ng Lambak ng Cagayan** – Katamtaman mula hilagang silangan hanggang silangan; **Rehiyon ng Ilocos at natitirang bahagi ng Cordillera Administrative Region** – Mahina hanggang sa katamtaman mula hilagang silangan hanggang silangan	22 – 34	14 – 30	45 – 96	0 – 6
Metro Manila at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	**Aurora, Quezon, at natitirang bahagi ng Rehiyon ng Bicol** – Katamtaman mula hilagang silangan hanggang silangan; **Rehiyon ng Ilocos at natitirang bahagi ng Cordillera Administrative**	22 – 35	20 – 32	45 – 96	0 – 4


Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100
Tel. No.: 8284 -0800 local 4915
Website: http://bagong.pagasa.dost.gov.ph

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

		Region – Mahina hanggang sa katamtaman mula hilagang silangan hanggang silangan				

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN *(Nobyembre 01 –10, 2026)*




Basa – *Casiguran, Itbayat, malaking bahagi ng Quezon, Camarines Norte, Catanduanes, Sorsogon, Leyte, Zamboanga del Norte, Bukidnon, Surigao del Norte, Surigao del Sur, at Lanao del Sur*

Katamtaman – *malaking bahagi ng Lambak ng Cagayan, La Trinidad, Science Garden, Bataan, Rizal, Oriental Mindoro, Hilagang Palawan, Camarines Sur, Albay, Iloilo, Bohol, Northern Samar, Samar, Eastern Samar, Davao del Norte, Davao del Sur, North Cotabato,* natitirang bahagi ng *BARMM*

Tuyo – *Tuguegarao, Mulanay at sa* natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS *(mula noong 04 Nobyembre 2026)*



EL NIÑO

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimateassessment/EN_Advisory_5.pdf

Kasalukuyang umiiral ang napakalakas na El Niño (Very Strong El Niño) sa tropical Pacific. Inaasahang magpapatuloy ito hanggang sa unang kalahati ng taong 2027 at posibleng maabot ang pinakamataas na tindi nito sa pagtatapos ng 2026.

Pinapataas ng El Niño ang posibilidad na makaranas ng kakulangan sa pag-ulan sa ilang bahagi ng bansa, na maaaring magdulot ng mga dry spell at tagtuyot. Gayunpaman, maaari pa ring magkaroon ng mga panahon ng malakas na pag-ulan dahil sa pagdaan ng mga bagyo at iba pang weather systems na nagdadala ng ulan.. Gayunpaman, maaari pa ring magkaroon ng mas mataas sa karaniwang dami ng ulan kapag may pagdaan ng mga tropical cyclone at iba pang weather systems na nagdadala ng ulan. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihing maayos ang irigasyon, at mag-ipon ng tubig-ulan upang matiyak ang suplay ng tubig sa panahon ng El Niño. Gumamit ng mga pananim na matibay sa tagtuyot at mga pamamaraan sa pagpapanatili ng halumigmig ng lupa. Regular na subaybayan ang mga update ng DOST-PAGASA at iangkop ang mga gawaing pansaka ayon sa kondisyon ng panahon. Bagama't mas tuyo ang karaniwang kondisyon, maaari pa ring magkaroon ng localized thunderstorms na may malakas na ulan, hangin, pagkidlat, at posibleng biglaang pagbaha.

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

AMIHAN, EASTERLIES, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Linisin at panatilihing maayos ang mga kanal ng irigasyon, sistema ng paagusan, mga bomba ng patubig, at mga pasilidad sa imbakan ng tubig upang matiyak ang mahusay na pamamahala ng tubig.
- Anihin agad ang mga pananim na nasa hustong gulang na at tiyakin ang wastong pagpapatuyo at pag-iimbak ng mga ito upang mabawasan ang pagkalugi pagkatapos ng anihan at mapanatili ang kalidad ng mga produkto.
- Regular na subaybayan ang mga pananim para sa posibleng pagdami ng mga peste, paglitaw ng mga sakit, at mga palatandaan ng kakulangan sa tubig, at magsagawa ng angkop na mga hakbang sa pamamahala.
- Tiyakin ang maayos na daloy ng tubig palabas sa mga bukirin, lalo na sa mga lugar na madaling bahain o mag-ipon ng tubig, upang maiwasan ang matagal na pagkababad ng mga pananim sa sobrang tubig.

- Pangalagaan ang natitirang suplay ng tubig sa pamamagitan ng maayos at napapanahong pagdidilig, lalo na sa mga lugar na nakararanas ng kaunting pag-ulan o pagbaba ng halumigmig ng lupa.
- Alisin ang mga damo at mga tira-tirang bahagi ng pananim na maaaring pamahayan ng mga peste at organismong nagdudulot ng sakit, habang pinananatili ang kapaki-pakinabang na pantakip sa lupa kung kinakailangan.
- Laging makinig sa mga payo ng mga awtoridad at lokal na pamahalaan tungkol sa mga kondisyon ng panahon. Manatiling updated sa mga ulat at abiso mula sa DOST-PAGASA website, social media accounts, at PANaHON App.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtamang pag-alon ng karagatan ang inaasahan **sa silangang baybayin ng Luzon at Kabisayaan**, samantalang banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan **sa natitirang bahagi ng kapuluan.** Pinapayuhan ang mga mangingisda, lalo na ang mga gumagamit ng maliliit na sasakyang pandagat, na mag-ingat sa pangingisda. Palaging magdala ng mga kagamitang pangkagipitan. Patuloy na subaybayan ang pinakabagong ulat-panahon at mga abiso para sa mga magsasaka mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	36.4 ºC (Borongan at Zamboanga City, 1968 at 2022)	**Pinakamataas na Temperatura**	38.5 ºC (NAIA, 2005)
Pinakamababang Temperatura	11.0 ºC (Baguio City, 1908)	**Pinakamababang Temperatura**	9.2 ºC (Baguio City, 1989)
Pinakamaraming Ulan	320.9 mm (Daet, 1977)	**Pinakamaraming Ulan**	698.7 mm (Baguio City, 1980)

INIHANDA HANDA/INI-UPLOAD NINA: RAMF / ARL **BINIGYANG PANSIN NI: NRE**