



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 111

Issued: 7:00 AM, Tuesday, 19 May 2026



Valid until: 7:00 AM, Wednesday, 20 May 2026

SYNOPSIS: Intertropical Convergence Zone (ITCZ) affecting southern Mindanao.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Zamboanga Peninsula, BARMM, SOCCSKSARGEN, Davao Oriental, and Davao Occidental	Cloudy skies with scattered rains and thunderstorms	Light to moderate from east to northeast	22 – 36	20 – 34	60 – 98	4 – 8
Visayas and the rest of Mindanao	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from east to northeast	24 – 36	22 – 36	55 – 96	2 – 6
Metro Manila and the rest of Luzon	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Extreme Northern Luzon – Moderate from northeast to east; Rest of Luzon – Light to moderate from northeast	23 – 38	17 – 35	45 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
ITCZ, EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS • Mulch around plants to retain soil moisture, suppress weeds, and regulate temperature. • Use soil moisture monitoring to avoid unnecessary irrigation. • Inspect irrigation systems regularly to ensure even water distribution and prevent waterlogging. • Ensure farm equipment is stored in dry, sheltered locations to prevent rusting or malfunction. • Heavy rains increase the risk of soil erosion. Take preventive measures like reinforcing embankments, creating terraces, or planting ground cover to stabilize the soil and prevent it from washing away. • Document weather impacts on crops to improve future planning and climate-resilient practices. • Check storage areas for harvested crops (e.g., rice, corn, fruits, and vegetables). Elevate sacks of fertilizer, feeds, and harvested produce above ground level to protect them from moisture and potential flooding. • Keep updated with local advisories from LGUs and DOST-PAGASA for early warnings.	The Heat Index is a human discomfort index that gives the apparent temperature on what humans perceive or feel as the temperature (from the surroundings) affecting the body. High air temperature and high relative humidity results to high apparent temperature. https://www.pagasa.dost.gov.ph/climate/climate-heat-index



FARM ADVISORY			
SOIL MOISTURE CONDITION (May 1 – 10, 2026)		ENSO ALERT SYSTEM STATUS (Updated as of 07 May 2026)	
 Legend DRY (0-75mm) MOIST (76mm-150mm) WET (>150mm)		 EL NIÑO ALERT https://pagasa.dost.gov.ph/climate/climate-advisories# El Niño is expected to develop by mid-2026, increasing the possibility of below-normal rainfall, dry spells, and drought. Farmers are advised to maintain irrigation systems, use drought-tolerant crops, and harvest mature crops early when needed. Localized thunderstorms may still occur, especially in the afternoon or evening, bringing heavy rain, strong winds, lightning, and possible flash flooding in low-lying areas. Farmers should stay alert to daily weather updates, secure farm structures, and avoid field activities during thunderstorms, and adjust planting schedules based on DOST-PAGASA forecasts.	
Wet – Sorsogon, Borongan, Masbate North Cotabato, Surigao del Sur and Davao del Norte Moist – Capiz, southern part of Palawan, Leyte, Southern Leyte, Guiuan, Bohol, Zamboanga Peninsula, Misamis Occidental, Lanao del Norte, South Cotabato, Maguindanao, and Agusan del Norte Dry – Rest of the country			
FISHING ADVISORY			
GALE WARNING AND SEA CONDITION			
No Gale Warning was raised. Moderate seas will prevail over the seaboard of Extreme Northern Luzon, while slight to moderate seas will be experienced over the rest of the archipelago. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.			
ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	41.0 °C (Tuguegarao City, 1936)	Maximum Temperature	42.2 °C (Tuguegarao, 1969)
Minimum Temperature	12.0 °C (Baguio City, 2008)	Minimum Temperature	11.0 °C (Baguio City, 1907)
Rainfall	371.4 mm (Port Area, 1976)	Rainfall	730.3 mm (Baguio City, 1980)
PREPARED/UPLOADED BY: RAMF/ ARL		VERIFIED BY: MEVT	



TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 111

Inilabas ng: 7:00 AM, Martes, 19 Mayo 2026

May bisa hanggang: 7:00 AM, Miyerkules, 20 Mayo 2026

SYNOPSIS: Intertropical Convergence Zone (ITCZ) ang nakakaapekto sa katimugan ng Mindanao.

LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABAS A NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Zamboanga Peninsula, BARMM, SOCCSKSARGEN, Davao Oriental, at Davao Occidental	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	22 – 36	20 – 34	60 – 98	4 – 8
Kabisayaan at natitirang bahagi ng Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	24 – 36	22 – 36	55 – 96	2 – 6
Metro Manila at natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	Dulong Hilagang Luzon – Katamtaman mula hilagang silangan hanggang silangan Natitirang bahagi ng Luzon – Mahina hanggang sa katamtaman mula hilagang silangan	23 – 38	17 – 35	45 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS	PAGSUBAYBAY AT PAGTATAYA NG HEAT INDEX (NAOBSERBAHAN AT 2-ARAW NA PAGTATAYA)
ITCZ, EASTERLIES, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN • Maglagay ng dayami o mulch sa paligid ng mga halaman upang mapanatili ang halumigmig ng lupa, mapigilan ang damo, at magregulate ang temperatura. • Gumamit ng soil moisture monitoring upang maiwasan ang hindi kailangang patubig. • Regular na inspeksyunin ang sistema ng irigasyon upang matiyak ang pantay na distribusyon ng tubig at maiwasan ang sobrang pagbaha. • Panatiliing malinis ang mga kagamitang pangsakahan upang maiwasan ang pagkalat ng sakit sa pagitan ng mga pananim. • Ang malalakas na ulan ay maaaring magdulot ng pagguho ng lupa. Gumawa ng mga hakbang tulad ng pagpapalakas ng mga dike, paggawa ng mga terrace, o pagtatanim ng mga halamang makakatulong upang maiwasan ang pagkawala ng lupa at mapigilan ang erosion. • Idokumento ang epekto ng panahon sa mga pananim upang mapabuti ang pagpapalano at mga climate-resilient na gawain sa hinaharap.	Ang init na nararamdaman ng katawan ng tao (apparent temperature) ay hindi akma ng nasusukat gamit lamang ang temperature ng hangin (air temperature). Ito ay mas tamang naitataya kung isasama ang datos ng alinsangan o halumigmig (relative humidity). Ang impormasyon na ito ay tinatawag na Heat Index at ito ay matutukoy gamit ang Heat Index Chart. https://www.pagasa.dost.gov.ph/climate/climate-heat-index




- I-check ang mga imbakan ng mga inaning produkto (tulad ng palay, mais, gulay, at prutas). Itaas ang mga sako ng pataba, pakain, at ani upang hindi mabasa o masira sakaling magkaroon ng pagtaas ng tubig.
- Makinig at sumunod sa mga lokal na abiso mula sa LGUs at DOST-PAGASA para sa maagang babala.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN

(Mayo 1 – 10, 2026)




Basa – Sorsogon, Borongan, Masbate North Cotabato, Surigao del Sur at Davao del Norte

Katamtaman – Capiz, katimugang bahagi ng Palawan, Leyte, Southern Leyte, Guiuan, Bohol, Zamboanga Peninsula, Misamis Occidental, Lanao del Norte, South Cotabato, Maguindanao, at Agusan del Norte

Tuyo – Natitirang bahagi

ENSO ALERT SYSTEM STATUS

(mula noong 07 Mayo 2026)



EL NIÑO ALERT

<https://pagasa.dost.gov.ph/climate/climate-advisories#>

Inaasahang ang El Niño sa kalagitnaan ng 2026, na magdudulot ng tagtuyot at posibleng kakulangan sa tubig. Pinapayuhan ang mga magsasaka na panatilihin ang maayos na irigasyon, gumamit ng drought-tolerant na pananim, at anihin agad ang mga hinog na tanim kung kinakailangan. Maaari pa ring magkaroon ng localized thunderstorms, lalo na sa hapon o gabi, na may kasamang malakas na ulan, hangin, kidlat, at posibleng flash flood sa mabababang lugar. Panatiling updated sa araw-araw na lagay ng panahon, tiyakin ang kaligtasan ng mga pasilidad sa bukid, iwasan ang trabaho sa bukid tuwing may thunderstorm, at iangkop ang taniman ayon sa forecast ng DOST-PAGASA.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamatamang pag-alon ng karagatan ang iiral sa baybayin ng **Dulong Hilagang Luzon**, samantalang banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES

MONTHLY EXTREMES

Pinakamataas na Temperatura	41.0 °C (Tuguegarao City, 1936)
Pinakamababang Temperatura	12.0 °C (Baguio City, 2008)
Pinakamaraming Ulan	371.4 mm (Port Area, 1976)

Pinakamataas na Temperatura	42.2 °C (Tuguegarao, 1969)
Pinakamababang Temperatura	11.0 °C (Baguio City, 1907)
Pinakamaraming Ulan	730.3 mm (Baguio City, 1980)

INIHANDA HANDA/INI-UPLOAD NINA: **RAMF / ARL**

BINIGYANG PANSIN NI: **MEVT**

SSS