Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 241

Issued: 7:00 AM, Tuesday, 20 October 2026 **Valid until: 7:00 AM, Wednesday, 21 October 2026**

SYNOPSIS: Easterlies affecting Extreme Northern Luzon. Trough of Super Typhoon {CHAMPI} affecting the eastern sections of Southern Luzon and Visayas.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY
SUPER TYPHOON CHAMPI (2630)
LOCATION: 1,605 KM EAST OF CENTRAL LUZON (15.5°N, 136.6°E)
MAXIMUM SUSTAINED WINDS: 195 KM/H NEAR THE CENTER
GUSTINESS: UP TO 240 KM/H
MOVEMENT: WEST NORTHWESTWARD AT 20 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Palawan	Cloudy skies with scattered rains and thunderstorms	Light to moderate from northeast to northwest	25 – 33	24 – 31	60 – 98	4 – 8
Catanduanes, Northern Samar, and Eastern Samar	Cloudy skies with scattered rains and thunderstorms	Moderate to strong from northeast to northwest	25 – 33	23 – 30	65 – 98	4 – 8
Batanes and Babuyan Islands	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from northeast to northwest	23 – 30	21 – 29	50 – 96	0 – 6
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	**Eastern sections of Luzon and Visayas** – Moderate to strong from northeast to northwest; **Rest of Luzon and Visayas** – Light to moderate from northeast to northwest; **Mindanao** – Light to moderate from northwest to west	22 – 35	15 – 33	45 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

ITCZ, TROUGH OF TC, EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Adjust planting, spraying, and harvesting schedules based on expected rainfall
- Clean and maintain irrigation canals, drainage systems, pumps, and water storage facilities to ensure efficient water management.
- Harvest mature crops promptly and ensure proper drying and storage to minimize postharvest losses and preserve produce quality.
- Monitor crops regularly for pest infestations, disease development, and signs of water stress, and implement appropriate management measures.


Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100
Tel. No.: 8284 -0800 local 4915
Website: http://bagong.pagasa.dost.gov.ph

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

- Conserve available water through efficient irrigation scheduling, particularly in areas experiencing limited rainfall or declining soil moisture.
- Remove weeds and crop residues that may harbor pests and disease-causing organisms, while retaining beneficial ground cover where appropriate.
- Stay alert and informed! Always follow the latest weather advisories from local authorities and your local government. Keep updated through the official DOST-PAGASA website, social media accounts, and PANaHON App for timely weather information, warnings, and safety updates.

FARM ADVISORY

SOIL MOISTURE CONDITION
(October 1 – 10, 2026)




Wet – Pangasinan, La Union, Cagayan Valley, Cordillera Administrative Region, Central Luzon, National Capital Region, Cavite, Batangas, Rizal, most parts of Quezon, Occidental Mindoro, Oriental Mindoro, northern part of Palawan, most parts of Bicol Region, most parts of Western Visayas, Eastern Samar, Leyte, Bukidnon, Davao del Norte, Surigao del Sur, and Lanao del Sur

Moist – Most of Ilocos Region, Laguna, Alabat, Infanta, some parts of Oriental Mindoro, Marinduque, Romblon, some parts of Capiz, Samar, Southern Leyte, Negros Occidental, Zamboanga del Sur, Davao del Sur, South Cotabato, Surigao del Norte, and Maguindanao

Dry – Sorsogon, Masbate, Rest of the country

ENSO ALERT SYSTEM STATUS
(Updated as of 07 October 2026)



EL NIÑO

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimatassessment/EN_Advisory_5.pdf

A strong to very strong El Niño is present in the Tropical Pacific. Forecasts predict that El Niño will continue until the first half of 2027 and may reach its peak before the end of 2026.

El Niño increases the likelihood of below-normal rainfall, which may lead to adverse impacts, including dry spells and droughts in some areas of the country. However, above-normal rainfall conditions may still occur during the passage of tropical cyclones and other rain-bearing weather systems. Farmers are advised to conserve water, maintain irrigation systems, and harvest rainwater to ensure adequate water supply during El Niño. Use drought-tolerant crops and soil moisture conservation practices. Regularly monitor DOST-PAGASA weather updates and adjust farm activities accordingly. Despite generally drier conditions, localized thunderstorms may still bring heavy rain, strong winds, lightning, and possible flash flooding.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning is raised.

Moderate to rough seas will be experienced over the seaboards of **eastern sections of Luzon and Visayas**, while slight to moderate seas will be experienced over the **rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	38.2 ºC (Tuguegarao, 1915)	**Maximum Temperature**	38.5 ºC (Tuguegarao, 1987)
Minimum Temperature	12.7 ºC (Baguio City, 1907)	**Minimum Temperature**	11.3 ºC (Baguio City, 1913)
Rainfall	522.2 mm (Calayan, 1997)	**Rainfall**	994.6 mm (Baguio City, 1998)

PREPARED/UPLOADED BY: MGA / JOT **VERIFIED BY: MEVT**

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 241

Inilabas ng: 7:00 AM Martes, 20 Oktubre 2026 **May bisa hanggang: 7:00 AM Miyerkules, 21 Oktubre 2026**

SYNOPSIS: Easterlies ang nakakaapekto sa Dulong Hilagang Luzon. Trough ng Super Typhoon {CHAMPI} ang nakakaapekto sa silangang bahagi ng Katimugang Luzon at Kabisayaan.

TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM
SUPER TYPHOON CHAMPI (2630)
LOKASYON: 1,605KM SILANGAN NG GITNANG LUZON (15.5°N, 136.6°E)
TAGLAY NA LAKAS NG HANGIN: 195 KM/H MALAPIT SA GITNA
PAGBUGSO: UMAABOT SA 240 KM/H
PAGKILOS: PA- KANLURAN HILAGANG KANLURAN SA BILIS NA 20 KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (^{0}C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Palawan	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilagang kanluran	25 – 33	24 – 31	60 – 98	4 – 8
Catanduanes, Northern Samar, at Eastern Samar	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	Katamtaman hanggang sa malakas mula hilagang silangan hanggang hilagang kanluran	25 – 33	23 – 30	65 – 98	4 – 8
Batanes at mga Isla ng Babuyan	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilagang kanluran	23 – 30	21 – 29	50 – 96	0 – 6
Metro Manila at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	**Silangang bahagi ng Luzon at Kabisayaan –** Katamtaman hanggang sa malakas mula hilagang silangan hanggang hilagang kanluran **Natitirang bahagi ng Luzon at Kabisayaan –** Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilagang kanluran **Mindanao –** Mahina hanggang sa katamtaman mula hilagang kanluran hanggang kanluran	22 – 35	15 – 33	45 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

ITCZ, TROUGH NG TC, EASTERLIES, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- layon ang *schedule* ng pagtatanim, pag-iispray, at pag-aani batay sa inaasahang pag-ulan.
- Linisin at panatilihing maayos ang mga kanal ng irigasyon, sistema ng paagusan, mga bomba ng patubig, at mga pasilidad sa imbakan ng tubig upang matiyak ang mahusay na pamamahala ng tubig.

Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100
Tel. No.: 8284 -0800 local 4915
Website: http://bagong.pagasa.dost.gov.ph


Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

- Anihin agad ang mga pananim na nasa hustong gulang na at tiyakin ang wastong pagpapatuyo at pag-iimbak ng mga ito upang mabawasan ang pagkalugi pagkatapos ng anihan at mapanatili ang kalidad ng mga produkto.
- Regular na subaybayan ang mga pananim para sa posibleng pagdami ng mga peste, paglitaw ng mga sakit, at mga palatandaan ng kakulangan sa tubig, at magsagawa ng angkop na mga hakbang sa pamamahala.
- Pangalagaan ang natitirang suplay ng tubig sa pamamagitan ng maayos at napapanahong pagdidilig, lalo na sa mga lugar na nakararanas ng kaunting pag-ulan o pagbaba ng halumigmig ng lupa.
- Alisin ang mga damo at mga tira-tirang bahagi ng pananim na maaaring pamahayan ng mga peste at organismong nagdudulot ng sakit, habang pinananatili ang kapaki-pakinabang na pantakip sa lupa kung kinakailangan.
- Laging makinig sa mga payo ng mga awtoridad at lokal na pamahalaan tungkol sa mga kondisyon ng panahon. Manatiling updated sa mga ulat at abiso mula sa DOST-PAGASA website, social media accounts, at PANaHON App.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN
(Oktubre 1 – 10, 2026)




Basa – Pangasinan, La Union, Cagayan Valley, Cordillera Administrative Region, Gitnang Luzon, National Capital Region, Cavite, Batangas, Rizal, malaking bahagi ng Quezon, Occidental Mindoro, Oriental Mindoro, hilagang bahagi ng Palawan, malaking bahagi ng Rehiyon ng Bicol, malaking bahagi ng Kanlurang Kabisayaan, Eastern Samar, Leyte, Bukidnon, Davao del Norte, Surigao del Sur, at Lanao del Sur

Katamtaman – malaking bahagi ng Rehiyon ng Ilocos, Laguna, Alabat, Infanta, ilang bahagi ng Oriental Mindoro, Marinduque, Romblon, ilang bahagi ng Capiz, Samar, Southern Leyte, Negros Occidental, Zamboanga del Sur, Davao del Sur, South Cotabato, Surigao del Norte, at Maguindanao

Tuyo – Sorsogon, Masbate, at natitirang bahagi bahagi ng bansa

ENSO ALERT SYSTEM STATUS
(mula noong 07 Oktubre 2026)



EL NIÑO

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimateassessment/EN_Advisory_5.pdf

Ang malakas hanggang sa napakalakas na El Niño ay umiiral sa Tropical Pacific. Batay sa mga pagtataya, inaasahang magpapatuloy ang El Niño hanggang sa unang kalahati ng 2027 at maaaring umabot sa pinakamalakas nitong antas bago matapos ang 2026.

Ang El Niño ay nagpapataas ng posibilidad na magkaroon ng mas mababa sa karaniwang dami ng ulan, na maaaring magdulot ng mga negatibong epekto tulad ng dry spell at tagtuyot sa ilang bahagi ng bansa. Gayunpaman, maaari pa ring magkaroon ng mas mataas sa karaniwang dami ng ulan kapag may pagdaan ng mga tropical cyclone at iba pang weather systems na nagdadala ng ulan. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihing maayos ang irigasyon, at mag-ipon ng tubig-ulan upang matiyak ang suplay ng tubig sa panahon ng El Niño. Gumamit ng mga pananim na matibay sa tagtuyot at mga pamamaraan sa pagpapanatili ng halumigmig ng lupa. Regular na subaybayan ang mga update ng DOST-PAGASA at iangkop ang mga gawaing pansaka ayon sa kondisyon ng panahon. Bagama't mas tuyo ang karaniwang kondisyon, maaari pa ring magkaroon ng localized thunderstorms na may malakas na ulan, hangin, pagkidlat, at posibleng biglaang pagbaha.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

Katamtaman hanggang sa maalon na karagatan ang mararanasan sa baybayin ng **silangang bahagi ng Luzon at Kabisayaan**, samantalang, banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN			
DAILY EXTREMES		**MONTHLY EXTREMES**	
Pinakamataas na Temperatura	38.2 ºC (Tuguegarao, 1915)	**Pinakamataas na Temperatura**	38.5 ºC (Tuguegarao, 1987)
Pinakamababang Temperatura	12.7 ºC (Baguio City, 1907)	**Pinakamababang Temperatura**	11.3 ºC (Baguio City, 1913)
Pinakamaraming Ulan	522.2 mm (Calayan, 1997)	**Pinakamaraming Ulan**	994.6 mm (Baguio City, 1998)

INIHANDA HANDA/INI-UPLOAD NINA: MGA / JOT **BINIGYANG PANSIN NI: MEVT**