Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 248

Issued: 7:00 AM, Wednesday, 28 October 2026 Valid until: 7:00 AM, Thursday, 29 October 2026

SYNOPSIS: Shear Line affecting the eastern sections of Central and Southern Luzon. Northeast Monsoon affecting Northern Luzon and the rest of Central Luzon.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Aurora, Quezon, Oriental Mindoro, Marinduque, Camarines Norte, Camarines Sur, and Catanduanes	Cloudy skies with scattered rains and isolated thunderstorms	**Aurora, Quezon, Camarines Norte, Camarines Sur, and Catanduanes** – Moderate to strong from northeast **Oriental Mindoro and Marinduque** – Light to moderate from northeast to east	24 – 32	21 – 30	60 – 98	4 – 8
Batanes, Apayao, Cagayan, and Isabela	Cloudy skies with light rains	Moderate to strong from northeast	23 – 33	19 – 30	60 – 98	4 – 8
Ilocos Region, the rest of Cordillera Administrative Region, the rest of Cagayan Valley, and the rest of Central Luzon	Partly cloudy to cloudy skies with isolated light rains	**Ilocos Region, the rest of Cordillera Administrative Region, the rest of Cagayan Valley** – Moderate to strong from northeast **Rest of Central Luzon** – Light to moderate from northeast to east	24 – 34	16 – 31	50 – 97	0 – 6
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	**Rest of Bicol Region** – Moderate to strong from northeast **Rest of the country**– Light to moderate from northeast to east	23 – 36	20 – 33	45 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

SHEAR LINE, NORTHEAST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Clean and maintain irrigation canals, drainage systems, pumps, and water storage facilities to ensure efficient water management.
- Harvest mature crops promptly and ensure proper drying and storage to minimize postharvest losses and preserve produce quality.


Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

- Monitor crops regularly for pest infestations, disease development, and signs of water stress, and implement appropriate management measures.
- Ensure adequate field drainage in areas prone to waterlogging to protect crops from prolonged soil saturation.
- Conserve available water through efficient irrigation scheduling, particularly in areas experiencing limited rainfall or declining soil moisture.
- Remove weeds and crop residues that may harbor pests and disease-causing organisms, while retaining beneficial ground cover where appropriate.
- Stay alert and informed! Always follow the latest weather advisories from local authorities and your local government. Keep updated through the official DOST-PAGASA website, social media accounts, and PANaHON App for timely weather information, warnings, and safety updates.

FARM ADVISORY

SOIL MOISTURE CONDITION
(October 11 – 20, 2026)




Wet – Nueva Vizcaya, Quirino, Most areas in Central Luzon, Cordillera Administrative Region, Quezon City, Rizal, Quezon, Palawan, Romblon, Camarines Norte, Catanduanes, Most areas in Western Visayas, Samar, Bukidnon, Davao del Norte, Davao del Sur, and Lanao del Sur

Moist – Ilocos Region, Batanes, Isabela, Zambales, Nueva Ecija, Cavite, Batangas, Pasay, Occidental Mindoro, Oriental Mindoro, Camarines Sur, Albay, Northern Samar, Surigao del Norte, Surigao del Sur, and Maguindanao

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS
(Updated as of 21 October 2026)



EL NIÑO

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimatassessment/EN_Advisory_5.pdf

A strong to very strong El Niño is present in the Tropical Pacific. Most climate models predict that the ongoing El Niño will persist until the first quarter of 2027, with its peak expected before the end of 2026. Its associated impacts may continue through the first half of 2027.

El Niño increases the likelihood of below-normal rainfall, which may lead to adverse impacts, including dry spells and droughts in some areas of the country. However, above-normal rainfall conditions may still occur during the passage of tropical cyclones and other rain-bearing weather systems. Farmers are advised to conserve water, maintain irrigation systems, and harvest rainwater to ensure adequate water supply during El Niño. Use drought-tolerant crops and soil moisture conservation practices. Regularly monitor DOST-PAGASA weather updates and adjust farm activities accordingly. Despite generally drier conditions, localized thunderstorms may still bring heavy rain, strong winds, lightning, and possible flash flooding.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning is raised.

Moderate to rough seas will prevail **over the seaboards of Northern Luzon and the eastern seaboards of Central and Southern Luzon,** while slight to moderate seas will be experienced over the **rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		**MONTHLY EXTREMES**	
Maximum Temperature	35.9 ºC (Sinait, 1904)	**Maximum Temperature**	38.5 ºC (Tuguegarao, 1987)
Minimum Temperature	12.8 ºC (Baguio City, 1961)	**Minimum Temperature**	11.3 ºC (Baguio City, 1913)
Rainfall	688.0 mm (Baguio City, 1991)	**Rainfall**	994.6 mm (Baguio City, 1998)

PREPARED/UPLOADED BY: RAMF / ARL **VERIFIED BY: MEVT**

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 248

Inilabas ng: 7:00 AM Miyerkules, 28 Oktubre 2026 **May bisa hanggang: 7:00 AM Huwebes, 29 Oktubre 2026**

SYNOPSIS: Shear Line ang nakakaapekto sa silangang bahagi ng Gitna at Katimugang Luzon. Amihan ang nakakaapekto sa Hilagang Luzon at natitirang bahagi ng Gitnang Luzon.

LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (^{0}C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Aurora, Quezon, Oriental Mindoro, Marinduque, Camarines Norte, Camarines Sur, at Catanduanes	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	**Aurora, Quezon, Camarines Norte, Camarines Sur, at Catanduanes** – Katamtaman hanggang sa malakas mula hilagang silangan; **Oriental Mindoro at Marinduque** – Mahina hanggang sa katamtaman mula hilagang silangan hanggang silangan	24 – 32	21 – 30	60 – 98	4 – 8
Batanes, Apayao, Cagayan, at Isabela	Maulap na kalangitan na may mahinang pag-ulan	Katamtaman hanggang sa malakas mula hilagang silangan	23 – 33	19 – 30	60 – 98	4 – 8
Rehiyon ng Ilocos, natitirang bahagi ng Cordillera Administrative Region, natitirang bahagi ng Lambak ng Cagayan, at natitirang bahagi ng Gitnang Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan	**Rehiyon ng Ilocos Region, natitirang bahagi ng Cordillera Administrative Region, at natitirang bahagi ng Lambak ng Cagayan** – Katamtaman hanggang sa malakas mula hilagang silangan; **Natitirang bahagi ng Gitnang Luzon** – Mahina hanggang sa katamtaman mula hilagang silangan hanggang silangan	24 – 34	16 – 31	50 – 97	0 – 6
Metro Manila at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	**Natitirang bahagi ng Rehiyon ng Bicol** – Katamtaman hanggang sa malakas mula hilagang silangan; **Natitirang bahagi ng bansa** – Mahina	23 – 36	20 – 33	45 – 96	0 – 4

		hanggang sa katamtaman mula hilagang silangan hanggang silangan				


SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

SHEAR LINE, AMIHAN, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Linisin at panatilihing maayos ang mga kanal ng irigasyon, sistema ng paagusan, mga bomba ng patubig, at mga pasilidad sa imbakan ng tubig upang matiyak ang mahusay na pamamahala ng tubig.
- Anihin agad ang mga pananim na nasa hustong gulang na at tiyakin ang wastong pagpapatuyo at pag-iimbak ng mga ito upang mabawasan ang pagkalugi pagkatapos ng anihan at mapanatili ang kalidad ng mga produkto.
- Regular na subaybayan ang mga pananim para sa posibleng pagdami ng mga peste, paglitaw ng mga sakit, at mga palatandaan ng kakulangan sa tubig, at magsagawa ng angkop na mga hakbang sa pamamahala.
- Tiyakin ang maayos na daloy ng tubig palabas sa mga bukirin, lalo na sa mga lugar na madaling bahain o mag-ipon ng tubig, upang maiwasan ang matagal na pagkababad ng mga pananim sa sobrang tubig.
- Pangalagaan ang natitirang suplay ng tubig sa pamamagitan ng maayos at napapanahong pagdidilig, lalo na sa mga lugar na nakararanas ng kaunting pag-ulan o pagbaba ng halumigmig ng lupa.
- Alisin ang mga damo at mga tira-tirang bahagi ng pananim na maaaring pamahayan ng mga peste at organismong nagdudulot ng sakit, habang pinananatili ang kapaki-pakinabang na pantakip sa lupa kung kinakailangan.
- Laging makinig sa mga payo ng mga awtoridad at lokal na pamahalaan tungkol sa mga kondisyon ng panahon. Manatiling updated sa mga ulat at abiso mula sa DOST-PAGASA website, social media accounts, at PANaHON App.

PAYONG PANGSAKAHAN


KALAGAYAN NG LUPANG SAKAHAN
(Oktubre 11 –20, 2026)



Basa – Nueva Vizcaya, Quirino, karamihan sa mga lugar sa Gitnang Luzon, Cordillera Administrative Region, Quezon City, Rizal, Quezon, Palawan, Romblon, Camarines Norte, Catanduanes, karamihan sa mga lugar sa Kanlurang Visayas, Samar, Bukidnon, Davao del Norte, Davao del Sur, at Lanao del Sur

Katamtaman – Rehiyon ng Ilocos, Batanes, Isabela, Zambales, Nueva Ecija, Cavite, Batangas, Pasay, Occidental Mindoro, Oriental Mindoro, Camarines Sur, Albay, Northern Samar, Surigao del Norte, Surigao del Sur, at Maguindanao

ENSO ALERT SYSTEM STATUS
(mula noong 21 Oktubre 2026)



EL NIÑO

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimateassessment/EN_Advisory_5.pdf

Ang malakas hanggang sa napakalakas na El Niño ay umiiral sa Tropical Pacific. Batay sa karamihan ng mga climate model, inaasahang magpapatuloy ang El Niño hanggang sa unang quarter ng 2027 at maaaring umabot sa pinakamalakas nitong antas bago matapos ang 2026. Maaaring magpatuloy ang mga kaugnay nitong epekto hanggang sa unang kalahati ng 2027.

Ang El Niño ay nagpapataas ng posibilidad na magkaroon ng mas mababa sa karaniwang dami ng ulan, na maaaring magdulot ng mga negatibong epekto tulad ng dry spell at tagtuyot sa ilang bahagi ng bansa. Gayunpaman, maaari pa ring magkaroon ng mas mataas sa karaniwang dami ng ulan kapag may pagdaan ng mga tropical cyclone at iba pang weather systems na nagdadala ng ulan. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihing maayos ang irigasyon, at mag-ipon ng tubig-ulan upang matiyak ang suplay ng tubig sa panahon ng El Niño.

Tuyo –natitirang bahagi bahagi ng bansa	Gumamit ng mga pananim na matibay sa tagtuyot at mga pamamaraan sa pagpapanatili ng halumigmig ng lupa. Regular na subaybayan ang mga update ng DOST-PAGASA at iangkop ang mga gawaing pansaka ayon sa kondisyon ng panahon. Bagama't mas tuyo ang karaniwang kondisyon, maaari pa ring magkaroon ng localized thunderstorms na may malakas na ulan, hangin, pagkidlat, at posibleng biglaang pagbaha.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtaman hhanggang sa maalon na karagatan ang inaasahan **sa mga baybayin ng Hilagang Luzon at silangang baybayin ng Gitna at Katimugang Luzon,** samantalang banayad hanggang sa katamtaman na pag-alon ng karagatan ang mararanasan sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		**MONTHLY EXTREMES**	
Pinakamataas na Temperatura	35.9 ºC (Sinait, 1904)	**Pinakamataas na Temperatura**	38.5 ºC (Tuguegarao, 1987)
Pinakamababang Temperatura	12.8 ºC (Baguio City, 1961)	**Pinakamababang Temperatura**	11.3 ºC (Baguio City, 1913)
Pinakamaraming Ulan	688.0 mm (Baguio City, 1991)	**Pinakamaraming Ulan**	994.6 mm (Baguio City, 1998)

INIHANDA HANDA/INI-UPLOAD NINA: RAMF / ARL **BINIGYANG PANSIN NI: MEVT**