



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 223

Issued: 7:00 AM, Monday, 28 September 2026

Valid until: 7:00 AM, Tuesday, 29 September 2026

SYNOPSIS: Intertropical Convergence Zone (ITCZ) affecting Palawan, Visayas and Mindanao.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

TYPHOON SURIGAE (2626) (FORMERLY "QUEENIE")

LOCATION: 1,055 KM NORTHEAST OF EXTREME NORTHERN LUZON (26.4°N, 130.2°E)

MAXIMUM SUSTAINED WINDS: 175 KM/H NEAR THE CENTER

GUSTINESS: UP TO 215 KM/H

MOVEMENT: EAST NORTHEASTWARD AT 15 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Visayas, Zamboanga Peninsula, Northern Mindanao, Caraga, Palawan, and Lanao del Sur	Cloudy skies with scattered rains and thunderstorms	Visayas, Zamboanga Peninsula, Northern Mindanao, Caraga, and Lanao del Sur – Light to moderate from southeast to southwest; Palawan – Light to moderate from variable direction;	23 – 35	19 – 32	60 – 98	4 – 6
The rest of Mindanao	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from southeast to southwest;	24 – 35	22 – 33	50 – 97	0 – 6
Metro Manila and the rest of Luzon	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from variable direction	23 – 34	17 – 31	45 – 96	0 – 4



AREAS AFFECTED BY THE WEATHER SYSTEMS

ITCZ, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Adjust planting, spraying, and harvesting schedules based on expected rainfall.
- Ensure proper field drainage to prevent waterlogging and root rot.
- Use organic matter or compost to enrich soil and improve water retention.
- Harvest during dry weather whenever possible to maintain product quality and avoid excess moisture.
- Conduct regular field inspections for lodging, stem rot, and nutrient deficiencies.
- Remove and destroy infected plant parts to limit disease spread.
- Avoid field operations such as spraying fertilizers and pesticides when rain is expected.
- Support or stake crops that are vulnerable to lodging, particularly tall and heavy crops.
- Keep harvested crops covered and protected from rain during loading, transport, and unloading.



- Stay alert and informed! Always follow the latest weather advisories from local authorities and your local government. Keep updated through the official DOST-PAGASA website, social media accounts, and PANaHON App for timely weather information, warnings, and safety updates.

FARM ADVISORY	
SOIL MOISTURE CONDITION (September 11 – 20, 2026)	ENSO ALERT SYSTEM STATUS (Updated as of 23 September 2026)
 Wet – Ilocos Region, most of Cagayan Valley, Cordillera Administrative Region, Central Luzon, National Capital Region, Cavite, Batangas, Rizal, northern portion of Quezon, most parts of Palawan, Mindoro provinces, Marinduque, Catanduanes, Sorsogon, Iloilo, and some parts of Leyte Moist – Some parts of Cagayan, southern portion of Quezon, Laguna, Romblon, Camarines Norte, Camarines Sur, Negros Occidental, Samar, Eastern Samar, Bukidnon, Davao del Norte, South Cotabato, and Surigao del Norte Dry – Rest of the country	 EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Moderate to strong El Niño is present in the Tropical Pacific. Climate models predict that El Niño will continue until the first half of 2027 and may reach a very strong state before the end of 2026. Farmers are advised to conserve water, maintain irrigation systems, and harvest rainwater to ensure adequate water supply during El Niño. Use drought-tolerant crops and soil moisture conservation practices. Regularly monitor DOST-PAGASA weather updates and adjust farm activities accordingly. Despite generally drier conditions, localized thunderstorms may still bring heavy rain, strong winds, lightning, and possible flash flooding.

FISHING ADVISORY
GALE WARNING AND SEA CONDITION
No Gale Warning is raised.
Slight to moderate seas will be experienced over the whole archipelago . Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	38.3 °C (Tuguegarao City, 1969)	Maximum Temperature	38.9 °C (Tuguegarao, 1963)
Minimum Temperature	14.1 °C (Baguio City, 1911)	Minimum Temperature	12.6 °C (Baguio City, 1990)
Rainfall	649.7 mm (Baguio City, 1968)	Rainfall	799.8 mm (Baguio City, 1911)

PREPARED/UPLOADED BY: MGA / JAE	VERIFIED BY: NRE
---------------------------------	------------------



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 223

Inilabas ng: 7:00 AM Lunes, 28 Setyembre 2026 May bisa hanggang: 7:00 AM Martes, 29 Setyembre 2026

SYNOPSIS: Intertropical Convergence Zone (ITCZ) ang nakakaapekto sa Palawan, Kabisayaan at Mindanao.

TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM

TYPHOON SURIGAAAE (2626) (FORMERLY" QUEENIE")

LOKASYON: 1,055 KM HILAGANG SILANGAN NG DULONG HILAGANG LUZON (26.4°N, 130.2°E)

MALAKAS NA HANGIN: 175 KM/H MALAPIT SA GITNA

PAGBUGSO NG HANGIN: AABOT SA 215 KM/H

PAGKILOS: PATUNGONG HILAGANG SILANGAN SA BILIS NA 15KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Kabisayaan, Zamboanga Peninsula, Northern Mindanao, Caraga, Palawan, at Lanao del Sur	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Kabisayaan, Zamboanga Peninsula, Northern Mindanao, Caraga, at Lanao del Sur – Mahina hanggang sa katamtaman mula timog-silangan hanggang timog-kanluran; Palawan – Mahina hanggang sa katamtaman mula sa paiba-ibang direksiyon	23 – 35	19 – 32	60 – 98	4 – 6
Natitirang bahagi ng Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula timog-silangan hanggang timog-kanluran;	24 – 35	22 – 33	50 – 97	0 – 6
Metro Manila at natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula sa paiba-ibang direksiyon	23 – 34	17 – 31	45 – 96	0 – 4



SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

ITCZ, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- layon ang iskedyul ng pagtanim, pag-iispray, at pag-aani batay sa inaasahang pag-ulan.
- Siguraduhing maayos ang daluyan ng tubig sa bukid upang maiwasan ang pagbabara ng tubig at pagkabulok ng ugat.
- Gumamit ng organikong pataba o kompost upang mapayaman ang lupa at mapanatili ang tamang halumigmig.



- Mag-ani sa tuyo o maaraw na panahon hangga't maaari upang mapanatili ang kalidad ng produkto at maiwasan ang sobrang halumigmig.
- Regular na inspeksyunin ang bukid upang matukoy ang pagkakadapa ng mga pananim, pagkabulok ng tangkay, at kakulangan sa sustansya.
- Alisin ang mga bahaging may sakit upang maiwasan ang pagkalat nito sa ibang mga halaman.
- Iwasan ang pag-iispray ng pataba at pestisidyo kapag inaasahan ang pag-ulan.
- Lagyan ng tukod o suporta ang mga pananim na madaling matumba, lalo na ang matatangkad at mabibigat na pananim.
- Takpan at protektahan ang mga naaning pananim laban sa ulan habang isinasagawa ang pagkakarga, pagbibiyahe, at pagbababa ng mga ito.
- Laging makinig sa mga payo ng mga awtoridad at lokal na pamahalaan tungkol sa mga kondisyon ng panahon. Manatiling updated sa mga ulat at abiso mula sa DOST-PAGASA website, social media accounts, at PANaHON App.

PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Setyembre 11 – 20, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 23 Setyembre 2026)
 Legend - DRY (0 - 75 mm) - MOIST (76 - 150 mm) - WET (>150 mm) Basa – Rehiyon ng Ilocos, malaking bahagi ng Lambak ng Cagayan, Cordillera Administrative Region, Gitnang Luzon, National Capital Region, Cavite, Batangas, Rizal, hilagang bahagi ng Quezon, malaking bahagi ng Palawan, mga probinsya ng Mindoro, Marinduque, Catanduanes, Sorsogon, Iloilo, at ilang bahagi ng Leyte Katamtaman – Ilang bahagi ng Cagayan, katimugang bahagi ng Quezon, Laguna, Romblon, Camarines Norte, Camarines Sur, Negros Occidental, Samar, Eastern Samar, Bukidnon, Davao del Norte, South Cotabato, at Surigao del Norte Tuyo – Natitirang bahagi bahagi	 EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Kasalukuyang umiiral ang katamtamang hanggang sa malakas na El Niño sa Tropical Pacific. Ayon sa mga forecast, inaasahang magpapatuloy ang El Niño hanggang sa unang kalahati ng 2027 at may posibilidad na maging mas malakas bago matapos ang 2026. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihing maayos ang irigasyon, at mag-ipon ng tubig-ulan upang matiyak ang suplay ng tubig sa panahon ng El Niño. Gumamit ng mga pananim na matibay sa tagtuyot at mga pamamaraan sa pagpapanatili ng halumigmig ng lupa. Regular na subaybayan ang mga update ng DOST-PAGASA at iangkop ang mga gawaing pansaka ayon sa kondisyon ng panahon. Bagama't mas tuyo ang karaniwang kondisyon, maaari pa ring magkaroon ng localized thunderstorms na may malakas na ulan, hangin, pagkidlat, at posibleng biglaang pagbaha.



PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa **buong kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES

MONTHLY EXTREMES

Pinakamataas na Temperatura	38.3 °C (Tuguegarao City, 1969)	Pinakamataas na Temperatura	38.9 °C (Tuguegarao, 1963)
Pinakamababang Temperatura	14.1 °C (Baguio City, 1911)	Pinakamababang Temperatura	12.6 °C (Baguio City, 1990)
Pinakamaraming Ulan	649.7 mm (Baguio City, 1968)	Pinakamaraming Ulan	799.8 mm (Baguio City, 1911)

INIHANDA HANDA/INI-UPLOAD NINA: **MGA / JAE**

BINIGYANG PANSIN NI: **NRE**