



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 228

Issued: 7:00 AM, Monday, 05 October 2026

Valid until: 7:00 AM, Tuesday, 06 October 2026

SYNOPSIS: Trough of Super Typhoon {CHOI-WAN} affecting Visayas and Mindanao.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

SUPER TYPHOON CHOI-WAN (2627)

LOCATION: 2,605 KM EAST NORTHEAST OF EXTREME NORTHERN LUZON (24.6°N, 146.9°E)

MAXIMUM SUSTAINED WINDS: 195 KM/H NEAR THE CENTER

GUSTINESS: UP TO 240 KM/H

MOVEMENT: NORTHWARD AT 20 KM/H



FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Mindanao, Western Visayas, Negros Island Region, Central Visayas, Leyte, and Southern Leyte	Cloudy skies with scattered rains and thunderstorms	Light to moderate from west to southwest	23 – 34	19 – 32	60 – 98	4 – 8
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Luzon – Light to moderate from northeast to northwest; Rest of Visayas – Light to moderate from west to southwest	23 – 34	17 – 32	45 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

TROUGH OF TROPICAL CYCLONE, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Use mulch or other soil-covering materials to reduce soil erosion and nutrient loss during heavy rainfall.
- Check harvested crops for excess moisture, bruising, or contamination before storage or marketing.
- Schedule fertilizer and pesticide application during suitable weather conditions and follow recommended application practices.
- Maintain and clean irrigation canals, pumps, and water storage facilities.
- Harvest mature crops on time and properly dry and store produce to maintain quality.
- Regularly monitor crops for pests, diseases, and signs of moisture stress.
- Harvest mature crops on time and properly dry and store produce.
- Remove weeds regularly to reduce competition for water and nutrients.
- Stay alert and informed! Always follow the latest weather advisories from local authorities and your local government. Keep updated through the official DOST-PAGASA website, social media accounts, and PANaHON App for timely weather information, warnings, and safety updates.



FARM ADVISORY			
SOIL MOISTURE CONDITION (September 11 – 20, 2026)		ENSO ALERT SYSTEM STATUS (Updated as of 23 September 2026)	
 Wet – Ilocos Region, most of Cagayan Valley, Cordillera Administrative Region, Central Luzon, National Capital Region, Cavite, Batangas, Rizal, northern portion of Quezon, most parts of Palawan, Mindoro provinces, Marinduque, Catanduanes, Sorsogon, Iloilo, and some parts of Leyte Moist – Some parts of Cagayan, southern portion of Quezon, Laguna, Romblon, Camarines Norte, Camarines Sur, Negros Occidental, Samar, Eastern Samar, Bukidnon, Davao del Norte, South Cotabato, and Surigao del Norte Dry – Rest of the country		 EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Moderate to strong El Niño is present in the Tropical Pacific. Climate models predict that El Niño will continue until the first half of 2027 and may reach a very strong state before the end of 2026. Farmers are advised to conserve water, maintain irrigation systems, and harvest rainwater to ensure adequate water supply during El Niño. Use drought-tolerant crops and soil moisture conservation practices. Regularly monitor DOST-PAGASA weather updates and adjust farm activities accordingly. Despite generally drier conditions, localized thunderstorms may still bring heavy rain, strong winds, lightning, and possible flash flooding.	
FISHING ADVISORY			
GALE WARNING AND SEA CONDITION			
No Gale Warning is raised.			
Slight to moderate seas will be experienced over the whole archipelago. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.			
ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	37.2 °C (Tuguegarao City, 1962)	Maximum Temperature	38.5 °C (Tuguegarao, 1987)
Minimum Temperature	13.2 °C (Baguio City, 1907)	Minimum Temperature	11.3 °C (Baguio City, 1913)
Rainfall	423.1 mm (Baguio City, 1999)	Rainfall	994.6 mm (Baguio City, 1998)
PREPARED/UPLOADED BY: MTR / JAE		VERIFIED BY: MEVT	



TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 228

Inilabas ng: 7:00 AM Lunes, 05 Oktubre 2026

May bisa hanggang: 7:00 AM Martes, 06 Oktubre 2026

SYNOPSIS: Trough ng Super Typhoon "CHOI-WAN" ang nakakaapekto sa Kabisayaan at Mindanao.

BAGYO SA LABAS NG PAR SIMULA KANINANG 3:00 AM

SUPER TYPHOON CHOI-WAN (2627)

LOKASYON: 2,605 KM SILANGAN HILAGANG SILANGAN NG DULONG HILAGANG LUZON (24.6°N, 146.9°E)

TAGLAY NA LAKAS NA HANGIN: 195 KM/H MALAPIT SA GITNA

PAGBUGSO: HANGGANG 240 KM/H

PAGKILOS: HILAGANG KANLURAN SA BILIS NA 20 KM/H



LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Mindanao, Kanlurang Kabisayaan, Isla ng Rehiyon ng Negros, Gitnang Kabisayaan, Leyte, at Southern Leyte	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula kanluran hanggang timog-kanluran	23 – 34	19 – 32	60 – 98	4 – 8
Metro Manila at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Luzon – Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilagang kanluran; Natitirang bahagi ng Kabisayaan – Mahina hanggang sa katamtaman mula kanluran hanggang timog-kanluran	23 – 34	17 – 32	45 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

TROUGH NG BAGYO, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Gumamit ng mulch o iba pang pantakip sa lupa upang mabawasan ang pagguho ng lupa at pagkawala ng sustansiya tuwing malakas ang pag-ulan.
- Suriin ang mga naaning produkto para sa sobrang moisture, pagkakabugbog, o kontaminasyon bago itago o ibenta.
- Iskedyul ang paglalagay ng pataba at pestisidyo sa angkop na kondisyon ng panahon at sundin ang mga inirerekomendang paraan ng paggamit.
- Linisin at panatilihin maayos ang mga kanal, bomba, at pasilidad sa imbakan ng tubig para sa maayos na patubig at paggamit ng tubig.
- Aniin sa tamang panahon ang mga hinog na pananim at patuyuin at itago nang maayos upang mapanatili ang kalidad ng ani.
- Regular na bantayan ang mga pananim para sa mga peste, sakit, at mga senyales ng kakulangan sa tubig.
- Regular na alisin ang mga damo upang mabawasan ang kompetisyon sa tubig at sustansiya.
- Laging makinig sa mga payo ng mga awtoridad at lokal na pamahalaan tungkol sa mga kondisyon ng panahon. Manatiling updated sa mga ulat at abiso mula sa DOST-PAGASA website, social media accounts, at PANaHON App.



PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Setyembre 11 – 20, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 23 Setyembre 2026)
 Legend - DRY (0 - 75 mm) - MOIST (76 - 150 mm) - WET (>150 mm) Basa – Rehiyon ng Ilocos, malaking bahagi ng Lambak ng Cagayan, Cordillera Administrative Region, Gitnang Luzon, National Capital Region, Cavite, Batangas, Rizal, hilagang bahagi ng Quezon, malaking bahagi ng Palawan, mga probinsya ng Mindoro, Marinduque, Catanduanes, Sorsogon, Iloilo, at ilang bahagi ng Leyte Katamtaman – Ilang bahagi ng Cagayan, katimugang bahagi ng Quezon, Laguna, Romblon, Camarines Norte, Camarines Sur, Negros Occidental, Samar, Eastern Samar, Bukidnon, Davao del Norte, South Cotabato, at Surigao del Norte Tuyo – Natitirang bahagi bahagi	 EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/oulook.pdf Kasalukuyang umiiral ang katamtamang hanggang sa malakas na El Niño sa Tropical Pacific. Ayon sa mga forecast, inaasahang magpapatuloy ang El Niño hanggang sa unang kalahati ng 2027 at may posibilidad na maging mas malakas bago matapos ang 2026. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihin maayos ang irigasyon, at mag-ipon ng tubig-ulan upang matiyak ang suplay ng tubig sa panahon ng El Niño. Gumamit ng mga pananim na matibay sa tagtuyot at mga pamamaraan sa pagpapanatili ng halumigmig ng lupa. Regular na subaybayan ang mga update ng DOST-PAGASA at iangkop ang mga gawaing pansaka ayon sa kondisyon ng panahon. Bagama't mas tuyo ang karaniwang kondisyon, maaari pa ring magkaroon ng localized thunderstorms na may malakas na ulan, hangin, pagkidlat, at posibleng biglaang pagbaha.

PAYO SA MGA MANGINGISDA
GALE WARNING AT KONDISYON NG KARAGATAN
Walang nakataas na Gale Warning.
Banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa buong kapuluan. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaling magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	37.2 °C (Tuguegarao City, 1962)	Pinakamataas na Temperatura	38.5 °C (Tuguegarao, 1987)
Pinakamababang Temperatura	13.2 °C (Baguio City, 1907)	Pinakamababang Temperatura	11.3 °C (Baguio City, 1913)
Pinakamaraming Ulan	423.1 mm (Baguio City, 1999)	Pinakamaraming Ulan	994.6 mm (Baguio City, 1998)
INIHANDA HANDA/INI-UPLOAD NINA: MTR / JAE		BINIGYANG PANSIN NI: MEVT	