



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 197

Issued: 7:00 AM, Thursday, 27 August 2026

Valid until: 7:00 AM, Friday, 28 August 2026

SYNOPSIS: At 3:00 AM today, a Low Pressure Area (LPA) was estimated based on all available data at 1,030 km East of Northern Luzon (18.9°N, 131.4°E). Southwest Monsoon affecting Luzon and the western section of Visayas.



FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Zambales and Occidental Mindoro	Occasional rains	Moderate to strong from southwest	24 – 30	22 – 28	70 – 98	6 – 12
Metro Manila, Ilocos Region, Cordillera Administrative Region, the rest of Central Luzon, Batanes, Cavite, Batangas, Rizal, Oriental Mindoro, Palawan, Antique, Iloilo, Guimaras, and Negros Occidental	Cloudy skies with scattered rains and thunderstorms	Moderate to strong from southwest	24 – 32	17 – 31	65 – 98	4 – 8
The rest of Luzon, Aklan, Capiz, and Negros Oriental	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Moderate to strong from southwest	24 – 34	22 – 32	60 – 96	0 – 4
The rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from south to southwest	23 – 36	21 – 33	50 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Monitor soil moisture and field water levels to determine whether additional irrigation is necessary or should be suspended.
- Open or maintain field drainage outlets to quickly remove excess water from low-lying crop areas.
- Check slope areas, terraces, and farm roads for erosion, landslides, or obstruction that may affect farm operations and access.
- Inspect rainwater harvesting facilities, ponds, and farm reservoirs for overflow, leaks, or structural damage.
- Keep seeds, feeds, fertilizers, pesticides, and other farm inputs properly sealed and protected from moisture.
- Monitor stored crops for mold, fungal growth, and spoilage, especially when high humidity persists.
- Continue monitoring weather forecasts, rainfall advisories, and other relevant information from DOST-PAGASA and local authorities for timely decision-making.



FARM ADVISORY	
SOIL MOISTURE CONDITION (August 11 – 20, 2026)	ENSO ALERT SYSTEM STATUS (Updated as of 26 August 2026)
 Wet – Ilocos Region, Itbayat, Aparri, Tuguegarao, Isabela, Cordillera Administrative Region, Central Luzon, National Capital Region, most areas of CALABARZON, and most areas of MIMAROPA, Moist – Calayan, Basco, Nueva Viscaya, Alabat, Pag-asa Island, most of Bicol Region, Catbalogan, Maasin, Zamboanga del Norte, Davao del Sur, Davao del Norte, Surigao del Norte, Surigao del Sur, and BARMM Dry – Rest of the country	 EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Moderate to strong El Niño is present in the Tropical Pacific. Climate models predict that El Niño will continue until the first half of 2027 and may reach a very strong state before the end of 2026. Farmers are advised to conserve water, maintain irrigation systems, and establish rainwater harvesting facilities to maximize available water during dry periods. The use of drought-tolerant crops and soil moisture conservation practices is encouraged to reduce the impacts of El Niño. Farmers should monitor daily DOST-PAGASA weather updates, as localized thunderstorms may still bring heavy rainfall, strong winds, lightning, and possible flash flooding. Secure farm structures, clear drainage canals, and adjust farm activities based on weather conditions to minimize risks.

FISHING ADVISORY
GALE WARNING AND SEA CONDITION
No Gale warning is raised.
Moderate to rough seas are expected over the seaboards of Luzon and western section of Visayas , while slight to moderate seas will be experienced over the rest of the archipelago . Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST-PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	38.3 °C (Tuguegarao, 1960)	Maximum Temperature	39.4 °C (Tuguegarao, 1960)
Minimum Temperature	14.0 °C (Baguio City, 1930)	Minimum Temperature	12.8 °C (Baguio City, 1923)
Rainfall	364.9 mm (Laoag City, 2011)	Rainfall	969.8 mm (Baguio City, 2008)
PREPARED/UPLOADED BY: MTR / JOT		VERIFIED BY: MEVT	



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 197

Inilabas ng: 7:00 AM Huwebes, 27 Agosto 2026

May bisa hanggang: 7:00 AM Biyernes, 28s Agosto 2026

SYNOPSIS: Kaninang 3:00 AM, ang Low Pressure Area (LPA) ay tinatayang nasa 1,030 km silangan ng Hilagang Luzon (18.9°N, 131.4°E). Habagat ang nakakaapekto sa Luzon at kanlurang bahagi ng Kabisayaan.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Zambales at Occidental Mindoro	Paminsan-minsang pag-ulan	Katamtaman hanggang sa malakas mula timog-kanluran	24 – 30	22 – 28	70 – 98	6 – 12
Metro Manila, Rehiyon ng Ilocos, Cordillera Administrative Region, natitirang bahagi ng Gitnang Luzon, Batanes, Cavite, Batangas, Rizal, Oriental Mindoro, Palawan, Antique, Iloilo, Guimaras, at Negros Occidental	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Katamtaman hanggang sa malakas mula timog-kanluran	24 – 32	17 – 31	65 – 98	4 – 8
Natitirang bahagi ng Luzon, Aklan, Capiz, at Negros Oriental	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Katamtaman hanggang sa malakas mula timog-kanluran	24 – 34	22 – 32	60 – 96	0 – 4
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	23 – 36	21 – 33	50 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Subaybayan ang pagkabasa ng lupa at antas ng tubig sa mga sakahan upang matukoy kung kailangan pang magpatubig o pansamantalang itigil ang irigasyon.
- Buksan at panatilihin maayos ang mga daluyan ng tubig sa bukid upang mabilis na maalisan ang sobrang tubig sa mga mabababang bahagi ng taniman.
- Suriin ang mga dalisdis, pilapil, at daanan sa sakahan para sa mga senyales ng pagguho ng lupa, pagguho ng pilapil, landslide, o anumang bara na maaaring makaapekto sa operasyon at pag-access sa sakahan.
- Suriin ang mga pasilidad para sa pag-iimbak ng tubig-ulan, palaisdaan, at mga imbakang tubig sa sakahan upang matukoy ang pag-apaw, pagtagas, o pinsala sa istruktura.



- Panatiliing maayos na nakasara at protektado laban sa kahalumigmigan ang mga binhi, pakain, pataba, pestisidyo, at iba pang kagamitang pang-agrikultura.
- Regular na suriin ang mga nakaimbak na ani upang agad na matukoy ang amag, pagkabulok, at pagkasira, lalo na kung patuloy ang mataas na halumigmig.
- Patuloy na subaybayan ang mga forecast ng panahon, rainfall advisories, at iba pang kaugnay na impormasyon mula sa DOST-PAGASA at mga lokal na awtoridad upang maging gabay sa napapanahong pagpapasya at pagkilos.

PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Agosto 11 – 20, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 26 Agosto 2026)
Basa – Rehiyon ng Ilocos, Itbayat, Aparri, Tuguegarao, Isabela, Cordillera Administrative Region, Gitnang Luzon, National Capital Region, malaking bahagi ng CALABARZON, at malaking bahagi ng MIMAROPA, Moist – Calayan, Basco, Nueva Viscaya, Alabat, Pag-asa Island, malaking bahagi sa Rehiyon ng Bicol, Catbalogan, Maasin, Zamboanga del Norte, Davao del Sur, Davao del Norte, Surigao del Norte, Surigao del Sur, at BARMM Tuyo – Natitirang bahagi bahagi	EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Kasalukuyang umiiral ang katamtamang hanggang s amalakas na El Niño sa Tropical Pacific. Ayon sa mga climate model, inaasahang magpapatuloy ang El Niño hanggang sa unang kalahati ng 2027 at may posibilidad na maging mas malakas bago matapos ang 2026. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihin ang irigasyon, maghanda ng imbakan ng tubig-ulan, at gumamit ng mga barayting matibay sa tagtuyot. Subaybayan ang mga ulat ng DOST-PAGASA dahil maaari pa ring magkaroon ng mga pagkulog at pagkidlat na may kasamang malakas na ulan, bugso ng hangin, at posibleng pagbaha. Panatiliing ligtas ang mga pasilidad sa bukid at iangkop ang mga gawaing pangsakahan batay sa lagay ng panahon.

PAYO SA MGA MANGINGISDA
GALE WARNING AT KONDISYON NG KARAGATAN
Walang nakataas na Gale warning.
Katamtaman hanggang sa maalon na karagatan ang inaasahan sa baybayin ng Luzon at kanlurang bahagi ng Kabisayaan , samantalaang banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa natitirang bahagi ng kapuluhan . Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	38.3 °C (Tuguegarao, 1960)	Pinakamataas na Temperatura	39.4 °C (Tuguegarao, 1960)
Pinakamababang Temperatura	14.0 °C (Baguio City, 1930)	Pinakamababang Temperatura	12.8 °C (Baguio City, 1923)
Pinakamaraming Ulan	364.9 mm (Laoag City, 2011)	Pinakamaraming Ulan	969.8 mm (Baguio City, 2008)



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



INIHANDA HANDA/INI-UPLOAD NINA: **MTR / JOT**

BINIGYANG PANSIN NI: **MEVT**

"tracking the sky...helping the country"

Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100

Tel. No.: 8284 -0800 local 4915
Website: <http://bagong.pagasa.dost.gov.ph>