



EAFARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 141

Issued: 7:00 AM, Tuesday, 23 June 2026

Valid until: 7:00 AM, Wednesday, 24 June 2026

SYNOPSIS: At 3:00 AM today, the center of the eye of Super Typhoon "FRANCISCO" {MEKKHALA} was estimated based on all available data at 420 km East of Aparri, Cagayan (18.5°N, 125.6°E) with maximum sustained winds of 185 km/h near the center and gustiness of up to 230 km/h. It is moving West Northwestward at 10 km/h. Southwest Monsoon affecting Southern Luzon, Visayas, and Mindanao.

TROPICAL CYCLONE OUTSIDE PARAS OF 3:00AM TODAY

TROPICAL DEPRESSION

LOCATION: 2,680 KM EAST OF SOUTHEASTERN LUZON (14.9°N, 146.6°E)

MAXIMUM SUSTAINED WINDS: 55 KM/H

GUSTINESS: UP TO 70 KM/H

MOVEMENT: NORTHWESTWARD AT 20 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Batanes and Babuyan Islands	Rains with gusty winds	Moderate to strong from northwest to west	25 – 33	23 – 30	60 – 98	>10
Aurora, Isabela, and mainland Cagayan	Cloudy skies with scattered rains and thunderstorms	Isabela and mainland Cagayan – Moderate to strong from northwest to west; Aurora – Light to moderate from northwest to west	23 – 35	20 – 32	60 – 98	6 – 10
CALABARZON, MIMAROPA, Bicol Region, Visayas, and Mindanao	Cloudy skies with scattered rains and thunderstorms	Light to moderate from southwest	23 – 35	20 – 32	55 – 98	4 – 8
Metro Manila and the rest of Luzon	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	The rest of Northern Luzon – Light to moderate from northwest to west Metro Manila and the rest of Luzon – Light to moderate from southwest	23 – 36	17 – 34	45 – 96	0 – 4



AREAS AFFECTED BY THE WEATHER SYSTEMS

STY FRANCISCO, SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Clear and maintain canals, dikes, drainage channels, and waterways to facilitate the rapid removal of excess water from farms.
- Store water in ponds, tanks, drums, or other storage facilities for future use during possible dry periods or interruptions in water supply.
- Strengthen plant supports such as stakes, trellises, and protective structures to minimize crop damage from strong winds and heavy rains.



- Harvest mature crops promptly when weather conditions are favorable and ensure proper sorting, packaging, and storage to maintain quality.
- Schedule the delivery and transport of fresh produce during periods of safer weather and use covered vehicles to protect products from rain and moisture.
- Stay updated with weather forecasts and advisories from DOST-PAGASA and local authorities to support timely agricultural operations and risk management.

FARM ADVISORY	
SOIL MOISTURE CONDITION (June 1 – 10, 2026)	ENSO ALERT SYSTEM STATUS (Updated as of 09 June 2026)
 Wet – Ilocos Sur, Benguet, Nueva Ecija, Bataan, Zambales, Capiz, Bukidnon, Davao del Norte Moist – Ilocos Norte, Baguio, Occidental Mindoro, Eastern Samar, North Cotabato, Lanao del Sur Dry – Rest of the country	 EL NIÑO https://www.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring El Niño is expected to develop by mid-2026, increasing the possibility of below-normal rainfall, dry spells, and drought. Farmers are advised to maintain irrigation systems, use drought-tolerant crops, and harvest mature crops early when needed. Localized thunderstorms may still occur, especially in the afternoon or evening, bringing heavy rain, strong winds, lightning, and possible flash flooding in low-lying areas. Farmers should stay alert to daily weather updates, secure farm structures, and avoid field activities during thunderstorms, and adjust planting schedules based on DOST-PAGASA forecasts.

FISHING ADVISORY
GALE WARNING AND SEA CONDITION
No Gale Warning was raised. Moderate to rough seas will be experienced over the northern and eastern sections of Northern Luzon while slight to moderate seas will be experienced over the rest of archipelago. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	40.4 °C (Tuguegarao City, 1915)	Maximum Temperature	41.7 °C (Tuguegarao, 1963)
Minimum Temperature	13.6 °C (Malaybalay, 1962)	Minimum Temperature	13.0 °C (Malaybalay, 1962)
Rainfall	291.1 mm (Baguio City, 1957)	Rainfall	533.6 mm (Baguio City, 1993)

PREPARED/UPLOADED BY: NRE / ARL	VERIFIED BY: MGA
---------------------------------	------------------



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 141

Inilabas ng: 7:00 AM Martes, 23 Hunyo 2026

May bisa hanggang: 7:00 AM, Martes, 23 Hunyo 2026

SYNOPSIS: Kaninang 3:00 AM, ang sentro ng mata ng Super Typhoon "FRANCISCO" {MEKKHALA} ay tinatayang nasa 420 km silangan ng Aparri, Cagayan (18.5°N, 125.6°E) na may taglay na lakas ng hangin na 185 km/h malapit sa sentro at pagbugso na umaabot sa 230 km/h. Ito ay kumkilos patungo sa kanluran-hilagang kanluran sa bilis na 10 km/h. Habagat ang nakakaapekto sa Katimugang Luzon, Kabisayaan, at Mindanao.

TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00AM

TROPICAL DEPRESSION

LOKASYON: 2,680 KM SILANGAN NG TIMOG-SILANGANG LUZON (14.9°N, 146.6°E)

TAGLAY NA LAKAS NG HANGIN: 55 KM/H

PAGBUGSO NG HANGIN NA UMAABOT SA 70 KM/H

PAGKILOS: HILAGANG KANLURAN SA BILIS NA 20 KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Batanes at Isla ng Babuyan	Maulan na may pagbugso ng hangin	Katamtaman hanggang sa malakas mula hilagang-kanluran hanggang kanluran;	25 – 33	23 – 30	60 – 98	>10
Aurora, Isabela, at kalupaan ng Cagayan	Maulap na kalangitan na may kalat-kalat na pagulan at pulo-pulong pagkidlat-pagkulog	Isabela at kalupaan ng Cagayan – Katamtaman hanggang sa malakas mula hilagang-kanluran hanggang kanluran; Aurora – Mahina hanggang sa katamtaman mula hilagang kanluran hanggang kanluran	23 – 35	20 – 32	60 – 98	6 – 10
CALABARZON, MIMAROPA, Rehiyon ng Bicol, Kabisayaan, at Mindanao	Maulap na kalangitan na may kalat-kalat na pagulan at pulo-pulong pagkidlat-pagkulog	Mahina hanggang sa katamtaman mula timog-kanluran	23 – 35	20 – 32	55 – 98	4 – 8
Metro Manila at natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulo-pulong pagulan o pagkidlat-pagkulog	Natitirang bahagi ng Hilagang Luzon – Mahina hanggang sa katamtaman mula hilagang kanluran hanggang kanluran; Metro Manila at natitirang bahagi ng Luzon – Mahina hanggang sa	23 – 36	17 – 34	45 – 96	0 – 4



		katamtaman mula timog-kanluran				
--	--	-----------------------------------	--	--	--	--

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

STY FRANCISCO, HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Linisin at panatiliing maayos ang mga kanal, pilapil, daluyan ng tubig, at mga drainage system upang mabilis na maalis ang sobrang tubig sa mga sakahan.
- Mag-imbak ng tubig sa mga palaisdaan, tangke, dram, o iba pang pasilidad ng imbakan para magamit sa mga posibleng panahon ng tagtuyot o pagkaantala ng suplay ng tubig.
- Patatagin ang mga suporta ng halaman tulad ng mga tulos, trellis, at iba pang proteksiyon na estruktura upang mabawasan ang pinsala dulot ng malalakas na hangin at malalakas na pag-ulan.
- Agarang anihin ang mga hinog na pananim kapag kanais-nais ang lagay ng panahon at tiyakin ang wastong pagsasaayos, pag-iimpake, at pag-iimbak upang mapanatili ang kalidad ng ani.
- Iskedyul ang paghahatid at pagdadala ng mga sariwang ani sa mga panahong mas maayos ang panahon at gumamit ng mga sasakyang may takip upang maprotektahan ang mga produkto laban sa ulan at kahalumigmigan.
- Patuloy na subaybayan ang mga pagtaya ng panahon at mga babala mula sa DOST-PAGASA at mga lokal na awtoridad upang masuportahan ang napapanahong operasyon sa pagsasaka at mabawasan ang mga panganib dulot ng masamang panahon.


PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN

(Hunyo 1 – 10, 2026)

ENSO ALERT SYSTEM STATUS


(mula noong 09 Hunyo 2026)



Basa – Ilocos Sur, Benguet, Nueva Ecija, Bataan, Zambales, Capiz, Bukidnon, Davao del Norte

Katamtaman – Ilocos Norte, Baguio, Occidental Mindoro, Eastern Samar, North Cotabato, Lanao del Sur

Tuyo – Natitirang bahagi bahagi



EL NIÑO

<https://www.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Inaasahang ang El Niño sa kalagitnaan ng 2026, na magdudulot ng tagtuyot at posibleng kakulangan sa tubig. Pinapayuhan ang mga magsasaka na panatilihin ang maayos na irigasyon, gumamit ng drought-tolerant na pananim, at anihin agad ang mga hinog na tanim kung kinakailangan. Maaari pa ring magkaroon ng localized thunderstorms, lalo na sa hapon o gabi, na may kasamang malakas na ulan, hangin, kidlat, at posibleng flash flood sa mabababang lugar. Panatiling updated sa araw-araw na lagay ng panahon, tiyakin ang kaligtasan ng mga pasilidad sa bukid, iwasan ang trabaho sa bukid tuwing may thunderstorm, at iangkop ang taniman ayon sa forecast ng DOST-PAGASA.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtaman hanggang sa maalon ang inaasahan **sa mga baybayin sa hilaga at silangang bahagi ng Hilagang Luzon** habang banayad hanggang sa katamtamang pag-alon ang mararanasan sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at



patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	40.4 °C (Tuguegarao City, 1915)	Pinakamataas na Temperatura	41.7 °C (Tuguegarao, 1963)
Pinakamababang Temperatura	13.6 °C (Malaybalay, 1962)	Pinakamababang Temperatura	13.0 °C (Malaybalay, 1962)
Pinakamaraming Ulan	291.1 mm (Baguio City, 1957)	Pinakamaraming Ulan	533.6 mm (Baguio City, 1993)
INIHANDA HANDA/INI-UPLOAD NINA: NRE / ARL		BINIGYANG PANSIN NI: MGA	