



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 185

Issued: 7:00 AM, Wednesday, 12 August 2026 Valid until: 7:00 AM, Thursday, 13 August 2026

SYNOPSIS: Southwest Monsoon affecting Luzon.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

TROPICAL DEPRESSION

LOCATION: 1,990 KM EAST OF EXTREME NORTHERN LUZON (22.0°N, 141.0°E)



MAXIMUM SUSTAINED WINDS: 55 KM/H

GUSTINESS: UP TO 70 KM/H

MOVEMENT: EAST NORTH EASTWARD AT 30 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Metro Manila, Ilocos Region, Benguet, Abra, Zambales, Bataan, Tarlac, Pampanga, Nueva Ecija, Bulacan, Cavite, Laguna, Batangas, Palawan, Marinduque, Occidental Mindoro, and Oriental Mindoro	Cloudy skies with scattered rains and thunderstorms	Metro Manila, Ilocos Region, Benguet, Abra, Zambales, Bataan, Pampanga, Cavite, Batangas, Palawan, Occidental Mindoro, and Oriental Mindoro – Moderate to strong from southwest; Tarlac, Nueva Ecija, Bulacan, Laguna, and Marinduque – Light to moderate from southwest	23 – 33	17 – 30	70 – 99	4 – 8
The rest of Luzon	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Rest of the northern and western section of Luzon – Moderate to strong from southwest; Rest of Luzon – Light to moderate from southwest	22 – 36	18 – 33	65 – 98	0 – 6
Visayas and Mindanao	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from south to southwest	24 – 36	20 – 34	45 – 96	0 – 4



FARM ADVISORY	
SOIL MOISTURE CONDITION (August 1 – 10, 2026)	ENSO ALERT SYSTEM STATUS (Updated as of 22 July 2026)
 Wet – Ilocos Region, Cagayan, Isabela, Cordillera Administrative Region, Central Luzon, National Capital Region, most areas of CALABARZON, MIMAROPA except Puerto Princesa, Western part of Panay, Negros Occidental, Southern Leyte, Zamboanga del Norte, Bukidnon, Davao del Norte, Davao del Sur, Surigao del Norte, Surigao del Sur, and Lanao del Sur Moist – Rest of Cagayan Valley, Alabat, Mulanay, most of Bicol Region, Eastern part of Panay, Samar, Eastern Samar, General Santos City, rest of Caraga, and rest of BARMM Dry – Rest of the country	 EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf A weak to moderate El Niño is currently present in the tropical Pacific. Climate models indicate that it is likely to intensify and persist through the first half of 2027 (97% probability). There is a 57% probability of El Niño strengthening to a strong event during the July–August–September (JAS) 2026 season, while a very strong El Niño is favored during the October–November–December (OND) 2026 and November–December–January (NDJ) 2026–2027 seasons, with an estimated 81% probability. Farmers are advised to conserve water, maintain irrigation systems, and establish rainwater harvesting facilities to maximize available water during dry periods. The use of drought-tolerant crops and soil moisture conservation practices is encouraged to reduce the impacts of El Niño. Farmers should monitor daily DOST-PAGASA weather updates, as localized thunderstorms may still bring heavy rainfall, strong winds, lightning, and possible flash flooding. Secure farm structures, clear drainage canals, and adjust farm activities based on weather conditions to minimize risks.

AREAS AFFECTED BY THE WEATHER SYSTEMS
SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS - Inspect crops regularly for signs of flooding, waterlogging, pest infestations, and disease outbreaks, and implement appropriate control measures as soon as conditions permit. - Secure greenhouses, nurseries, seedbeds, storage facilities, and other farm structures by reinforcing roofs, coverings, and loose materials against strong winds. - Avoid field operations during thunderstorms to protect farmers and workers from lightning, strong winds, and other weather-related hazards. - Check irrigation systems, pumps, and drainage facilities after heavy rains, and repair any damaged or blocked sections to restore efficient water management. - Prepare contingency plans for harvesting, post-harvest handling, transportation, and marketing to minimize production and economic losses during prolonged adverse weather conditions. - Maintain communication with local agricultural offices and disaster risk reduction authorities for updates, technical assistance, and emergency response support. - Continue monitoring weather forecasts, rainfall advisories, and tropical cyclone bulletins issued by DOST-PAGASA and local authorities to guide timely agricultural decision-making and risk reduction.



FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale warning is raised.

Moderate to rough seas are expected over the **northern and western seaboards of Luzon**, while slight to moderate seas will be experienced over the **rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES

MONTHLY EXTREMES

Maximum Temperature	38.0 °C (Tuguegarao City, 1980)	Maximum Temperature	39.4 °C (Tuguegarao, 1960)
Minimum Temperature	12.8 °C (Baguio City, 1936)	Minimum Temperature	12.8 °C (Baguio City, 1923)
Rainfall	287.6 mm (Dipolog City, 2001)	Rainfall	969.8 mm (Baguio City, 2008)

PREPARED/UPLOADED BY: MGA / JAE

VERIFIED BY: MTR



TAYA NG PANAHAON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 185

Inilabas ng: 7:00 AM Miyerkules, 12 Agosto 2026 May bisa hanggang: 7:00 AM Huwebes, 13 Agosto 2026

SYNOPSIS: Habagat ang nakakaapekto sa Luzon.

BAGYO SA LABAS NG PAR KANINANG 3:00 AM

TROPICAL DEPRESSION

LOKASYON: 1,990 KM SILANGAN NG DULONG HILAGANG LUZON (22.0°N, 141.0°E)



TAGLAY NA LAKAS NG HANGIN: 55 KM/H MALAPIT SA GITNA

PAGBUGSO: HANGGANG 70 KM/H

PAGKILOS: SILANGAN HILAGANG-SILANGAN SA BILIS NA 30 KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHAON PANG- AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKAB ASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Metro Manila, Rehiyon ng Ilocos, Benguet, Abra, Zambales, Bataan, Tarlac, Pampanga, Nueva Ecija, Bulacan, Cavite, Laguna, Batangas, Palawan, Marinduque, Occidental Mindoro, at Oriental Mindoro	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Metro Manila, Rehiyon ng Ilocos, Benguet, Abra, Zambales, Bataan, Pampanga, Cavite, Batangas, Palawan, Occidental Mindoro, at Oriental Mindoro – Katamtaman hanggang sa malakas mula timog-kanluran Tarlac, Nueva Ecija, Bulacan, Laguna, at Marinduque – Mahina hanggang sa katamtaman mula timog-kanluran	23 – 33	17 – 30	70 – 99	4 – 8
Natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Natitirang bahagi sa hilaga at kanluran ng Luzon – Katamtaman hanggang sa malakas mula timog-kanluran; Natitirang bahagi ng Luzon – Mahina hanggang sa katamtaman hanggang sa malakas mula timog-kanluran	22 – 36	18 – 33	65 – 98	0 – 6
Kabisayaan at Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	24 – 36	20 – 34	45 – 96	0 – 4



PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Agosto 1 – 10, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 22 Hulyo 2026)
 Basa – Rehiyon ng Ilocos, Cagayan, Isabela, Rehiyo ng Cordillera, Gitnang Luzon, NCR, karamihan ng lugar sa CALABARZON, MIMAROPA maliban sa Puerto Princesa, kanlurang bahagi ng Panay, Negros Occidental, Southern Leyte, Zamboanga del Norte, Bukidnon, Davao del Norte, Davao del Sur, Surigao del Norte, Surigao del Sur, at Lanao del Sur Katamtaman – Natitirang bahagi ng Lambak ng Cagayan, Alabat, Mulanay, karamihan ng lugar sa Rehiyon ng Bicol, silangang bahagi ng Panay, Samar, Eastern Samar, General Santos City, natitirang bahagi ng Caraga, at natitirang bahagi ng BARMM Tuyo – Natitirang bahagi bahagi	 EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Kasalukuyang umiiral ang mahina hanggang katamtamang El Niño sa tropical Pacific. Inaasahang lalakas ito at magpapatuloy hanggang unang kalahati ng 2027 (97% posibilidad). May 57% posibilidad na maging strong El Niño sa Hulyo–Agosto–Setyembre (JAS) 2026 at 81% posibilidad na maging very strong El Niño sa Oktubre–Nobyembre–Disyembre (OND) 2026 at Nobyembre–Disyembre–Enero (NDJ) 2026–2027. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihin ang irigasyon, maghanda ng imbakan ng tubig-ulan, at gumamit ng mga barayting matibay sa tagtuyot. Subaybayan ang mga ulat ng DOST-PAGASA dahil maaari pa ring magkaroon ng mga pagkulong at pagkidlat na may kasamang malakas na ulan, bugso ng hangin, at posibleng pagbaha. Panatiliing ligtas ang mga pasilidad sa bukid at iangkop ang mga gawaing pangsakahan batay sa lagay ng panahon.

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS
HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN - Regular na suriin ang mga pananim upang matukoy ang mga palatandaan ng pagbaha, waterlogging, pagdami ng peste, at pagkalat ng mga sakit, at agad na magsagawa ng angkop na mga hakbang sa pagkontrol kapag ligtas na ang kalagayan. . - Patibayin ang mga greenhouse, nursery, punlaan, imbakan, at iba pang estruktura sa sakahan sa pamamagitan ng pagsasaayos at pagpapatatag ng mga bubong, takip, at maluluwag na bahagi upang mabawasan ang pinsala dulot ng malalakas na hangin. - Iwasan ang pagsasagawa ng mga gawaing pangbukid habang may pagkulong at pagkidlat upang maprotektahan ang mga magsasaka at manggagawa laban sa kidlat, malalakas na hangin, at iba pang panganib na dulot ng masamang panahon. - Suriin ang mga sistema ng irigasyon, mga bomba ng tubig, at mga pasilidad ng paagusan pagkatapos ng malalakas na pag-ulan, at agad na kumpunihin o alisin ang anumang bara o sira upang maibalik ang maayos na pamamahala ng tubig. - Maghanda ng contingency plan para sa pag-aani, pangangasiwa pagkatapos ng anihan, transportasyon, at pagbebenta ng ani upang mabawasan ang pagkalugi sa produksyon at kabuhayan sa panahon ng matagal na masamang lagay ng panahon. - Panatilihin ang pakikipag-ugnayan sa mga lokal na tanggapan ng agrikultura at mga awtoridad sa disaster risk reduction upang makatanggap ng mga pinakabagong abiso, teknikal na suporta, at agarang tulong kung kinakailangan. - Patuloy na subaybayan ang mga weather forecast, rainfall advisories, at tropical cyclone bulletins na inilalabas ng DOST-PAGASA at mga lokal na awtoridad upang makatulong sa maagap na pagpapasya sa mga gawaing pang-agrikultura at pagbawas ng panganib.



PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale warning.

Katamtaman hanggang sa maalon na karagatan ang inaasahan sa **hilaga at kanlurang mga baybayin ng Luzon**, samantalang banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES

MONTHLY EXTREMES

Pinakamataas na Temperatura 38.0 °C (Tuguegarao City, 1980)

Pinakamataas na Temperatura 39.4 °C (Tuguegarao, 1960)

Pinakamababang Temperatura 12.8 °C (Baguio City, 1936)

Pinakamababang Temperatura 12.8 °C (Baguio City, 1923)

Pinakamaraming Ulan 287.6 mm (Dipolog City, 2001)

Pinakamaraming Ulan 969.8 mm (Baguio City, 2008)

INIHANDA HANDA/INI-UPLOAD NINA: **MGA / JAE**

BINIGYANG PANSIN NI: **MTR**