Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 242

Issued: 7:00 AM, Wednesday, 21 October 2026 **Valid until: 7:00 AM, Thursday, 22 October 2026**

SYNOPSIS: At 3:00 AM today, the center of the eye of Super Typhoon "ROSAL" {CHAMPI} was estimated based on all available data at 1,015 km East of Northern Luzon (17.5°N, 131.3°E) with maximum sustained winds of 215 km/h near the center and gustiness of up to 265 km/h. It is moving West Northwestward at 30 km/h.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Batanes, Ilocos Norte, Apayao, Cagayan, Isabela, and Catanduanes	Rains with gusty winds	Gusty winds	23 – 34	20 – 32	60 – 99	>12
Eastern Visayas, Ilocos Sur, Quezon, and the rest of Cordillera Administrative Region, Cagayan Valley, and Bicol Region	Cloudy skies with scattered rains and thunderstorms	**Eastern Visayas, Quezon, and the rest of Bicol Region** – Strong from northeast to northwest; **Ilocos Sur, and the rest of Cordillera Administrative Region and Cagayan Valley** – Light to moderate from northwest to southwest	23 – 33	15 – 32	60 – 98	4 – 8
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	**Eastern sections of Central Luzon and Southern Luzon** – Strong from northeast to northwest; **Mindanao and the rest of Ilocos Region, Central Luzon, Southern Luzon, and Visayas** – Light to moderate from northwest to southwest	23 – 35	21 – 32	45 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

TC ROSAL, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Clean and maintain irrigation canals, drainage systems, pumps, and water storage facilities to ensure efficient water management.
- Harvest mature crops promptly and ensure proper drying and storage to minimize postharvest losses and preserve produce quality.
- Monitor crops regularly for pest infestations, disease development, and signs of water stress, and implement appropriate management measures.
- Ensure adequate field drainage in areas prone to waterlogging to protect crops from prolonged soil saturation.
- Conserve available water through efficient irrigation scheduling, particularly in areas experiencing limited rainfall or declining soil moisture.
- Remove weeds and crop residues that may harbor pests and disease-causing organisms, while retaining beneficial ground cover where appropriate.

Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100
Tel. No.: 8284 -0800 local 4915
Website: http://bagong.pagasa.dost.gov.ph


Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

- Stay alert and informed! Always follow the latest weather advisories from local authorities and your local government. Keep updated through the official DOST-PAGASA website, social media accounts, and PANaHON App for timely weather information, warnings, and safety updates.

FARM ADVISORY

SOIL MOISTURE CONDITION
(October 1 – 10, 2026)




Wet – Pangasinan, La Union, Cagayan Valley, Cordillera Administrative Region, Central Luzon, National Capital Region, Cavite, Batangas, Rizal, most parts of Quezon, Occidental Mindoro, Oriental Mindoro, northern part of Palawan, most parts of Bicol Region, most parts of Western Visayas, Eastern Samar, Leyte, Bukidnon, Davao del Norte, Surigao del Sur, and Lanao del Sur

Moist – Most of Ilocos Region, Laguna, Alabat, Infanta, some parts of Oriental Mindoro, Marinduque, Romblon, some parts of Capiz, Samar, Southern Leyte, Negros Occidental, Zamboanga del Sur, Davao del Sur, South Cotabato, Surigao del Norte, and Maguindanao

Dry – Sorsogon, Masbate, Rest of the country

ENSO ALERT SYSTEM STATUS
(Updated as of 07 October 2026)



EL NIÑO

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimateassessment/EN_Advisory_5.pdf

A strong to very strong El Niño is present in the Tropical Pacific. Forecasts predict that El Niño will continue until the first half of 2027 and may reach its peak before the end of 2026.

El Niño increases the likelihood of below-normal rainfall, which may lead to adverse impacts, including dry spells and droughts in some areas of the country. However, above-normal rainfall conditions may still occur during the passage of tropical cyclones and other rain-bearing weather systems. Farmers are advised to conserve water, maintain irrigation systems, and harvest rainwater to ensure adequate water supply during El Niño. Use drought-tolerant crops and soil moisture conservation practices. Regularly monitor DOST-PAGASA weather updates and adjust farm activities accordingly. Despite generally drier conditions, localized thunderstorms may still bring heavy rain, strong winds, lightning, and possible flash flooding.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

Gale Warning is raised over **the northern and eastern seaboards of Northern Luzon** (Batanes, Babuyan Islands {Babuyan Is., Camiguin Is., Calayan Is.}, the northern and eastern coasts of mainland Cagayan {Santa Ana, Gonzaga, Lal-Lo, Gattaran, Baggao, Peñablanca}, and Isabela), **the eastern seaboard of Southern Luzon** (the northern and eastern coasts of Catanduanes {Pandan, Bagamanoc, Panganiban, Viga, Gigmoto, Baras, Bato}), and **the eastern seaboards of Central Luzon, Southern Luzon, and Visayas** (Aurora {Dilasag, Casiguran}, Camarines Norte {Paracale, Vinzons, Talisay, Daet, Mercedes}, Camarines Sur {Siruma, Tinambac, Lagonoy, Garchitorena, Caramoan}, Albay {Rapu-Rapu}, Sorsogon {Prieto Diaz}, and Northern Samar {Laoang, Palapag, Pambujan, Mondragon, San Roque}).

Rough seas will be experienced over **the eastern seaboards of Central Luzon, Southern Luzon, and Visayas**, while the **rest of the archipelago** will have slight to moderate seas. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

ADDITIONAL INFORMATION			
DAILY EXTREMES		**MONTHLY EXTREMES**	
Maximum Temperature	37.0 ºC (Iba, Zambales; 1972)	**Maximum Temperature**	38.5 ºC (Tuguegarao, 1987)
Minimum Temperature	12.6 ºC (Baguio City, 1968)	**Minimum Temperature**	11.3 ºC (Baguio City, 1913)
Rainfall	414.6 mm (Virac Synop, 1998)	**Rainfall**	994.6 mm (Baguio City, 1998)

PREPARED/UPLOADED BY: RAMF / ARL **VERIFIED BY: MEVT**

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 242

Inilabas ng: 7:00 AM Miyerkules, 21 Oktubre 2026 May bisa hanggang: 7:00 AM Huwebes, 22 Oktubre 2026

SYNOPSIS: Kaninang 3:00 AM, ang sentro ng mata ng Super Typhoon "ROSAL" {CHAMPI} ay tinatayang nasa 1,015 km silangan ng Hilagang Luzon (17.5°N, 131.3°E) na may taglay na lakas ng hangin na 215 km/h malapit sa gitna at pagbugso na umaabot sa 265 km/h. Ito ay kumikilos pa-kanluran hilagang kanluran sa bilis na 30 km/h.

LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (^{0}C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Batanes, Ilocos Norte, Apayao, Cagayan, Isabela, at Catanduanes	Maulan na may pagbugso ng hangin	Pagbugso ng hangin	23 – 34	20 – 32	60 – 99	>12
Silangang Kabisayaan, Ilocos Sur, Quezon, at natitirang bahagi ng Cordillera Administrative Region, Lambak ng Cagayan, at Rehiyon ng Bicol	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	**Silangang Kabisayaan, Quezon, at natitirang bahagi ng Rehiyon ng Bicol** – Malakas mula hilagang silangan hanggang hilagang kanluran; **Ilocos Sur, at natitirang bahagi ng Cordillera Administrative Region at Lambak ng Cagayan** – Mahina hanggang sa katamtaman mula hilagang kanluran hanggang timog-kanluran	23 – 33	15 – 32	60 – 98	4 – 8
Metro Manila at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	**Silangang bahagi ng Gitnang Luzon at Katimugang Luzon** – Malakas mula hilagang silangan hanggang hilagang kanluran; **Mindanao at natitirang bahagi ng Rehiyon ng Ilocos, Gitnang Luzon, Katimugang Luzon, at Kabisayaan** – Mahina hanggang sa katamtaman mula hilagang kanluran hanggang timog-kanluran	23 – 35	21 – 32	45 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

TC ROSAL, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Linisin at panatilihing maayos ang mga kanal ng irigasyon, sistema ng paagusan, mga bomba ng patubig, at mga pasilidad sa imbakan ng tubig upang matiyak ang mahusay na pamamahala ng tubig.
- Anihin agad ang mga pananim na nasa hustong gulang na at tiyakin ang wastong pagpapatuyo at pag-iimbak ng mga ito upang mabawasan ang pagkalugi pagkatapos ng anihan at mapanatili ang kalidad ng mga produkto.


Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

- Regular na subaybayan ang mga pananim para sa posibleng pagdami ng mga peste, paglitaw ng mga sakit, at mga palatandaan ng kakulangan sa tubig, at magsagawa ng angkop na mga hakbang sa pamamahala.
- Tiyakin ang maayos na daloy ng tubig palabas sa mga bukirin, lalo na sa mga lugar na madaling bahain o mag-ipon ng tubig, upang maiwasan ang matagal na pagkababad ng mga pananim sa sobrang tubig.
- Pangalagaan ang natitirang suplay ng tubig sa pamamagitan ng maayos at napapanahong pagdidilig, lalo na sa mga lugar na nakararanas ng kaunting pag-ulan o pagbaba ng halumigmig ng lupa.
- Alisin ang mga damo at mga tira-tirang bahagi ng pananim na maaaring pamahayan ng mga peste at organismong nagdudulot ng sakit, habang pinananatili ang kapaki-pakinabang na pantakip sa lupa kung kinakailangan.
- Laging makinig sa mga payo ng mga awtoridad at lokal na pamahalaan tungkol sa mga kondisyon ng panahon. Manatiling updated sa mga ulat at abiso mula sa DOST-PAGASA website, social media accounts, at PANaHON App.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN
(Oktubre 1 – 10, 2026)




Basa – Pangasinan, La Union, Cagayan Valley, Cordillera Administrative Region, Gitnang Luzon, National Capital Region, Cavite, Batangas, Rizal, malaking bahagi ng Quezon, Occidental Mindoro, Oriental Mindoro, hilagang bahagi ng Palawan, malaking bahagi ng Rehiyon ng Bicol, malaking bahagi ng Kanlurang Kabisayaan, Eastern Samar, Leyte, Bukidnon, Davao del Norte, Surigao del Sur, at Lanao del Sur

Katamtaman – malaking bahagi ng Rehiyon ng Ilocos, Laguna, Alabat, Infanta, ilang bahagi ng Oriental Mindoro, Marinduque, Romblon, ilang bahagi ng Capiz, Samar, Southern Leyte, Negros Occidental, Zamboanga del Sur, Davao del Sur, South Cotabato, Surigao del Norte, at Maguindanao

Tuyo – Sorsogon, Masbate, at natitirang bahagi bahagi ng bansa

ENSO ALERT SYSTEM STATUS
(mula noong 07 Oktubre 2026)



EL NIÑO

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimateassessment/EN_Advisory_5.pdf

Ang malakas hanggang sa napakalakas na El Niño ay umiiral sa Tropical Pacific. Batay sa mga pagtataya, inaasahang magpapatuloy ang El Niño hanggang sa unang kalahati ng 2027 at maaaring umabot sa pinakamalakas nitong antas bago matapos ang 2026.

Ang El Niño ay nagpapataas ng posibilidad na magkaroon ng mas mababa sa karaniwang dami ng ulan, na maaaring magdulot ng mga negatibong epekto tulad ng dry spell at tagtuyot sa ilang bahagi ng bansa. Gayunpaman, maaari pa ring magkaroon ng mas mataas sa karaniwang dami ng ulan kapag may pagdaan ng mga tropical cyclone at iba pang weather systems na nagdadala ng ulan. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihing maayos ang irigasyon, at mag-ipon ng tubig-ulan upang matiyak ang suplay ng tubig sa panahon ng El Niño. Gumamit ng mga pananim na matibay sa tagtuyot at mga pamamaraan sa pagpapanatili ng halumigmig ng lupa. Regular na subaybayan ang mga update ng DOST-PAGASA at iangkop ang mga gawaing pansaka ayon sa kondisyon ng panahon. Bagama't mas tuyo ang karaniwang kondisyon, maaari pa ring magkaroon ng localized thunderstorms na may malakas na ulan, hangin, pagkidlat, at posibleng biglaang pagbaha.

Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100

Tel. No.: 8284 -0800 local 4915
Website: http://bagong.pagasa.dost.gov.ph

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

PAYO SA MGA MANGINGISDA
GALE WARNING AT KONDISYON NG KARAGATAN
Nakataas ang Gale Warning sa **hilaga at silangang mga baybayin ng Hilagang Luzon** (Batanes, Babuyan Islands {Babuyan Is., Camiguin Is., Calayan Is.}, hilaga at silangang mga baybayin sa kalupaan ng Cagayan {Santa Ana, Gonzaga, Lal-Lo, Gattaran, Baggao, Peñablanca}, at Isabela), **silangang baybayin ng Katimugang Luzon** (hilaga at silangang mga baybayin ng Catanduanes {Pandan, Bagamanoc, Panganiban, Viga, Gigmoto, Baras, Bato}), at **silangang baybayin ng Gitnang Luzon, Katimugang Luzon, at Kabisayaan** (Aurora {Dilasag, Casiguran}, Camarines Norte {Paracale, Vinzons, Talisay, Daet, Mercedes}, Camarines Sur {Siruma, Tinambac, Lagonoy, Garchitorena, Caramoan}, Albay {Rapu-Rapu}, Sorsogon {Prieto Diaz}, at Northern Samar {Laoang, Palapag, Pambujan, Mondragon, San Roque}). Maalon na karagatan ang mararanasan sa **silangang mga baybayin ng Gitnang Luzon, Katimugang Luzon, at Kabisayaan**, samantalang ang **kanlurang baybayin ng Hilagang Luzon at natitirang bahagi ng Gitnang Luzon, Katimugang Luzon, Kabisayaan, at Mindanao** ay magkakaroon ng banayad hanggang sa katamtamang pag-alon ng karagatan. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN			
DAILY EXTREMES		**MONTHLY EXTREMES**	
Pinakamataas na Temperatura	37.0 ºC (Iba, Zambales; 1972)	**Pinakamataas na Temperatura**	38.5 ºC (Tuguegarao, 1987)
Pinakamababang Temperatura	12.6 ºC (Baguio City, 1968)	**Pinakamababang Temperatura**	11.3 ºC (Baguio City, 1913)
Pinakamaraming Ulan	414.6 mm (Virac Synop, 1998)	**Pinakamaraming Ulan**	994.6 mm (Baguio City, 1998)

INIHANDA HANDA/INI-UPLOAD NINA: RAMF / ARL **BINIGYANG PANSIN NI: MEVT**

Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100
Tel. No.: 8284 -0800 local 4915
Website: http://bagong.pagasa.dost.gov.ph