



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 124

Issued: 7:00 AM, Wednesday, 03 June 2026

Valid until: 7:00 AM, Thursday, 04 June 2026

SYNOPSIS: Southwest Monsoon affecting Northern Luzon, Central Luzon and the western section of Southern Luzon.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Metro Manila, Pangasinan, Zambales, Bataan, Tarlac, Pampanga, Bulacan, Cavite, Batangas, Occidental Mindoro, and Palawan	Occasional rains	Moderate to strong from southwest;	22 – 32	20 – 30	65 – 98	>12
Cagayan Valley, Cordillera Administrative Region, the rest of Ilocos Region, the rest of Central Luzon, the rest of CALABARZON, and the rest of MIMAROPA	Cloudy skies with scattered rains and thunderstorms	Cagayan Valley, Cordillera Administrative Region, the rest of Ilocos Region, and the rest of Central Luzon – Moderate to strong from southwest; Rest CALABARZON, and the rest of MIMAROPA – Light to moderate from southeast to south;	22 – 35	17 – 32	55 – 98	4 – 8
The rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Visayas and the rest of Luzon – Light to moderate from southeast to south; Mindanao – Light to moderate with variable direction	23 – 36	21 – 33	40 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Ensure proper drainage in farms and gardens to prevent waterlogging and root damage to crops.
- Reinforce plant supports such as stakes and trellises to protect crops from strong winds and heavy downpours.

HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)

The Heat Index is a human discomfort index that gives the apparent temperature on what humans perceive or feel as the temperature (from the surroundings) affecting the body. High air temperature and high relative humidity results to high apparent temperature.




- Clear canals, drainage systems, and waterways to maintain proper water flow and reduce flooding risks.
- Monitor crops for signs of pests and diseases, especially fungal infections that commonly develop during wet conditions.
- Store fertilizers, feeds, harvested produce, and farm equipment in dry and elevated areas to prevent spoilage and damage.
- Cover harvested crops and agricultural products properly during transport to protect them from rain exposure, contamination, and spoilage.
- Keep updated with local advisories from LGUs and DOST-PAGASA for early warnings.

<https://www.pagasa.dost.gov.ph/climate/climate-heat-index>

FARM ADVISORY

SOIL MOISTURE CONDITION (May 21 – 31, 2026)




Wet – Davao del Norte, North Cotabato, and Surigao del Sur

Moist – Bulacan, Aurora, Infanta, Alabat, Sorsogon, Capiz, Northern Samar, Samar, Leyte, Eastern Samar, Zamboanga del Norte, Bukidnon, Davao del Sur, Surigao del Norte, Agusan del Norte, Maguindanao, and Lanao del Sur

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS (Updated as of 26 May 2026)



EL NIÑO ALERT

<https://pagasa.dost.gov.ph/climate/climate-advisories#>

El Niño is expected to develop by mid-2026, increasing the possibility of below-normal rainfall, dry spells, and drought. Farmers are advised to maintain irrigation systems, use drought-tolerant crops, and harvest mature crops early when needed. Localized thunderstorms may still occur, especially in the afternoon or evening, bringing heavy rain, strong winds, lightning, and possible flash flooding in low-lying areas. Farmers should stay alert to daily weather updates, secure farm structures, and avoid field activities during thunderstorms, and adjust planting schedules based on DOST-PAGASA forecasts.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning was raised.

Moderate seas will prevail over the **seaboards of Northern Luzon, Central Luzon, and the western section of Southern Luzon** while slight to moderate seas will be experienced over the **rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES

Maximum Temperature	41.7 °C (Tuguegarao City, 1963)
Minimum Temperature	14.5 °C (Baguio City, 1907)
Rainfall	210.3 mm (Itbayat, 2010)

MONTHLY EXTREMES

Maximum Temperature	41.7 °C (Tuguegarao, 1963)
Minimum Temperature	13.0 °C (Malaybalay, 1962)
Rainfall	533.6 mm (Baguio City, 1993)

PREPARED/UPLOADED BY: **MGA / HGDE**

VERIFIED BY: **MEVT**



TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 124

Inilabas ng: 7:00 AM, Miyerkules, 03 Hunyo 2026


May bisa hanggang: 7:00 AM, Huwebes, 04 Hunyo 2026

SYNOPSIS: Habagat ang nakakaapekto sa Hilagang Luzon, Gitnang Luzon at kanlurang bahagi ng Katimugang Luzon.

LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASANG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Metro Manila, Pangasinan, Zambales, Bataan, Tarlac, Pampanga, Bulacan, Cavite, Batangas, Occidental Mindoro, at Palawan	Paminsan-minsang pag-ulan	Katamtaman hanggang sa malakas mula timog-kanluran;	22 – 32	20 – 30	65 – 98	>12
Cagayan Valley, Cordillera Administrative Region, natitirang bahagi ng Rehiyon ng Ilocos, natitirang bahagi ng Gitnang Luzon, natitirang bahagi ng CALABARZON, at natitirang bahagi ng MIMAROPA	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	Cordillera Administrative Region, natitirang bahagi ng Rehiyon ng Ilocos, at natitirang bahagi ng Gitnang Luzon – Katamtaman hanggang sa malakas mula timog-kanluran; Natitirang bahagi ng CALABARZON, at natitirang bahagi ng MIMAROPA – Mahina hanggang sa katamtaman mula timog-silangan hanggang timog;	22 – 35	17 – 32	55 – 98	4 – 8
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	Kabisayaan at natitirang bahagi ng Luzon – Mahina hanggang sa katamtaman mula timog-silangan hanggang timog; Mindanao – Mahina hanggang sa katamtaman na may pabagu-bagong direksyon	23 – 36	21 – 33	40 – 96	0 – 4



SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS	PAGSUBAYBAY AT PAGTATAYA NG HEAT INDEX (NAOBSERBAHAN AT 2-ARAW NA PAGTATAYA)
HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN • Tiyakin ang maayos na drainage sa mga sakahan at hardin upang maiwasan ang pag-ipon ng tubig (waterlogging) at pagkasira ng ugat ng mga pananim. • Palakasin ang suporta ng mga halaman tulad ng pagtatali (staking) at trellis upang maprotektahan ang mga pananim laban sa malalakas na hangin at matinding pag-ulan. • Linisin ang mga kanal, drainage system, at daluyan ng tubig upang mapanatili ang maayos na agos ng tubig at mabawasan ang panganib ng pagbaha. • Bantayang mabuti ang mga pananim para sa mga senyales ng peste at sakit, lalo na ang mga fungal infection na karaniwang lumalaganap sa tag-ulan. • Itago ang mga abono, pakain, aning produkto, at kagamitang pansakahan sa tuyo at nakataas na lugar upang maiwasan ang pagkasira at pagkawala ng kalidad. • Takpan nang maayos ang mga inaning produkto at agrikultural na paninda habang inilalako o dinadala upang maprotektahan laban sa ulan, kontaminasyon, at pagkasira. • Laging makinig at mag-update sa mga abiso mula sa LGUs at DOST-PAGASA para sa maagang babala at tamang paghahanda.	Ang init na nararamdaman ng katawan ng tao (apparent temperature) ay hindi akma nang nasusukat gamit lamang ang temperature ng hangin (air temperature). Ito ay mas tamang naitataya kung isasama ang datos ng alinsangan o halumigmig (relative humidity). Ang impormasyon na ito ay tinatawag na Heat Index at ito ay matutukoy gamit ang Heat Index Chart. https://www.pagasa.dost.gov.ph/climate/climate-heat-index

PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Mayo 21 – 31, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 26 Mayo 2026)
 Basa – Davao del Norte, North Cotabato, at Surigao del Sur Katamtaman – Bulacan, Aurora, Infanta, Alabat, Sorsogon, Capiz, Northern Samar, Samar, Leyte, Eastern Samar, Zamboanga del Norte, Bukidnon, Davao del Sur, Surigao del Norte, Agusan del Norte, Maguindanao, at Lanao del Sur Tuyo – Natitirang bahagi	 EL NIÑO ALERT https://pagasa.dost.gov.ph/climate/climate-advisories# Inaasahang ang El Niño sa kalagitnaan ng 2026, na magdudulot ng tagtuyot at posibleng kakulangan sa tubig. Pinapayuhan ang mga magsasaka na panatilihin ang maayos na irigasyon, gumamit ng drought-tolerant na pananim, at anihin agad ang mga hinog na tanim kung kinakailangan. Maaari pa ring magkaroon ng localized thunderstorms, lalo na sa hapon o gabi, na may kasamang malakas na ulan, hangin, kidlat, at posibleng flash flood sa mabababang lugar. Panatiling updated sa araw-araw na lagay ng panahon, tiyakin ang kaligtasan ng mga pasilidad sa bukid, iwasan ang trabaho sa bukid tuwing may thunderstorm, at iangkop ang taniman ayon sa forecast ng DOST-PAGASA.



PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtamang pag-alon ang iiral sa **mga baybayin ng Hilagang Luzon, Gitnang Luzon at kanlurang bahagi ng Katimugang Luzon**, samantalang banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa **natitirang baybayin ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES

MONTHLY EXTREMES

Pinakamataas na Temperatura 41.7 °C (Tuguegarao City, 1963)

Pinakamababang Temperatura 14.5 °C (Baguio City, 1907)

Pinakamaraming Ulan 210.3 mm (Itbayat, 2010)

Pinakamataas na Temperatura 41.7 °C (Tuguegarao, 1963)

Pinakamababang Temperatura 13.0 °C (Malaybalay, 1962)

Pinakamaraming Ulan 533.6 mm (Baguio City, 1993)

INIHANDA HANDA/INI-UPLOAD NINA: **MGA / HGDE**

BINIGYANG PANSIN NI: **MEVT**