



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 214

Issued: 7:00 AM, Thursday, 17 September 2026

Valid until: 7:00 AM, Friday, 18 September 2026

SYNOPSIS: At 3:00 AM today, a Low Pressure Area (LPA) was estimated based on all available data at 125 km East of Puerto Princesa City, Palawan (9.8°N, 119.9°E). It is embedded along the Intertropical Convergence Zone (ITCZ) affecting Southern Luzon, Visayas, and Mindanao.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

TROPICAL STORM DUJUAN (2625)

LOCATION: 2,970 KM EAST OF NORTHERN LUZON (17.8°N, 149.8°E)

MAXIMUM SUSTAINED WINDS: 75 KM/H NEAR THE CENTER

GUSTINESS: UP TO 90 KM/H

MOVEMENT: NORTH NORTHEASTWARD AT 20 KM/H



FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Visayas, MIMAROPA, Bicol Region, Zamboanga Peninsula, BARMM, Northern Mindanao, Caraga, Batangas, Quezon, Davao del Norte, Davao de Oro, and Davao Oriental	Cloudy skies with scattered rains and thunderstorms	Light to moderate from southwest to southeast	23 – 34	20 – 30	65 – 99	6 – 10
The rest of Mindanao	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from southwest to southeast	23 – 34	21 – 32	55 – 98	0 – 6
Metro Manila and the rest of Luzon	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from northeast to east	22 – 35	17 – 29	45 – 97	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

ITCZ, LPA, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Adjust planting, spraying, and harvesting schedules based on expected rainfall.
- Ensure proper field drainage to prevent waterlogging and root rot.
- Store harvested crops and farm inputs in elevated, dry, and covered areas.
- Apply mulch to reduce soil erosion and maintain soil moisture balance.
- Conduct regular field inspections for lodging, stem rot, and nutrient deficiencies.
- Remove and destroy infected plant parts to limit disease spread.
- Apply pest and disease control measures during dry windows.
- Stay alert and informed! Always follow the latest weather advisories from local authorities and your local government. Keep updated through the official DOST-PAGASA website, social media accounts, and PANaHON App for timely weather information, warnings, and safety updates.



FARM ADVISORY	
SOIL MOISTURE CONDITION (September 1 – 10, 2026)	ENSO ALERT SYSTEM STATUS (Updated as of 07 September 2026)
 Legend - DRY (0-75mm) - MOIST (76mm-150mm) - WET (>150mm) Wet – Ilocos Region, Aparri, Itbayat, most of Cagayan Valley, Cordillera Administrative Region, Central Luzon, National Capital Region, most part of CALABARZON and MIMAROPA, Iloilo, and Catarman Moist – Basco, Cagayan, some parts of Cavite, Mulanay, Romblon, Albay, Catanduanes, Southern Leyte, Negros Occidental, Davao, and South Cotabato Dry – Casiguran, Alabat Puerto Princesa, and the rest of the country	 EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Moderate to strong El Niño is present in the Tropical Pacific. Climate models predict that El Niño will continue until the first half of 2027 and may reach a very strong state before the end of 2026. Farmers are advised to conserve water, maintain irrigation systems, and harvest rainwater to ensure adequate water supply during El Niño. Use drought-tolerant crops and soil moisture conservation practices. Regularly monitor DOST-PAGASA weather updates and adjust farm activities accordingly. Despite generally drier conditions, localized thunderstorms may still bring heavy rain, strong winds, lightning, and possible flash flooding.

FISHING ADVISORY
GALE WARNING AND SEA CONDITION
No Gale Warning is raised.
Slight to moderate seas will be experienced over the whole archipelago . Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	37.8 °C (Borongan, 1914)	Maximum Temperature	38.9 °C (Tuguegarao, 1963)
Minimum Temperature	14.0 °C (Baguio City, 1911)	Minimum Temperature	12.6 °C (Baguio City, 1990)
Rainfall	279.4 mm (Basco, 1980)	Rainfall	799.8 mm (Baguio City, 1911)

PREPARED/UPLOADED BY: NRE / ARL	VERIFIED BY: MEVT
---------------------------------	-------------------



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 214

Inilabas ng: 7:00 AM Huwebes, 17 Setyembre 2026 May bisa hanggang: 7:00 AM Biyernes, 18 Setyembre 2026

SYNOPSIS: Kaninang 3:00 AM, ang Low Pressure Area (LPA) ay tinatayang nasa 125 km silangang ng Puerto Princesa City, Palawan (9.8°N, 119.9°E). Ito ay nakapaloob sa Intertropical Convergence Zone (ITCZ) na nakakaapekto sa Katimugang Luzon, Kabisayaan, at Mindanao.

TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM

TROPICAL STORM DUJUAN (2625)

LOKASYON: 2,970 KM SILANGAN NG HILAGANG LUZON (17.8°N, 149.8°E)

TAGLAY NA LAKAS NG HANGIN: 75 KM/H MALAPIT SA GITNA

PAGBUGSO: UMAABOT SA 90 KM/H

PAGKILOS: PA-HILAGA HILAGANG SILANGAN SA BILIS NA 20 KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Kabisayaan, MIMAROPA, Rehiyon ng Bicol, Zamboanga Peninsula, BARMM, Northern Mindanao, Caraga, Batangas, Quezon, Davao del Norte, Davao de Oro, at Davao Oriental	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula timog kanluran hanggang timog silangan	23 – 34	20 – 30	65 – 99	6 – 10
Natitirang bahagi ng Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula timog kanluran hanggang timog silangan	23 – 34	21 – 32	55 – 98	0 – 6
Metro Manila at natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula hilagang silangan hanggang silangan	22 – 35	17 – 29	45 – 97	0 – 4




SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

ITCZ, LPA, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- layon ang iskedyul ng pagtatanim, pag-iispra, at pag-aani batay sa inaasahang dami ng ulan.
- Siguraduhing maayos ang daluyan ng tubig sa bukid upang maiwasan ang pagbabara ng tubig at pagkabulok ng ugat.
- Itago ang mga naaning pananim at farm inputs sa mataas, tuyo, at may bubong na lugar.
- Maglagay ng mulch upang mabawasan ang pagguho ng lupa at mapanatili ang tamang halumigmig ng lupa.
- Magsagawa ng regular na pag-iinspeksyon sa bukid para sa pagkadapa ng pananim, pagkabulok ng tangkay, at kakulangan sa sustansya.
- Tanggalin at sirain ang mga apektadong bahagi ng halaman upang maiwasan ang pagkalat ng sakit.
- Isagawa ang pest at disease control sa mga panahong tuyo o walang ulan.
- Laging makinig sa mga payo ng awtoridad at lokal na pamahalaan para sa mga ulat panahon. Maging updated sa DOST-PAGASA website, social media, at PANaHON App.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Setyembre 1 – 10, 2026)




Basa – Rehiyon ng Aparri, Itbayat, malaking bahagi ng Cagayan Valley, Cordillera Administrative Region, Gitnang Luzon, National Capital Region, malaking bahagi ng CALABARZON, at MIMAROPA, Iloilo, at Catarman

Moist – Basco, Cagayan, some ilang bahagi ng Cavite, Mulanay, Romblon, Albay, Catanduanes, Southern Leyte, Negros Occidental, Davao, at South Cotabato

Tuyo – Casiguran, Alabat Puerto Princesa at natitirang bahagi bahagi

ENSO ALERT SYSTEM STATUS (mula noong 07 Setyembre 2026)



EL NIÑO

<https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf>
Kasalukuyang umiiral ang katamtamang hanggang sa malakas na El Niño sa Tropical Pacific. Ayon sa mga forecast, inaasahang magpapatuloy ang El Niño hanggang sa unang kalahati ng 2027 at may posibilidad na maging mas malakas bago matapos ang 2026.
Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatiliing maayos ang irigasyon, at mag-ipon ng tubig-ulan upang matiyak ang suplay ng tubig sa panahon ng El Niño. Gumamit ng mga pananim na matibay sa tagtuyot at mga pamamaraan sa pagpapanatili ng halumigmig ng lupa. Regular na subaybayan ang mga update ng DOST-PAGASA at iangkop ang mga gawaing pansaka ayon sa kondisyon ng panahon. Bagama't mas tuyo ang karaniwang kondisyon, maaari pa ring magkaroon ng localized thunderstorms na may malakas na ulan, hangin, pagkidlat, at posibleng biglaang pagbaha.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa **buong kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	37.8 °C (Borongan, 1914)	Pinakamataas na Temperatura	38.9 °C (Tuguegarao, 1963)
Pinakamababang Temperatura	14.0 °C (Baguio City, 1911)	Pinakamababang Temperatura	12.6 °C (Baguio City, 1990)
Pinakamaraming Ulan	279.4 mm (Basco, 1980)	Pinakamaraming Ulan	799.8 mm (Baguio City, 1911)
INIHANDA HANDA/INI-UPLOAD NINA: NRE / ARL		BINIGYANG PANSIN NI: MEVT	