



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 152

Issued: 7:00 AM, Monday, 06 July 2026

Valid until: 7:00 AM, Tuesday, 07 July 2026

SYNOPSIS: Ridge of High Pressure Area (HPA) extending over Extreme Northern Luzon.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

SUPER TYPHOON BAVI (2609)

LOCATION: 2,355 KM EAST OF SOUTHEASTERN LUZON (14.0°N, 146.0°E)

MAXIMUM SUSTAINED WINDS: 215 KM/H NEAR THE CENTER

GUSTINESS: UP TO 265 KM/H

MOVEMENT: WEST NORTHWESTWARD AT 15 KM/H



FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Metro Manila and the rest of country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Northern Luzon – Light to moderate from northeast to southeast, The eastern sections of Central Luzon, Southern Luzon, and Visayas – Light to moderate from Northeast to Northwest Mindanao – Light to moderate from Southwest to West; The rest of the country – Light to Moderate Southwest	23 – 37	18 – 35	45 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Inspect crops regularly for signs of flooding, waterlogging, pest infestations, and disease outbreaks, and implement appropriate control measures as soon as conditions permit.
- Remove fallen branches, lodged plants, and other debris from fields to improve drainage, reduce disease risks, and facilitate recovery after adverse weather.
- Secure greenhouses, nurseries, seedbeds, storage facilities, and other farm structures by reinforcing roofs, coverings, and loose materials against strong winds.
- Avoid field operations during thunderstorms to protect farmers and workers from lightning, strong winds, and other weather-related hazards.
- Check irrigation systems, pumps, and drainage facilities after heavy rains, and repair any damaged or blocked sections to restore efficient water management.
- Prepare contingency plans for harvesting, post-harvest handling, transportation, and marketing to minimize production and economic losses during prolonged adverse weather conditions.
- Maintain communication with local agricultural offices and disaster risk reduction authorities for updates, technical assistance, and emergency response support.
- Continue monitoring weather forecasts, rainfall advisories, and tropical cyclone bulletins issued by DOST-PAGASA and local authorities to guide timely agricultural decision-making and risk reduction.



FARM ADVISORY			
SOIL MOISTURE CONDITION (June 21 – 30, 2026)		ENSO ALERT SYSTEM STATUS (Updated as of 24 June 2026)	
 Wet – Zambales, Bataan, most parts of Palawan, Romblon, Occidental Mindoro, some portions of Capiz, some portions of Bukidnon, Davao del Norte, and Lanao del Sur Moist – Ilocos Sur, Itbayat, Nueva Ecija, most parts of Aurora, Tayabas, Laguna, most parts of Cavite, Batangas, most parts of Cordillera Administrative Region, Quezon City, Southern Leyte, Leyte, some portions of Eastern Samar, Davao del Sur, Maguindanao, and Negros Occidental Dry – Rest of the country		 EL NIÑO https://www.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring El Niño is expected to develop by mid-2026, increasing the possibility of below-normal rainfall, dry spells, and drought. Farmers are advised to maintain irrigation systems, use drought-tolerant crops, and harvest mature crops early when needed. Localized thunderstorms may still occur, especially in the afternoon or evening, bringing heavy rain, strong winds, lightning, and possible flash flooding in low-lying areas. Farmers should stay alert to daily weather updates, secure farm structures, and avoid field activities during thunderstorms, and adjust planting schedules based on DOST-PAGASA forecasts.	
FISHING ADVISORY			
GALE WARNING AND SEA CONDITION			
No Gale warning has been raised			
Slight to moderate seas will prevail over the whole archipelago . Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST-PAGASA.			
ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	40.0 °C (Tuguegarao City, 1915 & 1983)	Maximum Temperature	41.0 °C (Tuguegarao, 1915)
Minimum Temperature	14.1 °C (Baguio City, 1908)	Minimum Temperature	12.2 °C (Baguio City, 1907)
Rainfall	242.8 mm (Port Area, 2002)	Rainfall	1,085.8 mm (Baguio City, 2001)
PREPARED/UPLOADED BY: NRE / JAE		VERIFIED BY: MEVT	



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 152

Inilabas ng: 7:00 AM, Lunes, 06 Hulyo 2026 May bisa hanggang: 7:00 AM, Martes, 07 Hulyo 2026

SYNOPSIS: Ang Ridge ng High Pressure Area (HPA) ay umaabot hanggang sa dulong Hilagang Luzon.

BAGYO SA LABAS NG PAR KANINANG 3:00 AM

SUPER TYPHOON BAVI (2609)

LOKASYON: 2,355 KM SILANGAN NG TIMOG-SILANGANG LUZON (14.0°N, 146.0°E)

TAGLAY NA LAKAS NG HANGIN: 215 KM/H MALAPIT SA GITNA

PAGBUGSO: UMAABOT SA 265 KM/H

PAGKILOS: KANLURAN HIAGANG-KANLURAN SA BILIS NA 15 KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Metro Manila at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Hilagang Luzon – Mahina hanggang sa katamtaman mula hilagang-silangan hanggang timog-silangan; Silangang bahagi ng Gitnang Luzon, Katimugang Luzon, at Kabisayaan – Mahina hanggang sa katamtaman mula hilagang-silangan hanggang hilagang-kanluran; Mindanao – Mahina hanggang sa katamtaman mula timog-kanluran hanggang kanluran; Natitirang bahagi ng bansa – Mahina hanggang sa katamtaman mula timog-kanluran	23 – 37	18 – 35	45 – 96	0 – 4



SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Regular na suriin ang mga pananim upang matukoy ang mga palatandaan ng pagbaha, waterlogging, pagdami ng peste, at pagkalat ng mga sakit, at agad na magsagawa ng angkop na mga hakbang sa pagkontrol kapag ligtas na ang kalagayan.
- Alisin ang mga natumbang sanga, nakahigang pananim, at iba pang mga kalat sa bukirin upang mapabuti ang daloy ng tubig, mabawasan ang panganib ng sakit sa pananim, at mapabilis ang pagbangon ng sakahan matapos ang masamang panahon.
- Patibayin ang mga greenhouse, nursery, punlaan, imbakan, at iba pang estruktura sa sakahan sa pamamagitan ng pagsasaayos at pagpapatatag ng mga bubong, takip, at maluluwag na bahagi upang mabawasan ang pinsala dulot ng malalakas na hangin.
- Iwasan ang pagsasagawa ng mga gawaing pangbukid habang may pagkulong at pagkidlat upang maprotektahan ang mga magsasaka at manggagawa laban sa kidlat, malalakas na hangin, at iba pang panganib na dulot ng masamang panahon.
- Suriin ang mga sistema ng irigasyon, mga bomba ng tubig, at mga pasilidad ng paagusan pagkatapos ng malalakas na pag-ulan, at agad na kumpunihin o alisin ang anumang bara o sira upang maibalik ang maayos na pamamahala ng tubig.
- Maghanda ng contingency plan para sa pag-aani, pangangasiwa pagkatapos ng anihan, transportasyon, at pagbebenta ng ani upang mabawasan ang pagkalugi sa produksyon at kabuhatan sa panahon ng matagal na masamang lagay ng panahon.



- Panatilihin ang pakikipag-ugnayan sa mga lokal na tanggapan ng agrikultura at mga awtoridad sa disaster risk reduction upang makatanggap ng mga pinakabagong abiso, teknikal na suporta, at agarang tulong kung kinakailangan.
- Patuloy na subaybayan ang mga weather forecast, rainfall advisories, at tropical cyclone bulletins na inilalabas ng DOST-PAGASA at mga lokal na awtoridad upang makatulong sa maagap na pagpapasya sa mga gawaing pang-agrikultura at pagbawas ng panganib.

PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Hunyo 21 – 30, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 24 Hunyo 2026)
 Basa – Zambales, Bataan, malaking bahagi ng Palawan, Romblon, Occidental Mindoro, ilang bahagi ng Capiz, ilang bahagi ng Bukidnon, Davao del Norte, at Lanao del Sur Katamtaman – Ilocos Sur, Itbayat, Nueva Ecija, malaking bahagi ng Aurora, Tayabas, Laguna, malaking bahagi ng Cavite, Batangas, malaking bahagi ng Cordillera <i>Administrative Region, Quezon City, Southern Leyte, Leyte, ilang bahagi ng Eastern Samar, Davao del Sur, Maguindanao, at Negros Occidental</i> Tuyo – Natitirang bahagi bahagi	 EL NIÑO https://www.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring Inaasahang ang El Niño sa kalagitnaan ng 2026, na magdudulot ng tagtuyot at posibleng kakulangan sa tubig. Pinapayuhan ang mga magsasaka na panatilihin ang maayos na irigasyon, gumamit ng drought-tolerant na pananim, at anihin agad ang mga hinog na tanim kung kinakailangan. Maaari pa ring magkaroon ng localized thunderstorms, lalo na sa hapon o gabi, na may kasamang malakas na ulan, hangin, kidlat, at posibleng flash flood sa mabababang lugar. Panatiling updated sa araw-araw na lagay ng panahon, tiyakin ang kaligtasan ng mga pasilidad sa bukid, iwasan ang trabaho sa bukid tuwing may thunderstorm, at iangkop ang taniman ayon sa forecast ng DOST-PAGASA.

PAYO SA MGA MANGINGISDA
GALE WARNING AT KONDISYON NG KARAGATAN
Walang nakataas na Gale Warning. Banayad hanggang sa katamtamang pag-alon ng karagatan ang inaasahan sa buong kapuluan. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	40.0 °C (Tuguegarao City, 1915 & 1983)	Pinakamataas na Temperatura	41.0 °C (Tuguegarao, 1915)
Pinakamababang Temperatura	14.1 °C (Baguio City, 1908)	Pinakamababang Temperatura	12.2 °C (Baguio City, 1907)
Pinakamaraming Ulan	242.8 mm (Port Area, 2002)	Pinakamaraming Ulan	1,085.8 mm (Baguio City, 2001)
INIHANDA HANDA/INI-UPLOAD NINA: NRE / JAE		BINIGYANG PANSIN NI: MEVT	