



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 178

Issued: 7:00 AM, Tuesday, 04 August 2026

Valid until: 7:00 AM, Wednesday, 05 August 2026

SYNOPSIS: At 3:00 AM today, a Low Pressure Area (LPA) was estimated based on all available data in the vicinity of Baggao, Cagayan (17.5°N, 121.9°E). Another Low Pressure Area (LPA) was estimated over coastal waters of Balaon, La Union (16.8°N, 120.1°E). Southwest Monsoon affecting Southern Luzon and the western section of Visayas.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

TYPHOON DOLPHIN (2613)

LOCATION: 2,330 KM EAST NORTHEAST OF EXTREME NORTHERN LUZON (25.1°N, 144.1°E)

MAXIMUM SUSTAINED WINDS: 150 KM/H NEAR THE CENTER

GUSTINESS: UP TO 185 KM/H

MOVEMENT: WESTWARD AT 25 KM/H



FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Ilocos Region, Cordillera Administrative Region, Cagayan Valley, and Central Luzon	Cloudy skies with scattered rains and thunderstorms	Moderate to strong from northeast to northwest	23 – 33	17 – 30	60 – 99	6 – 10
Metro Manila, CALABARAZON, Occidental Mindoro, Oriental Mindoro, Marinduque, Antique, Iloilo, and Guimaras	Cloudy skies with scattered rains and thunderstorms	Light to moderate from south to southwest	22 – 33	20 – 30	55 – 98	4 – 8
The rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from south to southwest	23 – 35	19 – 32	45 – 97	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

LPA, SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Clear canals, ditches, and drainage channels to prevent waterlogging and flooding.
- Reinforce dikes, embankments, and pond walls to minimize erosion and structural damage.
- Implement soil conservation practices, such as mulching or contour barriers, to reduce erosion during heavy rainfall.
- Collect and store rainwater for future irrigation once weather conditions improve.
- Secure farm machinery, tools, fertilizers, chemicals, and harvested produce in safe, elevated storage areas.
- Keep farm records of weather impacts, crop losses, and management actions to improve future preparedness.
- Assess field conditions before allowing workers to return, ensuring the area is free from hazards such as unstable trees, damaged electrical lines, or deep floodwaters.
- Follow official advisories from DOST-PAGASA, the Department of Agriculture, and local government units.



FARM ADVISORY	
SOIL MOISTURE CONDITION (July 21 – 31, 2026)	ENSO ALERT SYSTEM STATUS (Updated as of 22 July 2026)
 Wet – Ilocos Norte, Ilocos Sur, Pangasinan, Isabela, Zambales, Bataan, Pampanga, Nueva Ecija, Bulacan, Tarlac, Cordillera Administrative Region, northern part of National Capital Region, Quezon, Rizal, some portions of Cavite, northern parts of Palawan, Romblon, Occidental Mindoro, Oriental Mindoro, West Panay, Samar, Southern Leyte, Negros Occidental, Zamboanga del Norte, Bukidnon, Davao del Norte, Davao del Sur, South Cotabato, Surigao del Norte, Surigao del Sur, and some parts of BARMM Moist – Cagayan, Aurora, Batangas, some parts of Palawan, Albay, Catanduanes, East Panay, Eastern Samar, Negros Oriental, and Zamboanga del Sur Dry – Rest of the country	 EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf A weak to moderate El Niño is currently present in the tropical Pacific. Climate models indicate that it is likely to intensify and persist through the first half of 2027 (97% probability). There is a 57% probability of El Niño strengthening to a strong event during the July–August–September (JAS) 2026 season, while a very strong El Niño is favored during the October–November–December (OND) 2026 and November–December–January (NDJ) 2026–2027 seasons, with an estimated 81% probability. Farmers are advised to conserve water, maintain irrigation systems, and establish rainwater harvesting facilities to maximize available water during dry periods. The use of drought-tolerant crops and soil moisture conservation practices is encouraged to reduce the impacts of El Niño. Farmers should monitor daily DOST-PAGASA weather updates, as localized thunderstorms may still bring heavy rainfall, strong winds, lightning, and possible flash flooding. Secure farm structures, clear drainage canals, and adjust farm activities based on weather conditions to minimize risks.

FISHING ADVISORY
GALE WARNING AND SEA CONDITION
No Gale warning has been raised.
Moderate to rough seas will prevail over the seaboards of Northern and Central Luzon , while the rest of the archipelago will have slight to moderate seas. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	38.9 °C (Tuguegarao City, 1975)	Maximum Temperature	39.4 °C (Tuguegarao, 1960)
Minimum Temperature	14.3 °C (Baguio City, 1923)	Minimum Temperature	12.8 °C (Baguio City, 1923)
Rainfall	969.8 mm (Baguio City; 2008)	Rainfall	969.8 mm (Baguio City, 2008)
PREPARED/UPLOADED BY: NRE / ARL		VERIFIED BY: RAMF	



TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 178

Inilabas ng: 7:00 AM Martes, 04 Agosto 2026

May bisa hanggang: 7:00 AM Miyerkules, 05 Agosto 2026

SYNOPSIS: Kaninang 3:00 AM, ang Low Pressure Area ay tinatayang nasa paligid ng Bagbao, Cagayan (16.8°N, 120.1°E). Isa pang Low Pressure Area ang nasa katubigan ng Balaoan, La Union (16.8°N, 120.1°E). Habagat ang nakakaapekto sa Katimugang Luzon at sa kanlurang bahagi ng Kabisayaan

BAGYO SA LABAS NG PAR KANINANG 3:00 AM

TYPHOON DOLPHIN (2613)

LOKASYON: 2,330 KM SILANGANG HILAGANG SILANGANG NG DULONG HILAGANG LUZON (25.1°N, 144.1°E)

TAGLAY NA LAKAS NG HANGIN: 150 KM/H

PAGBUGSO: HANGGANG 185 KM/H

PAGKILOS: KANLURAN SA BILIS NA 25 KM/H



LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Rehiyon ng Ilocos, Cordillera Administrative Region, Lambak ng Cagayan, at Gitnang Luzon	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Katamtaman hanggang sa malakas mula hilagang silangan hanggang hilagang kanluran	23 – 33	17 – 30	60 – 99	6 – 10
Metro Manila, CALABARAZON, Occidental Mindoro, Oriental Mindoro, Marinduque, Antique, Iloilo, at Guimaras	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	22 – 33	20 – 30	55 – 98	4 – 8
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	23 – 35	19 – 32	45 – 97	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

LPA, HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Linisin ang mga kanal, estero, at daluyan ng tubig upang maiwasan ang pagbabara, pagbaha, at pananatili ng tubig sa sakahan.
- Patibayin ang mga pilapil, dike, at pader ng palaisdaan upang mabawasan ang pagguho ng lupa at pagkasira ng mga estruktura.
- Gumamit ng mga pamamaraang pangangalaga sa lupa, tulad ng pagmumulch at paggawa ng contour barriers, upang mabawasan ang pagguho ng lupa dulot ng malalakas na pag-ulan.
- Mag-ipon at mag-imbak ng tubig-ulan para magamit sa irigasyon kapag bumuti na ang kondisyon ng panahon.
- Ilagay sa ligtas at mataas na lugar ang mga makinarya, kagamitan, pataba, kemikal, at mga inaning ani upang maiwasan ang pagkasira dulot ng pagbaha.
- Panatilihin ang talaan ng mga epekto ng panahon, pinsala sa pananim, at mga isinagawang hakbang sa pamamahala upang mapabuti ang paghahanda sa mga susunod na kalamidad.
- Suriing mabuti ang kondisyon ng sakahan bago pahintulatang makabalik ang mga manggagawa, at tiyaking wala nang panganib tulad ng mga punong maaaring bumagsak, naputol na linya ng kuryente, o malalim na baha.
- Sundin ang mga opisyal na babala at abiso mula sa DOST-PAGASA, Department of Agriculture (DA), at mga lokal na pamahalaan (LGUs) upang makagawa ng angkop na hakbang para sa kaligtasan at pamamahala ng sakahan.



PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Hulyo 21 – 31, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 22 Hulyo 2026)
 Legend - DRY (0-75mm) - MOIST (76mm-150mm) - WET (>150mm) Basa – Ilocos Norte, Ilocos Sur, Pangasinan, Isabela, Zambales, Bataan, Pampanga, Nueva Ecija, Bulacan, Tarlac, Cordillera Administrative Region, hilagang bahagi ng National Capital Region, Quezon, Rizal, ilang bahagi ng Cavite, hilagang bahagi ng Palawan, Romblon, Occidental Mindoro, Oriental Mindoro, kanlurang bahagi ng Panay, Samar, Southern Leyte, Negros Occidental, Zamboanga del Norte, Bukidnon, Davao del Norte, Davao del Sur, South Cotabato, Surigao del Norte, Surigao del Sur, at ilang bahagi ng BARMM Katamtaman – Cagayan, Aurora, Batangas, ilang bahagi ng Palawan, Albay, Catanduanes, silangang bahagi ng Panay, Eastern Samar, Negros Oriental, at Zamboanga del Sur Tuyo – Natitirang bahagi bahagi	 EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Kasalukuyang umiiral ang mahina hanggang katamtamang El Niño sa tropical Pacific. Inaasahang lalakas ito at magpapatuloy hanggang unang kalahati ng 2027 (97% posibilidad). May 57% posibilidad na maging strong El Niño sa Hulyo–Agosto–Setyembre (JAS) 2026 at 81% posibilidad na maging very strong El Niño sa Oktubre–Nobyembre–Disyembre (OND) 2026 at Nobyembre–Disyembre–Enero (NDJ) 2026–2027. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihin ang irigasyon, maghanda ng imbakan ng tubig-ulan, at gumamit ng mga barayting matibay sa tagtuyot. Subaybayan ang mga ulat ng DOST-PAGASA dahil maaari pa ring magkaroon ng mga pagkulong at pagkidlat na may kasamang malakas na ulan, bugso ng hangin, at posibleng pagbaha. Panatiliing ligtas ang mga pasilidad sa bukid at iangkop ang mga gawaing pangsakahan batay sa lagay ng panahon.

PAYO SA MGA MANGINGISDA
GALE WARNING AT KONDISYON NG KARAGATAN
Walang nakataas na Gale warning.
Katamtaman hanggang sa maalon na karagatan ang iiral sa mga baybayin ng Hilaga at Gitnang Luzon , samantalang banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral sa natitirang bahagi ng kapuluan . Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	38.9 °C (Tuguegarao City, 1975)	Pinakamataas na Temperatura	39.4 °C (Tuguegarao, 1960)
Pinakamababang Temperatura	14.3 °C (Baguio City, 1923)	Pinakamababang Temperatura	12.8 °C (Baguio City, 1923)
Pinakamaraming Ulan	969.8 mm (Baguio City; 2008)	Pinakamaraming Ulan	969.8 mm (Baguio City, 2008)
INIHANDA HANDA/INI-UPLOAD NINA: NRE / ARL		BINIGYANG PANSIN NI: RAMF	