Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 244

Issued: 7:00 AM, Friday, 23 October 2026 **Valid until: 7:00 AM, Saturday, 24 October 2026**

SYNOPSIS: At 3:00 AM today, the center of the eye of Typhoon "ROSAL" {CHAMPI} was estimated based on all available data at 280 km East Northeast of Itbayat, Batanes (22.0°N, 124.2°E) with maximum sustained winds of 155 km/h near the center and gustiness of up to 190 km/h. It is moving Northwestward at 15 km/h.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Batanes	Stormy	Stormy	24 – 28	21 – 27	60 – 98	>12
Ilocos Norte, Apayao, Cagayan, and Isabela	Rains with gusty winds	Gusty winds	23 – 33	20 – 31	60 – 98	>12
The rest of Cordillera Administrative Region, the rest of Cagayan Valley, Ilocos Sur, La Union, and Aurora	Cloudy skies with scattered rains and thunderstorms	**Aurora –** Moderate from southwest; **The rest of Cordillera Administrative Region, the rest of Cagayan Valley, Ilocos Sur, La Union –** Light to moderate from northwest to west	23 – 33	15 – 31	60 – 98	4 – 8
Visayas, Zamboanga Peninsula, Masbate, Palawan, Lanao del Norte, Misamis Occidental, Basilan, and Tawi-Tawi	Cloudy skies with scattered rains and thunderstorms	**Eastern Visayas, Masbate, Palawan** – Moderate to strong from northwest to southwest; **Rest of Visayas, Zamboanga Peninsula, Lanao del Norte, Misamis Occidental, Basilan, and Tawi-Tawi** – Light to moderate from south to southwest	23 – 34	20 – 32	55 – 96	4 – 8
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	**Rest of Central and Southern Luzo** – Moderate to strong from northwest to southwest; Rest of Visayas, **Rest of Mindanao** – Light to moderate from south to southwest	23 – 35	20 – 33	45 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

TC ROSAL, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Clean and maintain irrigation canals, drainage systems, pumps, and water storage facilities to ensure efficient water management.
- Harvest mature crops promptly and ensure proper drying and storage to minimize postharvest losses and preserve produce quality.


Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

- Monitor crops regularly for pest infestations, disease development, and signs of water stress, and implement appropriate management measures.
- Ensure adequate field drainage in areas prone to waterlogging to protect crops from prolonged soil saturation.
- Conserve available water through efficient irrigation scheduling, particularly in areas experiencing limited rainfall or declining soil moisture.
- Remove weeds and crop residues that may harbor pests and disease-causing organisms, while retaining beneficial ground cover where appropriate.
- Stay alert and informed! Always follow the latest weather advisories from local authorities and your local government. Keep updated through the official DOST-PAGASA website, social media accounts, and PANaHON App for timely weather information, warnings, and safety updates.

FARM ADVISORY

SOIL MOISTURE CONDITION
(October 11 – 20, 2026)




Wet – Nueva Vizcaya, Quirino, Most areas in Central Luzon, Cordillera Administrative Region, Quezon City, Rizal, Quezon, Palawan, Romblon, Camarines Norte, Catanduanes, Most areas in Western Visayas, Samar, Bukidnon, Davao del Norte, Davao del Sur, and Lanao del Sur

Moist – Ilocos Region, Batanes, Isabela, Zambales, Nueva Ecija, Cavite, Batangas, Pasay, Occidental Mindoro, Oriental Mindoro, Camarines Sur, Albay, Northern Samar, Surigao del Norte, Surigao del Sur, and Maguindanao

Dry –Rest of the country

ENSO ALERT SYSTEM STATUS
(Updated as of 21 October 2026)



EL NIÑO

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimatassessment/EN_Advisory_5.pdf

A strong to very strong El Niño is present in the Tropical Pacific. Most climate models predict that the ongoing El Niño will persist until the first quarter of 2027, with its peak expected before the end of 2026. Its associated impacts may continue through the first half of 2027.

El Niño increases the likelihood of below-normal rainfall, which may lead to adverse impacts, including dry spells and droughts in some areas of the country. However, above-normal rainfall conditions may still occur during the passage of tropical cyclones and other rain-bearing weather systems. Farmers are advised to conserve water, maintain irrigation systems, and harvest rainwater to ensure adequate water supply during El Niño. Use drought-tolerant crops and soil moisture conservation practices. Regularly monitor DOST-PAGASA weather updates and adjust farm activities accordingly. Despite generally drier conditions, localized thunderstorms may still bring heavy rain, strong winds, lightning, and possible flash flooding.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

Gale Warning is raised over **the the seaboards of Extreme Northern Luzon (Batanes), the seaboards of Extreme Northern Luzon (Babuyan Islands), the northern and eastern seaboards of Northern Luzon (Mainland Cagayan), the seaboards of Northern Luzon (Ilocos Norte and Isabela), the western seaboard of Northern Luzon and the eastern seaboards of Central and Southern Luzon (** (Ilocos Sur {Sinait, Cabugao, San Juan, Magsingal, Santo Domingo, San Vicente, Santa Catalina, City of Vigan, Caoayan, Santa, Narvacan, Santa Maria, San Esteban, Santiago, City of Candon}, **Aurora**{Dilasag, Casiguran}, **the northern and eastern coasts of Polillo Islands** {the northern coast of Panukulan, Burdeos, the eastern coast of Patnanungan, and Jomalig}, **Camarines Norte** {Paracale, Vinzons, Talisay, Daet, Mercedes}, **Camarines Sur**

Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100
Tel. No.: 8284 -0800 local 4915
Website: http://bagong.pagasa.dost.gov.ph

{Siruma, Garchitorena, Caramoan} **and the northern and eastern coasts of Catanduanes** {Pandan, Bagamanoc, Panganiban, Viga, Gigmoto, Baras}).

Moderate to rough seas will prevail over **Central Luzon, Southern Luzon, and the eastern section of Visayas** while slight to moderate seas will be experienced over the **rest archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		**MONTHLY EXTREMES**	
Maximum Temperature	37.2 ºC (Maasin, 1997)	**Maximum Temperature**	38.5 ºC (Tuguegarao, 1987)
Minimum Temperature	12.2 ºC (Baguio City, 1962)	**Minimum Temperature**	11.3 ºC (Baguio City, 1913)
Rainfall	379.9 mm (Aparri, 1987)	**Rainfall**	994.6 mm (Baguio City, 1998)

PREPARED/UPLOADED BY: MTR / JAE **VERIFIED BY: MEVT**

Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100

Tel. No.: 8284 -0800 local 4915
Website: http://bagong.pagasa.dost.gov.ph

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 244

Inilabas ng: 7:00 AM Biyernes, 23 Oktubre 2026 **May bisa hanggang: 7:00 AM Sabado, 24 Oktubre 2026**

SYNOPSIS: Kaninang 3:00AM, ang mata ng Typhoon "ROSAL" ay tinatayang nasa 280 km silangan-hilagang silangan ng Itbayat, Batanes (22.0°N, 124.2°E), taglay ang lakas ng hanging umaabot sa 155 km/h malapit sa gitna at pagbugsong umaabot sa 190 km/h. Kumikilos ito pa-hilagang kanluran sa bilis na 15 km/h.

LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (^{0}C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Batanes	Masungit na panahon	Masungit na panahon	24 – 28	21 – 27	60 – 98	>12
Ilocos Norte, Apayao, Cagayan, at Isabela	Maulan na may pagbugso ng hangin	Pabugso-bugsong hangin	23 – 33	20 – 31	60 – 98	>12
Natitirang bahagi ng Rehiyon ng Cordillera, ang natitirang bahagi ng Cagayan Valley, Ilocos Sur, La Union, at Aurora	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	**Aurora** – Katamtaman mula sa timog-kanluran; **Natitirang bahagi ng Rehiyon ng Cordillera, ang natitirang bahagi ng Cagayan Valley, Ilocos Sur, at La Union** – Mahina hanggang sa katamtaman mula sa hilagang-kanluran hanggang kanluran.	23 – 33	15 – 31	60 – 98	4 – 8
Kabisayaan, Zamboanga Peninsula, Masbate, Palawan, Lanao del Norte, Misamis Occidental, Basilan, at Tawi-Tawi	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	**Silangang Kabisayaan, Masbate, Palawan** – Katamtaman hanggang sa malakas mula sa hilagang-kanluran hanggang timog-kanluran; N**atitirang bahagi ng Kabisayaan, Zamboanga Peninsula, Lanao del Norte, Misamis Occidental, Basilan, at Tawi-Tawi –** Mahina hanggang sa katamtaman mula sa timog hanggang timog-kanluran	23 – 34	20 – 32	55 – 96	4 – 8
Metro Manila at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	**Natitirang bahagi ng Gitna at Katimugang Luzon –** Katamtaman hanggang sa malakas mula sa hilagang-kanluran hanggang timog-kanluran; **Natitirang bahagi ng Kabisayaan at ang natitirang bahagi ng Mindanao –** Mahina hanggang sa katamtaman mula sa timog hanggang timog-kanluran	23 – 35	20 – 33	45 – 96	0 – 4

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS


SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

ITCZ, EASTERLIES, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Linisin at panatilihing maayos ang mga kanal ng irigasyon, sistema ng paagusan, mga bomba ng patubig, at mga pasilidad sa imbakan ng tubig upang matiyak ang mahusay na pamamahala ng tubig.
- Anihin agad ang mga pananim na nasa hustong gulang na at tiyakin ang wastong pagpapatuyo at pag-iimbak ng mga ito upang mabawasan ang pagkalugi pagkatapos ng anihan at mapanatili ang kalidad ng mga produkto.
- Regular na subaybayan ang mga pananim para sa posibleng pagdami ng mga peste, paglitaw ng mga sakit, at mga palatandaan ng kakulangan sa tubig, at magsagawa ng angkop na mga hakbang sa pamamahala.
- Tiyakin ang maayos na daloy ng tubig palabas sa mga bukirin, lalo na sa mga lugar na madaling bahain o mag-ipon ng tubig, upang maiwasan ang matagal na pagkababad ng mga pananim sa sobrang tubig.
- Pangalagaan ang natitirang suplay ng tubig sa pamamagitan ng maayos at napapanahong pagdidilig, lalo na sa mga lugar na nakararanas ng kaunting pag-ulan o pagbaba ng halumigmig ng lupa.
- Alisin ang mga damo at mga tira-tirang bahagi ng pananim na maaaring pamahayan ng mga peste at organismong nagdudulot ng sakit, habang pinananatili ang kapaki-pakinabang na pantakip sa lupa kung kinakailangan.
- Laging makinig sa mga payo ng mga awtoridad at lokal na pamahalaan tungkol sa mga kondisyon ng panahon. Manatiling updated sa mga ulat at abiso mula sa DOST-PAGASA website, social media accounts, at PANaHON App.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN
(Oktubre 11 –20, 2026)




Basa – Nueva Vizcaya, Quirino, karamihan sa mga lugar sa Gitnang Luzon, Cordillera Administrative Region, Quezon City, Rizal, Quezon, Palawan, Romblon, Camarines Norte, Catanduanes, karamihan sa mga lugar sa Kanlurang Visayas, Samar, Bukidnon, Davao del Norte, Davao del Sur, at Lanao del Sur

Katamtaman – Rehiyon ng Ilocos, Batanes, Isabela, Zambales, Nueva Ecija, Cavite, Batangas, Pasay, Occidental Mindoro, Oriental Mindoro, Camarines Sur, Albay, Northern Samar, Surigao del Norte, Surigao del Sur, at Maguindanao

Tuyo –natitirang bahagi bahagi ng bansa

ENSO ALERT SYSTEM STATUS
(mula noong 21 Oktubre 2026)



EL NIÑO

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimateassessment/EN_Advisory_5.pdf

Ang malakas hanggang sa napakalakas na El Niño ay umiiral sa Tropical Pacific. Batay sa karamihan ng mga climate model, inaasahang magpapatuloy ang El Niño hanggang sa unang quarter ng 2027 at maaaring umabot sa pinakamalakas nitong antas bago matapos ang 2026. Maaaring magpatuloy ang mga kaugnay nitong epekto hanggang sa unang kalahati ng 2027.

Ang El Niño ay nagpapataas ng posibilidad na magkaroon ng mas mababa sa karaniwang dami ng ulan, na maaaring magdulot ng mga negatibong epekto tulad ng dry spell at tagtuyot sa ilang bahagi ng bansa. Gayunpaman, maaari pa ring magkaroon ng mas mataas sa karaniwang dami ng ulan kapag may pagdaan ng mga tropical cyclone at iba pang weather systems na nagdadala ng ulan. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihing maayos ang irigasyon, at mag-ipon ng tubig-ulan upang matiyak ang suplay ng tubig sa panahon ng El Niño. Gumamit ng mga pananim na matibay sa tagtuyot at mga pamamaraan sa pagpapanatili ng halumigmig ng lupa. Regular na subaybayan ang mga update ng DOST-PAGASA at iangkop ang mga gawaing pansaka ayon sa kondisyon ng panahon. Bagama't mas tuyo ang karaniwang kondisyon, maaari pa ring magkaroon ng localized thunderstorms na may malakas na ulan, hangin, pagkidlat, at posibleng biglaang pagbaha.

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

PAYO SA MGA MANGINGISDA
GALE WARNING AT KONDISYON NG KARAGATAN
Nakataas ang Gale Warning sa **mga baybayin ng Dulong Hilagang Luzon** (Batanes), **mga baybayin ng Dulong Hilagang Luzon** (Babuyan Islands), **hilaga at silangang mga baybayin ng Hilagang Luzon** (Mainland Cagayan), **mga baybayin ng Hilagang Luzon** (Ilocos Norte at Isabela), **kanlurang baybayin ng Hilagang Luzon at silangang mga baybayin ng Gitna at Katimugang Luzon** (Ilocos SurSur (Sinait, Cabugao, San Juan, Magsingal, Santo Domingo, San Vicente, Santa Catalina, Lungsod ng Vigan, Caoayan, Santa, Narvacan, Santa Maria, San Esteban, Santiago, Lungsod ng Candon), **Aurora** (Dilasag, Casiguran), **hilaga at silangang mga baybayin ng Polillo Islands** (hilagang baybayin ng Panukulan, Burdeos, silangang baybayin ng Patnanungan at Jomalig), **Camarines Norte** (Paracale, Vinzons, Talisay, Daet, Mercedes), **Camarines Sur** (Siruma, Garchitorena, Caramoan) **at hilaga at silangang mga baybayin ng Catanduanes** (Pandan, Bagamanoc, Panganiban, Viga, Gigmoto, Baras). Magiging katamtaman hanggang maalon **ang karagatan sa Gitnang Luzon, Katimugang Luzon, at silangang bahagi ng Kabisayaan,** habang bahagyang maalon hanggang sa katamtaman ang alon **sa natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN			
DAILY EXTREMES		**MONTHLY EXTREMES**	
Pinakamataas na Temperatura	37.2 ºC (Maasin, 1997)	**Pinakamataas na Temperatura**	38.5 ºC (Tuguegarao, 1987)
Pinakamababang Temperatura	12.2 ºC (Baguio City, 1962)	**Pinakamababang Temperatura**	11.3 ºC (Baguio City, 1913)
Pinakamaraming Ulan	379.9 mm (Aparri, 1987)	**Pinakamaraming Ulan**	994.6 mm (Baguio City, 1998)

INIHANDA HANDA/INI-UPLOAD NINA: MTR / JAE **BINIGYANG PANSIN NI: MEVT**