



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 168

Issued: 7:00 AM, Friday, 24 July 2026

Valid until: 7:00 AM, Saturday, 25 July 2026

SYNOPSIS: At 3:00 AM today, the center of Tropical Storm "KIYAPO" {NOUL} was estimated based on all available data at 355 km East of Aparri, Cagayan (18.2°N, 125.0°E) with maximum sustained winds of 65 km/h near the center and gustiness of up to 80 km/h. It is moving West Northwestward at 30 km/h. Southwest Monsoon affecting Mindanao and the western sections of Southern Luzon and Visayas.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Ilocos Norte, Batanes, and Babuyan Islands	Stormy	Stormy	25 – 28	23 – 27	70 – 100	>12
Cordillera Administrative Region, the rest of Cagayan Valley, Ilocos Sur, La Union, and Aurora	Rains with gusty winds	Gusty winds	24 – 31	17 – 30	70 – 100	>12
Occidental Mindoro, Palawan, Antique, Iloilo, Guimaras, and Negros Occidental	Occasional rains	Occidental Mindoro and Palawan – Light to moderate from northwest to southwest; Antique, Iloilo, Guimaras, and Negros Occidental – Light to moderate from southwest	24 – 32	22 – 30	65 – 98	>12
Metro Manila, CALABARZON, the rest of Central Luzon, the rest of MIMAROPA, and Pangasinan	Cloudy skies with scattered rainshowers and thunderstorms	Light to moderate from northwest to southwest	24 – 32	22 – 30	60 – 98	4 – 8
The rest of the country	Cloudy skies with scattered rainshowers and thunderstorms	Bicol Region and the rest of Visayas – Light to moderate from southwest; Rest of Luzon – Light to moderate from northwest to southwest; Mindanao – Moderate to strong from southwest to south	23 – 32	22 – 29	60 – 98	4 – 8



AREAS AFFECTED BY THE WEATHER SYSTEMS


TC KIYAPO, SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Clear canals, ditches, and drainage channels to prevent waterlogging and flooding.
- Reinforce dikes, embankments, and pond walls to minimize erosion and structural damage.
- Implement soil conservation practices, such as mulching or contour barriers, to reduce erosion during heavy rainfall.
- Collect and store rainwater for future irrigation once weather conditions improve.
- Secure farm machinery, tools, fertilizers, chemicals, and harvested produce in safe, elevated storage areas.
- Keep farm records of weather impacts, crop losses, and management actions to improve future preparedness.
- Assess field conditions before allowing workers to return, ensuring the area is free from hazards such as unstable trees, damaged electrical lines, or deep floodwaters.
- Follow official advisories from DOST-PAGASA, the Department of Agriculture, and local government units.

FARM ADVISORY

SOIL MOISTURE CONDITION

(July 11 – 20, 2026)



Wet – Zambales, Bataan, Pampanga, Nueva Ecija, Cordillera Administrative Region, Rizal, some portions of Cavite, northern parts of Palawan, Romblon, Occidental Mindoro, most areas of Panay, Negros Occidental, Bukidnon, Davao del Norte and some parts of BARMM


Moist – Ilocos Norte, Ilocos Sur, Pangasinan, Isabela, Bulacan, Quezon City, Batangas,

Tayabas, southern parts of Palawan, Dumangas, Southern Leyte, Eastern Samar, Davao del Sur, and General Santos City

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(Updated as of 22 July 2026)



EL NIÑO

<https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf>

A weak to moderate El Niño is currently present in the tropical Pacific. Climate models indicate that it is likely to intensify and persist through the first half of 2027 (97% probability). There is a 57% probability of El Niño strengthening to a strong event during the July–August–September (JAS) 2026 season, while a very strong El Niño is favored during the October–November–December (OND) 2026 and November–December–January (NDJ) 2026–2027 seasons, with an estimated 81% probability.

Farmers are advised to conserve water, maintain irrigation systems, and establish rainwater harvesting facilities to maximize available water during dry periods. The use of drought-tolerant crops and soil moisture conservation practices is encouraged to reduce the impacts of El Niño. Farmers should monitor daily DOST-PAGASA weather updates, as localized thunderstorms may still bring heavy rainfall, strong winds, lightning, and possible flash flooding. Secure farm structures, clear drainage canals, and adjust farm activities based on weather conditions to minimize risks.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

Gale warning has been raised over **the northern seaboard of Northern Luzon** (Batanes and Babuyan Islands) and **the northern seaboard of Northern Luzon** (Cagayan {Santa Ana, Gonzaga, Santa Teresita, Buguey, Aparri, Ballesteros, Pamplona, Abulug, Sanchez-Mira, Claveria, Santa Praxedes} and Ilocos Norte {Pagudpud, Bangui, Burgos}).



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



Moderate to rough seas will prevail over the **seaboards of Mindanao**, while the **rest of the archipelago** will have slight to moderate seas. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	38.5 °C (Tuguegarao City, 1914)	Maximum Temperature	41.0 °C (Tuguegarao, 1915)
Minimum Temperature	14.0 °C (Baguio City, 1908)	Minimum Temperature	12.2 °C (Baguio City, 1907)
Rainfall	371.3 mm (Baguio City, 1968)	Rainfall	1,085.8 mm (Baguio City, 2001)
PREPARED/UPLOADED BY: RAMF / HGDE		VERIFIED BY: MEVT	



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 168

Inilabas ng: 7:00 AM Biyernes, 24 Hulyo 2026

May bisa hanggang: 7:00 AM Sabado, 25 Hulyo 2026

SYNOPSIS: Kaninang 3:00 AM, ang sentro ng Tropical Storm "KIYAPO" {NOUL} ay tinatayang nasa 355 km silangan ng Aparri, Cagayan (18.2°N, 125.0°E) na may taglay na lakas ng hangin na 65 km/h malapit sa gitna at pagbugso ng hangin na aabot sa 80 km/h. Ito ay kumikilos pa-kanluran hilagang kanluran sa bilis na 30 km/h. Habagat ang nakakaapekto sa Mindanao at kanluran ng Katimugang Luzon at Kabisayaan.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Ilocos Norte, Batanes, at Babuyan Islands	Masungit na panahon	Masungit na panahon	25 – 28	23 – 27	70 – 100	>12
Cordillera Administrative Region, natitirang bahagi ng Lambak ng Cagayan, Ilocos Sur, La Union, at Aurora	Maulan na may pagbugso ng hangin	Pagbugso ng hangin	24 – 31	17 – 30	70 – 100	>12
Occidental Mindoro, Palawan, Antique, Iloilo, Guimaras, at Negros Occidental	Paminsan-minsang pag-ulan	Occidental Mindoro at Palawan – Mahina hanggang sa katamtaman mula hilagang kanluran hanggang timog-kanluran; Antique, Iloilo, Guimaras, at Negros Occidental – Mahina hanggang sa katamtaman mula timog-kanluran	24 – 32	22 – 30	65 – 98	>12
Metro Manila, CALABARZON, natitirang bahagi ng Gitnang Luzon, natitirang bahagi ng MIMAROPA, at Pangasinan	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula hilagang kanluran hanggang timog-kanluran	24 – 32	22 – 30	60 – 98	4 – 8
Natitirang bahagi ng bansa	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Rehiyon ng Bicol at natitirang bahagi ng Kabisayaan – Mahina hanggang sa katamtaman mula timog-kanluran; Natitirang bahagi ng Luzon – Mahina hanggang sa katamtaman mula hilagang kanluran hanggang timog-kanluran; Mindanao – Katamtaman hanggang sa malakas mula timog-kanluran hanggang timog	23 – 32	22 – 29	60 – 98	4 – 8



SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS


BAGYONG KIYAPO, HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Linisin ang mga kanal, estero, at daluyan ng tubig upang maiwasan ang pagbabara, pagbaha, at pananatili ng tubig sa sakahan.
- Patibayin ang mga pilapil, dike, at pader ng palaisdaan upang mabawasan ang pagguho ng lupa at pagkasira ng mga estruktura.
- Gumamit ng mga pamamaraang pangangalaga sa lupa, tulad ng pagmumulch at paggawa ng contour barriers, upang mabawasan ang pagguho ng lupa dulot ng malalakas na pag-ulan.
- Mag-ipon at mag-imbak ng tubig-ulan para magamit sa irigasyon kapag bumuti na ang kondisyon ng panahon.
- Ilagay sa ligtas at mataas na lugar ang mga makinarya, kagamitan, pataba, kemikal, at mga inaning ani upang maiwasan ang pagkasira dulot ng pagbaha.
- Panatilihin ang talaan ng mga epekto ng panahon, pinsala sa pananim, at mga isinagawang hakbang sa pamamahala upang mapabuti ang paghahanda sa mga susunod na kalamidad.
- Suriing mabuti ang kondisyon ng sakahan bago pahintulutang makabalik ang mga manggagawa, at tiyaking wala nang panganib tulad ng mga punong maaaring bumagsak, naputol na linya ng kuryente, o malalim na baha.
- Sundin ang mga opisyal na babala at abiso mula sa DOST-PAGASA, Department of Agriculture (DA), at mga lokal na pamahalaan (LGUs) upang makagawa ng angkop na hakbang para sa kaligtasan at pamamahala ng sakahan.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN

(Hulyo 11 – 20, 2026)




Basa – Zambales, Bataan, Pampanga, Nueva Ecija, Rehiyon ng Cordillera (CAR), Rizal, ilang bahagi ng Cavite, hilagang bahagi ng Palawan, Romblon, Occidental Mindoro, karamihan ng Panay, Negros Occidental, Bukidnon, Davao del Norte, at ilang bahagi ng Bangsamoro Autonomous Region in Muslim Mindanao (BARMM)

Katamtaman – Ilocos Norte, Ilocos Sur, Pangasinan, Isabela, Bulacan, Lungsod Quezon, Batangas, Tayabas, timog na bahagi ng Palawan, Dumangas, Southern Leyte, Eastern Samar, Davao del Sur, at General Santos

Tuyo – Natitirang bahagi bahagi

ENSO ALERT SYSTEM STATUS

(mula noong 22 Hulyo 2026)



EL NIÑO

<https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf>

Kasalukuyang umiiral ang mahina hanggang katamtamang El Niño sa tropical Pacific. Inaasahang lalakas ito at magpapatuloy hanggang unang kalahati ng 2027 (97% posibilidad). May 57% posibilidad na maging strong El Niño sa Hulyo–Agosto–Setyembre (JAS) 2026 at 81% posibilidad na maging very strong El Niño sa Oktubre–Nobyembre–Disyembre (OND) 2026 at Nobyembre–Disyembre–Enero (NDJ) 2026–2027.

Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihin ang irigasyon, maghanda ng imbak ng tubig-ulan, at gumamit ng mga barayting matibay sa tagtuyot. Subaybayan ang mga ulat ng DOST-PAGASA dahil maaari pa ring magkaroon ng mga pagkulog at pagkidlat na may kasamang malakas na ulan, bugso ng hangin, at posibleng pagbaha. Panatiliing ligtas ang mga pasilidad sa bukid at iangkop ang mga gawaing pangsakahan batay sa lagay ng panahon.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN



Nakataas ang Gale warning sa **hilagang baybayin ng Hilagang Luzon** (Batanes at Babuyan Islands) at **hilagang baybayin ng Hilagang Luzon** (Cagayan {Santa Ana, Gonzaga, Santa Teresita, Buguey, Aparri, Ballesteros, Pamplona, Abulug, Sanchez-Mira, Claveria, Santa Praxedes} at Ilocos Norte {Pagudpud, Bangui, Burgos}).

Katamtaman hanggang sa maalon na karagatan ang iiral sa **baybayin ng Mindanao**, samantalang banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	38.5 °C (Tuguegarao City, 1914)	Pinakamataas na Temperatura	41.0 °C (Tuguegarao, 1915)
Pinakamababang Temperatura	14.0 °C (Baguio City, 1908)	Pinakamababang Temperatura	12.2 °C (Baguio City, 1907)
Pinakamaraming Ulan	371.3 mm (Baguio City, 1968)	Pinakamaraming Ulan	1,085.8 mm (Baguio City, 2001)
INIHANDA HANDA/INI-UPLOAD NINA: RAMF / HGDE		BINIGYANG PANSIN NI: MEVT	