



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 200

Issued: 7:00 AM, Tuesday, 01 September 2026

Valid until: 7:00 AM, Wednesday, 02 September 2026

SYNOPSIS: At 3:00 AM today, the center of Tropical Depression "PILANDOK" was estimated based on all available data at 1,060 km East of Extreme Northern Luzon (22.0°N, 132.0°E) with maximum sustained winds of 55 km/h near the center and gustiness of up to 70 km/h. It is moving West Northwestward at 10 km/h. Southwest Monsoon affecting Luzon and the western section of Visayas.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

TROPICAL STORM SAUDEL (2618) (FORMERLY "OBET")	TROPICAL DEPRESSION
LOCATION: 985 KM WEST OF EXTREME NORTHERN LUZON (19.2°N, 112.2°E)	LOCATION: 645 KM WEST NORTHWEST OF ITBAYAT, BATANES (22.8°N, 116.0°E)
MAXIMUM SUSTAINED WINDS: 65 KM/H NEAR THE CENTER	MAXIMUM SUSTAINED WINDS: 45 KM/H NEAR THE CENTER
GUSTINESS: UP TO 80 KM/H	GUSTINESS: UP TO 60 KM/H
MOVEMENT: EAST SOUTHEASTWARD AT 15 KM/H	MOVEMENT: WESTWARD AT 10 KM/H

FORECAST AREA	AGRI- WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Ilocos Region, Abra, Benguet, Batanes, Bataan, and Zambales	Occasional rains	Moderate to strong from southwest	24 – 30	17 – 28	70 – 98	>12
Metro Manila, CALABARZON, Cagayan Valley, the rest of Cordillera Administrative Region, the rest of Central Luzon, Occidental Mindoro, Oriental Mindoro, Marinduque, Romblon, Aklan, and Antique	Cloudy skies with scattered rains and thunderstorms	Metro Manila, CALABARZON, Cagayan Valley, the rest of Cordillera Administrative Region, the rest of Central Luzon, Occidental Mindoro, Oriental Mindoro, Marinduque, Romblon – Moderate to strong from southwest; Aklan and Antique – Light to moderate from south to southwest	24 – 34	18 – 31	60 – 98	4 – 8
The rest of Luzon, Negros Island Region, and the rest of Western Visayas	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	The rest of Luzon – Moderate to strong from southwest; Negros Island Region, and the	24 – 35	22 – 32	60 – 96	0 – 4



		rest of Western Visayas – Light to moderate from south to southwest				
The rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from south to southwest	23 – 34	20 – 32	50 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS


SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Monitor soil moisture and field water levels to determine whether additional irrigation is necessary or should be suspended.
- Open or maintain field drainage outlets to quickly remove excess water from low-lying crop areas.
- Check slope areas, terraces, and farm roads for erosion, landslides, or obstruction that may affect farm operations and access.
- Inspect rainwater harvesting facilities, ponds, and farm reservoirs for overflow, leaks, or structural damage.
- Keep seeds, feeds, fertilizers, pesticides, and other farm inputs properly sealed and protected from moisture.
- Monitor stored crops for mold, fungal growth, and spoilage, especially when high humidity persists.
- Continue monitoring weather forecasts, rainfall advisories, and other relevant information from DOST-PAGASA and local authorities for timely decision-making.

FARM ADVISORY

SOIL MOISTURE CONDITION

(August 11 – 20, 2026)




Wet – Ilocos Region, Itbayat, Aparri, Tuguegarao, Isabela, Cordillera Administrative Region, Central Luzon, National Capital Region, most areas of CALABARZON, and most areas of MIMAROPA,

Moist – Calayan, Basco, Nueva Viscaya, Alabat, Pag-asa Island, most of Bicol Region, Catbalogan, Maasin, Zamboanga del Norte, Davao del Sur, Davao del Norte, Surigao del Norte, Surigao del Sur, and BARMM

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(Updated as of 26 August 2026)



EL NIÑO

<https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf>

Moderate to strong El Niño is present in the Tropical Pacific. Climate models predict that El Niño will continue until the first half of 2027 and may reach a very strong state before the end of 2026.

Farmers are advised to conserve water, maintain irrigation systems, and establish rainwater harvesting facilities to maximize available water during dry periods. The use of drought-tolerant crops and soil moisture conservation practices is encouraged to reduce the impacts of El Niño. Farmers should monitor daily DOST-PAGASA weather updates, as localized thunderstorms may still bring heavy rainfall, strong winds, lightning, and possible flash flooding. Secure farm structures, clear drainage canals, and adjust farm activities based on weather conditions to minimize risks.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION



Gale warning is raised over **the northern and western seabords of Northern Luzon, including the Babuyan Islands (Babuyan Island, Dalapuri Island, and Fuga Island) and Ilocos Norte**. Fisherfolk and small sea vessels in the affected areas are advised to refrain from venturing into the sea due to dangerous sea conditions.

Moderate to rough seas are expected over the **seaboards of Luzon**, while slight to moderate seas will be experienced over the **rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	38.9 °C (Tuguegarao, 1963)	Maximum Temperature	38.9 °C (Tuguegarao, 1963)
Minimum Temperature	12.6 °C (Baguio City, 1990)	Minimum Temperature	12.6 °C (Baguio City, 1990)
Rainfall	488.0 mm (Virac, 1929)	Rainfall	799.8 mm (Baguio City, 1911)

PREPARED/UPLOADED BY: **MTR/ JOT**

VERIFIED BY: **MEVT**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 200

Inilabas ng: 7:00 AM Martes, 01 Setyembre 2026

May bisa hanggang: 7:00 AM Miyerkules, 02 Setyembre 2026

SYNOPSIS: Kaninang 3:00 AM, ang sentro ng Tropical Depression “PILANDOK” ay tinatayang nasa 1,060 km silangan ng Dulong Hilagang Luzon (22.0°N, 132.0°E) na may taglay na lakas ng hangin na 55 km/h malapit sa sentro at bugsong umaabot hanggang 70 km/h. Ito ay kumikilos pakanluran-hilagang kanluran sa bilis na 10 km/h. Habagat ang nakaaapekto sa Luzon at kanlurang bahagi ng Kabisayaan.

TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM NGAYONG ARAW

TROPICAL STORM “SAUDEL” (2618) (DATING “OBET”)	TROPICAL DEPRESSION
LOKASYON: 985 KM KANLURAN NG DULONG HILAGANG LUZON (19.2°N, 112.2°E)	LOKASYON: 645 KM KANLURAN-HILAGANG KANLURAN NG ITBAYAT, BATANES (22.8°N, 116.0°E)
LAKAS NG HANGIN: 65 KM/H MALAPIT SA SENTRO	LAKAS NG HANGIN: 45 KM/H MALAPIT SA SENTRO
BUGSO: UMAABOT HANGGANG 80 KM/H	BUGSO: UMAABOT HANGGANG 60 KM/H
KILOS: PASILANGAN-TIMOG-SILANGAN SA BILIS NA 15 KM/H	KILOS: PAKANLURAN SA BILIS NA 10 KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Rehiyon ng Ilocos, Abra, Benguet, Batanes, Bataan, at Zambales	Paminsan-minsang pag-ulan	Katamtaman hanggang sa malakas mula timog-kanluran	24 – 30	17 – 28	70 – 98	>12
Metro Manila, CALABARZON, Lambak ng Cagayan, natitirang bahagi ng Rehiyon ng Cordillera, natitirang bahagi ng Gitnang Luzon, Occidental Mindoro, Oriental Mindoro, Marinduque, Romblon, Aklan, at Antique	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Metro Manila, CALABARZON, Lambak ng Cagayan, natitirang bahagi ng Rehiyon ng Cordillera, natitirang bahagi ng Gitnang Luzon, Occidental Mindoro, Oriental Mindoro, Marinduque, Romblon – Katamtaman hanggang malakas mula sa timog-kanluran Aklan at Antique – Mahina hanggang katamtaman mula sa timog hanggang timog-kanluran	24 – 34	18 – 31	60 – 98	4 – 8
Natitirang bahagi ng Luzon, Rehiyon ng Isla ng Negros, at natitirang bahagi	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-	Natitirang bahagi ng Luzon – Katamtaman hanggang malakas mula sa timog-kanluran;	24 – 35	22 – 32	60 – 96	0 – 4



ng Kanlurang Kabisayaan	pagkulong	Rehiyon ng Isla ng Negros, at natitirang bahagi ng Kanlurang Kabisayaan – Mahina hanggang katamtaman mula sa timog hanggang timog-kanluran				
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	23 – 34	20 – 32	50 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Subaybayan ang pagkabasa ng lupa at antas ng tubig sa mga sakahan upang matukoy kung kailangan pang magpatubig o pansamantalang itigil ang irigasyon.
- Buksan at panatilihin maayos ang mga daluyan ng tubig sa bukid upang mabilis na maalisan ang sobrang tubig sa mga mabababang bahagi ng taniman.
- Suriin ang mga dalisdis, pilapil, at daanan sa sakahan para sa mga senyales ng pagguho ng lupa, pagguho ng pilapil, landslide, o anumang bara na maaaring makaapekto sa operasyon at pag-access sa sakahan.
- Suriin ang mga pasilidad para sa pag-iimbak ng tubig-ulan, palaisdaan, at mga imbak ng tubig sa sakahan upang matukoy ang pag-apaw, pagtagas, o pinsala sa istruktura.
- Panatilihin maayos na nakasara at protektado laban sa kahalumigmigan ang mga binhi, pakain, pataba, pestisidyo, at iba pang kagamitang pang-agrikultura.
- Regular na suriin ang mga nakaimbak na ani upang agad na matukoy ang amag, pagkabulok, at pagkasira, lalo na kung patuloy ang mataas na halumigmig.
- Patuloy na subaybayan ang mga forecast ng panahon, rainfall advisories, at iba pang kaugnay na impormasyon mula sa DOST-PAGASA at mga lokal na awtoridad upang maging gabay sa napapanahong pagpapasya at pagkilos.



PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Agosto 11 – 20, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 26 Agosto 2026)
Basa – Rehiyon ng Ilocos, Itbayat, Aparri, Tuguegarao, Isabela, Cordillera Administrative Region, Gitnang Luzon, National Capital Region, malaking bahagi ng CALABARZON, at malaking bahagi ng MIMAROPA, Moist – Calayan, Basco, Nueva Viscaya, Alabat, Pag-asa Island, malaking bahagi sa Rehiyon ng Bicol, Catbalogan, Maasin, Zamboanga del Norte, Davao del Sur, Davao del Norte, Surigao del Norte, Surigao del Sur, at BARM Tuyo – Natitirang bahagi bahagi	EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Kasalukuyang umiiral ang katamtamang hanggang s amalakas na El Niño sa Tropical Pacific. Ayon sa mga climate model, inaasahang magpapatuloy ang El Niño hanggang sa unang kalahati ng 2027 at may posibilidad na maging mas malakas bago matapos ang 2026. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihin ang irigasyon, maghanda ng imbakan ng tubig-ulan, at gumamit ng mga barayting matibay sa tagtuyot. Subaybayan ang mga ulat ng DOST-PAGASA dahil maaari pa ring magkaroon ng mga pagkulong at pagkidlat na may kasamang malakas na ulan, bugso ng hangin, at posibleng pagbaha. Panatilihin ligtas ang mga pasilidad sa bukid at iangkop ang mga gawaing pangsakahan batay sa lagay ng panahon.

PAYO SA MGA MANGINGISDA
GALE WARNING AT KONDISYON NG KARAGATAN
Nakataas ang Gale Warning sa hilaga at kanlurang baybayin ng Hilagang Luzon , kabilang ang Babuyan Islands (Babuyan Island, Dalapuri Island, at Fuga Island) at Ilocos Norte . Pinapayuhan ang mga mangingisda at maliliit na sasakyang pandagat sa mga apektadong lugar na iwasang pumalaot dahil sa mapanganib na kondisyon ng karagatan.
Katamtaman hanggang sa maalon na karagatan ang inaasahan sa baybayin ng Luzon , samantalaang banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa natitirang bahagi ng kapuluan . Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	38.9 °C (Tuguegarao, 1963)	Pinakamataas na Temperatura	38.9 °C (Tuguegarao, 1963)
Pinakamababang Temperatura	12.6 °C (Baguio City, 1990)	Pinakamababang Temperatura	12.6 °C (Baguio City, 1990)
Pinakamaraming Ulan	488.0 mm (Virac, 1929)	Pinakamaraming Ulan	799.8 mm (Baguio City, 1911)
INIHANDA HANDA/INI-UPLOAD NINA: MTR / JOT		BINIGYANG PANSIN NI: MEVT	