

Chapter Special 2 Advance SQL

 88822264 Database Systems and Design ระบบฐานข้อมูลและการออกแบบระบบฐานข้อมูล




หัวข้อ/สาระการเรียนรู้











MySQL CREATE VIEW statement

CREATE [OR REPLACE] VIEW [db_name.]view_name [(column_list)]

AS

select-statement;



Example

CREATE VIEW allNameEmployee AS

SELECT CONCAT(emp_fname,' ', emp_lname) as name
FROM employees;



MySQL DROP VIEW statement

DROP VIEW [IF EXISTS] view_name;



Example

DROP VIEW IF EXISTS allNameEmployee;





MySQL IF statement

IF condition THEN

statements;

END IF;





MySQL Case statement

CASE case_value

WHEN when_value1 THEN statements

WHEN when_value2 THEN statements

•••

[ELSE else-statements]

END CASE;





MySQL Windows function statement


```
window_function_name(expression) OVER (
  [partition_definition]
  [order_definition]
  [frame_definition]
)
```



Example

```
SELECT
fiscal_year,
sales_employee,
sale,
SUM(sale) OVER (PARTITION BY fiscal_year) total_sales
FROM
sales;
```

https://www.mysqltutorial.org/mysql-window-functions/





Reference

- Webdevetc. (2022). Laravel Naming Conventions Web dev etc my software development blog. https://webdevetc.com/blog/laravel-naming-conventions/.
- Xqsit. (n.d.). Naming Conventions Laravel Guidelines. https://xqsit.github.io/laravel-coding-guidelines/docs/naming-conventions/.
- Theserverside. (n.d.). A guide to common variable naming conventions | TechTarget. https://www.theserverside.com/feature/A-guide-to-common-variable-naming-conventions.
- Curc. (n.d.). Coding best practices Research Computing University of Colorado Boulder documentation.
 https://curc.readthedocs.io/en/latest/programming/coding-best-practices.html.