

小型不锈钢反应釜

不锈钢反应釜（含税运）

升降不锈钢反应釜

产 品 型号	容 积 (L)	设计压力 (Mpa)	设计 温度 (℃)	搅 拌 转 速 (r/min)	加 热 功 率 (kw)	备注	 5L及以上
FSJ-0.5	0.5	22	350	50-1000	0.7	常 规 手 动 升 降 ， 一 个 防 爆 阀 ， 压 力 表 、 进 气 阀 、 出 气 阀 各 一 个 ， 含 进 气 管 。 常 规 不 含 架 子。 夹 套 款 需 要 3000 元 不 等 ， 具 体 可 询 价	
FSJ-1	1	22	350	50-1000	1.5		
FSJ-2	2	22	350	50-1000	2		
FSJ-3	3	22	350	50-1000	3		
FSJ-5	5	22	350	50-600	4		
FSJ-10	10	22	350	50-600	8		
FSJ20	20	16	350	50-600	10		
FSJ-30	30	16	350	50-600	12		

FSJ-50	50	10	300	50-600	15		
FSJ-100	100	6	300	50-600	18		

产品 型号	容 积 (L)	设计压力 (Mpa)	设计 温度 (℃)	搅 拌 转 速 (r/min)	加 热 功 率 (kw)	备注	
TGYF-S	0.05	22	350	0-1800	0.7	常规一个 防爆阀、 压力表、 进气阀、 出气阀各 一个，含 进气管， 进 气 管 200元/根 (1.8米) 直流无刷 电机。	
TGYF-S	0.1	22	350	0-1800	0.7		
TGYF-S	0.25	22	350	0-1800	0.7		
TGYF-S	0.5	22	350	0-1800	1.5		
TGYF-S	1	22	350	0-1800	1.5		
TGYF-S	2	22	350	1800	0.7		
TGYF-X	0.05	22	350	1800	0.7		

TGYF-X	0.1	22	350	1800	0.7		
TGYF-X	0.25	22	350	1800	0.7		
TGYF-X	0.5	22	350	1800	1.5		
TGYF-X	1	22	350	1800	1.5		
TGYF-X	2	22	350	1800	0.7		

产 品 型号	容 积 (L)	设计压力 (Mpa)	设计 温度 (℃)	搅 拌 转 速 (r/min)	加 热 功 率 (kw)	备注	
KGYP-S	0.05	10	350	0-1800	0.7	常规一个 防爆阀、 压力表、 进气阀、 出气阀各 一个，含 进气管， 进 气 管 200元/根 (1.8米) 直流无刷 电机。	
KGYP-S	0.1	10	350	0-1800	0.7		
KGYP-S	0.25	10	350	0-1800	0.7		
KGYP-S	0.5	10	350	0-1800	1.5		

KGYP-S	1	10	350	0-1800	1.5	
KGYP-S	2	10	350	0-1800	1.5	
KGYP-X	0.05	10	350	1800	0.7	
KGYP-X	0.1	10	350	1800	0.7	
KGYP-X	0.25	10	350	1800	0.7	
KGYP-X	0.5	10	350	1800	1.5	
KGYP-X	1	10	350	1800	1.5	
KGYP-X	2	10	350	1800	1.5	

台式磁力搅拌不锈钢反应釜



(含税运)

快卡式磁力搅拌不锈钢反应釜



(含税运)

















