

Principles of Data Science

Second Edition

Understand, analyze, and predict data using Machine Learning concepts and tools



Sinan Ozdemir, Sunil Kakade
and Marco Tibaldeschi

Packt

www.packt.com

Principles of Data Science

Second Edition

Understand, analyze, and predict data using
Machine Learning concepts and tools

Sinan Ozdemir

Sunil Kakade

Marco Tibaldeschi

Packt

BIRMINGHAM - MUMBAI

Principles of Data Science

Second Edition

Copyright © 2018 Packt Publishing

All rights reserved. No part of this book may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, without the prior written permission of the publisher, except in the case of brief quotations embedded in critical articles or reviews.

Every effort has been made in the preparation of this book to ensure the accuracy of the information presented. However, the information contained in this book is sold without warranty, either express or implied. Neither the authors, nor Packt Publishing or its dealers and distributors, will be held liable for any damages caused or alleged to have been caused directly or indirectly by this book.

Packt Publishing has endeavored to provide trademark information about all of the companies and products mentioned in this book by the appropriate use of capitals. However, Packt Publishing cannot guarantee the accuracy of this information.

Commissioning Editor: Amey Varangoankar

Acquisition Editor: Dayne Castelino

Content Development Editors: Chris D'cruz

Technical Editor: Sneha Hanchate

Copy Editor: Safis Editing

Project Coordinator: Namarata Swetta

Proofreader: Safis Editing

Indexers: Pratik Shirodkar

Graphics: Tom Scaria

Production Coordinator: Nilesh Mohite

First published: December 2016

Second editon: December 2018

Production reference: 1190419

Published by Packt Publishing Ltd.

Livery Place

35 Livery Street

Birmingham B3 2PB, UK.

ISBN 978-1-78980-454-6

www.packtpub.com



packt.com

Subscribe to our online digital library for full access to over 7,000 books and videos, as well as industry leading tools to help you plan your personal development and advance your career. For more information, please visit our website.

Why subscribe?

- Spend less time learning and more time coding with practical eBooks and Videos from over 4,000 industry professionals
- Learn better with Skill Plans built especially for you
- Get a free eBook or video every month
- Fully searchable for easy access to vital information
- Copy and paste, print, and bookmark content

PacktPub.com

Did you know that Packt offers eBook versions of every book published, with PDF and ePub files available? You can upgrade to the eBook version at www.Packt.com and as a print book customer, you are entitled to a discount on the eBook copy. Get in touch with us at customerservice@packtpub.com for more details.

At www.Packt.com, you can also read a collection of free technical articles, sign up for a range of free newsletters, and receive exclusive discounts and offers on Packt books and eBooks.

Contributors

About the authors

Sinan Ozdemir is a data scientist, start-up founder, and educator living in the San Francisco Bay Area. He studied pure mathematics at Johns Hopkins University. He then spent several years conducting lectures on data science at Johns Hopkins University before founding his own start-up, Kylie.ai, which uses artificial intelligence to clone brand personalities and automate customer service communications.

Sinan is also the author of *Principles of Data Science, First Edition* available through Packt.

Sunil Kakade is a technologist, educator, and senior leader with expertise in creating data- and AI-driven organizations. He is in the adjunct faculty at Northwestern University, Evanston, IL, where he teaches graduate courses of data science and big data. He has several research papers to his credit and has presented his work in big data applications at reputable conferences. He has US patents in areas of big data and retail processes. He is passionate about applying data science to improve business outcomes and save patients' lives. At present, Sunil leads the information architecture and analytics team for a large healthcare organization focused on improving healthcare outcomes and lives with his wife, Pratibha, and daughter, Preeti, in Scottsdale, Arizona.

I would like to thank my mother, Subhadra, wife; Pratibha; and daughter, Preeti, for supporting me during my education and career and for supporting my passion for learning. Many thanks to my mentors, Prof. Faisal Akkawi, Northwestern University; Bill Guise, Sr. Director, Dr. Joseph Colorafi, CMIO, and Deanna Wise, CIO at Dignity Health for supporting my passion for big data, data science, and artificial intelligence. Special thanks to Sinan Ozdemir and Packt Publishing for giving me the opportunity to co-author this book. I appreciate the incredible support of my team at Dignity Health Insights in my journey in data science. Finally, I'd like to thank my friend, Anand Deshpande, who inspired me to take on this project.

Marco Tibaldeschi, born in 1983, Master's degree in informatic engineering, has actively worked on the web since 1994. Thanks to the fact that he is the fourth of four brothers, he has always had a foot in the future. In 1998 he registered his first domain which was one of the first virtual web communities in Italy. Because of this, he has been interviewed by different national newspapers and radio stations, and a research book has been written by University of Pisa in order to understand the social phenomenon. In 2003, he founded DBN Communication, a web consulting company that owns and develops eDock, a SaaS that helps sellers to manage their inventories and orders on the biggest marketplaces in the world (like Amazon and eBay).

I'd like to thank my wife Giulia, because with her and her support everything seems and becomes possible. Without her help and her love, I'd be a different man and, I'm sure, a worse one. I'd also like to thank Nelson Morris and Chris D'cruz from Packt for this opportunity and for their continuous support.

About the reviewers

Oleg Okun got his PhD from the Institute of Engineering Cybernetics, National Academy of Sciences (Minsk, Belarus) in 1996. Since 1998 he has worked abroad, doing both academic research (in Belarus and Finland) and industrial research (in Sweden and Germany). His research experience includes document image analysis, cancer prediction by analyzing gene expression profiles (bioinformatics), fingerprint verification and identification (biometrics), online and offline marketing analytics, credit scoring (microfinance), and text search and summarization (natural language processing). He has 80 publications, including one IGI Global-published book and three co-edited books published by Springer-Verlag, as well as book chapters, journal articles, and numerous conference papers. He has also been a reviewer of several books published by Packt Publishing.

Jared James Thompson, PhD, is a graduate of Purdue University and has held both academic and industrial appointments teaching programming, algorithms, and big data technology. He is a machine learning enthusiast and has a particular love of optimization. Jared is currently employed as a machine learning engineer at Atomwise, a start-up that leverages artificial intelligence to design better drugs faster.

Packt is searching for authors like you

If you're interested in becoming an author for Packt, please visit authors.packtpub.com and apply today. We have worked with thousands of developers and tech professionals, just like you, to help them share their insight with the global tech community. You can make a general application, apply for a specific hot topic that we are recruiting an author for, or submit your own idea.

Table of Contents

Preface	xv
Chapter 1: How to Sound Like a Data Scientist	1
What is data science?	4
Basic terminology	4
Why data science?	5
Example – xyz123 Technologies	6
The data science Venn diagram	7
The math	8
Example – spawner-recruit models	9
Computer programming	11
Why Python?	11
Python practices	12
Example of basic Python	13
Example – parsing a single tweet	13
Domain knowledge	15
Some more terminology	15
Data science case studies	17
Case study – automating government	
paper pushing	17
Fire all humans, right?	18
Case study – marketing dollars	19
Case study – what's in a job description?	21
Summary	24
Chapter 2: Types of Data	27
Flavors of data	27
Why look at these distinctions?	28
Structured versus unstructured data	28
Example of data pre-processing	29
Word/phrase counts	30

Table of Contents

Presence of certain special characters	30
The relative length of text	30
Picking out topics	31
Quantitative versus qualitative data	31
Example – coffee shop data	32
Example – world alcohol consumption data	34
Digging deeper	36
The road thus far	36
The four levels of data	37
The nominal level	37
Mathematical operations allowed	38
Measures of center	38
What data is like at the nominal level	38
The ordinal level	39
Examples	39
Mathematical operations allowed	39
Measures of center	40
Quick recap and check	41
The interval level	42
Example	42
Mathematical operations allowed	42
Measures of center	42
Measures of variation	43
The ratio level	45
Examples	45
Measures of center	46
Problems with the ratio level	46
Data is in the eye of the beholder	47
Summary	47
Answers	48
Chapter 3: The Five Steps of Data Science	49
Introduction to data science	49
Overview of the five steps	50
Asking an interesting question	50
Obtaining the data	50
Exploring the data	51
Modeling the data	51
Communicating and visualizing the results	51
Exploring the data	51
Basic questions for data exploration	52
Dataset 1 – Yelp	53
DataFrames	55
Series	56
Exploration tips for qualitative data	56

Table of Contents

Dataset 2 – Titanic	62
Summary	66
Chapter 4: Basic Mathematics	67
Mathematics as a discipline	67
Basic symbols and terminology	68
Vectors and matrices	68
Quick exercises	71
Answers	71
Arithmetic symbols	71
Summation	71
Proportional	72
Dot product	72
Graphs	75
Logarithms/exponents	76
Set theory	78
Linear algebra	82
Matrix multiplication	83
How to multiply matrices	83
Summary	87
Chapter 5: Impossible or Improbable - A Gentle Introduction to Probability	89
Basic definitions	89
Probability	90
Bayesian versus Frequentist	91
Frequentist approach	92
The law of large numbers	93
Compound events	95
Conditional probability	98
The rules of probability	98
The addition rule	98
Mutual exclusivity	100
The multiplication rule	100
Independence	101
Complementary events	102
A bit deeper	103
Summary	104
Chapter 6: Advanced Probability	105
Collectively exhaustive events	106
Bayesian ideas revisited	106
Bayes' theorem	106
More applications of Bayes' theorem	110

Table of Contents

Example – Titanic	110
Example – medical studies	112
Random variables	113
Discrete random variables	114
Types of discrete random variables	119
Binomial random variables	120
Summary	129
Chapter 7: Basic Statistics	131
What are statistics?	131
How do we obtain and sample data?	133
Obtaining data	133
Observational	133
Experimental	133
Sampling data	135
Probability sampling	136
Random sampling	136
Unequal probability sampling	137
How do we measure statistics?	138
Measures of center	138
Measures of variation	139
Definition	143
Example – employee salaries	143
Measures of relative standing	144
The insightful part – correlations in data	150
The empirical rule	152
Example – Exam scores	153
Summary	154
Chapter 8: Advanced Statistics	155
Point estimates	155
Sampling distributions	160
Confidence intervals	163
Hypothesis tests	168
Conducting a hypothesis test	169
One sample t-tests	170
Example of a one-sample t-test	171
Assumptions of the one-sample t-test	171
Type I and type II errors	174
Hypothesis testing for categorical variables	175
Chi-square goodness of fit test	175
Chi-square test for association/independence	178
Assumptions of the chi-square independence test	179
Summary	180

Table of Contents

Chapter 9: Communicating Data	181
Why does communication matter?	181
Identifying effective and ineffective visualizations	182
Scatter plots	182
Line graphs	184
Bar charts	185
Histograms	187
Box plots	189
When graphs and statistics lie	192
Correlation versus causation	192
Simpson's paradox	196
If correlation doesn't imply causation, then what does?	197
Verbal communication	197
It's about telling a story	198
On the more formal side of things	198
The why/how/what strategy of presenting	199
Summary	200
Chapter 10: How to Tell If Your Toaster Is Learning – Machine Learning Essentials	201
What is machine learning?	202
Example – facial recognition	203
Machine learning isn't perfect	204
How does machine learning work?	205
Types of machine learning	205
Supervised learning	206
Example – heart attack prediction	207
It's not only about predictions	209
Types of supervised learning	209
Data is in the eyes of the beholder	211
Unsupervised learning	212
Reinforcement learning	213
Overview of the types of machine learning	215
How does statistical modeling fit into all of this?	216
Linear regression	217
Adding more predictors	222
Regression metrics	224
Logistic regression	231
Probability, odds, and log odds	232
The math of logistic regression	235
Dummy variables	238
Summary	243

Table of Contents

Chapter 11: Predictions Don't Grow on Trees - or Do They?	245
Naive Bayes classification	245
Decision trees	253
How does a computer build a regression tree?	256
How does a computer fit a classification tree?	256
Unsupervised learning	261
When to use unsupervised learning	261
k-means clustering	262
Illustrative example – data points	264
Illustrative example – beer!	267
Choosing an optimal number for K and cluster validation	270
The Silhouette Coefficient	270
Feature extraction and principal component analysis	272
Summary	283
Chapter 12: Beyond the Essentials	285
The bias/variance trade-off	286
Errors due to bias	286
Error due to variance	286
Example – comparing body and brain weight of mammals	287
Two extreme cases of bias/variance trade-off	295
Underfitting	295
Overfitting	296
How bias/variance play into error functions	296
K folds cross-validation	298
Grid searching	302
Visualizing training error versus cross-validation error	305
Ensembling techniques	307
Random forests	309
Comparing random forests with decision trees	314
Neural networks	315
Basic structure	315
Summary	321
Chapter 13: Case Studies	323
Case study 1 – Predicting stock prices based on social media	323
Text sentiment analysis	323
Exploratory data analysis	324
Regression route	336
Classification route	338
Going beyond with this example	340

Table of Contents

Case study 2 – Why do some people cheat on their spouses?	340
Case study 3 – Using TensorFlow	348
TensorFlow and neural networks	352
Summary	358
Chapter 14: Building Machine Learning Models with Azure Databricks and Azure Machine Learning service	359
Technical requirements	360
Technologies for machine learning projects	360
Apache Spark	361
Data management in Apache Spark	362
Databricks and Azure Databricks	363
MLlib	364
Configuring Azure Databricks	366
Creating an Azure Databricks cluster	367
Training a text classifier with Azure Databricks	370
Loading data into Azure Databricks	371
Reading and prepping our dataset	373
Feature engineering	377
Tokenizers	378
StopWordsRemover	379
TF-IDF	380
Model training and testing	381
Exporting the model	384
Azure Machine Learning	386
Creating an Azure Machine Learning workspace	387
Azure Machine Learning SDK for Python	390
Integrating Azure Databricks and Azure Machine Learning	392
Programmatically create a new Azure Machine Learning workspace	392
SMS spam classifier on Azure Machine Learning	394
Experimenting with and selecting the best model	396
Deploying to Azure Container Instances	402
Testing our RESTful intelligent web service	406
Summary	408
Other Books You May Enjoy	409
Leave a review – let other readers know what you think	411
Index	413



Get help with
your project.


Talk to a sales
specialist >



Build



Train



Deploy

Experiment with advanced machine learning capabilities in Azure.

Get hands on. Choose your tools and frameworks. Accelerate model development and manage the complete lifecycle with DevOps for machine learning.

Free Services
\$200 credit
Free training

Start free

Preface

The topic of this book is data science, which is a field of study that has been growing rapidly for the past few decades. Today, more companies than ever before are investing in big data and data science to improve business performance, drive innovation, and create new revenue streams by building data products. According to LinkedIn's 2017 US Emerging Jobs Report, machine learning engineer, data scientist, and big data engineer rank among the top emerging jobs, and companies in a wide range of industries are seeking people with the requisite skills for those roles.

We will dive into topics from all three areas and solve complex problems. We will clean, explore, and analyze data in order to derive scientific and accurate conclusions. Machine learning and deep learning techniques will be applied to solve complex data tasks.

Who this book is for

This book is for people who are looking to understand and utilize the basic practices of data science for any domain. The reader should be fairly well acquainted with basic mathematics (algebra, and perhaps probability) and should feel comfortable reading snippets in R/Python as well as pseudo code. The reader is not expected to have worked in a data field; however, they should have the urge to learn and apply the techniques put forth in this book to either their own datasets or those provided to them.

What this book covers

Chapter 1, How to Sound Like a Data Scientist, introduces the basic terminology used by data scientists and looks at the types of problem we will be solving throughout this book.

Chapter 2, Types of Data, looks at the different levels and types of data out there and shows how to manipulate each type. This chapter will begin to deal with the mathematics needed for data science.

Chapter 3, The Five Steps of Data Science, uncovers the five basic steps of performing data science, including data manipulation and cleaning, and shows examples of each step in detail.

Chapter 4, Basic Mathematics, explains the basic mathematical principles that guide the actions of data scientists by presenting and solving examples in calculus, linear algebra, and more.

Chapter 5, Impossible or Improbable – a Gentle Introduction to Probability, is a beginner's guide to probability theory and how it is used to gain an understanding of our random universe.

Chapter 6, Advanced Probability, uses principles from the previous chapter and introduces and applies theorems, such as Bayes' Theorem, in the hope of uncovering the hidden meaning in our world.

Chapter 7, Basic Statistics, deals with the types of problem that statistical inference attempts to explain, using the basics of experimentation, normalization, and random sampling.

Chapter 8, Advanced Statistics, uses hypothesis testing and confidence intervals to gain insight from our experiments. Being able to pick which test is appropriate and how to interpret p-values and other results is very important as well.

Chapter 9, Communicating Data, explains how correlation and causation affect our interpretation of data. We will also be using visualizations in order to share our results with the world.

Chapter 10, How to Tell Whether Your Toaster Is Learning – Machine Learning Essentials, focuses on the definition of machine learning and looks at real-life examples of how and when machine learning is applied. A basic understanding of the relevance of model evaluation is introduced.

Chapter 11, Predictions Don't Grow on Trees, or Do They?, looks at more complicated machine learning models, such as decision trees and Bayesian predictions, in order to solve more complex data-related tasks.

Chapter 12, Beyond the Essentials, introduces some of the mysterious forces guiding data science, including bias and variance. Neural networks are introduced as a modern deep learning technique.

Chapter 13, Case Studies, uses an array of case studies in order to solidify the ideas of data science. We will be following the entire data science workflow from start to finish multiple times for different examples, including stock price prediction and handwriting detection.

Chapter 14, Microsoft Databricks Case Studies, will harness the power of the Microsoft data environment as well as Apache Spark to put our machine learning in high gear. This chapter makes use of parallelization and advanced visualization software to get the most out of our data.

Chapter 15, Building Machine Learning Models with Azure Databricks and Azure ML, looks at the different technologies that a data scientist can use on Microsoft Azure Platform, which help in managing big data projects without having to worry about infrastructure and computing power.

To get the most out of this book

This book will attempt to bridge the gap between math, programming, and domain expertise. Most people today have expertise in at least one of these (maybe two), but proper data science requires a little bit of all three.

Download the example code files

You can download the example code files for this book from your account at www.packt.com. If you purchased this book elsewhere, you can visit www.packt.com/support and register to have the files emailed directly to you.

You can download the code files by following these steps:

1. Log in or register at www.packt.com.
2. Select the **SUPPORT** tab.
3. Click on **Code Downloads & Errata**.
4. Enter the name of the book in the **Search** box and follow the onscreen instructions.

Once the file is downloaded, please make sure that you unzip or extract the folder using the latest version of:

- WinRAR/7-Zip for Windows
- Zipeg/iZip/UnRarX for Mac
- 7-Zip/PeaZip for Linux

The code bundle for the book is also hosted on GitHub at <https://github.com/PacktPublishing/Principles-of-Data-Science-Second-Edition>. In case there's an update to the code, it will be updated on the existing GitHub repository.

We also have other code bundles from our rich catalog of books and videos available at <https://github.com/PacktPublishing/>. Check them out!

Download the color images

We also provide a PDF file that has color images of the screenshots/diagrams used in this book. You can download it here: https://www.packtpub.com/sites/default/files/downloads/9781789804546_ColorImages.pdf.

Conventions used

There are a number of text conventions used throughout this book.

CodeInText: Indicates code words in text, database table names, folder names, filenames, file extensions, pathnames, dummy URLs, user input, and Twitter handles. Here is an example: "Mount the downloaded WebStorm-10*.dmg disk image file as another disk in your system."

A block of code is set as follows:

```
dict = {"dog": "human's best friend", "cat": "destroyer of world"}
dict["dog"]# == "human's best friend"
len(dict["cat"]) # == 18

# but if we try to create a pair with the same key as an existing key
dict["dog"] = "Arf"
```



When we wish to draw your attention to a particular part of a code block, the relevant lines or items are set in bold:

```
def jaccard(user1, user2):
    stores_in_common = len(user1 & user2)
stores_all_together = len(user1 | user2)
    return stores / float(stores_all_together)
```

Any command-line input or output is written as follows:

```
import numpy as np
```

Bold: Indicates a new term, an important word, or words that you see onscreen. For example, words in menus or dialog boxes appear in the text like this. Here is an example: "Select **System info** from the **Administration panel**."



Get in touch

Feedback from our readers is always welcome.

General feedback: If you have questions about any aspect of this book, mention the book title in the subject of your message and email us at customercare@packtpub.com.

Errata: Although we have taken every care to ensure the accuracy of our content, mistakes do happen. If you have found a mistake in this book, we would be grateful if you would report this to us. Please visit www.packt.com/submit-errata, selecting your book, clicking on the Errata Submission Form link, and entering the details.

Piracy: If you come across any illegal copies of our works in any form on the Internet, we would be grateful if you would provide us with the location address or website name. Please contact us at copyright@packt.com with a link to the material.

If you are interested in becoming an author: If there is a topic that you have expertise in and you are interested in either writing or contributing to a book, please visit authors.packtpub.com.

Reviews

Please leave a review. Once you have read and used this book, why not leave a review on the site that you purchased it from? Potential readers can then see and use your unbiased opinion to make purchase decisions, we at Packt can understand what you think about our products, and our authors can see your feedback on their book. Thank you!

For more information about Packt, please visit packt.com.

1


How to Sound Like a Data Scientist

No matter which industry you work in—IT, fashion, food, or finance—there is no doubt that data affects your life and work. At some point this week, you will either have or hear a conversation about data. News outlets are covering more and more stories about data leaks, cybercrimes, and how data can give us a glimpse into our lives. But why now? What makes this era such a hotbed of data-related industries?

In the nineteenth century, the world was in the grip of the Industrial Age. Mankind was exploring its place in the industrial world, working with giant mechanical inventions. Captains of industry, such as Henry Ford, recognized that using these machines could open major market opportunities, enabling industries to achieve previously unimaginable profits. Of course, the Industrial Age had its pros and cons. While mass production placed goods in the hands of more consumers, our battle with pollution also began around this time.

By the twentieth century, we were quite skilled at making huge machines; the goal then was to make them smaller and faster. The Industrial Age was over and was replaced by what we now refer to as the Information Age. We started using machines to gather and store information (data) about ourselves and our environment for the purpose of understanding our universe.

Beginning in the 1940s, machines such as ENIAC (considered one of the first—if not the first—computers) were computing math equations and running models and simulations like never before. The following photograph shows ENIAC:



ENIAC—The world's first electronic digital computer
(Ref: <http://ftp.arl.mil/ftp/historic-computers/>)

We finally had a decent lab assistant who could run the numbers better than we could! As with the Industrial Age, the Information Age brought us both the good and the bad. The good was the extraordinary works of technology, including mobile phones and televisions. The bad was not as bad as worldwide pollution, but still left us with a problem in the twenty-first century—so much data.

That's right—the Information Age, in its quest to procure data, has exploded the production of electronic data. Estimates show that we created about 1.8 trillion gigabytes of data in 2011 (take a moment to just think about how much that is). Just one year later, in 2012, we created over 2.8 trillion gigabytes of data! This number is only going to explode further to hit an estimated 40 trillion gigabytes of created data in just one year by 2020. People contribute to this every time they tweet, post on Facebook, save a new resume on Microsoft Word, or just send their mom a picture by text message.

Not only are we creating data at an unprecedented rate, but we are also consuming it at an accelerated pace as well. Just five years ago, in 2013, the average cell phone user used under 1 GB of data a month. Today, that number is estimated to be well over 2 GB a month. We aren't just looking for the next personality quiz—what we are looking for is insight. With all of this data out there, some of it has to be useful to us! And it can be!

So we, in the twenty-first century, are left with a problem. We have so much data and we keep making more. We have built insanely tiny machines that collect data 24/7, and it's our job to make sense of it all. Enter the Data Age. This is the age when we take machines dreamed up by our nineteenth century ancestors and the data created by our twentieth century counterparts and create insights and sources of knowledge that every human on Earth can benefit from. The United States created an entirely new role in the government of chief data scientist. Many companies are now investing in data science departments and hiring data scientists. The benefit is quite obvious—using data to make accurate predictions and simulations gives us insight into our world like never before.

Sounds great, but what's the catch?

This chapter will explore the terminology and vocabulary of the modern data scientist. We will learn keywords and phrases that will be essential in our discussion of data science throughout this book. We will also learn why we use data science and learn about the three key domains that data science is derived from before we begin to look at the code in Python, the primary language used in this book. This chapter will cover the following topics:

- The basic terminology of data science
- The three domains of data science
- The basic Python syntax

What is data science?

Before we go any further, let's look at some basic definitions that we will use throughout this book. The great/awful thing about this field is that it is so young that these definitions can differ from textbook to newspaper to whitepaper.

Basic terminology

The definitions that follow are general enough to be used in daily conversations, and work to serve the purpose of this book – an introduction to the principles of data science.

Let's start by defining what data is. This might seem like a silly first definition to look at, but it is very important. Whenever we use the word "data," we refer to a collection of information in either an organized or unorganized format. These formats have the following qualities:

- **Organized data:** This refers to data that is sorted into a row/column structure, where every row represents a single observation and the columns represent the characteristics of that observation
- **Unorganized data:** This is the type of data that is in a free form, usually text or raw audio/signals that must be parsed further to become organized

Whenever you open Excel (or any other spreadsheet program), you are looking at a blank row/column structure, waiting for organized data. These programs don't do well with unorganized data. For the most part, we will deal with organized data as it is the easiest to glean insights from, but we will not shy away from looking at raw text and methods of processing unorganized forms of data.

Data science is the art and science of acquiring knowledge through data.

What a small definition for such a big topic, and rightfully so! Data science covers so many things that it would take pages to list it all out (I should know—I tried and got told to edit it down).

Data science is all about how we take data, use it to acquire knowledge, and then use that knowledge to do the following:

- Make decisions
- Predict the future
- Understand the past/present
- Create new industries/products

This book is all about the methods of data science, including how to process data, gather insights, and use those insights to make informed decisions and predictions.

Data science is about using data in order to gain new insights that you would otherwise have missed.

As an example, using data science, clinics can identify patients who are likely to not show up for an appointment. This can help improve margins, and providers can give other patients available slots.

That's why data science won't replace the human brain, but complement it, working alongside it. Data science should not be thought of as an end-all solution to our data woes; it is merely an opinion—a very informed opinion, but an opinion nonetheless. It deserves a seat at the table.

Why data science?

In this Data Age, it's clear that we have a surplus of data. But why should that necessitate an entirely new set of vocabulary? What was wrong with our previous forms of analysis? For one, the sheer volume of data makes it literally impossible for a human to parse it in a reasonable time frame. Data is collected in various forms and from different sources, and often comes in a very unorganized format.

Data can be missing, incomplete, or just flat out wrong. Oftentimes, we will have data on very different scales, and that makes it tough to compare it. Say that we are looking at data in relation to pricing used cars. One characteristic of a car is the year it was made, and another might be the number of miles on that car. Once we clean our data (which we will spend a great deal of time looking at in this book), the relationships between the data become more obvious, and the knowledge that was once buried deep in millions of rows of data simply pops out. One of the main goals of data science is to make explicit practices and procedures to discover and apply these relationships in the data.

Earlier, we looked at data science in a more historical perspective, but let's take a minute to discuss its role in business today using a very simple example.

Example – xyz123 Technologies

Ben Runkle, the CEO of xyz123 Technologies, is trying to solve a huge problem. The company is consistently losing long-time customers. He does not know why they are leaving, but he must do something fast. He is convinced that in order to reduce his churn, he must create new products and features, and consolidate existing technologies. To be safe, he calls in his chief data scientist, Dr. Hughan. However, she is not convinced that new products and features alone will save the company. Instead, she turns to the transcripts of recent customer service tickets. She shows Ben the most recent transcripts and finds something surprising:

- ".... Not sure how to export this; are you?"
- "Where is the button that makes a new list?"
- "Wait, do you even know where the slider is?"
- "If I can't figure this out today, it's a real problem..."

It is clear that customers were having problems with the existing UI/UX, and weren't upset because of a lack of features. Runkle and Hughan organized a mass UI/UX overhaul, and their sales have never been better.

Of course, the science used in the last example was minimal, but it makes a point. We tend to call people like Runkle drivers. Today's common stick-to-your-gut CEO wants to make all decisions quickly and iterate over solutions until something works. Dr. Hughan is much more analytical. She wants to solve the problem just as much as Runkle, but she turns to user-generated data instead of her gut feeling for answers. Data science is about applying the skills of the analytical mind and using them as a driver would.


Both of these mentalities have their place in today's enterprises; however, it is Hughan's way of thinking that dominates the ideas of data science – using data generated by the company as her source of information, rather than just picking up a solution and going with it.

The data science Venn diagram

It is a common misconception that only those with a PhD or geniuses can understand the math/ programming behind data science. This is absolutely false. Understanding data science begins with three basic areas:

- **Math/statistics:** This is the use of equations and formulas to perform analysis
- **Computer programming:** This is the ability to use code to create outcomes on computer
- **Domain knowledge:** This refers to understanding the problem domain (medicine, finance, social science, etc.)

The following Venn diagram provides a visual representation of how these three areas of data science intersect:



The Venn diagram of data science

Those with hacking skills can conceptualize and program complicated algorithms using computer languages. Having a math and statistics background allows you to theorize and evaluate algorithms and tweak the existing procedures to fit specific situations. Having substantive expertise (domain expertise) allows you to apply concepts and results in a meaningful and effective way.

While having only two of these three qualities can make you intelligent, it will also leave a gap. Let's say that you are very skilled in coding and have formal training in day trading. You might create an automated system to trade in your place, but lack the math skills to evaluate your algorithms. This will mean that you end up losing money in the long run. It is only when you boost your skills in coding, math, and domain knowledge that you can truly perform data science.

The quality that was probably a surprise for you was domain knowledge. It is really just knowledge of the area you are working in. If a financial analyst started analyzing data about heart attacks, they might need the help of a cardiologist to make sense of a lot of the numbers.

Data science is the intersection of the three key areas we mentioned earlier. In order to gain knowledge from data, we must be able to utilize computer programming to access the data, understand the mathematics behind the models we derive, and, above all, understand our analyses' place in the domain we are in. This includes the presentation of data. If we are creating a model to predict heart attacks in patients, is it better to create a PDF of information, or an app where you can type in numbers and get a quick prediction? All these decisions must be made by the data scientist.



The intersection of math and coding is machine learning. This book will look at machine learning in great detail later on, but it is important to note that without the explicit ability to generalize any models or results to a domain, machine learning algorithms remain just that—algorithms sitting on your computer. You might have the best algorithm to predict cancer. You could be able to predict cancer with over 99% accuracy based on past cancer patient data, but if you don't understand how to apply this model in a practical sense so that doctors and nurses can easily use it, your model might be useless.

Both computer programming and math are covered extensively in this book. Domain knowledge comes with both the practice of data science and reading examples of other people's analyses.

The math

Most people stop listening once someone says the word "math." They'll nod along in an attempt to hide their utter disdain for the topic. This book will guide you through the math needed for data science, specifically statistics and probability. We will use these subdomains of mathematics to create what are called **models**.

A data model refers to an organized and formal relationship between elements of data, usually meant to simulate a real-world phenomenon.

Essentially, we will use math in order to formalize relationships between variables.

As a former pure mathematician and current math teacher, I know how difficult this can be. I will do my best to explain everything as clearly as I can. Between the three areas of data science, math is what allows us to move from domain to domain. Understanding the theory allows us to apply a model that we built for the fashion industry to a financial domain.

The math covered in this book ranges from basic algebra to advanced probabilistic and statistical modeling. Do not skip over these chapters, even if you already know these topics or you're afraid of them. Every mathematical concept that I will introduce will be introduced with care and purpose, using examples. The math in this book is essential for data scientists.

Example – spawner-recruit models

In biology, we use, among many other models, a model known as the spawner-recruit model to judge the biological health of a species. It is a basic relationship between the number of healthy parental units of a species and the number of new units in the group of animals. In a public dataset of the number of salmon spawners and recruits, the graph further down (titled spawner-recruit model) was formed to visualize the relationship between the two. We can see that there definitely is some sort of positive relationship (as one goes up, so does the other). But how can we formalize this relationship? For example, if we knew the number of spawners in a population, could we predict the number of recruits that the group would obtain, and vice versa?

Essentially, models allow us to plug in one variable to get the other. Consider the following example:

$$\text{Recruits} = 0.5 * \text{Spawners} + 60$$


In this example, let's say we knew that a group of salmon had 1.15 (in thousands) spawners. Then, we would have the following:

$$\text{Recruits} = 0.5 * 1.15 + 60$$

$$\text{Recruits} = 60.575 \text{ (in thousands)}$$

This result can be very beneficial to estimate how the health of a population is changing. If we can create these models, we can visually observe how the relationship between the two variables can change.

There are many types of **data models**, including **probabilistic and statistical models**. Both of these are subsets of a larger **paradigm, called machine learning**. The essential idea behind these three topics is that we use data in order to come up with the best **model possible**. We no longer rely on human instincts—rather, we rely on data, such as that displayed in the following graph:



The spawner-recruit model visualized

The purpose of this example is to show how we can define relationships between data elements using mathematical equations. The fact that I used salmon health data was irrelevant! Throughout this book, we will look at relationships involving marketing dollars, sentiment data, restaurant reviews, and much more. The main reason for this is that I would like you (the reader) to be exposed to as many domains as possible.

Math and coding are vehicles that allow data scientists to step back and apply their skills virtually anywhere.

Computer programming

Let's be honest: you probably think computer science is way cooler than math. That's ok, I don't blame you. The news isn't filled with math news like it is with news on technology. You don't turn on the TV to see a new theory on primes—rather, you will see investigative reports on how the latest smartphone can take better photos of cats, or something. Computer languages are how we communicate with machines and tell them to do our bidding. A computer speaks many languages and, like a book, can be written in many languages; similarly, data science can also be done in many languages. Python, Julia, and R are some of the many languages that are available to us. This book will focus exclusively on using Python.

Why Python?

We will use Python for a variety of reasons, listed as follows:

- Python is an extremely simple language to read and write, even if you've never coded before, which will make future examples easy to understand and read later on, even after you have read this book.
- It is one of the most common languages, both in production and in an academic setting (one of the fastest growing, as a matter of fact).
- The language's online community is vast and friendly. This means that a quick search for the solution to a problem should yield many people who have faced and solved similar (if not exactly the same) situations.
- Python has prebuilt data science modules that both the novice and the veteran data scientist can utilize.

The last point is probably the biggest reason we will focus on Python. These prebuilt modules are not only powerful, but also easy to pick up. By the end of the first few chapters, you will be very comfortable with these modules. Some of these modules include the following:

- pandas
- scikit-learn
- seaborn
- numpy/scipy
- requests (to mine data from the web)
- BeautifulSoup (for web-HTML parsing)

Python practices

Before we move on, it is important to formalize many of the requisite coding skills in Python.

In Python, we have variables that are placeholders for objects. We will focus on just a few types of basic objects at first, as shown in the following table:

Object Type	Example
int (an integer)	3, 6, 99, -34, 34, 11111111
float (a decimal)	3.14159, 2.71, -0.34567
boolean (either True or False)	<ul style="list-style-type: none">The statement "Sunday is a weekend" is TrueThe statement "Friday is a weekend" is FalseThe statement "pi is exactly the ratio of a circle's circumference to its diameter" is True (crazy, right?)
string (text or words made up of characters)	"I love hamburgers" (by the way, who doesn't?) "Matt is awesome" A tweet is a string
list (a collection of objects)	[1, 5.4, True, "apple"]

We will also have to understand some basic logistical operators. For these operators, keep the Boolean datatype in mind. Every operator will evaluate to either `True` or `False`. Let's take a look at the following operators:

Operators	Example
<code>==</code>	Evaluates to <code>True</code> if both sides are equal; otherwise, it evaluates to <code>False</code> , as shown in the following examples: <ul style="list-style-type: none"><code>3 + 4 == 7</code> (will evaluate to <code>True</code>)<code>3 - 2 == 7</code> (will evaluate to <code>False</code>)
<code><</code> (less than)	<ul style="list-style-type: none"><code>3 < 5</code> (<code>True</code>)<code>5 < 3</code> (<code>False</code>)
<code><=</code> (less than or equal to)	<ul style="list-style-type: none"><code>3 <= 3</code> (<code>True</code>)<code>5 <= 3</code> (<code>False</code>)

Operators	Example
> (greater than)	<ul style="list-style-type: none"> • $3 > 5$ (False) • $5 > 3$ (True)
\geq (greater than or equal to)	<ul style="list-style-type: none"> • $3 \geq 3$ (True) • $5 \geq 7$ (False)

When coding in Python, I will use a pound sign (#) to create a "comment," which will not be processed as code, but is merely there to communicate with the reader. Anything to the right of a # sign is a comment on the code being executed.

Example of basic Python

In Python, we use spaces/tabs to denote operations that belong to other lines of code.



The print True statement belongs to the if $x + y == 15.3$: line preceding it because it is tabbed right under it. This means that the print statement will be executed if, and only if, $x + y$ equals 15.3.



Note that the following list variable, `my_list`, can hold multiple types of objects. This one has an `int`, a `float`, a `boolean`, and `string` inputs (in that order):

```
my_list = [1, 5.7, True, "apples"]

len(my_list) == 4 # 4 objects in the list

my_list[0] == 1    # the first object

my_list[1] == 5.7  # the second object
```

In the preceding code, I used the `len` command to get the length of the list (which was 4). Also, note the zero-indexing of Python. Most computer languages start counting at zero instead of one. So, if I want the first element, I call index 0, and if I want the 95th element, I call index 94.

Example – parsing a single tweet

Here is some more Python code. In this example, I will be parsing some tweets about stock prices (one of the important case studies in this book will be trying to predict market movements based on popular sentiment regarding stocks on social media):

```
tweet = "RT @j_o_n_dnger: $TWTR now top holding for Andor, unseating
$AAPL"
```

```
words_in_tweet = tweet.split(' ') # list of words in tweet

for word in words_in_tweet:          # for each word in list
    if "$" in word:                # if word has a "cashtag"
        print("THIS TWEET IS ABOUT", word) # alert the user
```

I will point out a few things about this code snippet line by line, as follows:

- First, we set a variable to hold some text (known as a string in Python). In this example, the tweet in question is "RT @robdrv: \$TWTR now top holding for Andor, unseating \$AAPL".
- The `words_in_tweet` variable tokenizes the tweet (separates it by word). If you were to print this variable, you would see the following:

```
['RT',
 '@robdrv:',
 '$TWTR',
 'now',
 'top',
 'holding',
 'for',
 'Andor',
 'unseating',
 '$AAPL']
```

- We iterate through this list of words; this is called a `for` loop. It just means that we go through a list one by one.
- Here, we have another `if` statement. For each word in this tweet, if the word contains the \$ character, it represents stock tickers on Twitter.
- If the preceding `if` statement is `True` (that is, if the tweet contains a cashtag), print it and show it to the user.

The output of this code will be as follows:

```
THIS TWEET IS ABOUT $TWTR
THIS TWEET IS ABOUT $AAPL
```

We get this output as these are the only words in the tweet that use the cashtag. Whenever I use Python in this book, I will ensure that I am as explicit as possible about what I am doing in each line of code.

Domain knowledge

As I mentioned earlier, domain knowledge focuses mainly on having knowledge of the particular topic you are working on. For example, if you are a financial analyst working on stock market data, you have a lot of domain knowledge. If you are a journalist looking at worldwide adoption rates, you might benefit from consulting an expert in the field. This book will attempt to show examples from several problem domains, including medicine, marketing, finance, and even UFO sightings!


Does this mean that if you're not a doctor, you can't work with medical data? Of course not! Great data scientists can apply their skills to any area, even if they aren't fluent in it. Data scientists can adapt to the field and contribute meaningfully when their analysis is complete.

A big part of domain knowledge is presentation. Depending on your audience, it can matter greatly on how you present your findings. Your results are only as good as your vehicle of communication. You can predict the movement of the market with 99.99% accuracy, but if your program is impossible to execute, your results will go unused. Likewise, if your vehicle is inappropriate for the field, your results will go equally unused.

Some more terminology

This is a good time to define some more vocabulary. By this point, you're probably excitedly looking up a lot of data science material and seeing words and phrases I haven't used yet. Here are some common terms that you are likely to encounter:

- **Machine learning:** This refers to giving computers the ability to **learn from data without explicit "rules" being given by a programmer**. We have seen the concept of machine learning earlier in this chapter as the union of someone who has both coding and math skills. Here, we are attempting to formalize this definition. Machine learning combines the power of computers with **intelligent learning algorithms in order to automate the discovery of relationships in data and create powerful data models**. Speaking of data models, in this book, we will concern ourselves with the following two basic types of data model:
 - **Probabilistic model:** This refers to using probability to find a relationship between elements that includes a degree of randomness
 - **Statistical model:** This refers to taking advantage of statistical theorems to formalize relationships between data elements in a (usually) simple mathematical formula




While both the statistical and probabilistic models can be run on computers and might be considered machine learning in that regard, we will keep these definitions separate, since machine learning algorithms generally attempt to learn relationships in different ways. We will take a look at the statistical and probabilistic models in later chapters.

- **Exploratory data analysis (EDA):** This refers to preparing data in order to standardize results and gain quick insights. EDA is concerned with data visualization and preparation. This is where we turn unorganized data into organized data and clean up missing/incorrect data points. During EDA, we will **create many types of plots** and use these plots to identify key features and relationships to exploit in our data models.
- **Data mining:** This is the process of **finding relationships** between elements of data. Data mining is the part of data science where we try to find relationships between variables (think the spawn-recruit model).

I have tried pretty hard not to use the term **big data** up until now. This is because I think this term is misused, a lot. Big data is data that is too large to be processed by a single machine (if your laptop crashed, it might be suffering from a case of big data).

The following diagram shows the relationship between these data science concepts:



The state of data science (so far)

The preceding diagram is incomplete and is meant for visualization purposes only.

Data science case studies

The combination of math, computer programming, and domain knowledge is what makes data science so powerful. Oftentimes, it is difficult for a single person to master all three of these areas. That's why it's very common for companies to hire teams of data scientists instead of a single person. Let's look at a few powerful examples of data science in action and their outcomes.

Case study – automating government paper pushing

Social security claims are known to be a major hassle for both the agent reading it and the person who wrote the claim. Some claims take over two years to get resolved in their entirety, and that's absurd! Let's look at the following diagram, which shows what goes into a claim:

Sample social security form

Not bad. It's mostly just text, though. Fill this in, then that, then this, and so on. You can see how it would be difficult for an agent to read these all day, form after form. There must be a better way!

Well, there is. Elder Research Inc. parsed this unorganized data and was able to automate 20% of all disability social security forms. This means that a computer could look at 20% of these written forms and give its opinion on the approval.

Not only that – the third-party company that is hired to rate the approvals of the forms actually gave the machine-graded forms a higher grade than the human forms. So, not only did the computer handle 20% of the load on average, it also did better than a human.

Fire all humans, right?

Before I get a load of angry emails claiming that data science is bringing about the end of human workers, keep in mind that the computer was only able to handle 20% of the load. This means that it probably performed terribly on 80% of the forms! This is because the computer was probably great at simple forms. The claims that would have taken a human minutes to compute took the computer seconds. But these minutes add up, and before you know it, each human is being saved over an hour a day!

Forms that might be easy for a human to read are also likely easy for the computer. It's when the forms are very terse, or when the writer starts deviating from the usual grammar, that the computer starts to fail. This model is great because it lets the humans spend more time on those difficult claims and gives them more attention without getting distracted by the sheer volume of papers.



Note that I used the word "model." Remember that a model is a relationship between elements. In this case, the relationship is between written words and the approval status of a claim.

Case study – marketing dollars

A dataset shows the relationships between TV, radio, and newspaper sales. The goal is to analyze the relationships between the three different marketing mediums and how they affect the sale of a product. In this case, our data is displayed in the form of a table. Each row represents a sales region, and the columns tell us how much money was spent on each medium, as well as the profit that was gained in that region. For example, from the following table, we can see that in the third region, we spent \$17,200 on TV advertising and sold 9,300 widgets:



Usually, the **data scientist must ask for units and the scale**. In this case, I will tell you that the TV, radio, and newspaper categories are measured in "thousands of dollars" and the sales in "thousands of widgets sold." This means that in the first region, \$230,100 was spent on TV advertising, \$37,800 on radio advertising, and \$69,200 on newspaper advertising. In the same region, 22,100 items were sold.


	TV	Radio	Newspaper	Sales
1	230.1	37.8	69.2	22.1
2	44.5	39.3	45.1	10.4
3	17.2	45.9	69.3	9.3
4	151.5	41.3	58.5	18.5
5	180.8	10.8	58.4	12.9

Advertising budgets' data

If we plot each variable against the sales, we get the following graph:

```
import pandas as pd
import seaborn as sns
%matplotlib inline
data = pd.read_csv('http://www-bcf.usc.edu/~gareth/ISL/Advertising.csv', index_col=0)
data.head()
sns.pairplot(data, x_vars=['TV','radio','newspaper'], y_vars='sales',
height=4.5, aspect=0.7)
```

The output is as follows:



Results - graphs of advertising budgets

Note how none of these variables form a very strong line, and therefore they might not work well in predicting sales on their own. TV comes closest in forming an obvious relationship, but even that isn't great. In this case, we will have to create a more complex model than the one we used in the spawner-recruiter model and combine all three variables in order to model sales.

This type of problem is very common in data science. In this example, we are attempting to identify key features that are associated with the sales of a product. If we can isolate these key features, then we can exploit these relationships and change how much we spend on advertising in different places with the hope of increasing our sales.

Case study – what's in a job description?

Looking for a job in data science? Great! Let me help. In this case study, I have "scraped" (taken from the web) 1,000 job descriptions for companies that are actively hiring data scientists. The goal here is to look at some of the most common keywords that people use in their job descriptions, as shown in the following screenshot:

The screenshot shows three job listings for data scientists:

- Machine Learning Quantitative Analyst** at Bloomberg (New York, NY). Requirements: The Machine Learning Quantitative Analyst will work in Bloomberg's Enterprise Solutions area and work collaboratively to build a liquidity tool for banks,....
- Save lives with machine learning** at Blue Owl (San Francisco, CA). Requirements: Expert in Python and core libraries used by data scientists (Numpy, Scipy, Pandas, Scikit-learn, Matplotlib/Seaborn, etc.)...
- Data Scientist** at Indeed (Austin, TX). Requirements: How a Data Scientist works. As a Data Scientist at Indeed your role is to follow the data. We are looking for a mixture between a statistician, scientist,....

Each listing includes a link to apply and a timestamp (30+ days ago) followed by an email link. The word "Sponsored" is also present under each listing.

An example of data scientist job listing

[ Note the second one asking for core Python libraries; we will talk about these later on in this book.]

In the following Python code, the first two imports are used to grab web data from the website <http://indeed.com/>, and the third import is meant to simply count the number of times a word or phrase appears, as shown in the following code:

```
import requests
from bs4 import BeautifulSoup
from sklearn.feature_extraction.text import CountVectorizer

# grab postings from the web
texts = []
for i in range(0,1000,10): # cycle through 100 pages of indeed job
resources
```

```
soup = BeautifulSoup(requests.get('http://www.indeed.com/jobs?q=data+scientist&start='+str(i)).text)
texts += [a.text for a in soup.findAll('span', {'class':'summary'})]

print(type(texts))

print(texts[0]) # first job description
```

All that this loop is doing is going through 100 pages of job descriptions, and for each page, grabbing each job description. The important variable here is `texts`, which is a list of over 1,000 job descriptions, as shown in the following code:

```
type(texts) # == list

vect = CountVectorizer(ngram_range=(1,2), stop_words='english')

# Get basic counts of one and two word phrases

matrix = vect.fit_transform(texts)

# fit and learn to the vocabulary in the corpus

print len(vect.get_feature_names()) # how many features are there

# There are 10,587 total one and two words phrases in my case!!
Since web pages are scraped in real-time and these pages may change
since this code is run, you may get different number than 10587.
```

I have omitted some code here, but it exists in the GitHub repository for this book. The results are as follows (represented as the phrase and then the number of times it occurred):

```
10857
data 2641
analytics 857
learning 570
machine 545
machine learning 529
science 414
business 398
experience 387
marketing 313
scientist 296
data science 293
data scientist 287
marketing analytics 265
scientists 258
statistics 241
data scientists 240
algorithms 238
data analytics 229
experience data 225
applied 215
using 207
relevant 203
learning algorithms 202
analytics data 197
best 186
```

The following list shows some things that we should mention:

- "Machine learning" and "experience" are at the top of the list. Experience comes with practice. A basic idea of machine learning comes with this book.
- These words are followed closely by statistical words implying a knowledge of math and theory.
- The word "team" is very high up, implying that you will need to work with a team of data scientists; you won't be a lone wolf.
- Computer science words such as "algorithms" and "programming" are prevalent.
- The words "techniques", "understanding", and "methods" imply a more theoretical approach, unrelated to any single domain.
- The word "business" implies a particular problem domain.

There are many interesting things to note about this case study, but the biggest take away is that there are many keywords and phrases that make up a data science role. It isn't just math, coding, or domain knowledge; it truly is a combination of these three ideas (whether exemplified in a single person or across a multiperson team) that makes data science possible and powerful.

Summary

At the beginning of this chapter, I posed a simple question: what's the catch of data science? Well, there is one. It isn't all fun, games, and modeling. There must be a price for our quest to create ever-smarter machines and algorithms. As we seek new and innovative ways to discover data trends, a beast lurks in the shadows. I'm not talking about the learning curve of mathematics or programming, nor am I referring to the surplus of data. The Industrial Age left us with an ongoing battle against pollution. The subsequent Information Age left behind a trail of big data. So, what dangers might the Data Age bring us?

The Data Age can lead to something much more sinister—the dehumanization of individuals through mass data.

More and more people are jumping head-first into the field of data science, most with no prior experience of math or CS, which, on the surface, is great. Average data scientists have access to millions of dating profiles' data, tweets, online reviews, and much more in order to jump start their education.

However, if you jump into data science without the proper exposure to theory or coding practices, and without respect for the domain you are working in, you face the risk of oversimplifying the very phenomenon you are trying to model.

For example, let's say you want to automate your sales pipeline by building a simplistic program that looks at LinkedIn for very specific keywords in a person's LinkedIn profile. You could use the following code to do this:

```
keywords = ["SaaS", "Sales", "Enterprise"]
```

Great. Now, you can scan LinkedIn quickly to find people who match your criteria. But what about that person who spells out "Software as a Service," instead of "SaaS," or misspells "enterprise" (it happens to the best of us; I bet someone will find a typo in my book)? How will your model figure out that these people are also a good match? They should not be left behind just because the cut-corners data scientist has overgeneralized people in such an easy way.

The programmer chose to simplify their search for another human by looking for three basic keywords and ended up with a lot of missed opportunities left on the table.

In the next chapter, we will explore the different types of data that exist in the world, ranging from free-form text to highly structured row/column files. We will also look at the mathematical operations that are allowed for different types of data, as well as deduce insights based on the form of the data that comes in.

2

Types of Data

Now that we have had a basic introduction to the world of data science and understand why the field is so important, let's take a look at the various ways in which data can be formed. Specifically, in this chapter, we will look at the following topics:

- Structured versus unstructured data
- Quantitative versus qualitative data
- The four levels of data

We will dive further into each of these topics by showing examples of how data scientists look at and work with data. The aim of this chapter is to familiarize ourselves with the fundamental ideas underpinning data science.

Flavors of data

In the field, it is important to understand the different flavors of data for several reasons. Not only will the type of data dictate the methods used to analyze and extract results, but knowing whether the data is unstructured, or perhaps quantitative, can also tell you a lot about the real-world phenomenon being measured.

The first thing to note is my use of the word *data*. In the last chapter, I defined data as merely being a collection of information. This vague definition exists because we may separate data into different categories and need our definition to be loose.

The next thing to remember while we go through this chapter is that for the most part, when I talk about the type of *data*, I will refer to either a *specific characteristic* of a dataset or to the *entire dataset* as a whole. I will be very clear about which one I refer to at any given time.

Why look at these distinctions?

It might seem worthless to stop and think about what type of data we have before getting into the fun stuff, such as statistics and machine learning, but this is arguably one of the most important steps you need to take to perform data science.

The same principle applies to data science. When given a dataset, it is tempting to jump right into exploring, applying statistical models, and researching the applications of machine learning in order to get results faster. However, if you don't understand the type of data that you are working with, then you might waste a lot of time applying models that are known to be ineffective with that specific type of data.

When given a new dataset, I always recommend taking about an hour (usually less) to make the distinctions mentioned in the following sections.

Structured versus unstructured data

The distinction between structured and unstructured data is usually the first question you want to ask yourself about the *entire* dataset. The answer to this question can mean the difference between needing three days or three weeks of time to perform a proper analysis.

The basic breakdown is as follows (this is a rehashed definition of organized and unorganized data in the first chapter):

- **Structured (organized) data:** This is data that can be thought of as observations and characteristics. It is usually organized using a table method (rows and columns).
- **Unstructured (unorganized) data:** This data exists as a free entity and does not follow any standard organization hierarchy.

Here are a few examples that could help you differentiate between the two:

- Most data that exists in text form, including server logs and Facebook posts, is *unstructured*
- Scientific observations, as recorded by careful scientists, are kept in a very neat and organized (*structured*) format
- A genetic sequence of chemical nucleotides (for example, ACGTATTGCA) is *unstructured*, even if the order of the nucleotides matters, as we cannot form descriptors of the sequence using a row/column format without taking a further look

Structured data is generally thought of as being much easier to work with and analyze. Most statistical and machine learning models were built with structured data in mind and cannot work on the loose interpretation of unstructured data. The natural row and column structure is easy to digest for human and machine eyes. So, why even talk about unstructured data? Because it is so common! Most estimates place unstructured data as 80-90% of the world's data. This data exists in many forms and, for the most part, goes unnoticed by humans as a potential source of data. Tweets, emails, literature, and server logs are generally unstructured forms of data.

While a data scientist likely prefers structured data, they must be able to deal with the world's massive amounts of unstructured data. If 90% of the world's data is unstructured, that implies that about 90% of the world's information is trapped in a difficult format.

So, with most of our data existing in this free-form format, we must turn to pre-analysis techniques, called pre-processing, in order to apply structure to at least a part of the data for further analysis. The next chapter will deal with pre-processing in great detail; for now, we will consider the part of **pre-processing** wherein we attempt to apply transformations to convert unstructured data into a structured counterpart.

Example of data pre-processing

When looking at text data (which is almost always considered unstructured), we have many options to transform the set into a structured format. We may do this by applying new characteristics that describe the data. A few such characteristics are as follows:

- Word/phrase count
- The existence of certain special characters
- The relative length of text
- Picking out topics

I will use the following tweet as a quick example of unstructured data, but you may use any unstructured free-form text that you like, including tweets and Facebook posts:

"This Wednesday morn, are you early to rise? Then look East. The Crescent Moon joins Venus & Saturn. Afloat in the dawn skies."

It is important to reiterate that pre-processing is necessary for this tweet because a vast majority of learning algorithms require numerical data (which we will get into after this example).

More than requiring a certain type of data, pre-processing allows us to explore features that have been created from the existing features. For example, we can extract features such as word count and special characters from the mentioned tweet. Now, let's take a look at a few features that we can extract from the text.

Word/phrase counts

We may break down a tweet into its word/phrase count. The word this appears in the tweet once, as does every other word. We can represent this tweet in a structured format as follows, thereby converting the unstructured set of words into a row/column format:

	This	Wednesday	morn	are	you
Word count	1	1	1	1	1

Note that to obtain this format, we can utilize scikit-learn's `CountVectorizer`, which we saw in the previous chapter.

Presence of certain special characters

We may also look at the presence of special characters, such as the question mark and exclamation mark. The appearance of these characters might imply certain ideas about the data that are otherwise difficult to know. For example, the fact that this tweet contains a question mark might strongly imply that this tweet contains a question for the reader. We might append the preceding table with a new column, as follows:

	This	Wednesday	morn	are	you
Word Count	1	1	1	1	1

The relative length of text

This tweet is 125 characters long:

```
len("This Wednesday morn, are you early to rise? Then look East. The  
Crescent Moon joins Venus & Saturn. Afloat in the dawn skies."  
# get the length of this text (number of characters for a string)  
  
# 125
```

The average tweet, as discovered by analysts, is about 30 characters in length. So, we might impose a new characteristic, called **relative length** (which is the length of the tweet divided by the average length), telling us the length of this tweet compared to the average tweet. This tweet is actually 4.03 times longer than the average tweet, as shown here:

$$125 / 30 = 4.03$$

We can add yet another column to our table using this method:

	This	Wednesday	morn	are	you	?	Relative length
Word count	1	1	1	1	1	1	4.03

Picking out topics

We can pick out some topics of the tweet to add as columns. This tweet is about astronomy, so we can add another column, as illustrated here:

	This	Wednesday	morn	are	you	?	Relative length	Topic
Word count	1	1	1	1	1	1	4.03	astronomy

And just like that, we can convert a piece of text into structured/organized data that's ready for use in our models and exploratory analysis.

The topic is the only extracted feature we looked at that is not **automatically derivable** from the tweet. Looking at word count and tweet length in Python is easy. However, more advanced models (called **topic models**) are able to derive and predict topics of natural text as well.

Being able to quickly recognize whether your data is structured or unstructured can save hours or even days of work in the future. Once you are able to discern the organization of the data presented to you, the next question is aimed at the individual characteristics of the dataset.

Quantitative versus qualitative data

When you ask a data scientist, "*what type of data is this?*", they will usually assume that you are asking them whether or not it is mostly quantitative or qualitative. It is likely the most common way of describing the *specific* characteristics of a dataset.

For the most part, when talking about quantitative data, you are *usually* (not always) talking about a structured dataset with a strict row/column structure (because we don't assume unstructured data even *has* any characteristics). All the more reason why the pre-processing step is so important.

These two data types can be defined as follows:

- **Quantitative data:** This data can be described using numbers, and basic mathematical procedures, including addition, are possible on the set.
- **Qualitative data:** This data cannot be described using numbers and basic mathematics. This data is generally thought of as being described using **natural** categories and language.

Example – coffee shop data

Say that we were processing observations of coffee shops in a major city using the following five descriptors (characteristics):

Data: Coffee Shop

- Name of coffee shop
- Revenue (in thousands of dollars)
- Zip code
- Average monthly customers
- Country of coffee origin

Each of these characteristics can be classified as either quantitative or qualitative, and that simple distinction can change everything. Let's take a look at each one:

- **Name of a coffee shop:** Qualitative
The name of a coffee shop is not expressed as a number, and we cannot perform mathematical operations on the name of the shop.
- **Revenue:** Quantitative
How much money a coffee shop brings in can definitely be described using a number. Also, we can do basic operations, such as adding up the revenue for 12 months to get a year's worth of revenue.

- **Zip code:** Qualitative

This one is tricky. A zip code is always represented using numbers, but what makes it qualitative is that it does not fit the second part of the definition of quantitative—we cannot perform basic mathematical operations on a zip code. If we add together two zip codes, it is a nonsensical measurement. We don't necessarily get a new zip code and we definitely don't get "double the zip code."

- **Average monthly customers:** Quantitative

Again, describing this factor using numbers and addition makes sense. Add up all of your monthly customers and you get your yearly customers.

- **Country of coffee origin:** Qualitative

We will assume this is a very small coffee shop with coffee from a single origin. This country is described using a name (Ethiopian, Colombian), and not numbers.

A couple of important things to note:

- Even though a zip code is being described using numbers, it is not quantitative. This is because you can't talk about the sum of all zip codes or an average zip code. These are nonsensical descriptions.
- Whenever a word is used to describe a characteristic, it is a qualitative factor.

If you are having trouble identifying which is which, basically, when trying to decide whether or not the data is qualitative or quantitative, ask yourself a few basic questions about the data characteristics:

- Can you describe it using numbers?
 - No? It is qualitative.
 - Yes? Move on to the next question.
- Does it still make sense after you add them together?
 - No? They are **qualitative**.
 - Yes? You probably have **quantitative** data.

This method will help you to classify most, if not all, data into one of these two categories.

The difference between these two categories defines the types of questions you may ask about each column. For a quantitative column, you may ask questions such as the following:

- What is the **average** value?
- Does this quantity **increase or decrease** over time (if **time is a factor**)?
- Is there a **threshold** where if this number became too high or too low, it would signal trouble for the company?

For a qualitative column, none of the preceding questions can be answered. However, the following questions only apply to qualitative values:

- Which **value occurs** the most and the least?
- How many **unique values** are there?
- What are these unique values?

Example – world alcohol consumption data

The **World Health Organization (WHO)** released a dataset describing the average drinking habits of people in countries across the world. We will use Python and the data exploration tool, **pandas**, in order to gain more insight:

```
import pandas as pd

# read in the CSV file from a URL
drinks = pd.read_csv('https://raw.githubusercontent.com/sinanuozdemir/
principles_of_data_science/master/data/chapter_2/drinks.csv')

# examine the data's first five rows
drinks.head()          # print the first 5 rows
```

These three lines have done the following:

- Imported **pandas**, which will be referred to as **pd** in the future
- Read in a **comma-separated value (CSV)** file as a variable called **drinks**
- Called a method, **head**, that reveals the first five rows of the dataset



Note the neat row/column structure a CSV comes in.



Let's have a look at the following table:

	country	beer_servings	spirit_servings	wine_servings	total_litres_of_pure_alcohol	continent
0	Afghanistan	0	0	0	0.0	AS
1	Albania	89	132	54	4.9	EU
2	Algeria	25	0	14	0.7	AF
3	Andorra	245	138	312	12.4	EU
4	Angola	217	57	45	5.9	AF

The preceding table lists the first five rows of data from the `drink.csv` file. We have six different columns that we are working with in this example:

- `country`: Qualitative
- `beer_servings`: Quantitative
- `spirit_servings`: Quantitative
- `wine_servings`: Quantitative
- `total_litres_of_pure_alcohol`: Quantitative
- `continent`: Qualitative

Let's look at the qualitative column `continent`. We can use `pandas` in order to get some basic summary statistics about this non-numerical characteristic. The `describe()` method is being used here, which first identifies whether the column is likely to be quantitative or qualitative, and then gives basic information about the column as a whole. This is done as follows:

```
drinks['continent'].describe()

>> count      170
>> unique      5
>> top        AF
>> freq       53
```

This reveals that the WHO has gathered data about five `unique` continents, the `most frequent` being `AF` (Africa), which occurred 53 times in the 193 observations.

If we take a look at one of the quantitative columns and call the same method, we can see the difference in output, as shown here:

```
drinks['beer_servings'].describe()
```

The output is as follows:

```
count    193.000000
mean     106.160622
std      101.143103
min      0.000000
25%     20.000000
50%     76.000000
75%     188.000000
max     376.000000
```

Now, we can look at the **mean** (average) beer serving per person per country (106.2 servings), as well as the **lowest** beer serving, zero, and the **highest** beer serving recorded, 376 (that's more than a beer a day).

Digging deeper

Quantitative data can be broken down one step further into *discrete* and *continuous* quantities.

These can be defined as follows:

- **Discrete data:** This describes data that is **counted**. It can only take on certain values.
Examples of discrete quantitative data include a dice roll, because it can only take on six values, and the number of customers in a coffee shop, because you can't have a real range of people.
- **Continuous data:** This describes data that is **measured**. It exists on an infinite range of values.

A good example of continuous data would be a person's weight, because it can be 150 pounds or 197.66 pounds (note the decimals). The height of a person or building is a continuous number because an infinite scale of decimals is possible. Other examples of continuous data would be time and temperature.

The road thus far

So far in this chapter, we have looked at the differences between structured and unstructured data, as well as between qualitative and quantitative characteristics. These two simple distinctions can have drastic effects on the analysis that is performed. Allow me to summarize before moving on to the second half of this chapter.

Data as a whole can either be *structured* or *unstructured*, meaning that the data can either take on an organized row/column structure with distinct features that describe each row of the dataset, or exist in a free-form state that usually must be pre-processed into a form that is easily digestible.

If data is structured, we can look at each column (feature) of the dataset as being either *quantitative* or *qualitative*. Basically, can the column be described using mathematics and numbers, or not? The next part of this chapter will break down data into four very specific and detailed levels. At each order, we will apply more complicated rules of mathematics, and in turn, we can gain a more intuitive and quantifiable understanding of the data.

The four levels of data

It is generally understood that a specific characteristic (feature/column) of structured data can be broken down into one of four levels of data. These levels are as follows:

- The nominal level
- The ordinal level
- The interval level
- The ratio level

As we move down the list, we gain more structure and, therefore, more returns from our analysis. Each level comes with its own accepted practice in measuring the center of the data. We usually think of the mean/average as being an acceptable form of a center. However, this is only true for a specific type of data.

The nominal level

The first level of data, the **nominal** level, consists of data that is described purely by name or category. Basic examples include gender, nationality, species, or yeast strain in a beer. They are not described by numbers and are therefore qualitative. The following are some examples:

- A type of animal is on the nominal level of data. We may also say that if you are a chimpanzee, then you belong to the mammalian class as well.
- A part of speech is also considered on the nominal level of data. The word she is a pronoun, and it is also a noun.

Of course, being qualitative, we cannot perform any quantitative mathematical operations, such as addition or division. These would not make any sense.

Mathematical operations allowed

We cannot perform mathematics on the nominal level of data **except the basic equality and set membership functions**, as shown in the following two examples:

- *Being a tech entrepreneur* is the same as *being in the tech industry*, but not the other way around
- A figure described as a square falls under the description of being a rectangle, but not the other way around

Measures of center

A **measure of center** is a number that **describes what the data tends to**. It is sometimes referred to as the **balance point of the data**. Common examples include the mean, median, and mode.

In order to find the **center** of nominal data, we generally turn to the **mode** (the most common element) of the dataset. For example, look back at the WHO alcohol consumption data. The most common continent surveyed was Africa, making that a possible choice for the center of the continent column.

Measures of the center, such as the mean and median, do not make sense at this level as we cannot order the observations or even add them together.

What data is like at the nominal level

Data at the nominal level is mostly categorical in nature. Because, generally, we can only use words to describe the data, it can be lost in translation between countries, or can even be misspelled.

While data at this level can certainly be useful, we must be careful about what insights we may draw from them. With only the mode as a basic measure of center, we are unable to draw conclusions about an **average** observation. This concept does not exist at this level. It is only at the next level that we may begin to perform true mathematics on our observations.

The ordinal level

The nominal level did not provide us with much flexibility in terms of mathematical operations due to one seemingly unimportant fact: we could not order the observations in any natural way. Data in the **ordinal** level provides us with a rank order, or the means to place one observation before the other. However, it does not provide us with relative differences between observations, meaning that while we may order the observations from first to last, we cannot add or subtract them to get any real meaning.

Examples

The **Likert** is among the most common ordinal level scales. Whenever you are given a survey asking you to rate your satisfaction on a scale from 1 to 10, you are providing data at the ordinal level. Your answer, which must fall between 1 and 10, can be ordered: eight is better than seven, while three is worse than nine.


However, differences between the numbers do not make much sense. The difference between a seven and a six might be different from the difference between a two and a one.

Mathematical operations allowed

We are allowed much more freedom on this level in mathematical operations. We inherit all mathematics from the ordinal level (equality and set membership), and we can also add the following to the list of operations allowed in the nominal level:

- Ordering
- Comparison

Ordering refers to the natural order provided to us by the data. However, this can be tricky to figure out sometimes. When speaking about the spectrum of visible light, we can refer to the names of colors – **Red, Orange, Yellow, Green, Blue, Indigo, and Violet**. Naturally, as we move from left to right, the light is gaining energy and other properties. We may refer to this as a natural order:



The natural order of color

However, if needed, an artist may impose another order on the data, such as sorting the colors based on the cost of the material to make said color. This could change the order of the data, but as long as we are consistent in what defines the order, it does not matter what defines it.

Comparisons are another new operation allowed at this level. At the ordinal level, it would not make sense to say that one country was naturally better than another or that one part of speech is worse than another. At the ordinal level, we can make these comparisons. For example, we can talk about how putting a "7" on a survey is worse than putting a "10".

Measures of center

At the ordinal level, **the median is usually an appropriate way of defining the center of the data**. The mean, however, would be impossible because the division is not allowed at this level. We can also use the mode as we could at the nominal level.

We will now look at an example of using the median.

Imagine you have conducted a survey among your employees asking "*how happy are you to be working here on a scale from 1-5?*" and your results are as follows:

```
5, 4, 3, 4, 5, 3, 2, 5, 3, 2, 1, 4, 5, 3, 4, 4, 5, 4, 2, 1, 4, 5, 4,  
3, 2, 4, 4, 5, 4, 3, 2, 1
```

Let's use Python to find the median of this data. It is worth noting that most people would argue that the mean of these scores would work just fine. The reason that the mean would not be as mathematically viable is that if we subtract/add two scores, say a score of four minus a score of two, then the difference of two doesn't really mean anything. If addition/subtraction among the scores doesn't make sense, the mean won't make sense either:

```
import numpy  
  
results = [5, 4, 3, 4, 5, 3, 2, 5, 3, 2, 1, 4, 5, 3, 4, 4, 5, 4, 2, 1,  
4, 5, 4, 3, 2, 4, 4, 5, 4, 3, 2, 1]  
  
sorted_results = sorted(results)  
  
print(sorted_results)
'''
```

```
[1, 1, 1, 2, 2, 2, 2, 2, 3, 3, 3, 3, 3, 3, 3, 4, 4, 4, 4, 4, 4, 4, 4,  
4, 4, 5, 5, 5, 5, 5, 5]   
...  
  
print(numpy.mean(results)) # == 3.4375  
  
print(numpy.median(results)) # == 4.0
```



The '''' (triple apostrophe) denotes a longer (over two lines) comment. It acts in a way similar to #.



It turns out that the median is not only more sound but makes the survey results look much better.

Quick recap and check

So far, we have seen half of the levels of data:

- The nominal level
- The ordinal level

At the nominal level, we deal with data usually described using vocabulary (but sometimes with numbers), with no order and little use of mathematics.

At the ordinal level, we have data that can be described with numbers, and we also have a "natural" order, allowing us to put one in front of the other.

Let's try to classify the following example as either ordinal or nominal (the answers are at the end of this chapter):

- The origin of the beans in your cup of coffee
- The place someone receives after completing a foot race
- The metal used to make the medal that they receive after placing in said race
- The telephone number of a client
- How many cups of coffee you drink in a day

The interval level

Now, we are getting somewhere interesting. At the **interval** level, we are beginning to look at data that can be expressed through very quantifiable means, and where much **more complicated mathematical formulas are allowed**. The basic difference between the ordinal level and the interval level is, well, just that difference.

Data at the interval level allows **meaningful subtraction** between data points.

Example

Temperature is a great example of data at the interval level. If it is 100 degrees Fahrenheit in Texas and 80 degrees Fahrenheit in Istanbul, Turkey, then Texas is 20 degrees warmer than Istanbul. This simple example allows for so much more manipulation at this level than previous examples.

(Non) Example

It seems as though the example in the ordinal level (using the one to five survey) fits the bill of the interval level. However, remember that the *difference* between the scores (when you subtract them) does not make sense; therefore, this data cannot be called at the interval level.

Mathematical operations allowed

We can use all the operations allowed on the lower levels (ordering, comparisons, and so on), along with two other notable operations:

- Addition
- Subtraction

The allowance of these two operations allows us to talk about data at this level in a whole new way.

Measures of center

At this level, we can use the median and mode to describe this data. However, usually the most accurate description of the **center of data would be the arithmetic mean**, more commonly referred to as simply the mean. Recall that the definition of the mean requires us to add together all the measurements. At the previous levels, an addition was meaningless. Therefore, the mean would have lost extreme value. It is only at the interval level and above that the arithmetic mean makes sense.

We will now look at an example of using the mean.

Suppose we look at the temperature of a fridge containing a pharmaceutical company's new vaccine. We measure the temperature every hour with the following data points (in Fahrenheit):

```
31, 32, 32, 31, 28, 29, 31, 38, 32, 31, 30, 29, 30, 31, 26
```

Using Python again, let's find the mean and median of the data:

```
import numpy
temps = [31, 32, 32, 31, 28, 29, 31, 38, 32, 31, 30, 29, 30, 31, 26]
print(numpy.mean(temps))      # == 30.73
print(numpy.median(temps))   # == 31.0
```

Note how the mean and median are quite close to each other and that both are around 31 degrees. The question, *on average, how cold is the fridge?*, has an answer of about 31. However, the vaccine comes with a warning:

"Do not keep this vaccine at a temperature under 29 degrees."

Note that the temperature dropped below 29 degrees at least twice, but you ended up assuming that it isn't enough for it to be detrimental.

This is where the measure of variation can help us understand how bad the fridge situation can be.

Measures of variation

This is something new that we have not yet discussed. It is one thing to talk about the center of the data but, in data science, **it is also very important to mention how "spread out" the data is.** The measures that describe this phenomenon are called **measures of variation**. You have likely heard of **"standard deviation"** from your statistics classes. This idea is extremely important, and I would like to address it briefly.

A **measure of variation** (such as the standard deviation) is a number that attempts to describe **how spread out the data is**.

Along with a measure of center, a measure of variation can almost entirely describe a dataset with only two numbers.

Standard deviation

Arguably, the standard deviation is the most common measure of variation of data at the interval level and beyond. The standard deviation can be thought of as the "average distance a data point is at from the mean." While this description is technically and mathematically incorrect, it is a good way to think about it. The formula for standard deviation can be broken down into the following steps:

1. Find the mean of the data
2. For each number in the dataset, subtract it from the mean and then square it
3. Find the average of each square difference
4. Take the square root of the number obtained in *Step 3*, and this is the standard deviation

Notice how, in the preceding steps, we do actually take an arithmetic mean as one of the steps.

For example, look back at the temperature dataset. Let's find the standard deviation of the dataset using Python:

```
import numpy

temp = [31, 32, 32, 31, 28, 29, 31, 38, 32, 31, 30, 29, 30, 31, 26]

mean = numpy.mean(temp)      # == 30.73

squared_differences = []
# empty list o squared differences

for temperature in temp:
    difference = temperature - mean
    # how far is the point from the mean

    squared_difference = difference**2
    # square the difference


    squared_differences.append(squared_difference)
    # add it to our list

average_squared_difference = numpy.mean(squared_differences)
# This number is also called the "Variance"

standard_deviation = numpy.sqrt(average_squared_difference)
```

```
# We did it!  
  
print(standard_deviation) # == 2.5157
```

All of this code led to us finding out that the standard deviation of the dataset is around 2.5, meaning that "on average," a data point is 2.5 degrees off from the average temperature of around 31 degrees, meaning that the temperature could likely dip below 29 degrees again in the near future.



The reason we want the "square difference" between each point and the mean, and not the "actual difference", is because squaring the value actually puts emphasis on outliers—data points that are abnormally far away.



Measures of variation give us a very clear picture of how spread out or dispersed our data is. This is especially important when we are concerned with ranges of data and how data can fluctuate (think percentage return on stocks).

The big difference between data at this level and at the next level lies in something that is not obvious.

Data at the interval level does not have a "natural starting point or a natural zero." However, being at zero degrees Celsius does not mean that you have "no temperature".

The ratio level

Finally, we will take a look at the ratio level. After moving through three different levels with differing levels of allowed mathematical operations, the ratio level proves to be the strongest of the four.

Not only can we define order and difference, but **the ratio level also allows us to multiply and divide as well**. This might seem like not much to make a fuss over but it changes almost everything about the way we view data at this level.

Examples

While Fahrenheit and Celsius are stuck in the interval level, the Kelvin scale of temperature boasts a natural zero. A measurement of zero Kelvin literally means the absence of heat. It is a non-arbitrary starting zero. We can actually scientifically say that 200 Kelvin is twice as much heat as 100 Kelvin.

Money in the bank is at the ratio level. You can have "no money in the bank" and it makes sense that \$200,000 is "twice as much as" \$100,000.



Many people may argue that Celsius and Fahrenheit also have a starting point (mainly because we can convert from Kelvin in to either of the two). The real difference here might seem silly, but because the conversion to Celsius and Fahrenheit make the calculations go into the negative, it does not define a clear and "natural" zero.

Measures of center

The arithmetic mean still holds meaning at this level, as does a new type of mean called the **geometric mean**. This measure is generally not used as much, even at the ratio level, but is worth mentioning. It is the square root of the product of all the values.

For example, in our fridge temperature data, we can calculate the geometric mean as follows:

```
import numpy

temp = [31, 32, 32, 31, 28, 29, 31, 38, 32, 31, 30, 29, 30, 31, 26]

num_items = len(temp)
product = 1.

for temperature in temp:
    product *= temperature

geometric_mean = product**(1./num_items)

print(geometric_mean)    # == 30.634
```

Note again how it is close to the arithmetic mean and median as calculated before. This is not always the case and will be talked about at great length in the statistics chapter of this book.

Problems with the ratio level

Even with all of this added functionality at this level, we must generally also make a very large assumption that actually makes the ratio level a bit restrictive.



Data at the ratio level is **usually non-negative**.

For this reason alone, many data scientists prefer the interval level to the ratio level. The reason for this restrictive property is because if we allowed negative values, the ratio might not always make sense.

Consider that we allowed debt to occur in our money in the bank example. If we had a balance of \$50,000, the following ratio would not really make sense at all:

$$50,000/-50,000 = -1$$

Data is in the eye of the beholder

It is possible to **impose structure** on data. For example, while I said that you technically cannot use a mean for the one to five data at the ordinal scale, many statisticians would not have a problem using this number as a descriptor of the dataset.

The level at which you are interpreting data is a *huge* assumption that should be made at the beginning of any analysis. If you are looking at data that is generally thought of at the ordinal level and applying tools such as the arithmetic mean and standard deviation, this is something that data scientists must be aware of. This is mainly because if you continue to hold these assumptions as valid in your analysis, you may encounter problems. For example, if you also assume divisibility at the ordinal level by mistake, you are imposing a structure where the structure may not exist.

Summary

The type of data that you are working with is a very large piece of data science. It must precede most of your analysis because the type of data you have impacts the type of analysis that is even possible!

Whenever you are faced with a new dataset, the first three questions you should ask about it are the following:

- **Is the data organized or unorganized?** For example, does our data exist in a nice, clean row/column structure?
- **Is each column quantitative or qualitative?** For example, are the values numbers, strings, or do they represent quantities?
- **At what level is the data in each column?** For example, are the values at the nominal, ordinal, interval, or ratio level?

The answers to these questions will not only impact your knowledge of the data at the end but will also dictate the next steps of your analysis. They will dictate the types of graphs you are able to use and how you interpret them in your upcoming data models. Sometimes, we will have to convert from one level to another in order to gain more perspective. In the coming chapters, we will take a much deeper look at how to deal with and explore data at different levels.

By the end of this book, we will be able to not only recognize data at different levels, but will also know how to deal with it at these levels. In the next chapter, we will review how types of data are used by data scientists to do data discovery and visualization.

Answers

The following are the answers for the classification of the example in the *Quick recap and check* section as either ordinal or nominal are as follows:

- **The origin of the beans in your cup of coffee:** Nominal
- **The place someone receives after completing a foot race:** Ordinal
- **The metal used to make the medal that they receive after placing in the race:** Nominal
- **The telephone number of a client:** Nominal
- **How many cups of coffee you drink in a day:** Ordinal

3

The Five Steps of Data Science

We have spent quite some time looking at the preliminaries of data science, including outlining the types of data and how to approach datasets depending on their type.

In this chapter, in addition to the introduction of data science, we will focus on the following topics:

- Steps to perform data science
- Data exploration
- Data visualization

We will use the Python packages `pandas` and `matplotlib` to explore different datasets.

Introduction to data science

Many people ask me what the biggest difference between data science and data analytics is. While some can argue that there is no difference between the two, many will argue that there are hundreds! I believe that, regardless of how many differences there are between the two terms, the biggest is that *data science follows a structured, step-by-step process that, when followed, preserves the integrity of the results*.

Like any other scientific endeavor, this process must be adhered to, otherwise the analysis and the results are in danger of scrutiny. On a simpler level, following a strict process can make it much easier for amateur data scientists to obtain results faster than if they were exploring data with no clear vision.

While these steps are a guiding lesson for amateur analysts, they also provide the foundation for all data scientists, even those in the highest levels of business and academia. Every data scientist recognizes the value of these steps and follows them in some way or another.

Overview of the five steps

The five essential steps to perform data science are as follows:

1. Asking an interesting question
2. Obtaining the data
3. Exploring the data
4. Modeling the data
5. Communicating and visualizing the results

First, let's look at the five steps with reference to the big picture.

Asking an interesting question

This is probably my favorite step. As an entrepreneur, I ask myself (and others) interesting questions every day. I would treat this step as you would treat a brainstorming session. Start writing down questions, regardless of whether or not you think the data to answer these questions even exists. The reason for this is twofold. First off, you don't want to start biasing yourself even before searching for data. Secondly, obtaining data might involve searching in both public and private locations and, therefore, might not be very straightforward. You might ask a question and immediately tell yourself "Oh, but I bet there's no data out there that can help me", and cross it off your list. Don't do that! Leave it on your list.

Obtaining the data

Once you have selected the question you want to focus on, it is time to scour the world for the data that might be able to answer that question. As we mentioned before, the data can come from a variety of sources; so, this step can be very creative!

Exploring the data

Once we have the data, we can use the lessons we learned in *Chapter 2, Types of Data*, and begin to break down the types of data that we are dealing with. This is a pivotal step in the process. Once this step is completed, the analyst has generally spent several hours learning about the domain, using code or other tools to manipulate and explore the data, and has a very good sense of what the data might be trying to tell them.

Modeling the data

This step involves the use of statistical and machine learning models. In this step, we are not only fitting and choosing models, but we are also implanting mathematical validation metrics in order to quantify the models and their effectiveness.

Communicating and visualizing the results

This is arguably the most important step. While it might seem obvious and simple, the ability to conclude your results in a digestible format is much more difficult than it seems. We will look at different examples of cases when results were communicated poorly and when they were displayed very well.

In this book, we will focus mainly on steps 3, 4, and 5.



Why are we skipping steps 1 and 2 in this book?

While the first two steps are undoubtedly imperative to the process, they generally precede statistical and programmatic systems. Later in this book, we will touch upon the different ways to obtain data; however, for the purpose of focusing on the more scientific aspects of the process, we will begin with exploration right away.

Exploring the data

The process of exploring data is not simply defined. It involves the ability to recognize the different types of data, transform data types, and use code to systematically improve the quality of the entire dataset to prepare it for the modeling stage. In order to best represent and teach the art of exploration, I will present several different datasets and use the [Python package pandas to explore the data](#). Along the way, we will run into different tips and tricks on how to handle data.

There are three basic questions we should ask ourselves when dealing with a new dataset that we have not seen before. Keep in mind that these questions are not the beginning and the end of data science; they are guidelines that should be followed when exploring a newly obtained set of data.

Basic questions for data exploration

When looking at a new dataset, whether it is familiar to you or not, it is important to use the following questions as guidelines for your preliminary analysis:

- **Is the data organized or not?** We are checking for whether or not the data is presented in a row/column structure. For the most part, data will be presented in an organized fashion. In this book, over 90% of our examples will begin with organized data. Nevertheless, this is the most basic question that we can answer before diving any deeper into our analysis. A general rule of thumb is that if we have unorganized data, we want to transform it into a row/column structure. For example, earlier in this book, we looked at ways to transform text into a row/column structure by counting the number of words/phrases.
- **What does each row represent?** Once we have an answer to how the data is organized and are looking at a nice row/column-based dataset, we should identify what each row actually represents. This step is usually very quick and can help put things into perspective much more quickly.
- **What does each column represent?** We should identify each column by the level of data and whether or not it is quantitative/qualitative, and so on. This categorization might change as our analysis progresses, but it is important to begin this step as early as possible.
- **Are there any missing data points?** Data isn't perfect. Sometimes, we might be missing data because of human or mechanical error. When this happens, we, as data scientists, must make decisions about how to deal with these discrepancies.
- **Do we need to perform any transformations on the columns?** Depending on the level/type of data in each column, we might need to perform certain types of transformation. For example, generally speaking, for the sake of statistical modeling and machine learning, we would like each column to be numerical, so we would use Python to make any transformations.

All the while, we are asking ourselves the overall question, *what can we infer from the preliminary inferential statistics?* We want to be able to understand our data better than when we first found it.

Enough talk, let's look at an example in the following section.

Dataset 1 – Yelp

The first dataset we will look at is a public dataset that was made available by the restaurant review site, Yelp. All personally identifiable information has been removed. Let's read in the data first, as shown here:

```
import pandas as pd

yelp_raw_data = pd.read_csv("yelp.csv")
yelp_raw_data.head()
```

Here's a quick recap of what the preceding code does:

1. Imports the pandas package and nicknames it `pd`
2. Reads in the `.csv` from the web; call is `yelp_raw_data`
3. Looks at the `head` of the data (just the first few rows)

We get the following:

	<code>business_id</code>	<code>date</code>	<code>review_id</code>	<code>stars</code>	<code>text</code>	<code>type</code>	<code>user_id</code>	<code>cool</code>	<code>useful</code>	<code>funny</code>
0	9yKzy9PApeiPPOUJEtrnvkg	2011-01-26	fWKvX83p0-ka4JS3dc6E5A	5	My wife took me here on my birthday for breakf...	review	rLtl8ZkDX5vH5nAx9C3q5Q	2	5	0
1	ZRJwVLyzEJq1VAihDhYiow	2011-07-27	IjZ3sJrzXqU-0X6U8NwyA	5	I have no idea why some people give bad review...	review	0a2KyEL0d3Yb1V6aivbluQ	0	0	0
2	6oRAC4uyJCsjI1X0WZpVSA	2012-06-14	IESLBzqUCLdSzSqm0eCSxQ	4	love the gyro plate. Rice is so good and I als...	review	0t2KtfLiobPvh6cDC8JQg	0	1	0
3	_1QQZuf4zZOyFCvXc0o6Vg	2010-05-27	G-WvGalSbqqaMHIlnByodA	5	Rosie, Dakota, and I LOVE Chaparral Dog Park!!...	review	uZetl9T0NcROGOyFfughg	1	2	0
4	6ozycU1RpktNG2-1BroVtw	2012-01-05	1uJFq2r5QfJG_6ExMRCaGw	5	General Manager Scott Petello is a good egg!!!!	review	vYmM4KTsC8ZfQBg-j5MWkw	0	0	0

Is the data organized or not?

- Because we have a nice row/column structure, we can conclude that this data seems pretty organized

What does each row represent?

- It seems pretty obvious that each row represents a user giving a review of a business. The next thing we should do is examine each row and label it by the type of data it contains. At this point, we can also use Python to figure out just how big our dataset is. We can use the `shape` quality of a DataFrame to find this out, as shown here:


```
yelp_raw_data.shape
```

```
# (10000, 10)
```

- It tells us that this dataset has 10000 rows and 10 columns. Another way to say this is that this dataset has 10,000 observations and 10 characteristics.

What does each column represent? (Note that we have 10 columns)

- `business_id`: This is likely to be a unique identifier for the business the review is for. This would be at the **nominal level** because there is no natural order to this identifier.
- `date`: This is probably the date on which the review was posted. Note that it seems to be only specific to the day, month, and year. Even though time is usually considered continuous, this column would likely be considered discrete and at the **ordinal level** because of the natural order that dates have.
- `review_id`: This is likely to be a unique identifier for the review that each post represents. This would be at the **nominal level** because, again, there is no natural order to this identifier.
- `stars`: From a quick look (don't worry; we will perform some further analysis soon), we can see that this is an ordered column that represents what the reviewer gave the restaurant as a final score. This is ordered and qualitative, so is at the **ordinal level**.
- `text`: This is probably the raw text that each reviewer wrote. As with most text, we place this at the **nominal level**.
- `type`: In the first five columns, all we see is the word *review*. This might be a column that identifies that each row is a review, implying that there might be another type of row other than a review. We will take a look at this later. We place this at the **nominal level**.
- `user_id`: This is likely to be a unique identifier for the user who is writing the review. Just like the other unique IDs, we place this data at the **nominal level**.



Note that after we have looked at all of the columns, and found that all of the data is either at the ordinal or nominal level, we have to look at the following things. This is not uncommon, but it is worth mentioning.

Are there any missing data points?

- Perform an `isnull` operation. For example, if your DataFrame is called `awesome_dataframe`, then try the Python command `awesome_dataframe.isnull().sum()`, which will show the number of missing values in each column.

Do we need to perform any transformations on the columns?

- At this point, we are looking for a few things. For example, will we need to change the scale of some of the quantitative data, or do we need to create dummy variables for the qualitative variables? As this dataset only has qualitative columns, we can only focus on transformations at the ordinal and nominal scale.

Before starting, let's go over some quick terminology for pandas, the Python data exploration module.

DataFrames

When we read in a dataset, pandas creates a custom object called a **DataFrame**. Think of this as the Python version of a spreadsheet (but way better). In this case, the variable, `yelp_raw_data`, is a DataFrame.

To check whether this is true in Python, type in the following code:

```
type(yelp_raw_data)

# pandas.core.frame.DataFrame
```

DataFrames are **two-dimensional** in nature, meaning that they are organized in a row/column structure, just like spreadsheets are. The main benefits of using DataFrames over, say, spreadsheet software would be that a DataFrame can handle much larger data than most common spreadsheet software. If you are familiar with the R language, you might recognize the word DataFrame. This is because the name was actually borrowed from the language!

As most of the data that we will deal with is organized, DataFrames are likely to be the most used object in pandas, second only to the **Series object**.

Series

The Series object is simply a DataFrame, but only with one dimension. Essentially, it is a list of data points. Each column of a DataFrame is considered to be a Series object. Let's check this—the first thing we need to do is grab a single column from our DataFrame; we generally use what is known as bracket notation. The following is an example of this:

```
yelp_raw_data['business_id'] # grabs a single column of the Dataframe
```

We will list the first and last few rows:

```
0    9yKzy9PApeiPPOUJEtnvkg  
1    ZRJwVLyzEJq1VAihDhYiow  
2    6oRAC4uyJCsjl1X0WZpVSA  
3    _1QQZuf4zZ0yFCvXc0o6Vg  
4    6ozycU1RpktNG2-1BroVtw  
5    -yxfBYGB6SEqszmxBjxd97A  
6    zp713qNhx8d9KCJJnrlxA
```

Let's use the type function to check that this column is a Series:

```
type(yelp_raw_data['business_id'])  
  
# pandas.core.series.Series
```

Exploration tips for qualitative data

Using these two pandas objects, let's start performing some preliminary data exploration. For qualitative data, we will specifically look at the nominal and ordinal levels.

Nominal level columns

As we are at the nominal level, let's recall that at this level, data is qualitative and is described purely by name. In this dataset, this refers to business_id, review_id, text, type, and user_id. Let's use pandas in order to dive a bit deeper, as shown here:

```
yelp_raw_data['business_id'].describe()
```

The output is as follows:

# count	10000
# unique	4174
# top	ntN85eu27C04nwyPa8IHtw
# freq	37

The `describe` function will give us some quick stats about the column whose name we enter into the quotation marks. Note how pandas automatically recognized that `business_id` was a qualitative column and gave us stats that make sense. When `describe` is called on a qualitative column, we will always get the following four items:

- `count`: How many values are filled in
- `unique`: How many unique values are filled in
- `top`: The name of the most common item in the dataset
- `freq`: How often the most common item appears in the dataset

At the nominal level, we are usually looking for a few things, which would signal a transformation:

- Do we have a reasonable number (usually under 20) of unique items?
- Is this column free text?
- Is this column completely unique across all rows?

So, for the `business_id` column, we have a count of 10000. Don't be fooled, though! This doesn't mean that we have 10,000 businesses being reviewed here. It just means that of the 10,000 rows of reviews, the `business_id` column is filled in all 10,000 times. The next qualifier, `unique`, tells us that we have 4174 unique businesses being reviewed in this dataset. The most reviewed business is business `JokKtdXU7zXHcr20Lrk29A`, which was reviewed 37 times:

```
yelp_raw_data['review_id'].describe()
```

The output is as follows:

# count	10000
# unique	10000
# top	M3jTv5NIipi_N4mgmZiIEg
# freq	1

We have a count of 10000 and a unique of 10000. Think for a second, does this make sense? Think about what each row represents and what this column represents.

(Insert Jeopardy theme song here)

Of course, it does! Each row of this dataset is supposed to represent a single, unique review of a business and this column is meant to serve as a unique identifier for a review; so, it makes sense that the `review_id` column has 10000 unique items in it. So, why is `eTa5KD-LTgQv6UT1Zmijmw` the *most common* review? This is just a random choice from the 10,000 and means nothing:

```
yelp_raw_data['text'].describe()
```

The output is as follows:

count	10000
unique	9998
top	This review is for the chain in general. The 1...
freq	2

This column, which represents the actual text people wrote, is interesting. We would imagine that this should also be similar to `review_id` in that each one should contain unique text, because it would be weird if two people wrote exactly the same thing; but we have two reviews with the exact same text! Let's take a second to learn about DataFrame filtering to examine this further.

Filtering in pandas

Let's talk a bit about how filtering works. Filtering rows based on certain criteria is quite easy in pandas. In a DataFrame, if we wish to filter out rows based on some search criteria, we will need to go row by row and check whether or not a row satisfies that particular condition; pandas handles this by passing in a series of `True` and `False` (Booleans).

We literally pass into the DataFrame a list of `True` and `False` data that means the following:

- `True`: This row satisfies the condition
- `False`: This row does not satisfy the condition

So, first, let's make the conditions. In the following lines of code, I will grab the text that occurs twice:

```
yelp_raw_data['text'].describe()['top']
```

Here is a snippet of the text:

```
"This review is for the chain in general. The location we went to is
new so it isn't in Yelp yet. Once it is I will put this review there
as well....."
```

Right off the bat, we can guess that this might actually be one person who went to review two businesses that belong to the same chain and wrote the exact same review. However, this is just a guess right now.

 The `duplicate_text` variable is of `string` type.

Now that we have this text, let's use some magic to create that `Series` of `True` and `False`:

```
duplicate_text = yelp_raw_data['text'].describe()['top']
text_is_the_duplicate = yelp_raw_data['text'] == duplicate_text
```

Right away, you might be confused. What we have done here is take the `text` column of the `DataFrame` and compared it to the string, `duplicate_text`. This is strange because we seem to be comparing a list of 10,000 elements to a single string. Of course, the answer should be a straight `false`, right?

`Series` has a very interesting feature in that if you compare the `Series` to an object, it will return another `Series` of Booleans of the same length where each `True` and `False` is the answer to the question *is this element the same as the element you are comparing it to?* Very handy! This is as follows:

```
type(text_is_the_duplicate) # it is a Series of Trues and Falses
text_is_the_duplicate.head() # shows a few Falses out of the Series
```

In Python, we can add and subtract `true` and `false` as if they were 1 and 0, respectively. For example, $\text{True} + \text{False} - \text{True} + \text{False} + \text{True} == 1$. So, we can verify that this `Series` is correct by adding up all of the values. As only two of these rows should contain the duplicate text, the sum of the `Series` should only be 2, which it is! This is as follows:

```
sum(text_is_the_duplicate) # == 2
```

Now that we have our Series of Booleans, we can pass it directly into our DataFrame, using bracket notation, and get our filtered rows, as illustrated here:

```
filtered_dataframe = yelp_raw_data[text_is_the_duplicate]
# the filtered Dataframe

filtered_dataframe
```

We get the following output:

	business_id	date	review_id	stars	text	type	user_id	cool	useful	funny
4372	jvh4Q00Hq2XylcfmAAT2A	2012-06-16	ivGRamFF3KurE9bjkl6uMw	2	This review is for the chain in general. The l...	review	KLekdmo4FdNnP0huUhzZNw	0	0	0
9680	rionUa02zMz_ki8eF-Adug	2012-06-16	mutQE6UfjLipJ8Wozpq5UA	2	This review is for the chain in general. The l...	review	KLekdmo4FdNnP0huUhzZNw	0	0	0

It seems that our suspicions were correct and one person, on the same day, gave the exact same review to two different business_id, presumably a part of the same chain. Let's keep moving along to the rest of our columns:

```
yelp_raw_data['type'].describe()

# count      10000
# unique      1
# top        review
# freq      10000
```

Remember this column? It turns out they are all the exact same type, namely review:

```
yelp_raw_data['user_id'].describe()
# count          10000
# unique         6403
# top        fczQCSmaWF78t0LEmb0Zsw
# freq            38
```

Similar to the business_id column, all the 10000 values are filled in with 6403 unique users, and one user reviewing 38 times!

In this example, we won't have to perform any transformations.

Ordinal level columns

As far as ordinal columns go, we are looking at date and stars. For each of these columns, let's look at what the described method brings back:

```
yelp_raw_data['stars'].describe()
```

```
# count      10000.00000
# mean       3.777500
# std        1.214636
# min        1.000000
# 25%        3.000000
# 50%        4.000000
# 75%        5.000000
# max        5.000000
```


Woah! Even though this column is ordinal, the `describe` method returned stats that we might expect for a quantitative column. This is because the software saw a bunch of numbers and just assumed that we wanted stats like the `mean` or the `min` and `max`. This is not a problem. Let's use a method called `value_counts` to see the count distribution, as shown here:

```
yelp_raw_data['stars'].value_counts()
# 4      3526
# 5      3337
# 3      1461
# 2      927
# 1      749
```

The `value_counts` method will return the distribution of values for any column. In this case, we can see that the star rating 4 is the most common, with 3526 values, followed closely by rating 5. We can also plot this data to get a nice visual. First, let's sort by star rating, and then use the prebuilt `plot` method to make a bar chart:

```
import datetime
dates = yelp_raw_data['stars'].value_counts()
dates.sort_values
dates.plot(kind='bar')
```

We get the following output:



From this graph, we can conclude that people are definitely more likely to give good star ratings over bad ones! We can follow this procedure for the date column. I will leave you to try it on your own. For now, let's look at a new dataset.

Dataset 2 – Titanic

The `titanic` dataset contains a sample of people who were on the Titanic when it struck an iceberg in 1912. Let's go ahead and import it, as shown here:

```
titanic = pd.read_csv('short_titanic.csv')
titanic.head()
```

The following is the output of the preceding code:

	Survived	Pclass	Name	Sex	Age
0	0	3	Braund, Mr. Owen Harris	male	22
1	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th... ...	female	38
2	1	3	Heikkinen, Miss. Laina	female	26
3	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35
4	0	3	Allen, Mr. William Henry	male	35

This table represents the DataFrame for the dataset `short_titanic.csv`. This data is definitely organized in a row/column structure, as is most spreadsheet data. Let's take a quick peek at its size, as shown here:

```
titanic.shape  
  
# (891, 5)
```

So, we have 891 rows and 5 columns. Each row seems to represent a single passenger on the ship and as far as columns are concerned, the following list tells us what they indicate:

- `Survived`: This is a binary variable that indicates whether or not the passenger survived the accident (1 if they survived, 0 if they died). This is likely to be at the nominal level because there are only two options.
- `Pclass`: This is the class that the passenger was traveling in (3 for third class, and so on). This is at the ordinal level.
- `Name`: This is the name of the passenger, and it is definitely at the nominal level.

- Sex: This indicates the gender of the passenger. It is at the nominal level.
- Age: This one is a bit tricky. Arguably, you may place age at either a qualitative or quantitative level; however, I think that age belongs to a quantitative state, and thus, to the ratio level.

As far as transformations are concerned, usually, we want all columns to be numerical, regardless of their qualitative state. This means that Name and Sex will have to be converted into numerical columns somehow. For Sex, we can change the column to hold 1 if the passenger was female and 0 if they were male. Let's use pandas to make the change. We will have to import another Python module, called numpy or numerical Python, as illustrated here:

```
import numpy as np
titanic['Sex'] = np.where(titanic['Sex']=='female', 1, 0)
```

The np.where method takes in three things:

- A list of Booleans (True or False)
- A new value
- A backup value

The method will replace all true listings with the first value (in this case 1) and the false listings with the second value (in this case 0), leaving us with a new numerical column that represents the same thing as the original Sex column:

```
titanic['Sex']
```

```
# 0      0
# 1      1
# 2      1
# 3      1
# 4      0
# 5      0
# 6      0
# 7      0
```

Let's use a shortcut and describe all the columns at once, as shown here:

```
titanic.describe()
```

We get the following output:

	Survived	Pclass	Sex	Age
count	891.000000	891.000000	891.000000	714.000000
mean	0.383838	2.308642	0.352413	29.699118
std	0.486592	0.836071	0.477990	14.526497
min	0.000000	1.000000	0.000000	0.420000
25%	0.000000	2.000000	0.000000	20.125000
50%	0.000000	3.000000	0.000000	28.000000
75%	1.000000	3.000000	1.000000	38.000000
max	1.000000	3.000000	1.000000	80.000000

This table lists descriptive statistics of the titanic dataset. Note how our qualitative columns are being treated as quantitative; however, I'm looking for something irrelevant to the data type. Note the count row: Survived, Pclass, and Sex all have 891 values (the number of rows), but Age only has 714 values. Some are missing! To double verify, let's use the pandas functions called `isnull` and `sum`, as shown here:

```
titanic.isnull().sum()
```

Survived	0
Pclass	0
Name	0
Sex	0
Age	177

This will show us the number of missing values in each column. So, Age is the only column with missing values to deal with.

When dealing with missing values, you usually have the following two options:

- Drop the row with the missing value
- Try to fill it in

Dropping the row is the easy choice; however, you run the risk of losing valuable data! For example, in this case, we have 177 missing age values (891-714), which are nearly 20% of the data. To fill in the data, we could either go back to the history books, find each person one by one, and fill in their age, or we can fill in the age with a placeholder value.

Let's fill in each missing value of the `Age` column with the overall average age of the people in the dataset. For this, we will use two new methods, called `mean` and `fillna`. We use `isnull` to tell us which values are null and the `mean` function to give us the average value of the `Age` column. The `fillna` method is a pandas method that replaces null values with a given value:

```
print sum(titanic['Age'].isnull()) # == 177 missing values

average_age = titanic['Age'].mean() # get the average age

titanic['Age'].fillna(average_age, inplace = True) #use the fillna
method to remove null values

print sum(titanic['Age'].isnull()) # == 0 missing values
```

We're done! We have replaced each value with `26.69`, the average age in the dataset. The following code now confirms that no null values exist:

```
titanic.isnull().sum()

Survived      0
Pclass         0
Name          0
Sex           0
Age           0
```

Great! Nothing is missing, and we didn't have to remove any rows:

```
titanic.head()
```

We get the following output:

	Survived	Pclass	Name	Sex	Age
0	0	3	Braund, Mr. Owen Harris	0	22
1	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th... er)	1	38
2	1	3	Heikkinen, Miss. Laina	1	26
3	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	1	35
4	0	3	Allen, Mr. William Henry	0	35

At this point, we could start getting a bit more complicated with our questions, for example, *what is the average age for a female or a male?* To answer this, we can filter by each gender and take the mean age; pandas has a built-in function for this, called groupby, as illustrated here:

```
titanic.groupby('Sex')[['Age']].mean()
```

This means *group the data by the Sex column*, and then give me the mean age for each group. This gives us the following output:

Sex	
0	30.505824
1	28.216730

We will ask more of these difficult and complex questions later in this book, and will be able to answer them with Python and statistics.

Summary

Although this is only our first look at data exploration, don't worry, this is definitely not the last time we will follow these steps for data science and exploration.

From now on, every time we look at a new piece of data, we will use our steps of exploration to transform, break down, and standardize our data. The steps outlined in this chapter, while they are only guidelines, form a standard practice that any data scientist can follow in their work. These steps can also be applied to any dataset that requires analysis.

We are rapidly approaching the section of this book that deals with statistical, probabilistic, and machine learning models. Before we can truly jump into these models, we have to look at some of the basics of mathematics. In the next chapter, we will take a look at some of the math necessary to perform some of the more complicated operations in modeling, but don't worry, the math that's required for this process is minimal, and we will go through it step by step.

4

Basic Mathematics

It's time to start looking at some basic mathematics principles that are handy when dealing with data science. The word **math** tends to strike fear in to the hearts of many, but I aim to make this as enjoyable as possible. In to this chapter, we will go over the basics of the following topics:

- Basic symbols/terminology
- Logarithms/exponents
- Set theory
- Calculus
- Matrix (linear) algebra

We will also cover other fields of mathematics. Moreover, we will look at how to apply each of these to various aspects of data science, as well as other scientific endeavors.

Recall that, in a previous chapter, we identified math as being one of the three key components of data science. In this chapter, I will introduce concepts that will become important later on in this book – when looking at probabilistic and statistical models – and we will also be looking at concepts that will be useful in this chapter. Regardless of this, all of the concepts in this chapter should be considered fundamental to your quest to become a data scientist.

Mathematics as a discipline

Mathematics, as a science, is one of the oldest known forms of logical thinking. Since ancient Mesopotamia (3,000 BCE), and probably before, humans have been relying on arithmetic and more challenging forms of **math to answer life's biggest questions**.

Today, we rely on math for most aspects of our daily lives; yes, I know that sounds like a cliche, but I mean it. Whether you are watering your plants or feeding your dog, your internal mathematical engine is constantly working—calculating how much water the plant had per day over the last week and predicting the next time your dog will be hungry given that it is eating right now. Whether or not you are consciously using the principles of math, the concepts live deep inside everyone's brains. It's my job as a math teacher to get you to realize it.

Basic symbols and terminology

In the following section, we will review the mathematical concepts of vectors, matrices, arithmetic symbols, and linear algebra, as well as some more subtle notations that are used by data scientists.

Vectors and matrices


A **vector** is defined as an object with both magnitude and direction. This definition, however, is a bit complicated. For our purpose, a vector is simply a **1-dimensional array** representing a **series of numbers**. Put another way, a vector is a list of numbers.

It is generally represented using an arrow or bold font, as follows:

$$\xrightarrow{x} \text{ or } \mathbf{x}$$

Vectors are broken into components, which are individual members of the vector. We use index notations to denote the element that we are referring to, as follows:

$$\text{If } \xrightarrow{x} = \begin{pmatrix} 3 \\ 6 \\ 8 \end{pmatrix} \text{ then } x_1 = 3$$



In math, we generally refer to the first element as index 1, as opposed to computer science, where we generally refer to the first element as index 0. It is important to remember which **index system** you are using.

In Python, we can represent arrays in many ways. We could simply use a Python list to represent the preceding array:

```
x = [3, 6, 8]
```

However, it is better to use the numpy array type to represent arrays, as shown here, because it gives us much more utility when performing vector operations:

```
import numpy as np
x = np.array([3, 6, 8])
```

Regardless of the Python representation, vectors give us a simple way of storing *multiple dimensions* of a single data point/observation.

If we measure the average satisfaction rating (0-100) of employees in three departments of a company as being 57 for HR, 89 for engineering, and 94 for management, we can represent this as a vector with the following formula:

$$X = \begin{pmatrix} x_1 \\ x_2 \\ x_3 \end{pmatrix} = \begin{pmatrix} 57 \\ 89 \\ 94 \end{pmatrix}$$

This vector holds three different bits of information about our data. This is perfect use of a vector in data science.

You can also think of a vector as being the theoretical generalization of the pandas Series object. So, naturally, we need something to represent the DataFrame.

We can extend our notion of an array to move beyond a single dimension and represent data in multiple dimensions.

A matrix is a two-dimensional representation of arrays of numbers. Matrices (plural) have two main characteristics that we need to be aware of. The dimension of a matrix, denoted by $n \times m$ (n by m), tells us that the matrix has n rows and m columns. Matrices are generally denoted by a capital, bold-faced letter, such as X . Consider the following example:

$$\begin{pmatrix} 3 & 4 \\ 8 & 55 \\ 5 & 9 \end{pmatrix}$$

This is a 3×2 (3 by 2) matrix because it has three rows and two columns.



If a matrix has the same number of rows and columns, it is called a **square matrix**.



The **matrix** is our generalization of the pandas **DataFrame**. It is arguably one of the most important mathematical objects in our toolkit. It is used to **hold organized information**, in our case, data.

Revisiting our previous example, let's say we have three offices in different locations, each with the same three departments: HR, engineering, and management. We could make three different vectors, each holding a different office's satisfaction scores, as shown here:

$$x = \begin{pmatrix} 57 \\ 89 \\ 94 \end{pmatrix}, y = \begin{pmatrix} 67 \\ 87 \\ 94 \end{pmatrix}, z = \begin{pmatrix} 65 \\ 98 \\ 60 \end{pmatrix}$$

However, this is not only cumbersome, but also unscalable. What if you have 100 different offices? Then you would need to have 100 different one-dimensional arrays to hold this information.

This is where a matrix alleviates this problem. Let's make a matrix where each row represents a different department and each column represents a different office, as shown here:

	Office 1	Office 2	Office 3
HR	57	67	65
Engineering	89	87	98
Management	94	84	60

This is much more natural. Now, let's strip away the labels, and we are left with a matrix!

$$x = \begin{pmatrix} 57 & 67 & 65 \\ 89 & 87 & 98 \\ 94 & 94 & 60 \end{pmatrix}$$

Quick exercises

1. If we added a fourth office, would we need a new row or column? C
2. What would the dimension of the matrix be after we added the fourth office? 3 x 4
3. If we eliminate the management department from the original X matrix, what would the dimension of the new matrix be? 2 . 3
4. What is the general formula to find out the number of elements in the matrix? n x m

Answers

1. Column
2. 3×4
3. 2×3
4. $n \times m$ (n being the number of rows and m being the number of columns)

Arithmetic symbols

In this section, we will go over some symbols associated with basic arithmetic that appear in most, if not all, data science tutorials and books.

Summation

The uppercase sigma Σ symbol is a universal symbol for addition. Whatever is to the right of the sigma symbol is usually something iterable, meaning that we can go over it one by one (for example, a vector).

For example, let's create the representation of a vector:

```
X = [1, 2, 3, 4, 5]
```

To find the sum of the content, we can use the following formula:

$$\sum x_i = 15$$

In Python, we can use the following formula:

```
sum(x) # == 15
```

For example, the formula for calculating the mean of a series of numbers is quite common. If we have a vector (x) of length n , the mean of the vector can be calculated as follows:

$$\text{mean} = 1/n \sum x_i$$

This means that we will add up each element of x , denoted by x_i , and then multiply the sum by $1/n$, otherwise known as dividing by n (the length of the vector).

Proportional

The lowercase **alpha symbol**, α , represents values that are proportional to each other. This means that as one value changes, so does the other. The direction in which the values move depends on how the values are proportional. Values can either vary directly or indirectly. If values vary directly, they both move in the same direction (as one goes up, so does the other). If they vary indirectly, they move in opposite directions (if one goes down, the other goes up).

Consider the following examples:

- The sales of a company vary directly with the number of customers. This can be written as *Sales a Customers*.
- Gas prices vary (usually) indirectly with oil availability, meaning that as the availability of oil goes down (it's more scarce), gas prices go up. This can be denoted as *Gas a Availability*.

Later on, we will see a very important formula called the **Bayes' formula**, which includes a variation symbol.

Dot product

The dot product is an operator like addition and multiplication. It is used to combine two vectors, as shown here:

$$\binom{3}{7} \cdot \binom{9}{5} = 3 * 9 + 7 * 5 = 62$$

So, what does this mean? Let's say we have a vector that represents a customer's sentiments toward three genres of movies: comedy, romance, and action.



When using a dot product, note that an answer is a single number, known as a **scalar**.

On a scale of 1-5, a customer loves comedies, hates romantic movies, and is alright with action movies. We might represent this as follows:

$$\begin{pmatrix} 5 \\ 1 \\ 3 \end{pmatrix}$$

Here, 5 denotes their love for comedies, 1 their hatred of romantic movies, and 3 the customer's indifference toward action movies.

Now, let's assume that we have two new movies, one of which is a romantic comedy and the other is a funny action movie. The movies would have their own vector of qualities, as shown here:

$$m1 = \begin{pmatrix} 4 \\ 5 \\ 1 \end{pmatrix}, m2 = \begin{pmatrix} 5 \\ 1 \\ 5 \end{pmatrix}$$

Here, $m1$ is our romantic comedy and $m2$ is our funny action movie.

In order to make a recommendation, we will apply the dot product between the customer's preferences for each movie. The higher value will win and, therefore, will be recommended to the user.

Let's compute the recommendation score for each movie. For movie 1, we want to compute the following:

$$\begin{pmatrix} 5 \\ 1 \\ 3 \end{pmatrix} \cdot \begin{pmatrix} 4 \\ 5 \\ 1 \end{pmatrix}$$

We can think of this problem as follows:

Customer:	M_1	
$\begin{pmatrix} 5 \\ 1 \\ 3 \end{pmatrix}$	\cdot	$\begin{pmatrix} 4 \\ 5 \\ 1 \end{pmatrix}$
		(5.4) \rightarrow user loves comedies and this move is funny + = (1.5) \rightarrow user hates romance but this move is romantic + (3.1) \rightarrow user doesn't mind action and the move is not action packed

		28


The answer we obtain is 28, but what does this number mean? On what scale is it? Well, the best score anyone can ever get is when all values are 5, making the outcome as follows:

$$\begin{pmatrix} 5 \\ 5 \\ 5 \end{pmatrix} \cdot \begin{pmatrix} 5 \\ 5 \\ 5 \end{pmatrix} = 5^2 + 5^2 + 5^2 = 75$$

The lowest possible score is when all values are 1, as shown here:

$$\begin{pmatrix} 1 \\ 1 \\ 1 \end{pmatrix} \cdot \begin{pmatrix} 1 \\ 1 \\ 1 \end{pmatrix} = 1^2 + 1^2 + 1^2 = 3$$


So, we must think about 28 on a scale from 3 to 75. To do this, imagine a number line from 3 to 75 and where 28 would be on it. This is illustrated as follows:



We're not that far. Let's this try for movie 2:

$$\begin{pmatrix} 5 \\ 1 \\ 3 \end{pmatrix} \cdot \begin{pmatrix} 5 \\ 1 \\ 5 \end{pmatrix} = (5*5) + (1*1) + (3*5) = 41$$

This is higher than 28! Putting this number on the same timeline as before, we can also visually observe that it is a much better score, as shown here:




So, between movie 1 and movie 2, we would definitely recommend movie 2 to our user. This is, in essence, how most movie prediction engines work. They build a customer profile, which is represented as a vector. They then take a vector representation of each movie they have to offer, combine them with the customer profile (perhaps with a dot product), and make recommendations from there. Of course, most companies must do this on a much larger scale, which is where a particular field of mathematics, called **linear algebra**, can be very useful; we will look at it later in this chapter.

Graphs

No doubt you have encountered dozens, if not hundreds, of graphs in your life so far. I'd like to mostly talk about conventions in regards to graphs and notations.

The following is a basic **Cartesian graph** (x and y coordinates). The x and y notations are very standard, but sometimes do not entirely explain the big picture. We sometimes refer to the x variable as being the independent variable and the y variable as the dependent variable. This is because when we write functions, we tend to speak about them as being y is a function of x , meaning that the value of y is dependent on the value of x . This is what a graph is trying to show.

Suppose we have two points on a graph, as shown here:



We refer to the points as (x_1, y_1) and (x_2, y_2) .

The **slope** between these two points is defined as follows:

$$\text{slope} = m = (y_2 - y_1) / (x_2 - x_1)$$

You have probably seen this formula before, but it is worth mentioning, if only for its significance. The slope defines the rate of change between the two points. Rates of change can be very important in data science, specifically in areas involving differential equations and calculus.

Rates of change are a way of representing how variables move together and to what degree. Imagine we are modeling the temperature of your coffee in relation to the time that it has been sitting outside. Perhaps we have a rate of change as follows:

$$-2 \text{ degreesF / 1 minute}$$

This rate of change is telling us that for every single minute, our coffee's temperature is dropping by two degrees Fahrenheit.

Later on in this book, we will look at a machine learning algorithm called linear regression. In **linear regression**, we are concerned with the **rates of change** between variables, as they allow us to exploit this relationship for **predictive purposes**.



Think of the Cartesian plane as being an infinite plane of vectors with two elements. When people refer to higher dimensions, such as 3D or 4D, they are merely referring to an infinite space that holds vectors with more elements. A 3D space holds vectors of length three while a 7D space holds vectors with seven elements in them.

Logarithms/exponents

An **exponent** tells you how many times you have to multiply a number by itself, as illustrated:

$$2^4 = 2 \cdot 2 \cdot 2 \cdot 2 = 16$$

base exponent

A **logarithm** is the number that answers the question "what exponent gets me from the base to this other number?" This can be denoted as follows:

$$\log_2(16) = 4$$

If these two concepts seem similar, then you are correct! Exponents and logarithms are heavily related. In fact, the words exponent and logarithm actually mean the same thing! A logarithm is an exponent. The preceding two equations are actually two versions of the same thing. The basic idea is that $2 \times 2 \times 2 \times 2 \times 2$ is 16.

The following is a depiction of how we can use both versions to say the same thing. Note how I use arrows to move from the log formula to the exponent formula:

$$\log_2(16) = 4 \leftrightarrow 2^4 = 16$$

Consider the following examples:

- $\log_3 81 = 4$ because $3^4 = 81$
 - $\log_5 125 = 3$ because $5^3 = 125$

Note something interesting. Let's rewrite the first equation:

$$\log_3 81 = 4$$

We then replace 81 with the equivalent statement, 3^4 , as follows:

$$\log_3 125 = 3$$

Something interesting to note: the 3s seem to *cancel out*. This is actually very important when dealing with numbers more difficult to work with than 3s and 4s.

Exponents and logarithms are most important when dealing with growth. More often than not, if a quantity is growing (or declining in growth), an exponent/logarithm can help model this behavior.

For example, the number e is around 2.718 and has many practical applications. A very common application is interest calculation for saving. Suppose you have \$5,000 deposited in a bank with continuously compounded interest at the rate of 3%, then we can use the following formula to model the growth of your deposit:

$$A = Pe^{rt}$$

In this formula:

- A denotes the final amount
- P denotes the principal investment (5000)
- e denotes a constant (2.718)
- r denotes the rate of growth (.03)
- t denotes the time (in years)

We are curious; when will our investment double? How long would I have to have my money in this investment to achieve 100% growth? We can write this in mathematical form, as follows:

$$10000 = 5000e^{0.03t}$$

$$2 = e^{0.03t} \text{ (divided by 5000 on both sides)}$$

At this point, we have a variable in the exponent that we want to solve. When this happens, we can use the logarithm notation to figure it out:

$$2 = e^{0.03t} \leftrightarrow \log_e(2) = .03t$$

This leaves us with $\ln(2) = 0.03t$.

When we take the logarithm of a number with a base of e , it is called a *natural logarithm*. We rewrite the logarithm as follows:

$$\ln(2) = 0.03t$$

Using a calculator (or Python), we find that $\ln(2) = 0.69$:

$$0.69 = 0.03t$$

$$t = 2.31$$

This means that it would take 2.31 years to double our money.

Set theory

Set theory involves mathematical operations at the set level. It is sometimes thought of as a basic fundamental group of theorems that governs the rest of mathematics. For our purpose, we'll use set theory to manipulate groups of elements.

A **set** is a collection of distinct objects.

That's it! A set can be thought of as a list in Python, but with no repeat objects. In fact, there is even a set of objects in Python:

```
s = set()  
  
s = set([1, 2, 2, 3, 2, 1, 2, 2, 3, 2])  
# will remove duplicates from a list  
  
s == {1, 2, 3}
```



Note that, in Python, curly braces {}, can denote either a set or a dictionary.



Remember that a dictionary in Python is a set of key-value pairs, for example:

```
dict = {"dog": "human's best friend", "cat": "destroyer of world"}
dict["dog"] # == "human's best friend"
len(dict["cat"]) # == 18

# but if we try to create a pair with the same key as an existing key
dict["dog"] = "Arf"

dict
{"dog": "Arf", "cat": "destroyer of world"}
# It will override the previous value
# dictionaries cannot have two values for one key.
```

They share this notation because they share a quality that **sets cannot have duplicate elements**, just as dictionaries cannot have duplicate keys.

The **magnitude** of a set is the number of elements in the set, and is represented as follows:

$$|A| = \text{magnitude of } A$$

```
s # == {1,2,3}
len(s) == 3 # magnitude of s
```



The concept of an empty set exists and is denoted by the character {}. This null set is said to have a magnitude of 0.



If we wish to denote that an element is within a set, we use the epsilon notation, as shown here:

$$2 \in \{1,2,3\}$$

This means that the 2 element exists in the set of 1, 2, and 3. If one set is entirely inside another set, we say that it is a **subset** of its larger counterpart:

$$A = \{1,5,6\}, B = \{1,5,6,7,8\}$$

$$A \subseteq B$$

So, A is a subset of B and B is called the **superset** of A . If A is a subset of B but A does not equal B (meaning that there is at least one element in B that is not in A), then A is called a **proper subset** of B .

Consider the following examples:

- A set of even numbers is a subset of all integers
- Every set is a subset, but not a proper subset, of itself
- A set of all tweets is a superset of English tweets

In data science, we use sets (and lists) to represent a list of objects and, often, to generalize the behavior of consumers. It is common to reduce a customer to a set of characteristics.

Imagine we are a marketing firm trying to predict where a person wants to shop for clothes. We are given a set of clothing brands the user has previously visited, and our goal is to predict a new store that they would also enjoy. Suppose a specific user has previously shopped at the following stores:

```
user1 = {"Target", "Banana Republic", "Old Navy"}  
# note that we use {} notation to create a set  
# compare that to using [] to make a list
```

So, `user1` has previously shopped at Target, Banana Republic, and Old Navy. Let's also look at a different user, called `user2`, as shown here:

```
user2 = {"Banana Republic", "Gap", "Kohl's"}
```

Suppose we are wondering how similar these users are. With the limited information we have, one way to define similarity is to see how many stores there are that they both shop at. This is called an **intersection**:

$$user1 \cap user2 = \{Banana Republic\}$$

The intersection of two sets is a set whose elements appear in both sets. It is denoted using the \cap symbol, as shown here:

$$user1 \cap user2 = \{Banana Republic\}$$

$$|user1 \cap user2| = 1$$

The intersection of the two users is just one store. So, right away, that doesn't seem great. However, each user only has three elements in their set, so having 1/3 does not seem as bad. Suppose we are curious about how many stores are represented between the two of them; this is called a **union**.

The union of two sets is a set whose elements appear in either set. It is denoted using the \cup symbol, as shown here:

$$\text{user1} \cup \text{user2} = \{\text{Banana Republic}, \text{Target}, \text{Old Navy}, \text{Gap}, \text{Kohl's}\}$$

$$|\text{user1} \cap \text{user2}| = 1$$

$$|\text{user1} \cup \text{user2}| = 5$$

When looking at the similarities between *user1* and *user2*, we should use a combination of the union and the intersection of their sets. *user1* and *user2* have one element in common out of a total of five distinct elements between them. So, we can define the similarity between the two users as follows:

$$\frac{|\text{user1} \cap \text{user2}|}{|\text{user1} \cup \text{user2}|} = \frac{1}{5} = .2$$

In fact, this has a name in set theory. It is called the **Jaccard measure**. In general, for the *A* and *B* sets, the Jaccard measure (Jaccard similarity) between the two sets is defined as follows:

$$JS(A, B) = \frac{|A \cap B|}{|A \cup B|}$$

It can also be defined as the magnitude of the intersection of the two sets divided by the magnitude of the union of the two sets.

This gives us a way to **quantify similarities** between elements represented with sets.

Intuitively, the **Jaccard measure is a number between 0 and 1**, so that when the number is closer to 0, people are more dissimilar, and when the measure is closer to 1, people are considered similar to each other.

If we think about the definition, then it actually makes sense. Take a look at the measure once more:

$$JS(A, B) = \frac{\text{Number of stores they share in common}}{\text{Unique number of stores they liked combined}}$$

Here, the numerator represents the number of stores that the users have in common (in the sense that they like shopping there), while the denominator represents the unique number of stores that they like put together.

We can represent this in Python using some simple code, as shown here:

```
user1 = {"Target", "Banana Republic", "Old Navy"}  
user2 = {"Banana Republic", "Gap", "Kohl's"}  
  
def jaccard(user1, user2):  
    stores_in_common = len(user1 & user2)  
    stores_all_together = len(user1 | user2)  
    return stores / float(stores_all_together)  
  
# I cast stores_all_together as a float to return a decimal answer  
# instead of python's default integer division  
  
# so  
jaccard(user1, user2) == # 0.2 or 1/5
```

Set theory becomes highly prevalent when we enter the world of probability and also when dealing with **high-dimensional data**. We will use sets to represent real-world events taking place, and **probability becomes set theory** with vocabulary on top of it.

Linear algebra

Remember the movie recommendation engine we looked at earlier? What if we had 10,000 movies to recommend and we had to choose only 10 to give to the user? We'd have to take a dot product between the user profile and each of the 10,000 movies. Linear algebra provides the tools to make these calculations much more efficient.

It is an area of mathematics that deals with the math of matrices and vectors. It has the aim of breaking down these objects and reconstructing them in order to provide practical applications. Let's look at a few linear algebra rules before proceeding.

Matrix multiplication

Like numbers, we can multiply matrices together. Multiplying matrices is, in essence, a mass-produced way of taking several dot products at once. Let's, for example, try to multiply the following matrices:

$$\begin{pmatrix} 1 & 5 \\ 5 & 8 \\ 7 & 8 \end{pmatrix} \cdot \begin{pmatrix} 3 & 4 \\ 2 & 5 \end{pmatrix}$$

We need to consider a couple of things:

- Unlike numbers, multiplication of matrices is not *commutative*, meaning that the order in which you multiply matrices matters a great deal.
- In order to multiply matrices, their dimensions must match up. This means that the first matrix must have the same number of columns as the second matrix has rows.

To remember this, write out the dimensions of the matrices. In this case, we have a 3×2 times a 2×2 matrix. You can multiply matrices together if the second number in the first dimension pair is the same as the first number in the second dimension pair:

$$3 \times 2 \cdot 2 \times 2$$

The resulting matrix will always have dimensions equal to the outer numbers in the dimension pairs (the ones you did not circle). In this case, the resulting matrix will have a dimension of 3×2 .

How to multiply matrices

To multiply matrices, there is actually quite a simple procedure. Essentially, we are performing a bunch of dot products.

Recall our earlier sample problem, which was as follows:

$$\begin{pmatrix} 1 & 5 \\ 5 & 8 \\ 7 & 8 \end{pmatrix} \cdot \begin{pmatrix} 3 & 4 \\ 2 & 5 \end{pmatrix}$$

We know that our resulting matrix will have a dimension of 3×2 . So, we know it will look something like the following:

$$\begin{pmatrix} m_{11} & m_{12} \\ m_{21} & m_{22} \\ m_{31} & m_{32} \end{pmatrix}$$

 Note that each element of the matrix is indexed using a double index. The first number represents the row, and the second number represents the column. So, the m_{32} element is the element in the third row of the second column. Each element is the result of a dot product between the rows and columns of the original matrices.

The m_{xy} element is the result of the dot product of the x^{th} row of the first matrix and the y^{th} column of the second matrix. Let's solve a few:

$$m_{11} = \begin{pmatrix} 1 \\ 5 \end{pmatrix} \cdot \begin{pmatrix} 3 \\ 2 \end{pmatrix} = 13$$

$$m_{12} = \begin{pmatrix} 1 \\ 5 \end{pmatrix} \cdot \begin{pmatrix} 4 \\ 5 \end{pmatrix} = 29$$

Moving on, we will eventually get a resulting matrix that looks as follows:

$$\begin{pmatrix} 13 & 29 \\ 31 & 60 \\ 37 & 68 \end{pmatrix}$$

Way to go! Let's go back to the movie recommendation example. Recall the user's movie genre preferences of comedy, romance, and action, which are illustrated as follows:

$$U = userprefs = \begin{pmatrix} 5 \\ 1 \\ 3 \end{pmatrix}$$

Now, suppose we have 10,000 movies, all with a rating for these three categories. To make a recommendation, we need to take the dot product of the preference vector with each of the 10,000 movies. We can use matrix multiplication to represent this.

Instead of writing them all out, let's express them using the matrix notation. We already have U , defined here as the user's preference vector (it can also be thought of as a 3×1 matrix), and we also need a movie matrix:

$$M = \text{movies} = 3 \times 10,000$$

So, now we have two matrices; one is 3×1 and the other is $3 \times 10,000$. We can't multiply these matrices as they are, because the dimensions do not work out. We will have to change U a bit. We can take the *transpose of the matrix* (turning all rows into columns and columns into rows). This will switch the dimensions around:

$$U^T = \text{transpose of } U = (5 \ 1 \ 3)$$

So, now we have two matrices that can be multiplied together. Let's visualize what this looks like:

$$(5 \ 1 \ 3) \cdot \begin{pmatrix} 4 & 5 & \dots \\ 1 & 4 & \dots \\ 5 & 1 & \dots \end{pmatrix}$$

$$1 \times 3 \qquad \qquad \qquad 3 \times 1000$$

The resulting matrix will be a $1 \times 1,000$ matrix (a vector) of 10,000 predictions for each individual movie. Let's try this out in Python:

```
import numpy as np

# create user preferences
user_pref = np.array([5, 1, 3])

# create a random movie matrix of 10,000 movies
movies = np.random.randint(5, size=(3,1000))+1

# Note that the randint will make random integers from 0-4
# so I added a 1 at the end to increase the scale from 1-5
```

We are using the `numpy array` function to create our matrices. We will have both a `user_pref` and a `movies` matrix to represent our data.

To check our dimensions, we can use the `numpy shape` variable, as shown here:

```
print(user_pref.shape) # (1, 3)

print(movies.shape) # (3, 1000)
```

This checks out. Last but not least, let's use the matrix multiplication method of `numpy` (called `dot`) to perform the operation, as illustrated here:

```
# np.dot does both dot products and matrix multiplication
np.dot(user_pref, movies)
```

The result is an array of integers that represents the recommendations for each movie.

For a quick extension of this, let's run some code that predicts across more than 10,000 movies, as shown here:

```
import numpy as np
import time

for num_movies in (10000, 100000, 1000000, 10000000, 100000000):
    movies = np.random.randint(5, size=(3, num_movies))+1
    now = time.time()
    np.dot(user_pref, movies)
    print((time.time() - now), "seconds to run", num_movies, "movies")

0.000160932540894 seconds to run 10000 movies
0.00121188163757 seconds to run 100000 movies
0.0105860233307 seconds to run 1000000 movies
0.096577167511 seconds to run 10000000 movies
4.16197991371 seconds to run 100000000 movies
```

It took only a bit over four seconds to run through 100,000,000 movies using matrix multiplication.

Summary

In this chapter, we took a look at some basic mathematical principles that will become very important as we progress through this book. Between logarithms/exponents, matrix algebra, and proportionality, mathematics clearly has a big role not just in the analysis of data, but in many aspects of our lives.

The up coming chapters will take a much deeper dive into two big areas of mathematics: probability and statistics. Our **goal** will be to **define and interpret** the smallest and biggest **theorems** in these two giant fields of mathematics.

It is in the next few chapters that everything will start to come together. So far in this book, we have looked at math examples, data exploration guidelines, and basic insights into types of data. It is time to begin to tie all of these concepts together.

5

Impossible or Improbable - A Gentle Introduction to Probability

Over the next few chapters, we will explore both probability and statistics as methods of examining both data-driven situations and real-world scenarios. The rules of probability govern the basics of prediction. We use probability to define the chances of the occurrence of an event.

In this chapter, we will look at the following topics:

- What is the probability?
- The differences between the Frequentist approach and the Bayesian approach
- How to visualize probability
- How to utilize the rules of probability
- Using confusion matrices to look at the basic metrics

Probability will help us model real-life events that include a sense of randomness and chance. Over the next two chapters, we will look at the terminology behind probability theorems and how to apply them to model situations that can appear unexpectedly.

Basic definitions

One of the most basic concepts of probability is the concept of a procedure. A **procedure** is an act that leads to a result, for example, throwing a die or visiting a website.

An **event** is a collection of the outcomes of a procedure, such as getting a head on a coin flip or leaving a website after only 4 seconds. A simple event is an outcome/event of a procedure that cannot be broken down further. For example, rolling two dice can be broken down into two simple events: rolling die 1 and rolling die 2.

The **sample space** of a procedure is the set of all possible simple events. For example, an experiment is performed in which a coin is flipped three times in succession. What is the size of the sample space for this experiment?

The answer is eight because the results could be any one of the possibilities in the following sample space: {HHH, HHT, HTT, HTH, TTT, TTH, THH, or THT}.

Probability


The **probability** of an event represents the frequency, or chance, that the event will happen.

For **notation**, if A is an event, $P(A)$ is the probability of the occurrence of the event.

We can define the actual probability of an event, A , as follows:

$$P(A) = \frac{\text{number of ways } A \text{ occurs}}{\text{size of sample space}}$$

Here, A is the event in question. Think of an entire universe of events where anything is possible, and let's represent it as a circle. We can think of a single event, A , as being a smaller circle within that larger universe, as shown in the following diagram:



Now, let's pretend that our universe involves a research study on humans and that the A event is people in that study who have cancer.

If our study has 100 people and A has 25 people, the probability of A or $P(A)$ is 25/100.

The maximum probability of any event is 1. This can be understood as the red circle grows so large that it is the size of the universe (the larger circle).

The most basic examples (I promise they will get more interesting) are coin flips. Let's say we have two coins and we want the probability that we will get two heads. We can very easily count the number of ways two coins could end up being two heads. There's only one! Both coins have to be heads. But how many options are there? It could either be two heads, two tails, or a heads/tails combination.

First, let's define A . It is the event in which two heads occur. The number of ways that A can occur is 1.

The sample space of the experiment is {HH, HT, TH, TT}, where each two-letter word indicates the outcome of the first and second coin simultaneously. The size of the sample space is four. So, $P(\text{getting two heads}) = 1/4$.

Let's refer to a quick visual table to prove it. The following table denotes the options for coin 1 as the columns, and the options for coin 2 as the rows. In each cell, there is either True or False. A True value indicates that it satisfies the condition (both heads), and False indicates otherwise:

	Coin 1 is heads	Coin 1 is tails
Coin 2 is heads	True	False
Coin 2 is tails	False	False

So, we have one out of a total of four possible outcomes.

Bayesian versus Frequentist

The preceding example was almost too easy. In practice, we can hardly ever truly count the number of ways something can happen. For example, let's say that we want to know the probability of a random person smoking cigarettes at least once a day. If we wanted to approach this problem using the classical way (the previous formula), we would need to figure out how many different ways a person is a smoker—someone who smokes at least once a day—which is not possible!

When faced with such a problem, two main schools of thought are considered when it comes to calculating probabilities in practice: the **Frequentist approach** and the **Bayesian approach**. This chapter will focus heavily on the Frequentist approach, while the subsequent chapter will dive into the Bayesian approach.

Frequentist approach

In a Frequentist approach, the probability of an event is calculated through experimentation. It uses the past in order to predict the future chance of an event. The basic formula is as follows:

$$P(A) = \frac{\text{number of times } A \text{ occurred}}{\text{number of times the procedure was repeated}}$$

Basically, we observe several instances of the event and count the number of times A was satisfied. The division of these numbers is an approximation of the probability.

The Bayesian approach differs by dictating that probabilities must be discerned using theoretical means. Using the Bayes approach, we would have to think a bit more critically about events and why they occur. Neither methodology is wholly the correct answer all of the time. Usually, it comes down to the problem and the difficulty of using either approach.

The crux of the Frequentist approach is the relative frequency.

The **relative frequency** of an event is how often an event occurs divided by the total number of observations.

Example - marketing stats

Let's say that you are interested in ascertaining how often a person who visits your website is likely to return at a later date. This is sometimes called the rate of repeat visitors. In the previous definition, we would define our A event as being a visitor coming back to the site. We would then have to calculate the number of ways a person can come back, which doesn't really make sense at all! In this case, many people would turn to a Bayesian approach; however, we can calculate what is known as relative frequency.

So, in this case, we can take the visitor logs and calculate the relative frequency of event A (repeat visitors). Let's say, of the 1,458 unique visitors in the past week, 452 were repeat visitors. We can calculate this as follows:

$$RF(A) = \frac{452}{1458} = .31$$

So, about 31% of your visitors are repeat visitors.

The law of large numbers

The reason that even the Frequentist approach can do this is that of the law of large numbers, which states that if we repeat a procedure over and over, the relative frequency probability will approach the actual probability. Let's try to demonstrate this using Python.

If I were to ask you the average of the numbers 1 and 10, you would very quickly answer around 5. This question is identical to asking you to pick the average number between 1 and 10.

Python will choose n random numbers between 1 and 10 and find their average.

We will repeat this experiment several times using a larger n each time, and then we will graph the outcome. The steps are as follows:

1. Pick a random number between 1 and 10 and find the average
2. Pick two random numbers between 1 and 10 and find their average
3. Pick three random numbers between 1 and 10 and find their average
4. Pick 10,000 random numbers between 1 and 10 and find their average
5. Graph the results


Let's take a look at the code:

```
import numpy as np
import pandas as pd
from matplotlib import pyplot as plt
%matplotlib inline
results = []
for n in range(1,10000):
    nums = np.random.randint(low=1,high=10, size=n) # choose n numbers
    between 1 and 10
    mean = nums.mean() # find the average
    of these numbers
    results.append(mean) # add the average
    to a running list

# POP QUIZ: How large is the list results?
len(results) # 9999
# This was tricky because I took the range from 1 to 10000 and usually
we do from 0 to 10000
df = pd.DataFrame({'means' : results})
```

```
print (df.head()) # the averages in the beginning are all over the
place!
# means
# 9.0
# 5.0
# 6.0
# 4.5
# 4.0
print (df.tail()) # as n, our size of the sample size, increases, the
averages get closer to 5!
# means
# 4.998799
# 5.060924
# 4.990597
# 5.008802
# 4.979198
df.plot(title='Law of Large Numbers')
plt.xlabel("Number of throws in sample")
plt.ylabel("Average Of Sample")
```

The following is the output to the preceding code:



Cool, right? What this is essentially showing us is that as we increase the sample size of our relative frequency, the frequency approaches the actual average (probability) of 5.

In our statistics chapters, we will work to define this law much more rigorously, but for now, just know that it is used to link the relative frequency of an event to its actual probability.


Compound events

Sometimes, we need to deal with two or more events. These are called **compound events**. A compound event is an event that combines two or more simple events. When this happens, we need a special notation.

Given events A and B :


- The probability that A and B occur is $P(A \cap B) = P(A \text{ and } B)$
- The probability that either A or B occurs is $P(A \cup B) = P(A \text{ or } B)$

Understanding why we use the set notation for these compound events is very important. Remember how we represented events in a universe using circles earlier? Let's say that our **universe** is 100 people who showed up for an experiment in which a new test for cancer is being developed:




In the preceding diagram, the red circle, A , represents 25 people who actually have cancer. Using the relative frequency approach, we can say that $P(A) = \text{number of people with cancer}/\text{number of people in study}$, that is, $25/100 = \frac{1}{4} = .25$. This means that there is a 25% chance that someone has cancer.


Let's introduce a second event, called B , as shown in the following diagram, which contains people for whom the test was positive (it claimed that they had cancer). Let's say that this is for 30 people. So, $P(B) = 30/100 = 3/10 = .3$. This means that there is a 30% chance that the test said positive for any given person:



These are two separate events, but they interact with each other. Namely, they might *intersect* or have people in common, as shown here:



Anyone in the space that both A and B occupies, otherwise known as A intersect B or $A \cap B$, are people for whom the test claimed they were positive for cancer (A), and they actually do have cancer. Let's say that's 20 people. The test said positive for 20 people, that is, they have cancer, as shown here:



This means that $P(A \text{ and } B) = 20/100 = 1/5 = .2 = 20\%$.

If we want to say that someone has cancer, or the test came back positive, this would be the total sum (or union) of the two events, namely, the sum of 5, 20, and 10, which is 35. So, $35/100$ people either have cancer or had a positive test outcome. That means $P(A \text{ or } B) = 35/100 = .35 = 35\%$.

All in all, we have people in the following four different classes:

- **Pink:** This refers to those people who have cancer and had a negative test outcome
- **Purple (A intersect B):** These people have cancer and had a positive test outcome
- **Blue:** This refers to those people with no cancer and a positive test outcome
- **White:** This refers to those people with no cancer and a negative test outcome

So, effectively, the only times the test was *accurate* was in the white and purple regions. In the blue and pink regions, the test was incorrect.

Conditional probability

Let's pick an arbitrary person from this study of 100 people. Let's also assume that you are told that their test result was positive. What is the probability of them actually having cancer? So, we are told that event B has already taken place, and that their test came back positive. The question now is: what is the probability that they have cancer, that is, $P(A)$? This is called a **conditional probability of A given B or $P(A | B)$** . Effectively, it is asking you to calculate the probability of an event given that another event has already happened.

You can think of conditional probability as changing the relevant universe. $P(A | B)$ (called the **probability of A given B**) is a way of saying, given that my entire universe is now B, what is the probability of A? This is also known as transforming the sample space.

Zooming in on our previous diagram, our universe is now B, and we are concerned with AB (A and B) inside B.

The formula can be given as follows:

$$P(A | B) = P(A \text{ and } B) / P(B) = (20/100) / (30/100) = 20/30 = .66 = 66\%$$

There is a 66% chance that if a test result came back positive, that person had cancer. In reality, this is the main probability that the experimenters want. They want to know how good the test is at predicting cancer.

The rules of probability


In probability, we have some rules that become very useful when visualization gets too cumbersome. These rules help us calculate compound probabilities with ease.

The addition rule

The addition rule is used to calculate the probability of either or events. To calculate $P(A \cup B) = P(A \text{ or } B)$, we use the following formula:

$$P(A \cup B) = P(A) + P(B) - P(A \cap B)$$

The first part of the formula ($P(A) + P(B)$) makes complete sense. To get the union of the two events, we have to add together the area of the circles in the universe. But why the subtraction of $P(A \text{ and } B)$? This is because when we add the two circles, we are adding the area of intersection twice, as shown in the following diagram:




See how both the red circles include the intersection of **A** and **B**? So, when we add them, we need to subtract just one of them to account for this, leaving us with our formula.

You will recall that we wanted the number of people who either had cancer or had a positive test result. If A is the event that someone has cancer, and B is that the test result was positive, we have the following:

$$P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B) = .25 + .30 - .2 = .35$$

This is represented visually in the following diagram:



Mutual exclusivity

We say that two events are mutually exclusive if they cannot occur at the same time. This means that $A \cap B = \emptyset$, or just that the intersection of the events is the empty set. When this happens, $P(A \cap B) = P(A \text{ and } B) = 0$.

If two events are mutually exclusive, then the following applies:

$$\begin{aligned}P(A \cup B) &= P(A \text{ or } B) \\&= P(A) + P(B) - P(A \cap B) = P(A) + P(B)\end{aligned}$$

This makes the addition rule much easier. Some examples of mutually exclusive events include the following:

- A customer seeing your site for the first time on both Twitter and Facebook
- Today is Saturday and today is Wednesday
- I failed Econ 101 and I passed Econ 101

None of these events can occur simultaneously.

The multiplication rule

The multiplication rule is used to calculate the probability of *and* events. To calculate $P(A \cap B) = P(A \text{ and } B)$, we use the following formula:

$$P(A \cap B) = P(A \text{ and } B) = P(A) P(B | A)$$

Why do we use $B | A$ instead of B ? This is because it is possible that B depends on A . If this is the case, then just multiplying $P(A)$ and $P(B)$ does not give us the whole picture.

In our cancer trial example, let's find $P(A \text{ and } B)$. To do this, let's redefine A to be the event that the trial is positive, and B to be the person having cancer (because it doesn't matter what we call the events). The equation will be as follows:

$$P(A \cap B) = P(A \text{ and } B) = P(A) P(B | A) = .3 * .6666 = .2 = 20\%$$

It's difficult to see the true necessity of using conditional probability, so let's try another, more difficult problem.

For example, of a randomly selected set of 10 people, 6 have iPhones and 4 have Androids. What is the probability that if I randomly select 2 people, they will both have iPhones? This example can be retold using event spaces, as follows:

I have the following two events:

- *A*: This event shows the probability that I choose a person with an iPhone first
- *B*: This event shows the probability that I choose a person with an iPhone second

So, basically, I want the following:

- $P(A \text{ and } B)$: P(I choose a person with an iPhone and a person with an iPhone)

So, I can use my $P(A \text{ and } B) = P(A) P(B | A)$ formula.

$P(A)$ is simple, right? People with iPhones are 6 out of 10, so, I have a $6/10 = 3/5 = 0.6$ chance of *A*. This means $P(A) = 0.6$.

So, if I have a 0.6 chance of choosing someone with an iPhone, the probability of choosing two should just be $0.6 * 0.6$, right?

But wait! We only have 9 people left to choose our second person from, because one was taken away. So, in our new transformed sample space, we have 9 people in total, 5 with iPhones and 4 with Androids, making $P(B) = 5/9 = .555$.

So, the probability of choosing two people with iPhones is $0.6 * 0.555 = 0.333 = 33\%$.

I have a $1/3$ chance of choosing two people with iPhones out of 10. The conditional probability is very important in the multiplication rule as it can drastically alter your answer.

Independence

Two events are independent if one event does not affect the outcome of the other, that is, $P(B | A) = P(B)$ and $P(A | B) = P(A)$.

If two events are independent, then the following applies:

$$P(A \cap B) = P(A) P(B | A) = P(A) P(B)$$

Some examples of independent events are as follows:

- It was raining in San Francisco, and a puppy was born in India
- I flip a coin and get heads, and I flip another coin and get tails

None of these pairs of events affect each other.

Complementary events

The complement of A is the opposite or negation of A . If A is an event, \bar{A} represents the complement of A . For example, if A is the event where someone has cancer, \bar{A} is the event where someone is cancer free.

To calculate the probability of, \bar{A} , use the following formula:

$$P(\bar{A}) = 1 - P(A)$$

For example, when you throw two dice, what is the probability that you rolled higher than a 3?

Let A represent rolling higher than a 3.

\bar{A} represents rolling a 3 or less:

$$P(A) = 1 - P(\bar{A})$$

$$P(A) = 1 - (P(2) + P(3))$$

$$= 1 - (2/36 + 2/36)$$

$$= 1 - (4/36)$$

$$= 32/36 = 8/9$$

$$= .89$$

For example, a start-up team has three investor meetings coming up. We will have the following probabilities:

- A 60% chance of getting money from the first meeting
- A 15% chance of getting money from the second
- A 45% chance of getting money from the third

What is the probability of them getting money from at least one meeting?

Let A be the team getting money from at least one investor, and, \bar{A} be the team not getting any money. $P(A)$ can be calculated as follows:

$$P(A) = 1 - P(\bar{A})$$

To calculate $P(\bar{A})$, we need to calculate the following:

$P(\bar{A}) = P(\text{no money from investor 1 AND no money from investor 2 AND no money from investor 3})$

Let's assume that these events are independent (they don't talk to each other):

$$P(\bar{A}) = P(\text{no money from investor 1}) * P(\text{no money from investor 2}) * P(\text{no money from investor 3}) =$$

$$0.4 * 0.85 * 0.55 = 0.187$$

$$P(A) = 1 - 0.187 = 0.813 = 81\%$$

So, the start-up has an 81% chance of getting money from at least one meeting!

A bit deeper

Without getting too deep into the machine learning terminology, this test is what is known as a **binary classifier**, which means that it is trying to predict from only two options: having cancer or not having cancer. When we are dealing with binary classifiers, we can draw what is called **confusion matrices**, which are 2×2 matrices that house all the four possible outcomes of our experiment.

Let's try some different numbers. Let's say 165 people walked in for the study. So, our n (sample size) is 165 people. All 165 people are given the test and asked whether they have cancer (provided through various other means). The following **confusion matrix** shows us the results of this experiment:


		Predicted: NO	Predicted: YES
n=165	Actual: NO	50	10
	Actual: YES	5	100

The matrix shows that 50 people were predicted to have no cancer and did not have it, 100 people were predicted to have cancer and actually did have it, and so on. We have the following four classes, again, all with different names:

- **The true positives** are the tests correctly predicting *positive (cancer)* == 100
- **The true negatives** are the tests correctly predicting *negative (no cancer)* == 50
- **The false positives** are the tests incorrectly predicting *positive (cancer)* == 10
- **The false negatives** are the tests incorrectly predicting *negative (no cancer)* == 5

The first two classes indicate where the test was correct, or *true*. The last two classes indicate where the test was incorrect, or *false*.

False positives are sometimes called a **Type I error**, whereas false negatives are called a **Type II error**:



Type I and Type II errors
(Source: <http://marginalrevolution.com/marginalrevolution/2014/05/type-i-and-type-ii-errors-simplified.html>)

We will get into this in later chapters. For now, we just need to understand why we use the set notation to denote probabilities for compound events. This is because that's what they are. When events A and B exist in the same universe, we can use intersections and unions to represent them happening either at the same time, or to represent one happening versus the other.

We will go into this much more in later chapters, but it is good to introduce it now.

Summary

In this chapter, we looked at the basics of probability and will continue to dive deeper into this field in the following chapter. We approached most of our thinking as a Frequentist, and expressed the basics of experimentation and using probability to predict an outcome.

The next chapter will look at the Bayesian approach to probability and will also explore the use of probability to solve much more complex problems. We will incorporate these basic probability principles in much more difficult scenarios.

6

Advanced Probability

In the previous chapter, we went over the basics of probability and how we can apply simple theorems to complex tasks. To briefly summarize, probability is the mathematics of modeling events that may or may not occur. We use formulas in order to describe these events and even look at how multiple events can behave together. In this chapter, we will explore more complicated theorems of probability and how we can use them in a predictive capacity. Advanced topics, such as **Bayes' theorem** and **random variables**, give rise to common machine learning algorithms, such as the **Naïve Bayes algorithm** (also covered in this book). This chapter will focus on some of the more advanced topics in probability theory, including the following topics:

- Exhaustive events
- Bayes' theorem
- Basic prediction rules
- Random variables

We have one more definition to look at before we get started (the last one before the fun stuff, I promise). We have to look at *collectively exhaustive events*.

Collectively exhaustive events

When given a set of two or more events, if at least one of the events must occur, then such a set of events is said to be **collectively exhaustive**. Consider the following examples:

- Given a set of events $\{\text{temperature} < 60, \text{temperature} > 90\}$, these events are not collectively exhaustive because there is a third option that is not given in this set of events; the temperature could be between 60 and 90. However, they are **mutually exhaustive** because both cannot happen at the same time.
- In a dice roll, the set of events of rolling a $\{1, 2, 3, 4, 5, \text{ or } 6\}$ are **collectively exhaustive** because these are the only possible events, and at least one of them must happen.

Bayesian ideas revisited

In the last chapter, we talked, very briefly, about Bayesian ways of thinking. In short, when speaking about Bayes, you are speaking about the following three things and how they all interact with each other:

- A prior distribution
- A posterior distribution
- A likelihood

Basically, we are concerned with finding the posterior. That's the thing we want to know. Another way to phrase the Bayesian way of thinking is that data shapes and updates our belief. We have a prior probability, or what we naively think about a hypothesis, and then we have a posterior probability, which is what we think about a hypothesis, given some data.

Bayes' theorem

Bayes' theorem is the big result of Bayesian inference. Let's see how it even comes about. Recall that we previously defined the following:

- $P(A) = \text{The probability that event } A \text{ occurs}$
- $P(A | B) = \text{The probability that } A \text{ occurs, given that } B \text{ occurred}$
- $P(A, B) = \text{The probability that } A \text{ and } B \text{ occur}$
- $P(A, B) = P(A) * P(B | A)$

That last bullet point can be read as *the probability that A and B occur is the probability that A occurs times the probability that B occurred, given that A already occurred.*

It's from that last bullet point that Bayes' theorem takes its shape.

We know the following:

$$P(A, B) = P(A) * P(B | A)$$

$$P(B, A) = P(B) * P(A | B)$$

$$P(A, B) = P(B, A)$$

So, we can infer this:

$$P(B) * P(A | B) = P(A) * P(B | A)$$

Dividing both sides by $P(B)$ gives us Bayes' theorem, as shown here:

$$P(A|B) = \frac{P(A)*P(B|A)}{P(B)}$$

You can think of Bayes' theorem as follows:

- It is a way to get from $P(A | B)$ to $P(B | A)$ (if you only have one of them)
- It is a way to get $P(A | B)$ if you already know $P(A)$ (without knowing B)

Let's try thinking about Bayes using terms of *hypothesis* and *data*. Suppose $H = \text{your hypothesis about the given data}$ and $D = \text{the data that you are given}$.

Bayes can be interpreted as trying to figure out $P(H | D)$ (*the probability that our hypothesis is correct, given the data at hand*).

Let's use our terminology from before:

$$P(H|D) = \frac{P(D|H)P(H)}{P(D)}$$

Let's take a look at that formula:

- $P(H)$ is the probability of the hypothesis before we observe the data, called the **prior probability**, or just **prior**
- $P(H | D)$ is what we want to compute, the probability of the hypothesis after we observe the data, called the **posterior**

- $P(D | H)$ is the probability of the data under the given hypothesis, called the **likelihood**
- $P(D)$ is the probability of the data under any hypothesis, called the **normalizing constant**

This concept is not far off from the idea of machine learning and predictive analytics. In many cases, when considering predictive analytics, we use the given data to predict an outcome. Using the current terminology, H (our hypothesis) can be considered our outcome, and $P(H | D)$ (the probability that our hypothesis is true, given our data) is another way of saying what is the chance that my hypothesis is correct, given *the data in front of me?*

Let's take a look at an example of how we can use Bayes' formula in the workplace.

Consider that you have two people in charge of writing blog posts for your company, Lucy and Avinash. From past performance, you have liked 80% of Lucy's work and only 50% of Avinash's work. A new blog post comes to your desk in the morning, but the author isn't mentioned. You love the article. A+. What is the probability that it came from Avinash? Each blogger blogs at a very similar rate.

Before we freak out, let's do what any experienced mathematician (and now you) would do. Let's write out all of our information, as shown here:

- H = hypothesis = the blog came from Avinash
- D = data = you loved the blog post
- $P(H | D)$ = the chance that it came from Avinash, given that you loved it
- $P(D | H)$ = the chance that you loved it, given that it came from Avinash
- $P(H)$ = the chance that an article came from Avinash
- $P(D)$ = the chance that you love an article

Note that some of these variables make almost no sense without context. $P(D)$, the probability that you would love any given article put on your desk, is a weird concept, but trust me, in the context of Bayes' formula, it will be relevant very soon.

Also, note that in the last two items, they assume nothing else. $P(D)$ does not assume the origin of the blog post; think of $P(D)$ as *if an article was plopped on your desk from some unknown source, what is the chance that you'd like it?* (again, I know it sounds weird out of context).

So, we want to know $P(H | D)$. Let's try to use Bayes' theorem, as shown here:

$$P(H|D) = \frac{P(D|H)P(H)}{P(D)}$$

But, do we know the numbers on the right-hand side of this equation? I claim we do! Let's see:

- $P(H)$ is the probability that any given blog post comes from Avinash. As bloggers write at a very similar rate, we can assume this is 0.5 because we have a 50/50 chance that it came from either blogger (note how I did not assume D, the data, for this).
- $P(D | H)$ is the probability that you love a post from Avinash, which we previously said was 50%, so, 0.5.
- $P(D)$ is interesting. This is the chance that you love an article *in general*. It means that we must take into account the scenario whether the post came from Lucy or Avinash. Now, if the hypothesis forms a suite, then we can use our laws of probability, as we mentioned in the previous chapter. A suite is formed when a set of hypotheses is both collectively exhaustive and mutually exclusive. In layman's terms, in a suite of events, exactly one and only one hypothesis can occur. In our case, the two hypotheses are that the article came from Lucy, or that the article came from Avinash. This is definitely a suite because of the following reasons:
 - At least one of them wrote it
 - At most one of them wrote it
 - Therefore, *exactly* one of them wrote it

When we have a suite, we can use our multiplication and addition rules, as follows:

$$D = (\text{From, Avinash AND loved it}) \text{ OR } (\text{From Lucy AND loved it})$$

$$P(D) = P(\text{Loved AND from Avinash}) \text{ OR } P(\text{Loved AND from Lucy})$$

$$P(D) = P(\text{From Avinash}) P(\text{loved} | \text{from Avinash}) + P(\text{from Lucy}) P(\text{Loved} | \text{from Lucy})$$

$$P(D) = .5(.5) + .5(.8) = .65$$

Whew! Way to go. Now, we can finish our equation, as follows:

$$P(H|D) = \frac{P(D|H)P(H)}{P(D)}$$

$$P(H|D) = \frac{.5 * .5}{.65} = .38$$

This means that there is a 38% chance that this article comes from Avinash. What is interesting is that $P(H) = 0.5$ and $P(H|D) = 0.38$. It means that without any data, the chance that a blog post came from Avinash was a coin flip, or 50/50. Given some data (your thoughts on the article), we updated our beliefs about the hypothesis and it actually lowered the chance. This is what Bayesian thinking is all about: updating our posterior beliefs about something from a prior assumption, given some new data about the subject.

More applications of Bayes' theorem

Bayes' theorem shows up in a lot of applications, usually when we need to make fast decisions based on data and probability. Most recommendation engines, such as Netflix's, use some elements of Bayesian updating. And if you think through why that might be, it makes sense.

Let's suppose that in our simplistic world, Netflix only has 10 categories to choose from. Now, suppose that given no data, a user's chance of liking a comedy movie out of 10 categories is 10% (just 1/10).

Okay, now suppose that the user has given a few comedy movies 5/5 stars. Now, when Netflix is wondering what the chance is that the user would like another comedy, the probability that they might like a comedy, $P(H|D)$, is going to be larger than a random guess of 10%!

Let's try some more examples of applying Bayes' theorem using more data. This time, let's get a bit grittier.

Example – Titanic

A very famous dataset involves looking at the survivors of the sinking of the Titanic in 1912. We will use an application of probability in order to figure out if there were any demographic features that showed a relationship to passenger survival. Mainly, we are curious to see if we can isolate any features of our dataset that can tell us more about the types of people who were likely to survive this disaster. First, let's read in the data, as shown here:

```
titanic = pd.read_csv('https://raw.githubusercontent.com/sinanuozdemir/SF_DAT_15/master/data/titanic.csv') #read in a csv
titanic = titanic[['Sex', 'Survived']] #the Sex and Survived column
titanic.head()
```

We get the following table:

	Sex	Survived
0	male	no
1	female	yes
2	female	yes
3	female	yes
4	male	no

In the preceding table, each row represents a single passenger on the ship, and, for now, we are looking at two specific features: the sex of the individual and whether or not they survived the sinking. For example, the first row represents a man who did not survive, while the fourth row (with index 3, remember how Python indexes lists) represents a female who did survive.

Let's start with some basics. We'll start by calculating the probability that any given person on the ship survived, regardless of their gender. To do this, we'll count the number of yeses in the **Survived** column and divide this figure by the total number of rows, as shown here:

```
num_rows = float(titanic.shape[0]) # == 891 rows
p_survived = (titanic.Survived=="yes").sum() / num_rows # == .38
p_notsurvived = 1 - p_survived # == .61
```

Note that I only had to calculate $P(\text{Survived})$, and I used the law of conjugate probabilities to calculate $P(\text{Died})$ because those two events are complementary. Now, let's calculate the probability that any single passenger is male or female:

```
p_male = (titanic.Sex=="male").sum() / num_rows # == .65
p_female = 1 - p_male # == .35
```

Now, let's ask ourselves a question: did having a certain gender affect the survival rate? For this, we can estimate $P(\text{Survived} | \text{Female})$, or the chance that someone survived given that they were a female. For this, we need to divide the number of women who survived by the total number of women, as shown here:

$$P(\text{Survived} | \text{Female}) = \frac{P(\text{Female AND Survived})}{P(\text{Female})}$$

Here's the code for that calculation:

```
number_of_women = titanic[titanic.Sex=='female'].shape[0] # == 314
women_who_lived = titanic[(titanic.Sex=='female') & (titanic.
Survived=='yes')].shape[0] # == 233
p_survived_given_woman = women_who_lived / float(number_of_women)
p_survived_given_woman # == .74
```

That's a pretty big difference. It seems that gender plays a big part in this dataset.

Example – medical studies

A classic use of Bayes' theorem is the interpretation of medical trials. Routine testing for illegal drug use is increasingly common in workplaces and schools. The companies that perform these tests maintain that the tests have a high sensitivity, which means that they are likely to produce a positive result *if there are drugs in their system*. They claim that these tests are also highly specific, which means that they are likely to yield a negative result *if there are no drugs*.

On average, let's assume that the sensitivity of common drug tests is about 60% and the specificity is about 99%. This means that if an employee is using drugs, the test has a 60% chance of being positive, while if an employee is not on drugs, the test has a 99% chance of being negative. Now, suppose these tests are applied to a workforce where the actual rate of drug use is 5%.

The real question here is *of the people who test positive, how many actually use drugs?*

In Bayesian terms, we want to compute the probability of drug use, given a positive test:

- Let D = the event that drugs are in use
- Let E = the event that the test is positive
- Let N = the event that drugs are *NOT* in use

We are looking for $P(D | E)$.

By using Bayes' theorem, we can extrapolate it as follows:

$$P(D|E) = \frac{P(E|D)P(D)}{P(E)}$$

The prior, $P(D)$, is the probability of drug use before we see the outcome of the test, which is 5%. The likelihood, $P(E|D)$, is the probability of a positive test assuming drug use, which is the same thing as the sensitivity of the test. The normalizing constant, $P(E)$, is a little bit trickier.

We have to consider two things: $P(E \text{ and } D)$ as well as $P(E \text{ and } N)$. Basically, we must assume that the test is capable of being incorrect when the user is not using drugs. Check out the following equations:

$$P(E) = P(E \text{ and } D) \text{ or } P(E \text{ and } N)$$

$$P(E) = P(D)P(E|D) + P(N)P(E|N)$$

$$P(E) = .05 * .6 + .95 * .01$$

$$P(E) = 0.0395$$

So, our original equation becomes as follows:

$$P(D|E) = \frac{.6 * .05}{0.0395}$$

$$P(D|E) = .76$$

This means that of the people who test positive for drug use, about a quarter are innocent!

Random variables

A **random variable** uses real numerical values to describe a probabilistic event. In our previous work with variables (both in math and programming), we were used to the fact that a variable takes on a certain value. For example, we might have a right-angled triangle in which we are given the variable h for the hypotenuse, and we must figure out the length of the hypotenuse. We also might have the following, in Python:

```
x = 5
```

Both of these variables are equal to one value at a time. In a random variable, we are subject to randomness, which means that our variables' values are, well, just that, variable! They might take on multiple values depending on the environment.

A random variable still, as shown previously, holds a value. The main distinction between variables as we have seen them and a random variable is the fact that a random variable's value may change depending on the situation.

However, if a random variable can have many values, how do we keep track of them all? Each value that a random variable might take on is associated with a percentage. For every value that a random variable might take on, there is a single probability that the variable will be this value.

With a random variable, we can also obtain our probability distribution of a random variable, which gives the variable's possible values and their probabilities.

Written out, we generally use single capital letters (mostly the specific letter X) to denote random variables. For example, we might have the following:

- X : The outcome of a dice roll
- Y : The revenue earned by a company this year
- Z : The score of an applicant on an interview coding quiz (0-100%)

Effectively, a random variable is a function that maps values from the sample space of an event (the set of all possible outcomes) to a probability value (between 0 and 1). Think about the event as being expressed as follows:

$$f(\text{event}) = \text{probability}$$

It will assign a probability to each individual option. There are two main types of random variables: discrete and continuous.

Discrete random variables

A discrete random variable only takes on a countable number of possible values, such as the outcome of a dice roll, as shown here:

$X = \text{the outcome of a single dice roll}$						
Value	$X = 1$	$X = 2$	$X = 3$	$X = 4$	$X = 5$	$X = 6$
Probability	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{6}$

Note how I use a capital X to define the random variable. This is a common practice. Also note how the random variable maps a probability to each individual outcome. Random variables have many properties, two of which are their expected value and the variance. We will use a **probability mass function (PMF)** to describe a discrete random variable.

They take on the following appearance:

$$P(X = x) = \text{PMF}$$

So, for a dice roll, $P(X = 1) = 1/6$ and $P(X = 5) = 1/6$.

Consider the following examples of discrete variables:

- The likely result of a survey question (for example, on a scale of 1-10)
- Whether the CEO will resign within the year (either true or false)

The expected value of a random variable defines the mean value of a long run of repeated samples of the random variable. This is sometimes called the mean of the variable.

For example, refer to the following Python code, which defines the random variable of a dice roll:

```
import random
def random_variable_of_dice_roll():
    return random.randint(1, 7) # a range of (1,7) # includes 1, 2, 3,
    4, 5, 6, but NOT 7
```

This function will invoke a random variable and come out with a response. Let's roll 100 dice and average the result, as follows:

```
trials = []
num_trials = 100
for trial in range(num_trials):
    trials.append( random_variable_of_dice_roll() )
print(sum(trials)/float(num_trials)) # == 3.77
```

So, taking 100 dice rolls and averaging them gives us a value of 3.77! Let's try this with a wide variety of trial numbers, as illustrated here:

```
num_trials = range(100,10000, 10)
avgs = []
for num_trial in num_trials:
    trials = []
    for trial in range(1,num_trial):
        trials.append( random_variable_of_dice_roll() )
```


```

    avgss.append(sum(trials)/float(num_trial))

    plt.plot(num_trials, avgss)
    plt.xlabel('Number of Trials')
    plt.ylabel("Average")

```

We get the following graph:



The preceding graph represents the average dice roll as we look at more and more dice rolls. We can see that the average dice roll is rapidly approaching 3.5. If we look toward the left of the graph, we can see that if we only roll a die about 100 times, then we are not guaranteed to get an average dice roll of 3.5. However, if we roll 10,000 dice one after another, we can see that we would very likely expect the average dice roll to be about 3.5.

For a discrete random variable, we can also use a simple formula, shown as follows, to calculate the expected value:

$$\text{Expected value} = E[X] = \mu x = \sum x_i p_i$$

Here, x_i is the i^{th} outcome and p_i is the i^{th} probability.

So, for our dice roll, we can find the exact expected value as follows:

$$\frac{1}{6}(1) + \frac{1}{6}(2) + \frac{1}{6}(3) + \frac{1}{6}(4) + \frac{1}{6}(5) + \frac{1}{6}(6) = 3.5$$

The preceding result shows us that for any given dice roll, we can *expect* a dice roll of 3.5. Now, obviously, that doesn't make sense because we can't get a 3.5 on a dice roll, but it does make sense when put in the context of many dice rolls. If you roll 10,000 dice, your average dice roll should approach 3.5, as shown in the graph and code previously.

The average of the expected value of a random variable is generally not enough to grasp the full idea behind the variable. For this reason, we introduce a new concept, called **variance**.

The variance of a random variable represents the spread of the variable. It quantifies the variability of the expected value.

The formula for the variance of a discrete random variable is expressed as follows:

$$\text{Variance} = V[X] = \sigma_x^2 = \sum (x_i - \mu_x)^2 p_i$$

x_i and p_i represent the same values as before and μ_x represents the expected value of the variable. In this formula, I also mentioned the sigma of X . Sigma, in this case, is the standard deviation, which is defined simply as the square root of the variance. Let's look at a more complicated example of a discrete random variable.

Variance can be thought of like a *give or take* metric. If I say you can *expect* to win \$100 from a poker hand, you might be very happy. If I append that statement with the additional detail that you might win \$100, give or take \$80, you now have a wide range of expectations to deal with, which can be frustrating and might make a risk-averse player more wary of joining the game. We can usually say that we have an expected value, give or take the standard deviation.

Consider that your team measures the success of a new product on a **Likert scale**, that is, as being in one of five categories, where a value of 0 represents a complete failure and 4 represents a great success. They estimate that a new project has the following chances of success based on user testing and the preliminary results of the performance of the product.

We first have to define our random variable.

Let the X random variable represent the success of our product. X is indeed a discrete random variable because the X variable can only take on one of five options: 0, 1, 2, 3, or 4.

The following is the probability distribution of our random variable, X. Note how we have a column for each potential outcome of X and, following each outcome, we have the probability that that particular outcome will be achieved:

Value	X = 0	X = 1	X = 2	X = 3	X = 4
Probability	0.02	0.07	0.25	0.4	0.26

For example, the project has a 2% chance of failing completely and a 26% chance of being a great success! We can calculate our expected value as follows:

$$E[X] = 0(0.02) + 1(0.07) + 2(0.25) + 3(0.4) + 4(0.26) = 2.81$$

This number means that the manager can *expect* a success of about 2.81 out of this project. Now, by itself, that number is not very useful. Perhaps, if given several products to choose from, an expected value might be a way to compare the potential successes of several products. However, in this case, when we have but the one product to evaluate, we will need more.

Now, let's check the variance, as shown here:

$$\text{Variance} = V[X] = \sigma^2 = (x_i - \mu)^2 p_i = (0 - 2.81)^2(0.02) + (1 - 2.81)^2(0.07) + (2 - 2.81)^2(0.25) + (3 - 2.81)^2(0.4) + (4 - 2.81)^2(0.26) = .93$$

Now that we have both the standard deviation and the expected value of the score of the project, let's try to summarize our results. We could say that our project will have an expected score of 2.81 plus or minus 0.96, meaning that we can expect something between 1.85 and 3.77.

So, one way we can address this project is that it is probably going to have a success rating of 2.81, give or take about a point.

You might be thinking, wow, *Sinan, so at best the project will be a 3.8 and at worst it will be a 1.8?* Not quite.

It might be better than a 4 and it might also be worse than a 1.8. To take this one step further, let's calculate the following:

$$P(X \geq 3)$$

First, take a minute and convince yourself that you can read that formula to yourself. What am I asking when I am asking for $P(X \geq 3)$? Honestly, take a minute and figure it out.

$P(X \geq 3)$ is the probability that our random variable will take on a value at least as big as 3. In other words, what is the chance that our product will have a success rating of 3 or higher? To calculate this, we must calculate the following:

$$P(X \geq 3) = P(X = 3) + P(X = 4) = .66 = 66\%$$

This means that we have a 66% chance that our product will rate as either a 3 or a 4.

Another way to calculate this would be the conjugate way, as shown here:

$$P(X \geq 3) = 1 - P(X < 3)$$

Again, take a moment to convince yourself that this formula holds up. I am claiming that to find the probability that the product will be rated at least a 3 is the same as 1 minus the probability that the product will receive a rating below 3. If this is true, then the two events ($X \geq 3$ and $X < 3$) must complement one another.

This is obviously true! The product can be either of the following two options:

- Be rated 3 or above
- Be rated below a 3

Let's check our math:

$$\begin{aligned} P(X < 3) &= P(X = 0) + P(X = 1) + P(X = 2) \\ &= 0.02 + 0.07 + 0.25 \\ &= .0341 - P(X < 3) \\ &= 1 - .34 \\ &= .66 \\ &= P(x \geq 3) \end{aligned}$$

It checks out!

Types of discrete random variables

We can get a better idea of how random variables work in practice by looking at specific types of random variables. These specific types of random variables model different types of situations and end up revealing much simpler calculations for very complex event modeling.

Binomial random variables

The first type of discrete random variable we will look at is called a **binomial random variable**. With a binomial random variable, we look at a setting in which a single event happens over and over, and we try to count the number of times the result is positive.

Before we can understand the random variable itself, we must look at the conditions in which it is even appropriate.

A binomial setting has the following four conditions:

- The possible outcomes are either success or failure
- The outcomes of trials cannot affect the outcome of another trial
- The number of trials was set (a fixed sample size)
- The chance of success of each trial must always be p

A binomial random variable is a discrete random variable, X , that counts the number of successes in a binomial setting. The parameters are $n = \text{the number of trials}$ and $p = \text{the chance of success of each trial}$.

Example: Fundraising meetings

A start-up is taking 20 VC meetings to fund and count the number of offers they receive.

The PMF for a binomial random variable is as follows:

$$P(X = k) = \binom{n}{k} p^k (1-p)^{n-k}$$

$$\text{Here, } \binom{n}{k} = \text{the binomial coefficient} = \frac{n!}{(n-k)!k!}$$

Example: Restaurant openings

A new restaurant in a town has a 20% chance of surviving its first year. If 14 restaurants open this year, find the probability that exactly four restaurants survive their first year of being open to the public.

First, we should prove that this is a binomial setting:

- The possible outcomes are either success or failure (the restaurants either survive or not)
- The outcomes of trials cannot affect the outcome of another trial (assume that the opening of one restaurant doesn't affect another restaurant's opening and survival)
- The number of trials was set (14 restaurants opened)
- The chance of success of each trial must always be p (we assume that it is always 20%)

Here, we have our two parameters of $n = 14$ and $p = 0.2$. So, we can now plug these numbers into our binomial formula, as shown here:

$$P(X = 4) = \binom{14}{4} \cdot 2^4 \cdot 0.8^{10} = .17$$

So, we have a 17% chance that exactly 4 of these restaurants will be open after a year.

Example: Blood types

A couple has a 25% chance of having a child with type O blood. What is the chance that three of their five kids have type O blood?

Let $X = \text{the number of children with type O blood}$ with $n = 5$ and $p = 0.25$, as shown here:

$$P(X = 3) = 10(0.25)^3 (0.75)^{5-3} = 10(0.25)^3 (0.75)^2 = 0.087$$

We can calculate this probability for the values of 0, 1, 2, 3, 4, and 5 to get a sense of the probability distribution:

value x_i	0	1	2	3	4	5
Probability	0.23730	0.39551	0.26367	0.08789	0.01465	0.00098

From here, we can calculate an expected value and the variance of this variable:

$$\text{Expected Value} = E[X] = \mu_x = \sum x_i p_i = 1.25$$

$$\text{Variance} = V[X] = \sigma_x^2 = \sum (x_i - \mu_x)^2 = 0.9375$$

So, this family can expect to have probably one or two kids with type O blood!

What if we want to know the probability that at least three of their kids have type O blood? To know the probability that at least three of their kids have type O blood, we can use the following formula for discrete random variables:

$$P(x \geq 3) = P(X=3) + P(X=4) + P(X=5) = .00098 + .01465 + .08789 = 0.103$$

So, there is about a 10% chance that three of their kids have type O blood.

Shortcuts to binomial expected value and variance

Binomial random variables have special calculations for the exact values of the expected values and variance. If X is a binomial random variable, then we get the following:



$$E(X) = np$$

$$V(X) = np(1 - p)$$

For our preceding example, we can use the following formulas to calculate an exact expected value and variance:

$$E(X) = .25(5) = 1.25$$

$$V(X) = 1.25(.75) = 0.9375$$

A binomial random variable is a discrete random variable that counts the number of successes in a binomial setting. It is used in a wide variety of data-driven experiments, such as counting the number of people who will sign up for a website given a chance of conversion, or even, at a simple level, predicting stock price movements given a chance of decline (don't worry; we will be applying much more sophisticated models to predict the stock market later).

Geometric random variables

The second discrete random variable we will take a look at is called a geometric random variable. It is actually quite similar to the binomial random variable in that we are concerned with a setting in which a single event is occurring over and over. However, in the case of a geometric setting, the major difference is that we are not fixing the sample size.

We are not going into exactly 20 VC meetings as a start-up, nor are we having exactly five kids. Instead, in a geometric setting, we are modeling the number of trials we will need to see before we obtain even a single success. Specifically, a geometric setting has the following four conditions:

- The possible outcomes are either success or failure
- The outcomes of trials cannot affect the outcome of another trial
- The number of trials was not set
- The chance of success of each trial must always be p

Note that these are the exact same conditions as a binomial variable, except the third condition.

A **geometric random** variable is a discrete random variable, X , that counts the number of trials needed to obtain one success. The parameters are $p = \text{the chance of success of each trial}$ and $(1 - p) = \text{the chance of failure of each trial}$.

To transform the previous binomial examples into geometric examples, we might do the following:

- Count the number of VC meetings that a start-up must take in order to get their first *yes*
- Count the number of coin flips needed in order to get a head (yes, I know it's boring, but it's a solid example!)

The formula for the PMF is as follows:

$$P(X = x) = (1 - p)^{[x-1]}$$

Both the binomial and geometric settings involve outcomes that are either successes or failures. The big difference is that binomial random variables have a fixed number of trials, denoted as n . Geometric random variables do not have a fixed number of trials. Instead, geometric random variables model the number of samples needed in order to obtain the first successful trial, whatever success might mean in those experimental conditions.

Example: Weather

There is a 34% chance that it will rain on any day in April. Find the probability that the first day of rain in April will occur on April 4.

Let $X = \text{the number of days until it rains (success)}$ with $p = 0.34$ and $(1 - p) = 0.66$.

Lets' work it out:

$$P(X = 8) = (1 - .34)^{8-1}$$

$$P(X = 8) = (.66)^7$$

$$= 0.054$$

The probability that it will rain by the April 4 is as follows:

$$P(X \leq 4) = P(1) + P(2) + P(3) + P(4) = .34 + .22 + .14 + >1 = .8$$

So, there is an 80% chance that the first rain of the month will happen within the first four days.

Shortcuts to geometric expected value and variance

Geometric random variables also have special calculations for the exact values of the expected values and variance. If X is a geometric random variable, then we get the following:

$$E(X) = 1/p$$

$$V(X) = (1-p)/p^2$$



Poisson random variable

The third and last specific example of a discrete random variable is a Poisson random variable.

To understand why we would need this random variable, imagine that an event that we wish to model has a small probability of happening and that we wish to count the number of times that the event occurs in a certain time frame. If we have an idea of the average number of occurrences, μ , over a specific period of time, given from past instances, then the Poisson random variable, denoted by $X = Poi(\mu)$, counts the total number of occurrences of the event during that given time period.

In other words, the Poisson distribution is a discrete probability distribution that counts the number of events that occur in a given interval of time.

Consider the following examples of Poisson random variables:

- Finding the probability of having a certain number of visitors on your site within an hour, knowing the past performance of the site
- Estimating the number of cars crashes at an intersection based on past police reports

If we let $X = \text{the number of events in a given interval}$, and the average number of events per interval is the λ number, then the probability of observing x events in a given interval is given by the following formula:

$$P(X = x) = \frac{e^{-\lambda} \lambda^x}{x!}$$

Here, $e = \text{Euler's constant (2.718....)}$.

Example: Call center

The number of calls arriving at your call center follows a Poisson distribution at the rate of five calls per hour. What is the probability that exactly six calls will come in between 10 and 11 pm?

To set up this example, let's write out our given information. Let X be the number of calls that arrive between 10 and 11 pm. This is our Poisson random variable with the mean $\lambda = 5$. The mean is 5 because we are using 5 as our previous expected value of the number of calls to come in at this time. This number could have come from the previous work on estimating the number of calls that come in every hour or specifically that come in after 10 pm. The main idea is that we do have some idea of how many calls should be coming in, and then we use that information to create our Poisson random variable and use it to make predictions.

Continuing with our example, we have the following:

$$P(X = 6) = 0.146$$

This means that there is about a 14.6% chance that exactly six calls will come between 10 and 11 pm.

Shortcuts to Poisson expected value and variance

Poisson random variables also have special calculations for the exact values of the expected values and variance. If X is a Poisson random variable with mean, then we get the following:

$$E(X) = \lambda$$

$$V(X) = \lambda$$

This is actually interesting because both the expected value and the variance are the same number, and that number is simply the given parameter! Now that we've seen three examples of discrete random variables, we must take a look at the other type of random variable, called the continuous random variable.

Continuous random variables

Switching gears entirely, unlike a discrete random variable, a continuous random variable can take on an *infinite* number of possible values, not just a few countable ones. We call the functions that describe the distribution density curves instead of **PMF**.

Consider the following examples of continuous variables:

- The length of a sales representative's phone call (not the number of calls)
- The actual amount of oil in a drum marked 20 gallons (not the number of oil drums)

If X is a continuous random variable, then there is a function, $f(x)$, for any constants, a and b :

$$P(a \leq X \leq b) = \int_a^b f(x) dx$$

The preceding $f(x)$ function is known as the **probability density function (PDF)**. The PDF is the continuous random variable version of the PMF for discrete random variables.

The most important continuous distribution is the **standard normal distribution**. You have, no doubt, either heard of the normal distribution or dealt with it. The idea behind it is quite simple. The PDF of this distribution is as follows:


$$f(x) = \frac{1}{\sqrt{2\pi\sigma^2}} e^{\frac{(x-\mu)^2}{2\sigma^2}}$$

Here, μ is the mean of the variable and σ is the standard deviation. This might look confusing, but let's graph it in Python with a mean of 0 and a standard deviation of 1, as shown here:


```
import numpy as np
import matplotlib.pyplot as plt
def normal_pdf(x, mu = 0, sigma = 1):
    return (1./np.sqrt(2*3.14 * sigma**2)) * np.exp((- (x-mu)**2 / (2.* sigma**2)))
x_values = np.linspace(-5,5,100)
y_values = [normal_pdf(x) for x in x_values]

plt.plot(x_values, y_values)
```


We get this graph:




This gives rise to the all-too-familiar bell curve. Note that the graph is symmetrical around the $x = 0$ line. Let's try changing some of the parameters. First, let's try with $\mu = 5$:



Next, let's try with the value $\sigma = 5$:



Lastly, we will try with the values $\mu = 5\sigma = 5$:



In all the graphs, we have the standard bell shape that we are all familiar with, but as we change our parameters, we see that the bell might get skinnier, thicker, or move from left to right.

In the following chapters, which focus on statistics, we will make much more use of the normal distribution as it applies to statistical thinking.

Summary

Probability as a field works to explain our random and chaotic world. Using the basic laws of probability, we can model real-life events that involve randomness. We can use random variables to represent values that may take on several values, and we can use the probability mass or density functions to compare product lines or look at the test results.

We have seen some of the more complicated uses of probability in prediction. Using random variables and Bayes' theorem are excellent ways to assign probabilities to real-life situations. In later chapters, we will revisit Bayes' theorem and use it to create a very powerful and fast machine learning algorithm, called the Naïve Bayes algorithm. This algorithm captures the power of Bayesian thinking and applies it directly to the problem of predictive learning.

The next two chapters are focused on statistical thinking. Like probability, these chapters will use mathematical formulas to model real-world events. The main difference, however, will be the terminology we use to describe the world and the way we model different types of events. In these upcoming chapters, we will attempt to model entire populations of data points based solely on a sample.

We will revisit many concepts in probability to make sense of statistical theorems as they are closely linked, and both are important mathematical concepts in the realm of data science.

7

Basic Statistics

This chapter will focus on the statistical knowledge required by any aspiring data scientist.

We will explore ways of sampling and obtaining data without being affected by bias and then use measures of statistics to quantify and visualize our data. Using the z-score and the empirical rule, we will see how we can standardize data for the purpose of both graphing and interpretability.

In this chapter, we will look at the following topics:

- How to obtain and sample data
- The measures of center, variance, and relative standing
- Normalization of data using the z-score
- The empirical rule

What are statistics?

This might seem like an odd question to ask, but I am frequently surprised by the number of people who cannot answer this simple and yet powerful question: what are statistics? Statistics are the numbers you always see on the news and in papers. Statistics are useful when trying to prove a point or trying to scare someone, but what are they?

To answer this question, we need to back up for a minute and talk about why we even measure them in the first place. The goal of this field is to try to explain and model the world around us. To do that, we have to take a look at the population.

We can define a **population** as the entire pool of subjects of an experiment or a model.

Essentially, your population is who you care about. Who are you trying to talk about? If you are trying to test whether smoking leads to heart disease, your population would be the smokers of the world. If you are trying to study teenage drinking problems, your population would be all teenagers.

Now, consider that you want to ask a question about your population. For example, if your population is all of your employees (assume that you have over 1,000 employees), perhaps you want to know what percentage of them use illicit drugs. The question is called a **parameter**.

We can define a parameter as a numerical measurement describing a characteristic of a population.

For example, if you ask all 1,000 employees and 100 of them are using drugs, the rate of drug use is 10%. The parameter here is 10%.

However, let's get real; you probably can't ask every single employee whether they are using drugs. What if you have over 10,000 employees? It would be very difficult to track everyone down in order to get your answer. When this happens, it's impossible to figure out this parameter. In this case, we can *estimate* the parameter.

First, we will take a **sample** of the population.

We can define a sample of a population as a subset (not necessarily random) of the population.

So, we perhaps ask 200 of the 1,000 employees you have. Of these 200, suppose 26 use drugs, making the drug use rate 13%. Here, 13% is not a parameter because we didn't get a chance to ask everyone. This 13% is an estimate of a parameter. Do you know what that's called?

That's right, a **statistic**!

We can define a statistic as a numerical measurement describing a characteristic of a sample of a population.

A statistic is just an estimation of a parameter. It is a number that attempts to describe an entire population by describing a subset of that population. This is necessary because you can never hope to give a survey to every single teenager or to every single smoker in the world. That's what the field of statistics is all about: taking samples of populations and running tests on these samples.

So, the next time you are given a statistic, just remember that number only represents a sample of that population, not the entire pool of subjects.

How do we obtain and sample data?

If statistics is about taking samples of populations, it must be very important to know how we obtain these samples, and you'd be correct. Let's focus on just a few of the many ways of obtaining and sampling data.

Obtaining data

There are two main ways of collecting data for our analysis: **observational** and **experimentation**. Both these ways have their pros and cons, of course. They each produce different types of behavior and, therefore, warrant different types of analysis.

Observational

We might obtain data through observational means, which consists of measuring specific characteristics but not attempting to modify the subjects being studied. For example, if you have a tracking software on your website that observes users' behavior on the website, such as length of time spent on certain pages and the rate of clicking on ads, all the while not affecting the user's experience, then that would be an observational study.

This is one of the most common ways to get data because it's just plain easy. All you have to do is observe and collect data. Observational studies are also limited in the types of data you may collect. This is because the observer (you) is not in control of the environment. You may only watch and collect natural behavior. If you are looking to induce a certain type of behavior, an observational study would not be useful.

Experimental

An **experiment** consists of a treatment and the observation of its effect on the subjects. Subjects in an experiment are called experimental units. This is usually how most scientific labs collect data. They will put people into two or more groups (usually just two) and call them the control and the experimental group.

The control group is exposed to a certain environment and then observed. The experimental group is then exposed to a different environment and then observed. The experimenter then aggregates data from both the groups and makes a decision about which environment was more favorable (favorable is a quality that the experimenter gets to decide).

In a marketing example, consider that we expose half of our users to a certain landing page with certain images and a certain style (website A), and we measure whether or not they sign up for the service. Then, we expose the other half to a different landing page, different images, and different styles (website B), and again measure whether or not they sign up. We can then decide which of the two sites performed better and should be used going further. This, specifically, is called an **A/B test**. Let's see an example in Python! Let's suppose we run the preceding test and obtain the following results as a list of lists:

```
results = [ ['A', 1], ['B', 1], ['A', 0], ['A', 0] ... ]
```

Here, each object in the list result represents a subject (person). Each person then has the following two attributes:

- Which website they were exposed to, represented by a single character
- Whether or not they converted (0 for no and 1 for yes)

We can then aggregate and come up with the following results table:

```
users_exposed_to_A = []
users_exposed_to_B = []
# create two lists to hold the results of each individual website
```

Once we create these two lists that will eventually hold each individual conversion Boolean (0 or 1), we will iterate all of our results of the test and add them to the appropriate list, as shown:

```
for website, converted in results: # iterate through the results
```

```
# will look something like website == 'A' and converted == 0
if website == 'A':
    users_exposed_to_A.append(converted)
elif website == 'B':
    users_exposed_to_B.append(converted)
```

Now, each list contains a series of 1s and 0s.



Remember that a 1 represents a user actually converting to the site after seeing that web page, and a 0 represents a user seeing the page and leaving before signing up/converting.



To get the total number of people exposed to website A, we can use the `len()` feature in Python, as illustrated:

```
len(users_exposed_to_A) == 188 #number of people exposed to website A
len(users_exposed_to_B) == 158 #number of people exposed to website B
```

To count the number of people who converted, we can use the `sum()` of the list, as shown:

```
sum(users_exposed_to_A) == 54 # people converted from website A
sum(users_exposed_to_B) == 48 # people converted from website B
```

If we subtract the length of the lists and the sum of the list, we are left with the number of people who did not convert for each site, as illustrated:

```
len(users_exposed_to_A) - sum(users_exposed_to_A) == 134 # did not
convert from website A
len(users_exposed_to_B) - sum(users_exposed_to_B) == 110 # did not
convert from website B
```

We can aggregate and summarize our results in the following table, which represents our experiment of website conversion testing:

	Did not sign up	Signed up
Website A	134	54
Website B	110	48

We can quickly drum up some descriptive statistics. We can say that the website conversion rates for the two websites are as follows:

- **Conversion for website A:** $154/(154+34) = .288$
- **Conversion for website B:** $48/(110+48) = .3$

Not much difference, but different nonetheless. Even though B has the higher conversion rate, can we really say that version B significantly converts better? Not yet. To test the statistical significance of such a result, a hypothesis test should be used. These tests will be covered in depth in the next chapter, where we will revisit this exact same example and finish it using a proper statistical test.

Sampling data

Remember how statistics are the result of measuring a sample of a population? Well, we should talk about two very common ways to decide who gets the honor of being in the sample that we measure. We will discuss the main type of sampling, called random sampling, which is the most common way to decide our sample sizes and our sample members.

Probability sampling

Probability sampling is a way of sampling from a population, in which every person has a known probability of being chosen, but that number might be a different probability than another user. The simplest (and probably the most common) probability sampling method is a random sampling.

Random sampling

Suppose that we are running an A/B test and we need to figure out who will be in group A and who will be in group B. There are the following three suggestions from your data team:

- **Separate users based on location:** Users on the West coast are placed in group A, while users on the East coast are placed in group B
- **Separate users based on the time of day they visit the site:** Users who visit between 7 pm and 4 am are group A, while the rest are placed in group B
- **Make it completely random:** Every new user has a 50/50 chance of being placed in either group

The first two are valid options for choosing samples and are fairly simple to implement, but they both have one fundamental flaw: they are both at risk of introducing a sampling bias.

A **sampling bias** occurs when the way the sample is obtained systemically favors another outcome over the target outcome.

It is not difficult to see why choosing option 1 or option 2 might introduce bias. If we chose our groups based on where they live or what time they log in, we are priming our experiment incorrectly and, now, we have much less control over the results.

Specifically, we are at risk of introducing a confounding factor into our analysis, which is bad news.

A confounding factor is a variable that we are not directly measuring but connects the variables that are being measured.

Basically, a **confounding factor** is like the missing element in our analysis that is invisible but affects our results.

In this case, option 1 is not taking into account the potential confounding factor of *geographical taste*. For example, if website A is unappealing, in general, to West coast users, it will affect your results drastically.

Similarly, option 2 might introduce a temporal (time-based) confounding factor. What if website B is better viewed in a night-time environment (which was reserved for A), and users are reacting negatively to the style purely because of what time it is? These are both factors that we want to avoid, so, we should go with option 3, which is a random sample.

[ While sampling bias can cause confounding, it is a different concept than confounding. Options 1 and 2 were both sampling biases because we chose the samples incorrectly and were also examples of confounding factors because there was a third variable in each case that affected our decision.]

A random sample is chosen such that every single member of a population has an equal chance of being chosen as any other member.

This is probably one of the easiest and most convenient ways to decide who will be a part of your sample. Everyone has the exact same chance of being in any particular group. Random sampling is an effective way of reducing the impact of confounding factors.

Unequal probability sampling

Recall that I previously said that a probability sampling might have different probabilities for different potential sample members. But what if this actually introduced problems? Suppose we are interested in measuring the happiness level of our employees. We already know that we can't ask every single member of staff because that would be silly and exhausting. So, we need to take a sample. Our data team suggests random sampling, and at first everyone high-fives because they feel very smart and statistical. But then someone asks a seemingly harmless question: does anyone know the percentage of men/women who work here?

The high fives stop and the room goes silent.

This question is extremely important because sex is likely to be a confounding factor. The team looks into it and discovers a split of 75% men and 25% women in the company.

This means that if we introduce a random sample, our sample will likely have a similar split and thus favor the results for men and not women. To combat this, we can favor including more women than men in our survey in order to make the split of our sample less favored for men.

At first glance, introducing a favoring system in our random sampling seems like a bad idea; however, alleviating unequal sampling and, therefore, working to remove systematic bias among gender, race, disability, and so on is much more pertinent. A simple random sample, where everyone has the same chance as everyone else, is very likely to drown out the voices and opinions of minority population members. Therefore, it can be okay to introduce such a favoring system in your sampling techniques.

How do we measure statistics?

Once we have our sample, it's time to quantify our results. Suppose we wish to generalize the happiness of our employees or we want to figure out whether salaries in the company are very different from person to person.

These are some common ways of measuring our results.

Measures of center

Measures of the center are how we define the middle, or center, of a dataset. We do this because sometimes we wish to make generalizations about data values. For example, perhaps we're curious about what the average rainfall in Seattle is or what the median height of European males is. It's a way to generalize a large set of data so that it's easier to convey to someone.

A measure of center is a value in the *middle* of a dataset.

However, this can mean different things to different people. Who's to say where the middle of a dataset is? There are so many different ways of defining the center of data. Let's take a look at a few.

The **arithmetic mean** of a dataset is found by adding up all of the values and then dividing it by the number of data values.

This is likely the most common way to define the center of data, but can be flawed! Suppose we wish to find the mean of the following numbers:

```
import numpy as np  
np.mean([11, 15, 17, 14]) == 14.25
```

Simple enough; our average is 14.25 and all of our values are fairly close to it. But what if we introduce a new value: 31?

```
np.mean([11, 15, 17, 14, 31]) == 17.6
```

This greatly affects the mean because the arithmetic mean is sensitive to outliers. The new value, 31, is almost twice as large as the rest of the numbers and therefore *skews* the mean.

Another, and sometimes better, measure of center is the median.

The **median** is the number found in the middle of the dataset when it is sorted in order, as shown:

```
np.median([11, 15, 17, 14]) == 14.5  
np.median([11, 15, 17, 14, 31]) == 15
```

Note how the introduction of 31 using the median did not affect the median of the dataset greatly. This is because the median is less sensitive to outliers.

When working with datasets with many outliers, it is sometimes more useful to use the median of the dataset, while if your data does not have many outliers and the data points are mostly close to one another, then the mean is likely a better option.

But how can we tell if the data is spread out? Well, we will have to introduce a new type of statistic.

Measures of variation

Measures of the center are used to quantify the middle of the data, but now we will explore ways of measuring how to *spread out* the data we collect is. This is a useful way to identify if our data has many outliers lurking inside. Let's start with an example.

Let's consider that we take a random sample of 24 of our friends on Facebook and write down how many friends that they have on Facebook. Here's the list:

```
friends = [109, 1017, 1127, 418, 625, 957, 89, 950, 946, 797, 981,  
125, 455, 731, 1640, 485, 1309, 472, 1132, 1773, 906, 531, 742, 621]
```

```
np.mean(friends) == 789.1
```

The average of this list is just over 789. So, we could say that according to this sample, the average Facebook friend has 789 friends. But what about the person who only has 89 friends or the person who has over 1,600 friends? In fact, not a lot of these numbers are really that close to 789.

Well, how about we use the median? The median generally is not as affected by outliers:

```
np.median(friends) == 769.5
```

The median is 769.5, which is fairly close to the mean. Hmm, good thought, but still, it doesn't really account for how drastically different a lot of these data points are to one another. This is what statisticians call measuring the variation of data. Let's start by introducing the most basic measure of variation: the range. The range is simply the maximum value minus the minimum value, as illustrated:

```
np.max(friends) - np.min(friends) == 1684
```

The range tells us how far away the two most extreme values are. Now, typically, the range isn't widely used but it does have its use in the application. Sometimes, we wish to just know how spread apart the outliers are. This is most useful in scientific measurements or safety measurements.

Suppose a car company wants to measure how long it takes for an airbag to deploy. Knowing the average of that time is nice, but they also really want to know how spread apart the slowest time is versus the fastest time. This literally could be the difference between life and death.

Shifting back to the Facebook example, 1,684 is our range, but I'm not quite sure it's saying too much about our data. Now, let's take a look at the most commonly used measure of variation, the **standard deviation**.

I'm sure many of you have heard this term thrown around a lot and it might even incite a degree of fear, but what does it really mean? In essence, standard deviation, denoted by s when we are working with a sample of a population, measures how much data values deviate from the arithmetic mean.

It's basically a way to see how spread out the data is. There is a general formula to calculate the standard deviation, which is as follows:

$$s = \sqrt{\frac{\sum(x - \bar{x})^2}{n}}$$

Let's look at each of the elements in this formula in turn:

- s is our sample's standard deviation
- x is each individual data point
- \bar{x} is the mean of the data
- n is the number of data points

Before you freak out, let's break it down. For each value in the sample, we will take that value, subtract the arithmetic mean from it, square the difference, and, once we've added up every single point this way, we will divide the entire thing by n , the number of points in the sample. Finally, we take a square root of everything.

Without going into an in-depth analysis of the formula, think about it this way: it's basically derived from the distance formula. Essentially, what the standard deviation is calculating is a sort of average distance of how far the data values are from the arithmetic mean.

If you take a closer look at the formula, you will see that it actually makes sense:

- By taking $x - \bar{x}$, you are finding the literal difference between the value and the mean of the sample.
- By squaring the result, $(x - \bar{x})^2$, we are putting a greater penalty on outliers because squaring a large error only makes it much larger.
- By dividing by the number of items in the sample, we are taking (literally) the average squared distance between each point and the mean.
- By taking the square root of the answer, we are putting the number in terms that we can understand. For example, by squaring the number of friends minus the mean, we changed our units to friends squared, which makes no sense. Taking the square root puts our units back to just "friends."

Let's go back to our Facebook example for a visualization and further explanation of this. Let's begin to calculate the standard deviation. So, we'll start calculating a few of them. Recall that the arithmetic mean of the data was just about 789, so we'll use 789 as the mean.

We start by taking the difference between each data value and the mean, squaring it, adding them all up, dividing it by one less than the number of values, and then taking its square root. This would look as follows:

$$s = \sqrt{\frac{(109 - 789)^2 + (1017 - 789)^2 + \dots + (621 - 789)^2}{24}}$$

On the other hand, we can take the Python approach and do all this programmatically (which is usually preferred):


```
np.std(friends) # == 425.2
```

What the number 425 represents is the spread of data. You could say that 425 is a kind of average distance the data values are from the mean. What this means, in simple words, is that this data is pretty spread out.

So, our standard deviation is about 425. This means that the number of friends that these people have on Facebook doesn't seem to be close to a single number, and that's quite evident when we plot the data in a bar graph, and also graph the mean as well as the visualizations of the standard deviation. In the following plot, every person will be represented by a single bar in the bar chart, and the height of the bars represent the number of friends that the individuals have, we will plot the chart using the following code:

```
import matplotlib.pyplot as plt
friends = [109, 1017, 1127, 418, 625, 957, 89, 950, 946, 797, 981,
125, 455, 731, 1640, 485, 1309, 472, 1132, 1773, 906, 531, 742, 621]
y_pos = range(len(friends))
plt.bar(y_pos, friends)
plt.plot((0, 25), (789, 789), 'b-')
plt.plot((0, 25), (789+425, 789+425), 'g-')
plt.plot((0, 25), (789-425, 789-425), 'r-')
```

Here's the chart that we get:



The blue line in the center is drawn at the mean (789), the red line near the bottom is drawn at the mean minus the standard deviation ($789-425 = 364$), and finally the green line towards the top is drawn at the mean plus the standard deviation ($789+425 = 1,214$).

Note how most of the data lives between the green and the red lines while the outliers live outside the lines. There are three people who have friend counts below the red line and three people who have a friend count above the green line.

It's important to mention that the units for standard deviation are, in fact, the same units as the data's units. So, in this example, we would say that the standard deviation is 425 friends on Facebook.



Another measure of variation is the variance, as described in the previous chapter. The variance is simply the standard deviation squared.



So, now we know that the standard deviation and variance is good for checking how spread out our data is, and that we can use it along with the mean to create a kind of range that a lot of our data lies in. But what if we want to compare the spread of two different datasets, maybe even with completely different units? That's where the coefficient of variation comes into play.

Definition

The **coefficient of variation** is defined as the ratio of the data's standard deviation to its mean.

This ratio (which, by the way, is only helpful if we're working in the ratio level of measurement, where the division is allowed and is meaningful) is a way to standardize the standard deviation, which makes it easier to compare across datasets. We use this measure frequently when attempting to compare means, and it spreads across populations that exist at different scales.

Example – employee salaries

If we look at the mean and standard deviation of employees' salaries in the same company but among different departments, we see that, at first glance, it may be tough to compare variations:

Salaries of Company XYZ			
Department	Mean Salary	SD	CoV
Mailroom	\$25,000	\$2,000	8.0%
Human Resources	\$52,000	\$7,000	13.5%
Executive	\$124,000	\$42,000	33.9%

This is especially true when the mean salary of one department is **\$25,000**, while another department has a mean salary in the six-figure area.

However, if we look at the last column, which is our coefficient of variation, it becomes clearer that the people in the executive department may be getting paid more, but they are also getting wildly different salaries. This is probably because the CEO is earning way more than an office manager, who is still in the executive department, which makes the data very spread out.

On the other hand, everyone in the mailroom, while not making as much money, is making just about the same as everyone else in the mailroom, which is why their coefficient of variation is only 8%.

With measures of variation, we can begin to answer big questions, such as how to spread out this data is or how we can come up with a good range that most of the data falls into.

Measures of relative standing

We can combine both the measures of centers and variations to create measures of relative standing. **Measures of variation** measure where particular data values are positioned, relative to the entire dataset.

Let's begin by learning a very important value in statistics, the z-score. The **z-score** is a way of telling us how far away a single data value is from the mean. The z-score of an x data value is as follows:

$$Z = (X - \bar{X})/s$$

Let's break down this formula:

- X is the data point
- \bar{X} the mean
- s is the standard deviation

Remember that the standard deviation was (sort of) an average distance that the data is from the mean, and how the z-score is an individualized value for each particular data point. We can find the z-score of a data value by subtracting it from the mean and dividing it by the standard deviation. The output will be the standardized distance a value is from a mean. We use the z-score all over statistics. It is a very effective way of normalizing data that exists on very different scales, and also to put data in the context of its mean.

Let's take our previous data on the number of friends on Facebook and standardize the data to the z-score. For each data point, we will find its z-score by applying the preceding formula. We will take each individual, subtract the average friends from the value, and divide that by the standard deviation, as shown:


```
z_scores = []
m = np.mean(friends) # average friends on Facebook
s = np.std(friends) # standard deviation friends on Facebook

for friend in friends:
    z = (friend - m)/s # z-score
    z_scores.append(z) # make a list of the scores for plotting
```

Now, let's plot these z-scores on a bar chart. The following chart shows the same individuals from our previous example using friends on Facebook, but instead of the bar height revealing the raw number of friends, now each bar is the z-score of the number of friends they have on Facebook. If we graph the z-scores, we'll notice a few things:

```
plt.bar(y_pos, z_scores)
```

We get this chart:



We can see that we have negative values (meaning that the data point is below the mean). The bars' lengths no longer represent the raw number of friends, but the degree to which that friend count differs from the mean.

This chart makes it very easy to pick out the individuals with much lower and higher friends on an average. For example, the individual at index 0 has fewer friends on average (they had 109 friends, where the average was 789).

What if we want to graph the standard deviations? Recall that we graphed three horizontal lines earlier: one at the mean, one at the mean plus the standard deviation ($x+s$), and one at the mean minus the standard deviation ($x-s$).

If we plug these values into the formula for the z-score, we will get the following:

$$\text{Z-score of } (\bar{x}) = \frac{x - \bar{x}}{s} = \frac{0}{s} = 0$$

$$\text{Z-score of } (x+s) = \frac{(\bar{x}+s) - \bar{x}}{s} = \frac{s}{s} = 1$$

$$\text{Z-score of } (x-s) = \frac{(\bar{x}-s) - \bar{x}}{s} = \frac{-s}{s} = -1$$


This is no coincidence! When we standardize the data using the z-score, our standard deviations become the metric of choice. Let's plot a new graph with the standard deviations added:

```
plt.bar(y_pos, z_scores)
plt.plot((0, 25), (1, 1), 'g-')
plt.plot((0, 25), (0, 0), 'b-')
plt.plot((0, 25), (-1, -1), 'r-')
```

The preceding code is adding the following three lines:

- A blue line at $y = 0$ that represents zero standard deviations away from the mean (which is on the x-axis)
- A green line that represents one standard deviation above the mean
- A red line that represents one standard deviation below the mean

Let's look at the graph we get:



The colors of the lines match up with the lines drawn in the earlier graph of the raw friend count. If you look carefully, the same people still fall outside of the green and red lines. Namely, the same three people still fall below the red (lower) line, and the same three people fall above the green (upper) line.

Z-scores are an effective way to standardize data. This means that we can put the entire set on the same scale. For example, if we also measure each person's general happiness scale (which is between 0 and 1), we might have a dataset similar to the following dataset:

```
friends = [109, 1017, 1127, 418, 625, 957, 89, 950, 946, 797, 981,
125, 455, 731, 1640, 485, 1309, 472, 1132, 1773, 906, 531, 742, 621]

happiness = [.8, .6, .3, .6, .6, .4, .8, .5, .4, .3, .3, .6, .2, .8,
1, .6, .2, .7, .5, .3, .1, 0, .3, 1]

import pandas as pd

df = pd.DataFrame({'friends':friends, 'happiness':happiness})
df.head()
```

We get this table:

	friends	happiness
0	109	0.8
1	1017	0.6
2	1127	0.3
3	418	0.6
4	625	0.6

These data points are on two different dimensions, each with a very different scale. The friend count can be in the thousands while our happiness score is stuck between 0 and 1.

To remedy this (and for some statistical/machine learning modeling, this concept will become essential), we can simply standardize the dataset using a prebuilt standardization package in scikit-learn, as follows:

```
from sklearn import preprocessing

df_scaled = pd.DataFrame(preprocessing.scale(df), columns = ['friends_scaled', 'happiness_scaled'])

df_scaled.head()
```

This code will scale both the friends and happiness columns simultaneously, thus revealing the z-score for each column. It is important to note that by doing this, the preprocessing module in `sklearn` is doing the following things separately for each column:

- Finding the mean of the column
- Finding the standard deviation of the column
- Applying the z-score function to each element in the column


The result is two columns, as shown in the following table, that exist on the same scale as each other, even if they weren't previously:

	friends_scaled	happiness_scaled
0	-1.599495	1.153223
1	0.536040	0.394939
2	0.794750	-0.742486
3	-0.872755	0.394939
4	-0.385909	0.394939

Now, we can plot friends and happiness on the same scale and the graph will at least be readable:

```
df_scaled.plot(kind='scatter', x = 'friends_scaled', y = 'happiness_scaled')
```

The preceding code gives us this graph:



Now, our data is standardized to the z-score, and this scatter plot is fairly easily interpretable! In later chapters, this idea of standardization will not only make our data more interpretable, but it will also be essential in our model optimization. Many machine learning algorithms will require us to have standardized columns as they are reliant on the notion of scale.

The insightful part – correlations in data

Throughout this book, we will discuss the difference between having data and having actionable insights about your data. Having data is only one step to a successful data science operation. Being able to obtain, clean, and plot data helps to tell the story that the data has to offer but cannot reveal the moral. In order to take this entire example one step further, we will look at the relationship between having friends on Facebook and happiness.

In subsequent chapters, we will look at a specific machine learning algorithm that attempts to find relationships between quantitative features, called linear regression, but we do not have to wait until then to begin to form hypotheses. We have a sample of people, a measure of their online social presence, and their reported happiness. The question of the day here is this: can we find a relationship between the number of friends on Facebook and overall happiness?

Now, obviously, this is a big question and should be treated respectfully. Experiments to answer this question should be conducted in a laboratory setting, but we can begin to form a hypothesis about this question. Given the nature of our data, we really only have the following three options for a hypothesis:

- There is a positive association between the number of online friends and happiness (as one goes up, so does the other)
- There is a negative association between them (as the number of friends goes up, your happiness goes down)
- There is no association between the variables (as one changes, the other doesn't really change that much)

Can we use basic statistics to form a hypothesis about this question? I say we can! But first, we must introduce a concept called correlation.

Correlation coefficients are a quantitative measure that describes the strength of association/relationship between two variables.

The correlation between the two sets of data tells us about how they move together. Would changing one help us predict the other? This concept is not only interesting in this case, but it is one of the core assumptions that many machine learning models make on data. For many prediction algorithms to work, they rely on the fact that there is some sort of relationship between the variables that we are looking at. The learning algorithms then exploit this relationship in order to make accurate predictions.

A few things to note about a correlation coefficient are as follows:

- It will lie between -1 and 1
- The greater the absolute value (closer to -1 or 1), the stronger the relationship between the variables:
 - The strongest correlation is a -1 or a 1
 - The weakest correlation is a 0
- A positive correlation means that as one variable increases, the other one tends to increase as well
- A negative correlation means that as one variable increases, the other one tends to decrease

We can use pandas to quickly show us correlation coefficients between every feature and every other feature in the DataFrame, as illustrated:

```
# correlation between variables  
df.corr()
```

We get this table:

	friends	happiness
friends	1.000000	-0.216199
happiness	-0.216199	1.000000

This table shows the correlation between friends and happiness. Note the first two things:

- The diagonal of the matrix is filled with positives. This is because they represent the correlation between the variable and itself, which, of course, forms a perfect line, making the correlation perfectly positive!
- The matrix is symmetrical across the diagonal. This is true for any correlation matrix made in pandas.


There are a few caveats to trusting the correlation coefficient. One is that, in general, a correlation will attempt to measure a linear relationship between variables. This means that if there is no visible correlation revealed by this measure, it does not mean that there is no relationship between the variables, only that there is no line of best fit that goes through the lines easily. There might be a non-linear relationship that defines the two variables.

It is important to realize that causation is not implied by correlation. Just because there is a weak negative correlation between these two variables does not necessarily mean that your overall happiness decreases as the number of friends you keep on Facebook goes up. This causation must be tested further and, in later chapters, we will attempt to do just that.

To sum this up, we can use correlation to make hypotheses about the relationship between variables, but we will need to use more sophisticated statistical methods and machine learning algorithms to solidify these assumptions and hypotheses.

The empirical rule

Recall that a normal distribution is defined as having a specific probability distribution that resembles a bell curve. In statistics, we love it when our data behaves *normally*. For example, we may have data that resembles a normal distribution, like so:



The **empirical rule** states that we can expect a certain amount of data to live between sets of standard deviations. Specifically, the empirical rule states the following for data that is distributed normally:

- About 68% of the data falls within 1 standard deviation
- About 95% of the data falls within 2 standard deviations
- About 99.7% of the data falls within 3 standard deviations

For example, let's see if our Facebook friends' data holds up to this. Let's use our DataFrame to find the percentage of people that fall within 1, 2, and 3 standard deviations of the mean, as shown:

```
# finding the percentage of people within one standard deviation of
# the mean
within_1_std = df_scaled[(df_scaled['friends_scaled'] <= 1) & (df_
scaled['friends_scaled'] >= -1)].shape[0]
within_1_std / float(df_scaled.shape[0])
```

```
# 0.75

# finding the percentage of people within two standard deviations of
# the mean
within_2_std = df_scaled[(df_scaled['friends_scaled'] <= 2) & (df_
scaled['friends_scaled'] >= -2)].shape[0]
within_2_std / float(df_scaled.shape[0])
# 0.916

# finding the percentage of people within three standard deviations of
# the mean
within_3_std = df_scaled[(df_scaled['friends_scaled'] <= 3) & (df_
scaled['friends_scaled'] >= -3)].shape[0]
within_3_std / float(df_scaled.shape[0])
# 1.0
```

We can see that our data does seem to follow the empirical rule. About 75% of the people are within a single standard deviation of the mean. About 92% of the people are within two standard deviations, and all of them are within three standard deviations.

Example – Exam scores

Let's say that we're measuring the scores of an exam and the scores generally have a bell-shaped normal distribution. The average of the exam was 84% and the standard deviation was 6%. We can state the following, with approximate certainty:

About 68% of the class scored between 78% and 90% because 78 is 6 units below 84, and 90 is 6 units above 84

If we were asked what percentage of the class scored between 72% and 96%, we would notice that 72 is 2 standard deviations below the mean, and 96 is 2 standard deviations above the mean, so the empirical rule tells us that about 95% of the class scored in that range

However, not all data is normally distributed, so we can't always use the empirical rule. We have another theorem that helps us analyze any kind of distribution. In the next chapter, we will go into depth about when we can assume the normal distribution. This is because many statistical tests and hypotheses require the underlying data to come from a normally distributed population.



Previously, when we standardized our data to the z-score, we did not require the normal distribution assumption.

Summary

In this chapter, we covered much of the basic statistics required by most data scientists. Everything from how we obtain/sample data to how to standardize data according to the z-score and applications of the empirical rule was covered. We also reviewed how to take samples for data analysis. In addition, we reviewed various statistical measures, such as the mean and standard deviation, that help describe data.

In the next chapter, we will look at much more advanced applications of statistics. One thing that we will consider is how to use hypothesis tests on data that we can assume to be normal. As we use these tests, we will also quantify our errors and identify the best practices to solve these errors.

8

Advanced Statistics

We are concerned with making inferences about entire populations based on certain samples of data. We will be using hypothesis tests along with different estimation tests in order to gain a better understanding of populations, given samples of data.

The key topics that we will cover in this chapter are as follows:

- Point estimates
- Confidence intervals
- The central limit theorem
- Hypothesis testing

Point estimates


Recall that, in the previous chapter, we mentioned how difficult it is to obtain a population parameter; so, we had to use sample data to calculate a statistic that was an estimate of a parameter. When we make these estimates, we call them point estimates.

A point estimate is an estimate of a population parameter based on sample data.

We use point estimates to estimate population means, variances, and other statistics. To obtain these estimates, we simply apply the function that we wish to measure for our population to a sample of the data. For example, suppose there is a company of 9,000 employees and we are interested in ascertaining the average length of breaks taken by employees in a single day. As we probably cannot ask every single person, we will take a sample of the 9,000 people and take a mean of the sample. This sample mean will be our point estimate.

The following code is broken into three parts:

- We will use the probability distribution, known as the Poisson distribution, to randomly generate 9,000 answers to the question: for how many minutes in a day do you usually take breaks? This will represent our *population*. Remember, from *Chapter 6, Advanced Probability*, that the Poisson random variable is used when we know the average value of an event and wish to model a distribution around it.



Note that this average value is not usually known. I am calculating it to show the difference between our parameter and our statistic. I also set a random seed in order to encourage reproducibility (this allows us to get the same random numbers each time).



We will take a sample of 100 employees (using the Python random sample method) and find a point estimate of a mean (called a sample mean).



Note that this is just over 1% of our population.



Now, we will compare our sample mean (the mean of the sample of 100 employees) to our population mean.


Let's take a look at the following code:

```
import numpy as np
import pandas as pd
from scipy import stats
from scipy.stats import poisson
np.random.seed(1234)

long_breaks = stats.poisson.rvs(loc=10, mu=60, size=3000)
# represents 3000 people who take about a 60 minute break
```

The `long_breaks` variable represents 3,000 answers to the question, "how many minutes on average do you take breaks for?", and these answers will be on the longer side. Let's look at a visualization of this distribution, as follows:

```
pd.Series(long_breaks).hist()
```




We can see that our average of 60 minutes is to the left of the distribution. Also, because we only sampled 3,000 people, our bars are at their highest at around 700–800 people.

Now, let's model 6,000 people who take, on average, about 15 minutes' worth of breaks. Let's use the Poisson distribution again to simulate 6,000 people, as shown here:

```
short_breaks = stats.poisson.rvs(loc=10, mu=15, size=6000)

# represents 6000 people who take about a 15 minute break

pd.Series(short_breaks).hist()
```




Okay, so, we have a distribution for the people who take longer breaks and a distribution for the people who take shorter breaks. Again, note how our average break length of 15 minutes falls to the left-hand side of the distribution, and note that the tallest bar is for about 1,600 people:

```
breaks = np.concatenate((long_breaks, short_breaks))

# put the two arrays together to get our "population" of 9000 people

pd.Series(breaks).hist()
```



We can see that we have two humps. On the left, we have our larger hump of people who take around a 15-minute break, and on the right, we have a smaller hump of people who take longer breaks. Later on, we will investigate this graph further.

We can find the total average break length by running the following code:

```
breaks.mean()

# 39.99 minutes is our parameter.
```

Our average company break length is about 40 minutes. Remember that our population is the entire company's employee size of 9,000 people, and our parameter is 40 minutes. In the real world, our goal would be to estimate the population parameter because we would not have the resources to ask every single employee in a survey their average break length for many reasons. Instead, we will use a point estimate.

So, to make our point, we want to simulate a world where we ask 100 random people about the length of their breaks. To do this, let's take a random sample of 100 employees out of the 9,000 employees we simulated, as shown here:

```
sample_breaks = np.random.choice(a = breaks, size=100)
# taking a sample of 100 employees
```

Now, let's take the mean of the sample and subtract it from the population mean and see how far off we were:

```
breaks.mean() - sample_breaks.mean()
# difference between means is 4.09 minutes, not bad!
```

This is extremely interesting because, with only about 1% of our population (100 out of 9,000), we were able to get within 4 minutes of our population parameter and get a very accurate estimate of our population mean. Not bad!

Here, we calculated a point estimate for the mean, but we can also do this for proportion parameters. By proportion, I am referring to a ratio of two quantitative values.

Let's suppose that in a company of 10,000 people, our employees are 20% white, 10% black, 10% Hispanic, 30% Asian, and 30% identify as other. We will take a sample of 1,000 employees and see whether their race proportions are similar:

```
employee_races = (["white"]*2000) + (["black"]*1000) + \
                  (["hispanic"]*1000) + (["asian"]*3000) + \
                  (["other"]*3000)
```

`employee_races` represents our employee population. For example, in our company of 10,000 people, 2,000 people are white (20%) and 3,000 people are Asian (30%).

Let's take a random sample of 1,000 people, as shown here:

```
import random
demo_sample = random.sample(employee_races, 1000)    # Sample 1000
values

for race in set(demo_sample):
    print( race + " proportion estimate: " )
    print( demo_sample.count(race)/1000. )
```

The output obtained would be as follows:

hispanic proportion estimate:

0.103

white proportion estimate:

0.192

other proportion estimate:

0.288

black proportion estimate:

0.1

asian proportion estimate:


0.317

We can see that the race proportion estimates are very close to the underlying population's proportions. For example, we got 10.3% for Hispanic in our sample, and the population proportion for Hispanic was 10%.

Sampling distributions

In *Chapter 7, Basic Statistics*, we mentioned how much we love it when data follows the normal distribution. One of the reasons for this is that many statistical tests (including the ones we will use in this chapter) rely on data that follows a normal pattern, and for the most part, a lot of real-world data is not normal (surprised?). Take our employee break data, for example—you might think I was just being fancy creating data using the Poisson distribution, but I had a reason for this. I specifically wanted non-normal data, as shown here:

```
pd.DataFrame(breaks).hist(bins=50, range=(5, 100))
```



As you can see, our data is definitely not following a normal distribution; it appears to be bi-modal, which means that there are two peaks of break times, at around 25 and 70 minutes. As our data is not normal, many of the most popular statistics tests may not apply; however, if we follow the given procedure, we can create normal data! Think I'm crazy? Well, see for yourself.

First off, we will need to utilize what is known as a sampling distribution, which is a distribution of point estimates of several samples of the same size. Our procedure for creating a sampling distribution will be the following:

1. Take 500 different samples of the break times of size 100 each
2. Take a histogram of these 500 different point estimates (revealing their distribution)

The number of elements in the sample (100) was arbitrary but large enough to be a representative sample of the population. The number of samples I took (500) was also arbitrary, but large enough to ensure that our data would converge to a normal distribution:

```
point_estimates = []

for x in range(500):          # Generate 500 samples
    sample = np.random.choice(a= breaks, size=100)
```


```
#take a sample of 100 points

point_estimates.append( sample.mean() )

# add the sample mean to our list of point estimates

pd.DataFrame(point_estimates).hist()
```

look at the distribution of our sample means



Behold! The sampling distribution of the sample mean appears to be normal even though we took data from an underlying bimodal population distribution. It is important to note that the bars in this histogram represent the average break length of 500 samples of employees, where each sample has 100 people in it. In other words, a sampling distribution is a distribution of several point estimates.

Our data converged to a normal distribution because of something called the central limit theorem, which states that the sampling distribution (the distribution of point estimates) will approach a normal distribution as we increase the number of samples taken.

What's more, as we take more and more samples, the mean of the sampling distribution will approach the true population mean, as shown here:

```
breaks.mean() - np.array(point_estimates).mean()  
  
# .047 minutes difference
```

This is actually a very exciting result because it means that we can get even closer than a single point estimate by taking multiple point estimates and utilizing the central limit theorem!



In general, as we increase the number of samples taken, our estimate will get closer to the parameter (actual value).



Confidence intervals

While point estimates are okay, estimates of a population parameter and sampling distributions are even better. There are the following two main issues with these approaches:

- Single point estimates are very prone to error (due to sampling bias among other things)
- Taking multiple samples of a certain size for sampling distributions might not be feasible, and may sometimes be even more infeasible than actually finding the population parameter

For these reasons and more, we may turn to a concept known as the confidence interval to find statistics.

A confidence interval is a range of values based on a point estimate that contains the true population parameter at some confidence level.

Confidence is an important concept in advanced statistics. Its meaning is sometimes misconstrued. Informally, a confidence level does not represent a *probability of being correct*; instead, it represents the frequency that the obtained answer will be accurate. For example, if you want to have a 95% chance of capturing the true population parameter using only a single point estimate, you have to set your confidence level to 95%.



Higher confidence levels result in wider (larger) confidence intervals in order to be more sure.



Calculating a confidence interval involves finding a point estimate and then incorporating a margin of error to create a range. The margin of error is a value that represents our certainty that our point estimate is accurate and is based on our desired confidence level, the variance of the data, and how big our sample is. There are many ways to calculate confidence intervals; for the purpose of brevity and simplicity, we will look at a single way of taking the confidence interval of a population mean. For this confidence interval, we need the following:

- A point estimate. For this, we will take our sample mean of break lengths from our previous example.
- An estimate of the population standard deviation, which represents the variance in the data. This is calculated by taking the sample standard deviation (the standard deviation of the sample data) and dividing that number by the square root of the population size.
- The degrees of freedom (which is the -1 sample size).

Obtaining these numbers might seem arbitrary but, trust me, there is a reason for all of them. However, again for simplicity, I will use prebuilt Python modules, as shown here, to calculate our confidence interval and then demonstrate its value:

```
import math
sample_size = 100

# the size of the sample we wish to take

sample = np.random.choice(a= breaks, size = sample_size)

# a sample of sample_size taken from the 9,000 breaks population from
before

sample_mean = sample.mean()

# the sample mean of the break lengths sample

sample_stdev = sample.std()
```

```
# sample standard deviation

sigma = sample_stdev/math.sqrt(sample_size)

# population standard deviation estimate

stats.t.interval(alpha = 0.95,           # Confidence level 95%
                  df= sample_size - 1,      # Degrees of freedom
                  loc = sample_mean,       # Sample mean
                  scale = sigma)          # Standard deviation

# (36.36, 45.44)
```

To reiterate, this range of values (from 36.36 to 45.44) represents a confidence interval for the average break time with 95% confidence.

We already know that our population parameter is 39.99, and note that the interval includes the population mean of 39.99.

I mentioned earlier that the confidence level is not a percentage of the accuracy of our interval, but the percent chance that the interval will even contain the population parameter at all.

To better understand the confidence level, let's take 10,000 confidence intervals and see how often our population mean falls in the interval. First, let's make a function, as illustrated here, that makes a single confidence interval from our breaks data:

```
# function to make confidence interval

def makeConfidenceInterval():
    sample_size = 100

    sample = np.random.choice(a= breaks, size = sample_size)

    sample_mean = sample.mean()
```

```
# sample mean

sample_stdev = sample.std()

# sample standard deviation

sigma = sample_stdev/math.sqrt(sample_size)

# population Standard deviation estimate

return stats.t.interval(alpha = 0.95, df= sample_size - 1, loc =
sample_mean, scale = sigma)
```

Now that we have a function that will create a single confidence interval, let's create a procedure that will test the probability that a single confidence interval will contain the true population parameter, 39.99:

1. Take 10,000 confidence intervals of the sample mean.
2. Count the number of times that the population parameter falls into our confidence intervals.
3. Output the ratio of the number of times the parameter fell into the interval by 10,000:

```
times_in_interval = 0.

for i in range(10000):

    interval = makeConfidenceInterval()

    if 39.99 >= interval[0] and 39.99 <= interval[1]:

        # if 39.99 falls in the interval

        times_in_interval += 1

print(times_in_interval / 10000)

# 0.9455
```

Success! We can see that about 95% of our confidence intervals contained our actual population mean. Estimating population parameters through point estimates and confidence intervals is a relatively simple and powerful form of statistical inference.

Let's also take a quick look at how the size of confidence intervals changes as we change our confidence level. Let's calculate confidence intervals for multiple confidence levels and look at how large the intervals are by looking at the difference between the two numbers. Our hypothesis will be that as we make our confidence level larger, we will likely see larger confidence intervals to ensure that we catch the true population parameter:

```
for confidence in (.5, .8, .85, .9, .95, .99):  
  
    confidence_interval = stats.t.interval(alpha = confidence, df=  
    sample_size - 1, loc = sample_mean, scale = sigma)  
  
    length_of_interval = round(confidence_interval[1] - confidence_  
    interval[0], 2)  
  
    # the length of the confidence interval  
  
  
    print( "confidence {0} has an interval of size {1}" .  
format(confidence, length_of_interval))  
  
  
confidence 0.5 has an interval of size 2.56  
confidence 0.8 has an interval of size 4.88  
confidence 0.85 has an interval of size 5.49  
confidence 0.9 has an interval of size 6.29  
confidence 0.95 has an interval of size 7.51  
confidence 0.99 has an interval of size 9.94
```

We can see that as we wish to be *more confident* in our interval, our interval expands in order to compensate.

Next, we will take our concept of confidence levels and look at statistical hypothesis testing in order to both expand on these topics and also create (usually) even more powerful statistical inferences.

Hypothesis tests


Hypothesis tests are one of the most widely used tests in statistics. They come in many forms; however, all of them have the same basic purpose.

A hypothesis test is a statistical test that is used to ascertain whether we are allowed to assume that a certain condition is true for the entire population, given a data sample. Basically, a hypothesis test is a test for a certain hypothesis that we have about an entire population. The result of the test then tells us whether we should believe the hypothesis or reject it for an alternative one.

You can think of the hypothesis test's framework to determine whether the observed sample data deviates from what was to be expected from the population itself. Now, this sounds like a difficult task but, luckily, Python comes to the rescue and includes built-in libraries to conduct these tests easily.

A hypothesis test generally looks at two opposing hypotheses about a population. We call them the null hypothesis and the alternative hypothesis. The null hypothesis is the statement being tested and is the default correct answer; it is our starting point and our original hypothesis. The alternative hypothesis is the statement that opposes the null hypothesis. Our test will tell us which hypothesis we should trust and which we should reject.

Based on sample data from a population, a hypothesis test determines whether or not to reject the null hypothesis. We usually use a p -value (which is based on our significance level) to make this conclusion.



A very common misconception is that statistical hypothesis tests are designed to select the more likely of the two hypotheses. This is incorrect. A hypothesis test will default to the null hypothesis until there is enough data to support the alternative hypothesis.

The following are some examples of questions you can answer with a hypothesis test:

- Does the mean break time of employees differ from 40 minutes?
- Is there a difference between people who interacted with website A and people who interacted with website B (A/B testing)?

- Does a sample of coffee beans vary significantly in taste from the entire population of beans?

Conducting a hypothesis test

There are multiple types of hypothesis tests out there, and among them are dozens of different procedures and metrics. Nonetheless, there are five basic steps that most hypothesis tests follow, which are as follows:

1. Specify the hypotheses:
 - Here, we formulate our two hypotheses: the null and the alternative
 - We usually use the notation of H_0 to represent the null hypothesis and H_a to represent our alternative hypothesis
2. Determine the sample size for the test sample:
 - This calculation depends on the chosen test. Usually, we have to determine a proper sample size in order to utilize theorems, such as the central limit theorem and assume the normality of data.
3. Choose a significance level (usually called alpha or α):
 - A significance level of 0.05 is common
4. Collect the data:
 - Collect a sample of data to conduct the test
5. Decide whether to reject or fail to reject the null hypothesis:
 - This step changes slightly based on the type of test being used
6. The final result will either yield a rejection of the null hypothesis in favor of the alternative or fail to reject the null hypothesis.

In this chapter, we will look at the following three types of hypothesis tests:

- One-sample t -tests
- Chi-square goodness of fit
- Chi-square test for association/independence

There are many more tests. However, these three are a great combination of distinct, simple, and powerful tests. One of the biggest things to consider when choosing which test we should implement is the type of data we are working with--specifically, are we dealing with continuous or categorical data? In order to truly see the effects of a hypothesis, I suggest we dive right into an example. First, let's look at the use of t -tests to deal with continuous data.

One sample t-tests

The one sample t -test is a statistical test that's used to determine whether a quantitative (numerical) data sample differs significantly from another dataset (the population or another sample). Suppose, in our previous employee break time example, we look, specifically, at the engineering department's break times, as shown here:

```
long_breaks_in_engineering = stats.poisson.rvs(loc=10, mu=55,
size=100)

short_breaks_in_engineering = stats.poisson.rvs(loc=10, mu=15,
size=300)

engineering_breaks = np.concatenate((long_breaks_in_engineering,
short_breaks_in_engineering))

print(breaks.mean())

# 39.99

print(engineering_breaks.mean())

# 34.825
```

Note that I took the same approach as making the original break times, but with the following two differences:

- I took a smaller sample from the Poisson distribution (to simulate that we took a sample of 400 people from the engineering department)
- Instead of using μ of 60 as before, I used 55 to simulate the fact that the engineering department's break behavior isn't exactly the same as the company's behavior as a whole

It is easy to see that there seems to be a difference (of over 5 minutes) between the engineering department and the company as a whole. We usually don't have the entire population and the population parameters at our disposal, but I have them simulated in order for the example to work. So, even though we (the omniscient readers) can see a difference, we will assume that we know nothing of these population parameters and, instead, rely on a statistical test in order to ascertain these differences.

Example of a one-sample t-test

Our objective here is to ascertain whether there is a difference between the overall population's (company employees) break times and the break times of employees in the engineering department.

Let's conduct a *t*-test at a 95% confidence level in order to find a difference (or not!). Technically speaking, this test will tell us if the sample comes from the same distribution as the population.

Assumptions of the one-sample t-test

Before diving into the five steps, we must first acknowledge that *t*-tests must satisfy the following two conditions to work properly:

- The population distribution should be normal, or the sample should be large ($n \geq 30$)
- In order to make the assumption that the sample is independently, randomly sampled, it is sufficient to enforce that the population size should be at least 10 times larger than the sample size ($10n < N$)

Note that our test requires that either the underlying data be normal (which we know is not true for us), or that the sample size is at least 30 points large. For the *t*-test, this condition is sufficient to assume normality. This test also requires independence, which is satisfied by taking a sufficiently small sample. Sounds weird, right? The basic idea is that our sample must be large enough to assume normality (through conclusions similar to the central limit theorem) but small enough to be independent of the population.

Now, let's follow our five steps:

1. Specify the hypotheses.

We will let H_0 = the engineering department taking breaks of the same duration as the company as a whole.

If we let this be the company average, we may write the following:

H_0 :

Note how this is our null, or default, hypothesis. It is what we would assume, given no data. What we would like to show is the alternative hypothesis.

Now that we actually have some options for our alternative, we could either say that the engineering mean (let's call it that) is lower than the company average, higher than the company average, or just flat out different (higher or lower) than the company average:

- If we wish to answer the question, "is the sample mean different from the company average?", then this is called a two-tailed test and our alternative hypothesis would be as follows:


H_a :

- If we want to find out whether the sample mean is lower than the company average or if the sample mean is higher than the company average, then we are dealing with a one-tailed test and our alternative hypothesis would be one of the following hypotheses:

Ha:(engineering takes longer breaks)

Ha:(engineering takes shorter breaks)

The difference between one and two tails is the difference of dividing a number later on by two or not. The process remains completely unchanged for both. For this example, let's choose the two-tailed test. So, we are testing for whether or not this sample of the engineering department's average break times is different from the company average.



Our test will end in one of two possible conclusions: we will either reject the null hypothesis, which means that the engineering department's break times are different from the company average, or we will fail to reject the null hypothesis, which means that there wasn't enough evidence in the sample to support rejecting the null.

2. Determine the sample size for the test sample.

As we mentioned earlier, most tests (including this one) make the assumption that either the underlying data is normal or that our sample is in the right range:

- The sample is at least 30 points (it is 400)
 - The sample is less than 10% of the population (which would be 900 people)
3. Choose a significance level (usually called alpha or α). We will choose a 95% significance level, which means that our alpha would actually be $1 - .95 = .05$.
 4. Collect the data. This is generated through the two Poisson distributions.
 5. Decide whether to reject or fail to reject the null hypothesis. As we mentioned before, this step varies based on the test used. For a one-sample t -test, we must calculate two numbers: the test statistic and our p -value. Luckily, we can do this in one line in Python.

A test statistic is a value that is derived from sample data during a type of hypothesis test. They are used to determine whether or not to reject the null hypothesis.

The test statistic is used to compare the observed data with what is expected under the null hypothesis. The test statistic is used in conjunction with the p -value.

The p -value is the probability that the observed data occurred this way by chance.

When the data is showing very strong evidence against the null hypothesis, the test statistic becomes large (either positive or negative) and the p -value usually becomes very small, which means that our test is showing powerful results and what is happening is, probably, not happening by chance.

In the case of a t -test, a t value is our test statistic, as shown here:

```
t_statistic, p_value = stats.ttest_1samp(a= engineering_breaks,  
popmean= breaks.mean())
```

We input the `engineering_breaks` variable (which holds 400 break times) and the population mean (`popmean`), and we obtain the following numbers:

```
t_statistic == -5.742  
p_value == .00000018
```

The test result shows that the t value is -5.742 . This is a standardized metric that reveals the deviation of the sample mean from the null hypothesis. The p -value is what gives us our final answer. Our p -value is telling us how often our result would appear by chance. So, for example, if our p -value was $.06$, then that would mean we should expect to observe this data by chance about 6% of the time. This means that about 6% of samples would yield results like this.

We are interested in how our p -value compares to our significance level:

- If the p -value is less than the significance level, then we can reject the null hypothesis
- If the p -value is greater than the significance level, then we failed to reject the null hypothesis

Our p -value is way lower than $.05$ (our chosen significance level), which means that we may reject our null hypothesis in favor of the alternative. This means that the engineering department seems to take different break lengths than the company as a whole!

The use of p -values is controversial. Many journals have actually banned the use of p -values in tests for significance. This is because of the nature of the value. Suppose our p -value came out to $.04$. This means that 4% of the time, our data just randomly happened to appear this way and is not significant in any way. 4% is not that small of a percentage! For this reason, many people are switching to different statistical tests. However, that does not mean that p -values are useless. It merely means that we must be careful and aware of what the number is telling us.

There are many other types of t -tests, including one-tailed tests (mentioned before) and paired tests, as well as two sample t -tests (both not mentioned yet). These procedures can be readily found in statistics literature; however, we should look at something very important—what happens when we get it wrong.

Type I and type II errors

We've mentioned both the type I and type II errors in *Chapter 5, Impossible or Improbable – A Gentle Introduction to Probability*, about probability in the examples of a binary classifier, but they also apply to hypothesis tests.

A type I error occurs if we reject the null hypothesis when it is actually true. This is also known as a **false positive**. The type I error rate is equal to the significance level α , which means that if we set a higher confidence level, for example, a significance level of 99%, our α is $.01$, and therefore our false positive rate is 1%.

A type II error occurs if we fail to reject the null hypothesis when it is actually false. This is also known as a false negative. The higher we set our confidence level, the more likely we are to actually see a type II error.

Hypothesis testing for categorical variables

T-tests (among other tests) are hypothesis tests that work to compare and contrast quantitative variables and underlying population distributions. In this section, we will explore two new tests, both of which serve to explore qualitative data. They are both a form of test called chi-square tests. These two tests will perform the following two tasks for us:

- Determine whether a sample of categorical variables is taken from a specific population (similar to the *t*-test)
- Determine whether two variables affect each other and are associated with each other

Chi-square goodness of fit test

The one-sample *t*-test was used to check whether a sample mean differed from the population mean. The chi-square goodness of fit test is very similar to the one sample *t*-test in that it tests whether the distribution of the sample data matches an expected distribution, while the big difference is that it is testing for categorical variables.

For example, a chi-square goodness of fit test would be used to see whether the race demographics of your company match that of the entire city of the US population. It can also be used to see if users of your website show similar characteristics to average internet users.

As we are working with categorical data, we have to be careful because categories such as "male," "female," or "other" don't have any mathematical meaning. Therefore, we must consider counts of the variables rather than the actual variables themselves.

In general, we use the chi-square goodness of fit test in the following cases:

- We want to analyze one categorical variable from one population
- We want to determine whether a variable fits a specified or expected distribution

In a chi-square test, we compare what is observed to what we expect.

Assumptions of the chi-square goodness of fit test

There are two usual assumptions of this test, as follows:

- All the expected counts are at least five
- Individual observations are independent and the population should be at least 10 times larger than the sample ($10n < N$)

The second assumption should look familiar to the *t*-test; however, the first assumption should look foreign. Expected counts are something we haven't talked about yet but are about to!

When formulating our null and alternative hypotheses for this test, we consider a default distribution of categorical variables. For example, if we have a die and we are testing whether or not the outcomes are coming from a fair die, our hypothesis might look as follows:

H_0 : The specified distribution of the categorical variable is correct.

$$p_1 = 1/6, p_2 = 1/6, p_3 = 1/6, p_4 = 1/6, p_5 = 1/6, p_6 = 1/6$$

Our alternative hypothesis is quite simple.

H_A states that the specified distribution of the categorical variable is not correct. At least one of the p_i values is not correct.

In the *t*-test, we used our test statistic (the *t*-value) to find our *p*-value. In a chi-square test, our test statistic is, well, a chi-square:

Test Statistic: $\chi^2 = \text{over } k \text{ categories}$

Degrees of Freedom = $k - 1$

A critical value is when we use χ^2 as well as our degrees of freedom and our significance level, and then reject the null hypothesis if the *p*-value is below our significance level (the same as before).

Let's look at an example to understand this further.

Example of a chi-square test for goodness of fit

The CDC categorizes adult BMIs into four classes: **Under/Normal**, **Over**, **Obesity**, and **Extreme Obesity**. A 2009 survey showed the distribution for adults in the US to be 31.2%, 33.1%, 29.4%, and 6.3%, respectively. A total of 500 adults were randomly sampled and their BMI categories were recorded. Is there evidence to suggest that BMI trends have changed since 2009? Let's test at the 0.05 significance level:

	Under/Normal	Over	Obesity	Extreme Obesity	Total
Observed	102	178	186	34	500
Expected	156	165.5	147	31.5	500

First, let's calculate our expected values. In a sample of 500, we expect 156 to be **Under/Normal** (that's 31.2% of 500), and we fill in the remaining boxes in the same way:

	Under/Normal	Over	Obesity	Extreme Obesity	Total
Observed	102	178	186	34	500
Expected	156	165.5	147	31.5	500

First, check the conditions that are as follows:

- All of the expected counts are greater than five
- Each observation is independent and our population is very large (much more than 10 times of 500 people)

Next, carry out a goodness of fit test. We will set our null and alternative hypotheses:

- H_0 : The 2009 BMI distribution is still correct.
- H_a : The 2009 BMI distribution is no longer correct (at least one of the proportions is different now). We can calculate our test statistic by hand:

$$\begin{aligned} \text{Test Statistic: } \chi^2 &= \sum \frac{(Observed - Expected)^2}{Expected} \text{ for } df = 3 \\ &= \frac{(102 - 156)^2}{156} + \frac{(178 - 165.5)^2}{165.5} + \frac{(186 - 147)^2}{147} + \frac{(34 - 31.5)^2}{31.5} = 30.18 \end{aligned}$$

Alternatively, we can use our handy-dandy Python skills, as shown here:

```
observed = [102, 178, 186, 34]

expected = [156, 165.5, 147, 31.5]

chi_squared, p_value = stats.chisquare(f_obs= observed, f_exp=
expected)

chi_squared, p_value

#(30.1817679275599, 1.26374310311106e-06)
```

Our *p*-value is lower than .05; therefore, we may reject the null hypothesis in favor of the fact that the BMI trends today are different from what they were in 2009.

Chi-square test for association/independence

Independence as a concept in probability is when knowing the value of one variable tells you nothing about the value of another. For example, we might expect that the country and the month you were born in are independent. However, knowing which type of phone you use might indicate your creativity levels. Those variables might not be independent.

The chi-square test for association/independence helps us ascertain whether two categorical variables are independent of one another. The test for independence is commonly used to determine whether variables like education levels or tax brackets vary based on demographic factors, such as gender, race, and religion. Let's look back at an example we posed in the preceding chapter, the A/B split test.

Recall that we ran a test and exposed half of our users to a certain landing page (**Website A**), exposed the other half to a different landing page (**Website B**), and then measured the sign-up rates for both sites. We obtained the following results:

	Did not sign up	Signed up
Website A	134	54
Website B	110	48

Results of our A/B test

We calculated website conversions, but what we really want to know is whether there is a difference between the two variables: *which website was the user exposed to?* and *did the user sign up?* For this, we will use our chi-square test.

Assumptions of the chi-square independence test

There are the following two assumptions of this test:

- All expected counts are at least five
- Individual observations are independent and the population should be at least 10 times as large as the sample ($10n < N$)

Note that they are exactly the same as the last chi-square test.

Let's set up our hypotheses:

- H_0 : There is no association between two categorical variables in the population of interest
- H_0 : Two categorical variables are independent in the population of interest
- H_a : There is an association between two categorical variables in the population of interest
- H_a : Two categorical variables are not independent in the population of interest

You might notice that we are missing something important here. Where are the expected counts? Earlier, we had a prior distribution to compare our observed results to, but now we don't. For this reason, we will have to create some. We can use the following formula to calculate the expected values for each value. In each cell of the table, we can use the following:

Expected Count = to calculate our chi-square test statistic and our degrees of freedom

$$\text{Test Statistic: } \chi^2 = \sum_{\text{over } r \text{ rows and } c \text{ columns}} \frac{(Observed_{r,c} - Expected_{r,c})^2}{Expected_{r,c}}$$

$$\text{Degrees of Freedom} = (r - 1) \cdot (c - 1)$$

Here, r is the number of rows and c is the number of columns. Of course, like before, when we calculate our p -value, we will reject the null if that p -value is less than the significance level. Let's use some built-in Python methods, as shown here, in order to quickly get our results:

```
observed = np.array([[134, 54], [110, 48]])  
  
# built a 2x2 matrix as seen in the table above  
  
chi_squared, p_value, degrees_of_freedom, matrix = stats.chi2_  
contingency(observed)  
  
chi_squared, p_value  
  
# (0.04762692369491045, 0.82724528704422262)
```

We can see that our p -value is quite large; therefore, we fail to reject our null hypothesis and we cannot say for sure that seeing a particular website has any effect on whether or not a user signs up. There is no association between these variables.

Summary

In this chapter, we looked at different statistical tests, including chi-square and t -tests, as well as point estimates and confidence intervals, in order to ascertain population parameters based on sample data. We were able to find that even with small samples of data, we can make powerful assumptions about the underlying population as a whole.

Using, concepts we reviewed in this chapter, data scientists will be able to make inferences about entire datasets based on certain samples of data. In addition, they will be able to use hypothesis tests to gain a better understanding of full datasets, given samples of data.

Statistics is a very wide and expansive subject that cannot truly be covered in a single chapter; however, our understanding of the subject will allow us to carry on and talk more about how we can use statistics and probability in order to communicate our ideas through data science in the next chapter.

In the next chapter, we will discuss different ways of communicating results from data analysis, including various presentation styles and visualization techniques.

9

Communicating Data

This chapter deals with the different ways of communicating results from our analysis. Here, we will look at different presentation styles, as well as visualization techniques. The point of this chapter is to take our results and be able to explain them in a coherent, intelligible way so that anyone, whether they are data savvy or not, may understand and use our results.

Much of what we will discuss will be how to create effective graphs through labels, keys, colors, and more. We will also look at more advanced visualization techniques, such as parallel coordinate plots.

In this chapter, we will look into the following topics:

- Identifying effective and ineffective visualizations
- Recognizing when charts are attempting to "trick" the audience
- Being able to identify causation versus correlation
- Constructing appealing visuals that offer valuable insight

Why does communication matter?

Being able to conduct experiments and manipulate data in a coding language is not enough to conduct practical and applied data science. This is because data science is, generally, only as good as how it is used in practice. For instance, a medical data scientist might be able to predict the chance of a tourist contracting malaria in developing countries with >98% accuracy; however, if these results are published in a poorly marketed journal and online mentions of the study are minimal, their groundbreaking results that could potentially prevent deaths would never truly see the light of day.

For this reason, communication of results is arguably as important as the results themselves. A famous example of poor management of the distribution of results is the case of Gregor Mendel. Mendel is widely recognized as one of the founders of modern genetics. However, his results (including data and charts) were not well-adopted until after his death. Mendel even sent them to Charles Darwin, who largely ignored Mendel's papers, which were written in unknown Moravian journals.

Generally, there are two ways of presenting results: verbal and visual. Of course, both the verbal and visual forms of communication can be broken down into dozens of subcategories, including slide decks, charts, journal papers, and even university lectures. However, we can find common elements of data presentation that can make anyone in the field more aware and effective in their communication skills.

Let's dive right into effective (and ineffective) forms of communication, starting with visuals.

Identifying effective and ineffective visualizations

The main goal of data visualization is to have the reader quickly digest the data, including possible trends, relationships, and more. Ideally, a reader will not have to spend more than 5-6 seconds digesting a single visualization. For this reason, we must make visuals seriously and ensure that we are making a visual as effective as possible. Let's look at five basic types of graphs: scatter plots, line graphs, bar charts, histograms, and box plots.

Scatter plots

A scatter plot is probably one of the simplest graphs to create. It is made by creating two *quantitative* axes and using data points to represent observations. The main goal of a scatter plot is to highlight relationships between two variables and, if possible, reveal a correlation.

For example, we can look at two variables: the average hours of TV watched in a day and a 0-100 scale of work performance (0 being very poor performance and 100 being excellent performance). The goal here is to find a relationship (if it exists) between watching TV and average work performance.

The following code simulates a survey of a few people, in which they revealed the amount of television they watched, on average, in a day against a company-standard work performance metric. This line of code is creating 14 sample survey results of people answering the question of how many hours of TV they watch in a day:

```
import pandas as pd
hours_tv_watched = [0, 0, 0, 1, 1.3, 1.4, 2, 2.1, 2.6, 3.2, 4.1, 4.4,
4.4, 5]
```

The following line of code is creating 14 new sample survey results of the same people being rated on their work performance on a scale from 0 to 100. For example, the first person watched 0 hours of TV a day and was rated 87/100 on their work, while the last person watched, on average, 5 hours of TV a day and was rated 72/100:

```
work_performance = [87, 89, 92, 90, 82, 80, 77, 80, 76, 85, 80, 75,
73, 72]
```


Here, we are creating a DataFrame in order to simplify our exploratory data analysis and make it easier to make a scatter plot:

```
df = pd.DataFrame({'hours_tv_watched':hours_tv_watched, 'work_
performance':work_performance})
```

Now, we are actually making our scatter plot:

```
df.plot(x='hours_tv_watched', y='work_performance', kind='scatter')
```

In the following plot, we can see that our axes represent the number of hours of TV watched in a day and the person's work performance metric:



The scatter plot: hours of TV watched versus work performance


Each point on a scatter plot represents a single observation (in this case, a person) and its location is a result of where the observation stands on each variable. This scatter plot does seem to show a relationship, which implies that as we watch more TV in the day, it seems to affect our work performance.

Of course, as we are now experts in statistics from the last two chapters, we know that this might not be causal. A scatter plot may only work to reveal a correlation or an association, but not a causation. Advanced statistical tests, such as the ones we saw in *Chapter 8, Advanced Statistics*, might work to reveal causation. Later on in this chapter, we will see the damaging effects that trusting correlation might have.

Line graphs

Line graphs are, perhaps, one of the most widely used graphs in data communication. A line graph simply uses lines to connect data points and usually represents time on the *x*-axis. Line graphs are a popular way to show changes in variables over time. The line graph, like the scatter plot, is used to plot *quantitative* variables.

As a great example, many of us wonder about the possible links between what we see on TV and our behavior in the world. A friend of mine once took this thought to the extreme: he wondered if he could find a relationship between the TV show *The X-Files* and the amount of UFO sightings in the US. He found the number of sightings of UFOs per year and plotted them over time. He then added a quick graphic to ensure that readers would be able to identify the point in time when *The X-Files* were released:



Total reported UFO sightings since 1963 (Source: <http://www.questionable-economics.com/what-do-we-know-about-aliens/>)

It appears to be clear that right after 1993, the year of *The X-Files'* premiere, the number of UFO sightings started to climb drastically.

This graphic, albeit light-hearted, is an excellent example of a simple line graph. We are told what each axis measures, we can quickly see a general trend in the data, and we can identify with the author's intent, which is to show a relationship between the number of UFO sightings and *The X-Files'* premiere.

On the other hand, the following is a less impressive line chart:



The line graph: gas price changes

This line graph attempts to highlight the change in the price of gas by plotting three points in time. At first glance, it is not much different than the previous graph; we have time on the bottom x -axis and a quantitative value on the vertical y -axis. The (not so) subtle difference here is that the three points are equally spaced out on the x -axis; however, if we read their actual time indications, they are not equally spaced out in time. A year separates the first two points, whereas a mere 7 days separate the last two points.


Bar charts

We generally turn to bar charts when trying to compare variables across different groups. For example, we can plot the number of countries per continent using a bar chart. Note how the x -axis does not represent a quantitative variable; in fact, when using a bar chart, the x -axis is generally a categorical variable, while the y -axis is quantitative.

Note that, for this code, I am using the World Health Organization's report on alcohol consumption around the world by country:

```
from matplotlib import pyplot as plt
drinks = pd.read_csv('https://raw.githubusercontent.com/sinanuozdemir/
principles_of_data_science/master/data/chapter_2/drinks.csv')
drinks.continent.value_counts().plot(kind='bar', title='Countries per
Continent')
plt.xlabel('Continent')
plt.ylabel('Count')
```

The following graph shows us a count of the number of countries in each continent. We can see the continent code at the bottom of the bars, and the bar height represents the number of countries we have in each continent. For example, we can see that Africa has the most countries represented in our survey, while South America has the fewest:




Bar chart: countries in continent

In addition to the count of countries, we can also plot the average beer servings per continent using a bar chart, as shown here:

```
drinks.groupby('continent').beer_servings.mean().plot(kind='bar')
```

The preceding code gives us this chart:



Bar chart: average beer served per country

Note how a scatter plot or a line graph would not be able to support this data because they can only handle quantitative variables; bar graphs have the ability to demonstrate categorical values.

We can also use bar charts to graph variables that change over time, like a line graph.

Histograms

Histograms show the frequency distribution of a single quantitative variable by splitting the data, by range, into equidistant *bins* and plotting the raw count of observations in each bin. A histogram is effectively a bar chart where the *x*-axis is a bin (subrange) of values and the *y*-axis is a count. As an example, I will import a store's daily number of unique customers, as shown here :

```
rossmann_sales = pd.read_csv('data/rossmann.csv')

rossmann_sales.head()
```

Communicating Data

We get the following table:

	Store	DayOfWeek	Date	Sales	Customers	Open	Promo	StateHoliday	SchoolHoliday
0	1	5	2015-07-31	5263	555	1	1	0	1
1	2	5	2015-07-31	6064	625	1	1	0	1
2	3	5	2015-07-31	8314	821	1	1	0	1
3	4	5	2015-07-31	13995	1498	1	1	0	1
4	5	5	2015-07-31	4822	559	1	1	0	1


Note how we have multiple store data (in the first `Store` column). Let's subset this data for only the first store, as shown here:

```
first_rossmann_sales = rossmann_sales[rossmann_sales['Store']==1]
```

Now, let's plot a histogram of the first store's customer count:

```
first_rossmann_sales['Customers'].hist(bins=20)  
plt.xlabel('Customer Bins')  
plt.ylabel('Count')
```


This is what we get:



Histogram: customer counts

The x -axis is now categorical in that each category is a selected range of values; for example, 600-620 customers would potentially be a category. The y -axis, like a bar chart, is plotting the number of observations in each category. In this graph, for example, you might take away the fact that most of the time, the number of customers on any given day will fall between 500 and 700.

Overall, histograms are used to visualize the distribution of values that a quantitative variable can take on.



In a histogram, we do not put spaces between bars.



Box plots

Box plots are also used to show a distribution of values. They are created by plotting the five-number summary, as follows:


- The minimum value
- The first quartile (the number that separates the 25% lowest values from the rest)
- The median
- The third quartile (the number that separates the 25% highest values from the rest)
- The maximum value

In pandas, when we create box plots, the red line denotes the median, the top of the box (or the right if it is horizontal) is the third quartile, and the bottom (left) part of the box is the first quartile.

The following is a series of box plots showing the distribution of beer consumption according to continents:

```
drinks.boxplot(column='beer_servings', by='continent')
```

We get this graph:



Box plot-beer consumption by continent


Now, we can clearly see the distribution of beer consumption across the seven continents and how they differ. Africa and Asia have a much lower median of beer consumption than Europe or North America.

Box plots also have the added bonus of being able to show outliers much better than a histogram. This is because the minimum and maximum are parts of the box plot.

Going back to the customer data, let's look at the same store customer numbers, but using a box plot:


```
first_rossmann_sales.boxplot(column='Customers', vert=False)
```

This is the graph we get:




Box plot-customer sales

This is the exact same data as plotted earlier in the histogram; however, now, it is shown as a box plot. For the purpose of comparison, I will show you both graphs, one after the other:



Histogram—customer counts

The second graph is shown as follows:



Box plot—customer sales

Note how the x -axis for each graph is the same, ranging from 0 to 1,200. The box plot is much quicker at giving us a center for the data, the red line is the median, while the histogram works much better in showing us how spread out the data is and where people's biggest bins are. For example, the histogram reveals that there is a very large bin of zero people. This means that for a little over 150 days of data, there were zero customers.

Note that we can get the exact numbers to construct a box plot using the `describe` feature in pandas, as shown here:

```
first_rossmann_sales['Customers'].describe()
```

min	0.000000
25%	463.000000
50%	529.000000
75%	598.750000
max	1130.000000

When graphs and statistics lie

I should be clear: statistics don't lie, people lie. One of the easiest ways to trick your audience is to confuse correlation with causation.

Correlation versus causation

I don't think I would be allowed to publish this book without taking a deeper dive into the differences between correlation and causation. For this example, I will continue to use my data for TV consumption and work performance.

Correlation is a quantitative metric between -1 and 1 that measures how two variables *move with each other*. If two variables have a correlation close to -1, it means that as one variable increases, the other decreases, and if two variables have a correlation close to +1, it means that those variables move together in the same direction; as one increases, so does the other, and the same when decreasing.

Causation is the idea that one variable affects another. For example, we can look at two variables: the average hours of TV watched in a day and a 0-100 scale of work performance (0 being very poor performance and 100 being excellent performance). You might expect that these two factors are negatively correlated, which means that as the number of hours of TV watched increases in a 24-hour day, your overall work performance goes down. Recall the code from earlier, which is as follows. Here, I am looking at the same sample of 14 people as before and their answers to the question *how many hours of TV do you watch on average per night*:

```
import pandas as pd

hours_tv_watched = [0, 0, 0, 1, 1.3, 1.4, 2, 2.1, 2.6, 3.2, 4.1, 4.4,
4.4, 5]
```

These are the same 14 people as we mentioned earlier, in the same order, but now, instead of the number of hours of TV they watched, we have their work performance, as graded by the company or a third-party system:

```
work_performance = [87, 89, 92, 90, 82, 80, 77, 80, 76, 85, 80, 75,
73, 72]
```

Then, we produce a DataFrame:

```
df = pd.DataFrame({'hours_tv_watched':hours_tv_watched, 'work_
performance':work_performance})
```


Earlier, we looked at a scatter plot of these two variables, and it seemed to clearly show a downward trend between the variables: as TV consumption went up, work performance seemed to go down. However, a correlation coefficient, a number between -1 and 1, is a great way to identify relationships between variables and, at the same time, quantify them and categorize their strength.

Now, we can introduce a new line of code that shows us the correlation between these two variables:

```
df.corr() # -0.824
```

Recall that a correlation, if close to -1, implies a strong negative correlation, while a correlation close to +1 implies a strong positive correlation.

This number helps support the hypothesis because a correlation coefficient close to -1 implies not only a negative correlation but a strong one at that. Again, we can see this via a scatter plot between the two variables. So, both our visual and our numbers are aligned with each other. This is an important concept that should be true when communicating results. If your visuals and your numbers are off, people are less likely to take your analysis seriously:




Correlation: hours of TV watched and work performance

I cannot stress enough that correlation and causation are *different* from each other. Correlation simply quantifies the degree to which variables change together, whereas causation is the idea that one variable actually determines the value of another. If you wish to share the results of the findings of your correlational work, you might be met with challengers in the audience asking for more work to be done. What is more terrifying is that no one may know that the analysis is incomplete, and you may make actionable decisions based on simple correlational work.

It is very often the case that two variables might be correlated with each other but they do not have any causation between them. This can be for a variety of reasons, some of which are as follows:

- There might be a *confounding factor* between them. This means that there is a third lurking variable that is not being factored, and that acts as a bridge between the two variables. For example, previously, we showed that you might find that the amount of TV you watch is negatively correlated with work performance, that is, as the number of hours of TV you watch increases, your overall work performance may decrease. That is a correlation. It doesn't seem quite right to suggest that watching TV is the actual cause of a decrease in the quality of work performed. It might seem more plausible to suggest that there is a third factor, perhaps hours of sleep every night, that might answer this question. Perhaps, watching more TV decreases the amount of time you have for sleep, which in turn limits your work performance. The number of hours of sleep per night is the confounding factor.
- They might not have anything to do with each other! It might simply be a coincidence. There are many variables that are correlated but simply do not cause each other. Consider the following example:



Correlation analysis-cheese consumption and civil engineering doctorates

It is much more likely that these two variables only happen to correlate (more strongly than our previous example, I may add) than cheese consumption determines the number of civil engineering doctorates in the world.

You have likely heard the statement *correlation does not imply causation*, and the previously graph is exactly the reason why data scientists must believe that. Just because a mathematical correlation between variables does not mean they have causation exists between them. There might be confounding factors between them or they just might not have anything to do with each other!

Let's see what happens when we ignore confounding variables, and correlations become extremely misleading.

Simpson's paradox

Simpson's paradox is a formal reason why we need to take confounding variables seriously. The paradox states that a correlation between two variables can be completely reversed when we take different factors into account. This means that even if a graph might show a positive correlation, these variables can become *anti-correlated* when another factor (most likely a confounding one) is taken into consideration. This can be very troublesome to statisticians.

Suppose we wish to explore the relationship between two different splash pages (recall our previous A/B testing in *Chapter 7, Basic Statistics*). We will call these pages **Page A** and **Page B** once again. We have two splash pages that we wish to compare and contrast, and our main metric for choosing will be in our conversion rates, just as earlier.

Suppose we run a preliminary test and find the following conversion results:

Page A	Page B
75% (263/350)	83% (248/300)

This means that **Page B** has almost a 10% higher conversion rate than **Page A**. So, right off the bat, it seems like **Page B** is the better choice because it has a higher rate of conversion. If we were going to communicate this data to our colleagues, it would seem that we are in the clear!

However, let's see what happens when we also take into account the coast that the user was closer to, as shown here:

	Page A	Page B
West Coast	95% (76 / 80)	93% (231 / 250)
East Coast	72% (193 / 270)	34% (17 / 50)
Both	75% (263 / 350)	83% (248 / 300)

Thus the paradox! When we break the sample down by location, it seems that **Page A** was better in *both* categories but was worse overall. That's the beauty and, also, the horrifying nature of the paradox. This happens because of the unbalanced classes between the four groups.

The **Page A/East Coast** group and the **Page B/West Coast** group are providing most of the people in the sample, therefore skewing the results to not be as expected. The confounding variable here might be the fact that the pages were given at different hours of the day and the West coast people were more likely to see **Page B**, while the East coast people were more likely to see **Page A**.

There is a resolution to Simpson's paradox (and therefore an answer); however, the proof lies in a complex system of Bayesian networks and is a bit outside the scope of this book.

The main takeaway from Simpson's paradox is that we should not unduly give causational power to correlated variables. There might be confounding variables that have to be examined. Therefore, if you are able to reveal a correlation between two variables (such as website category and conversion rate or TV consumption and work performance), then you should absolutely try to isolate as many variables as possible that might be the reason for the correlation, or can at least help explain your case further.

If correlation doesn't imply causation, then what does?

As a data scientist, it is often quite frustrating to work with correlations and not be able to draw conclusive causality. The best way to confidently obtain causality is, usually, through randomized experiments, such as the ones we saw in *Chapter 8, Advanced Statistics*. You would have to split up the population groups into randomly sampled groups and run hypothesis tests to conclude, with a degree of certainty, that there is a true causation between variables.

Verbal communication

Apart from visual demonstrations of data, verbal communication is just as important when presenting results. If you are not merely uploading results or publishing, you are usually presenting data to a room of data scientists, executives, or to a conference hall.

In any case, there are key areas to focus on when giving a verbal presentation, especially when the presentation is regarding findings of data.

There are generally two styles of oral presentation: one meant for more professional settings, including corporate offices where the problem at hand is usually tied directly to company performance or some other **key performance indicator (KPI)**, and another meant more for a room of your peers where the key idea is to motivate the audience to care about your work.

It's about telling a story

Whether it is a formal or casual presentation, people like to hear stories. When you are presenting results, you are not just spitting out facts and metrics—you are attempting to frame the minds of your audience to believe in and care about what you have to say.

When giving a presentation, always be aware of your audience and try to gauge their reactions/interest in what you are saying. If they seem unengaged, try to relate the problem to them:

"Just think, when popular TV shows like Game of Thrones come back, your employees will all spend more time watching TV and therefore will have lower work performance."

Now, you have their attention. It's about relating to your audience; whether it's your boss or your mom's friend, you have to find a way to make it relevant.

On the more formal side of things

When presenting data findings to a more formal audience, I like to stick to the following six steps:

1. **Outline the state of the problem:** In this step, we go over the current state of the problem, including what the problem is and how the problem came to the attention of the team of data scientists.
2. **Define the nature of the data:** Here, we go into more depth about who this problem affects, how the solution would change the situation, and previous work done on the problem, if any.
3. **Divulge an initial hypothesis:** Here, we state what we believed to be the solution before doing any work. This might seem like a more novice approach to presentations; however, this can be a good time to outline not just your initial hypothesis but, perhaps, the hypothesis of the entire company. For example, "we took a poll and 61% of the company believes there is no correlation between hours of TV watched and work performance."

4. **Describe the solution and, possibly, the tools that led to the solution:** Get into how you solved the problem, any statistical tests used, and any assumptions that were made during the course of the problem.
5. **Share the impact that your solution will have on the problem:** Talk about whether your solution was different from the initial hypothesis. What will this mean for the future? How can we take action on this solution to improve ourselves and our company?
6. **Future steps:** Share what future steps can be taken with the problem, such as how to implement the solution and what further work this research sparked.

By following these steps, we can hit on all of the major areas of the data science method. The first thing you want to hit on during a formal presentation is action. You want your words and solutions to be actionable. There must be a clear path to take upon completion of the project, and the future steps should be defined.

The why/how/what strategy of presenting

When speaking on a less formal level, the why/how/what strategy is a quick and easy way to create a presentation worthy of praise. It is quite simple, as shown here:

This model is borrowed from famous advertisements – the kind where they would not even tell you what the product was until there were three seconds left. They want to catch your attention and then, finally, reveal what it was that was so exciting. Consider the following example:

"Hello everyone. I am here to tell you about why we seem to have a hard time focusing on our job when the Olympics is being aired. After mining survey results and merging this data with company-standard work performance data, I was able to find a correlation between the number of hours of TV watched per day and average work performance. Knowing this, we can all be a bit more aware of our TV watching habits and make sure we don't let it affect our work. Thank you."

This chapter was actually formatted in this way! We started with *why* we should care about data communication, then we talked about *how* to accomplish it (through correlation, visuals, and so on), and finally I am telling you the *what*, which is the why/how/what strategy (insert mind-blowing sound effect here).

Summary

Data communication is not an easy task. It is one thing to understand the mathematics of how data science works, but it is a completely different thing to try and convince a room of data scientists and non-data scientists alike of your results and their value to them. In this chapter, we went over basic chart making, how to identify faulty causation, and how to hone our oral presentation skills.

Our next few chapters will really begin to hit at one of the biggest talking points of data science. In the last nine chapters, we spoke about everything related to how to obtain data, clean data, and visualize data in order to gain a better understanding of the environment that the data represents.

We then turned to look at the basic and advanced probability/statistics laws in order to use quantifiable theorems and tests on our data to get actionable results and answers.

In the subsequent chapters, we will take a look at machine learning and the situations in which machine learning performs well and doesn't perform well. As we take a journey into this material, I urge you, the reader, to keep an open mind and truly understand not just how machine learning works, but also why we need to use it.

10

How to Tell If Your Toaster Is Learning – Machine Learning Essentials

Machine learning has become quite the phrase of the decade. It seems as though every time we hear about the next great start-up or turn on the news, we hear something about a revolutionary piece of machine learning technology and how it will change the way we live.

This chapter focuses on machine learning as a practical part of data science. We will cover the following topics in this chapter:

- Defining the different types of machine learning, along with examples of each kind
- Regression and classification
- What is machine learning and how is it used in data science?
- The differences between machine learning and statistical modeling and how machine learning is a broad category of the latter

Our aim will be to utilize statistics, probability, and algorithmic thinking in order to understand and apply essential machine learning skills to practical industries, such as marketing. Examples will include predicting star ratings of restaurant reviews, predicting the presence of a disease, spam email detection, and much more. This chapter focuses on machine learning as a whole and as a single statistical model. The subsequent chapters will deal with many more models, some of which are much more complex.

We will also turn our focus on metrics, which tell us how effective our models are. We will use metrics in order to conclude results and make predictions using machine learning.

What is machine learning?

It wouldn't make sense to continue without a concrete definition of what machine learning is. Well, let's back up for a minute. In *Chapter 1, How to Sound Like a Data Scientist*, we defined machine learning as giving computers the ability to learn from data without being given explicit rules by a programmer. This definition still holds true. Machine learning is concerned with the ability to ascertain certain patterns (signals) out of data, even if the data has inherent errors in it (noise).

Machine learning models are able to learn from data without the explicit help of a human. That is the main difference between machine learning models and classical algorithms. Classical algorithms are told how to find the best answer in a complex system, and the algorithm then searches for these best solutions and often works faster and more efficiently than a human. However, the bottleneck here is that the human has to first come up with the best solution. In machine learning, the model is not told the best solution and, instead, is given several examples of the problem and is told to figure out the best solution.

Machine learning is just another tool in the belt of a data scientist. It is on the same level as statistical tests (chi-square or t-tests) or uses base probability/statistics to estimate population parameters. Machine learning is often regarded as the only thing data scientists know how to do, and this is simply untrue. A true data scientist is able to recognize when machine learning is applicable and, more importantly, when it is not.

Machine learning is a game of correlations and relationships. Most machine learning algorithms in existence are concerned with finding and/or exploiting relationships between datasets (often represented as columns in a pandas DataFrame). Once machine learning algorithms can pinpoint certain correlations, the model can either use these relationships to predict future observations or generalize the data to reveal interesting patterns.

Perhaps a great way to explain machine learning is to offer an example of a problem coupled with two possible solutions: one using a machine learning algorithm and the other utilizing a non-machine learning algorithm.

Example – facial recognition

This problem is very well-documented. Given a picture of a face, who does it belong to? However, I argue that there is a more important question that must be asked, even before this. Suppose you wish to implement a home security system that recognizes who is entering your house. Most likely, during the day, your house will be empty most of the time, and the facial recognition will kick in only if there is a person in the shot. This is exactly the question I propose we try and solve—given a photo, is there a face in it?

Given this problem, I propose the following two solutions:

- A non-machine learning algorithm that will define a face as having a roundish structure, two eyes, hair, nose, and so on. The algorithm then looks for these hard-coded features in the photo and returns whether or not it was able to find any of these features.
- A machine learning algorithm that will work a bit differently. The model will only be given several pictures of faces and non-faces that are labeled as such. From the examples (called training sets), it would figure out its own definition of a face.

The machine learning version of the solution is never told what a face is; it is merely given several examples, some with faces, and some without. It is then up to the machine learning model to figure out the difference between the two. Once it figures out the difference between the two, it uses this information to take in a picture and predict whether or not there is a face in the new picture. For example, to train the model, we will give it the following three photographs:



Images for training the machine learning model

The model will then figure out the difference between the pictures labeled as **Face** and the pictures labeled as **No Face** and be able to use that difference to find faces in future photos.

Machine learning isn't perfect

There are many caveats of machine learning. Many are specific to different models being implemented, but there are some assumptions that are universal for any machine learning model:

- The data used, for the most part, is preprocessed and cleaned using the methods we outlined in earlier chapters. Almost no machine learning model will tolerate dirty data with missing values or categorical values. Use dummy variables and filling/dropping techniques to handle these discrepancies.
- Each row of a cleaned dataset represents a single observation of the environment we are trying to model.
- If our goal is to find relationships between variables, then there is an assumption that there is some kind of relationship between these variables.

This assumption is particularly important. Many machine learning models take this assumption very seriously. These models are not able to communicate that there might not be a relationship.

- Machine learning models are generally considered semi-automatic, which means that intelligent decisions by humans are still needed.


The machine is very smart but has a hard time putting things into context. The output of most models is a series of numbers and metrics attempting to quantify how well the model did. It is up to a human to put these metrics into perspective and communicate the results to an audience.

- Most machine learning models are sensitive to noisy data. This means that the models get confused when you include data that doesn't make sense. For example, if you are attempting to find relationships between economic data around the world and one of your columns is puppy adoption rates in the capital city, that information is likely not to be relevant and will confuse the model.

These assumptions will come up again and again when dealing with machine learning. They are all too important and are often ignored by novice data scientists.

How does machine learning work?

Each flavor of machine learning and each individual model works in very different ways, exploiting different parts of mathematics and data science. However, in general, machine learning works by taking in data, finding relationships within the data, and giving as output what the model learned, as illustrated in the following diagram:



An overview of machine learning models

As we explore the different types of machine learning models, we will see how they manipulate data differently and come up with different outputs for different applications.

Types of machine learning

There are many ways to segment machine learning and dive deeper. In *Chapter 1, How to Sound Like a Data Scientist*, I mentioned statistical and probabilistic models. These models utilize statistics and probability, which we've seen in the previous chapters, in order to find relationships between data and make predictions. In this chapter, we will implement both types of models. In the following chapter, we will see machine learning outside the rigid mathematical world of statistics/probability. You can segment machine learning models by different characteristics, including the following:

- The types of data/organic structures they utilize (tree/graph/neural network)
- The field of mathematics they are most related to (statistical/probabilistic)
- The level of computation required to train (deep learning)

For the purpose of education, I will offer my own breakdown of machine learning models. Branching off from the top level of machine learning, there are the following three subsets:

- Supervised learning
- Unsupervised learning
- Reinforcement learning

Supervised learning

Simply put, supervised learning finds associations between features of a dataset and a target variable. For example, supervised learning models might try to find the association between a person's health features (heart rate, obesity level, and so on) and that person's risk of having a heart attack (the target variable).

These associations allow supervised models to make predictions based on past examples. This is often the first thing that comes to people's minds when they hear the phrase machine learning, but in no way does it encompass the realm of machine learning. Supervised machine learning models are often called **predictive analytics models**, named for their ability to predict the future based on the past.

Supervised machine learning requires a certain type of data called labeled data. This means that we must teach our model by giving it historical examples that are labeled with the correct answer. Recall the facial recognition example. This is a supervised learning model because we are training our model with the previous pictures labeled as either face or not face, and then asking the model to predict whether or not a new picture has a face in it.

Specifically, supervised learning works using parts of the data to predict another part. First, we must separate data into two parts, as follows:

- The predictors, which are the columns that will be used to make our prediction. These are sometimes called features, input values, variables, and independent variables.
- The response, which is the column that we wish to predict. This is sometimes called outcome, label, target, and dependent variable.


Supervised learning attempts to find a relationship between the predictors and the response in order to make a prediction. The idea is that, in the future, a data observation will present itself and we will only know the predictors. The model will then have to use the predictors to make an accurate prediction of the response value.

Example – heart attack prediction

Suppose we wish to predict whether someone will have a heart attack within a year. To predict this, we are given that person's cholesterol level, blood pressure, height, their smoking habits, and perhaps more. From this data, we must ascertain the likelihood of a heart attack. Suppose, to make this prediction, we look at previous patients and their medical history. As these are previous patients, we know not only their predictors (cholesterol, blood pressure, and so on), but we also know if they actually had a heart attack (because it already happened!).

This is a supervised machine learning problem because we are doing the following:

- We are making a prediction about someone
- We are using historical training data to find relationships between medical variables and heart attacks:



An overview of supervised models

The hope here is that a patient will walk in tomorrow and our model will be able to identify whether or not the patient is at risk of having a heart attack based on her/his conditions (just like a doctor would!).

As the model sees more and more labeled data, it adjusts itself in order to match the correct labels given to us. We can use different metrics (explained later in this chapter) to pinpoint exactly how well our supervised machine learning model is doing and how it can better adjust itself.


One of the biggest drawbacks of supervised machine learning is that we need this labeled data, which can be very difficult to get hold of. Suppose we wish to predict heart attacks; we might need thousands of patients, along with all of their medical information and years' worth of follow-up records for each person, which could be a nightmare to obtain.

In short, supervised models use historical labeled data in order to make predictions about the future. Some possible applications for supervised learning include the following:

- Stock price predictions
- Weather predictions
- Crime predictions

Note how each of the preceding examples uses the word **prediction**, which makes sense seeing as how I emphasized supervised learning's ability to make predictions about the future. Predictions, however, are not where the story ends.

Here is a visualization of how supervised models use labeled data to fit themselves and prepare themselves to make predictions:



Note how the supervised model learns from a bunch of training data and then, when it is ready, it looks at unseen cases and outputs a prediction.

It's not only about predictions

Supervised learning exploits the relationship between the predictors and the response to make predictions, but sometimes, it is enough just knowing that there even is a relationship. Suppose we are using a supervised machine learning model to predict whether or not a customer will purchase a given item. A possible dataset might look as follows:

Person ID	Age	Gender	Employed?	Bought the product?
1	63	F	N	Y
2	24	M	Y	N

Note that, in this case, our predictors are Age, Gender, and Employed?, while our response is Bought the product? This is because we want to see if, given someone's age, gender, and employment status, they will buy the product.

Let's assume that a model is trained on this data and can make accurate predictions about whether or not someone will buy something. That, in and of itself, is exciting, but there's something else that is arguably even more exciting. The fact that we could make accurate predictions implies that there is a relationship between these variables, which means that to know if someone will buy your product, you only need to know their age, gender, and employment status! This might contradict the previous market research, indicating that much more must be known about a potential customer to make such a prediction.

This speaks to supervised machine learning's ability to understand which predictors affect the response and how. For example, are women more likely to buy the product, which age groups are prone to decline the product, is there a combination of age and gender that is a better predictor than any one column on its own? As someone's age increases, do their chances of buying the product go up, down, or stay the same?

It is also possible that all of the columns are not necessary. A possible output of a machine learning might suggest that only certain columns are necessary to make the prediction and that the other columns are only noise (they do not correlate to the response and therefore confuse the model).

Types of supervised learning

There are, in general, two types of supervised learning models: **regression** and **classification**. The difference between the two is quite simple and lies in the response variable.

Regression

Regression models attempt to predict a continuous response. This means that the response can take on a range of infinite values. Consider the following examples:

- Dollar amounts:
 - Salary
 - Budget
- Temperature
- Time:
 - Generally recorded in seconds or minutes


Classification

Classification attempts to predict a categorical response, which means that the response only has a finite amount of choices. Here are some examples:

- Cancer grade (1, 2, 3, 4, 5)
- True/false questions, such as the following examples:
 - "Will this person have a heart attack within a year?"
 - "Will you get this job?"
- Given a photo of a face, who does this face belong to? (facial recognition)
- Predict the year someone was born:
 - Note that there are many possible answers (over 100) but still finitely many more

Example - regression

The following graphs show a relationship between three categorical variables (age, the year they were born, and education level) and a person's wage:



Regression examples (source: <https://lagunita.stanford.edu/c4x/HumanitiesScience/StatLearning/asset/introduction.pdf>)

Note that, even though each predictor is categorical, this example is regressive because the y axis—our dependent variable, our response—is continuous.

Our earlier heart attack example is classification because the response was: *will this person have a heart attack within a year?* This has only two possible answers: Yes or No.

Data is in the eyes of the beholder

Sometimes, it can be tricky to decide whether or not you should use classification or regression. Consider that we are interested in the weather outside. We could ask the question, *how hot is it outside?* In this case, your answer is on a continuous scale, and some possible answers are 60.7 degrees or 98 degrees. However, as an exercise, go and ask 10 people what the temperature is outside. I guarantee you that someone (if not most people) will not answer in some exact degrees but will bucket their answer and say something *like it's in the 60s*.

We might wish to consider this problem as a classification problem, where the response variable is no longer in exact degrees but is in a bucket. There would only be a finite number of buckets in theory, making the model perhaps learn the differences between 60s and 70s a bit better.


Unsupervised learning

The second type of machine learning does not deal with predictions but has a much more open objective. Unsupervised learning takes in a set of predictors and utilizes relationships between the predictors in order to accomplish tasks such as the following:

- It reduces the dimension of the data by condensing variables together. An example of this would be file compression. Compression works by utilizing patterns in the data and representing the data in a smaller format.
- It finds groups of observations that behave similarly and groups them together.

The first element on this list is called **dimension reduction** and the second is called **clustering**. Both of these are examples of unsupervised learning because they do not attempt to find a relationship between predictors and a specific response and therefore are not used to make predictions of any kind. Unsupervised models, instead, are utilized to find organizations and representations of the data that were previously unknown.

The following screenshot is a representation of cluster analysis:




Example of cluster analysis

The model will recognize that each uniquely colored cluster of observations is similar to another, but different from the other clusters.

A big advantage for unsupervised learning is that it does not require labeled data, which means that it is much easier to get data that complies with unsupervised learning models. Of course, a drawback to this is that we lose all predictive power because the response variable holds the information to make predictions and, without it, our model will be hopeless in making any sort of predictions.

A big drawback is that it is difficult to see how well we are doing. In a regression or classification problem, we can easily tell how well our models are predicting by comparing our models' answers to the actual answers. For example, if our supervised model predicts rain and it is sunny outside, the model was incorrect. If our supervised model predicts the price will go up by 1 dollar and it goes up by 99 cents, our model was very close! In supervised modeling, this concept is foreign because we have no answer to compare our models to. Unsupervised models are merely suggesting differences and similarities, which then require a human's interpretation:




An overview of unsupervised models

In short, the main goal of unsupervised models is to find similarities and differences between data observations. We will discuss unsupervised models in depth in later chapters.

Reinforcement learning

In reinforcement learning, algorithms get to choose an action in an environment and then are rewarded (positively or negatively) for choosing this action. The algorithm then adjusts itself and modifies its strategy in order to accomplish some goal, which is usually to get more rewards.

This type of machine learning is very popular in AI-assisted gameplay as *agents* (the AI) are allowed to explore a virtual world, collect rewards, and learn the best navigation techniques. This model is also popular in robotics, especially in the field of self-automated machinery, including cars:




Self-driving cars (image source: <https://www.quora.com/How-do-Google's-self-driving-cars-work>)

Self-driving cars read in sensor input, act accordingly, and are then rewarded for taking a certain action. The car then adjusts its behavior to collect more rewards. It can be thought that reinforcement is similar to supervised learning in that the agent is learning from its past actions to make better moves in the future; however, the main difference lies in the reward. The reward does not have to be tied in any way to a *correct* or *incorrect* decision. The reward simply encourages (or discourages) different actions.

Reinforcement learning is the least explored of the three types of machine learning and therefore is not explored in great length in this text. The remainder of this chapter will focus on supervised and unsupervised learning.

Overview of the types of machine learning

Of the three types of machine learning – supervised, unsupervised, and reinforcement learning – we can imagine the world of machine learning as something like this:



Each of the three types of machine learning has its benefits and its drawbacks, as listed here:

- Supervised machine learning: This exploits relationships between predictors and response variables to make predictions of future data observations. The pros are as follows:
 - It can make future predictions
 - It can quantify relationships between predictors and response variables
 - It can show us how variables affect each other and by how much

The cons are as follows:

- It requires labeled data (which can be difficult to get)
- Unsupervised machine learning: This finds similarities and differences between data points. The pros are as follows:
 - It can find groups of data points that behave similarly that a human would never have noted
 - It can be a preprocessing step for supervised learning
Think of clustering a bunch of data points and then using these clusters as the response
 - It can use unlabeled data, which is much easier to find

The cons are as follows:

- It has zero predictive power
 - It can be hard to determine if we are on the right track
 - It relies much more on human interpretation
- Reinforcement learning: This is reward-based learning that encourages agents to take particular actions in their environments. The pros are as follows:
 - Very complicated rewards systems create very complicated AI systems
 - It can learn in almost any environment, including the Earth

The cons are as follows:

- The agent is erratic at first and makes many terrible choices before realizing that these choices have negative rewards

For example, a car might crash into a wall and not know that that is not okay until the environment negatively rewards it

- It can take a while before the agent avoids decisions altogether
- The agent might play it safe and only choose one action and be "too afraid" to try anything else for fear of being punished

How does statistical modeling fit into all of this?

Up until now, I have been using the term machine learning, but you may be wondering how statistical modeling plays a role in all of this.

This is still a debated topic in the field of data science. I believe that statistical modeling is another term for machine learning models that heavily rely on using mathematical rules borrowed from probability and statistics to create relationships between data variables (often in a predictive sense).

The remainder of this chapter will focus mostly on one statistical/probabilistic model – linear regression.

Linear regression

Finally! We will explore our first true machine learning model. Linear regression is a form of regression, which means that it is a machine learning model that attempts to find a relationship between predictors and a response variable, and that response variable is, you guessed it, continuous! This notion is synonymous with making a *line of best fit*.

In the case of linear regression, we will attempt to find a linear relationship between our predictors and our response variable. Formally, we wish to solve a formula of the following format:

$$y = \beta_0 + \beta_i x$$

Let's look at the constituents of this formula:

- y is our response variable
- x_i is our i^{th} variable (i^{th} column or i^{th} predictor)
- β_0 is the intercept
- β_i is the coefficient for the x_i term


Let's take a look at some data before we go in depth. This dataset is publically available and attempts to predict the number of bikes needed on a particular day for a bike sharing program:

```
# read the data and set the datetime as the index
# taken from Kaggle: https://www.kaggle.com/c/bike-sharing-demand/data
import pandas as pd
import matplotlib.pyplot as plt
%matplotlib inline
url = 'https://raw.githubusercontent.com/justmarkham/DAT8/master/data/
bikeshare.csv'
bikes = pd.read_csv(url)
bikes.head()
```

The following is the output:

#	date	hour	temp	atemp	humidity	windspeed	count
1	2011-01-01 00:00:00	0	4.0	4.0	50.0	0.0	0
2	2011-01-01 00:00:30	1	5.0	5.0	54.0	0.0	1
3	2011-01-01 00:01:00	2	6.0	6.0	54.0	0.0	2
4	2011-01-01 00:01:30	3	7.0	7.0	54.0	0.0	3
5	2011-01-01 00:02:00	4	8.0	8.0	54.0	0.0	4
6	2011-01-01 00:02:30	5	9.0	9.0	54.0	0.0	5
7	2011-01-01 00:03:00	6	10.0	10.0	54.0	0.0	6
8	2011-01-01 00:03:30	7	11.0	11.0	54.0	0.0	7
9	2011-01-01 00:04:00	8	12.0	12.0	54.0	0.0	8
10	2011-01-01 00:04:30	9	13.0	13.0	54.0	0.0	9
11	2011-01-01 00:05:00	10	14.0	14.0	54.0	0.0	10
12	2011-01-01 00:05:30	11	15.0	15.0	54.0	0.0	11
13	2011-01-01 00:06:00	12	16.0	16.0	54.0	0.0	12
14	2011-01-01 00:06:30	13	17.0	17.0	54.0	0.0	13
15	2011-01-01 00:07:00	14	18.0	18.0	54.0	0.0	14
16	2011-01-01 00:07:30	15	19.0	19.0	54.0	0.0	15
17	2011-01-01 00:08:00	16	20.0	20.0	54.0	0.0	16
18	2011-01-01 00:08:30	17	21.0	21.0	54.0	0.0	17
19	2011-01-01 00:09:00	18	22.0	22.0	54.0	0.0	18
20	2011-01-01 00:09:30	19	23.0	23.0	54.0	0.0	19
21	2011-01-01 00:10:00	20	24.0	24.0	54.0	0.0	20
22	2011-01-01 00:10:30	21	25.0	25.0	54.0	0.0	21
23	2011-01-01 00:11:00	22	26.0	26.0	54.0	0.0	22
24	2011-01-01 00:11:30	23	27.0	27.0	54.0	0.0	23
25	2011-01-01 00:12:00	24	28.0	28.0	54.0	0.0	24
26	2011-01-01 00:12:30	25	29.0	29.0	54.0	0.0	25
27	2011-01-01 00:13:00	26	30.0	30.0	54.0	0.0	26
28	2011-01-01 00:13:30	27	31.0	31.0	54.0	0.0	27
29	2011-01-01 00:14:00	28	32.0	32.0	54.0	0.0	28
30	2011-01-01 00:14:30	29	33.0	33.0	54.0	0.0	29
31	2011-01-01 00:15:00	30	34.0	34.0	54.0	0.0	30
32	2011-01-01 00:15:30	31	35.0	35.0	54.0	0.0	31
33	2011-01-01 00:16:00	32	36.0	36.0	54.0	0.0	32
34	2011-01-01 00:16:30	33	37.0	37.0	54.0	0.0	33
35	2011-01-01 00:17:00	34	38.0	38.0	54.0	0.0	34
36	2011-01-01 00:17:30	35	39.0	39.0	54.0	0.0	35
37	2011-01-01 00:18:00	36	40.0	40.0	54.0	0.0	36
38	2011-01-01 00:18:30	37	41.0	41.0	54.0	0.0	37
39	2011-01-01 00:19:00	38	42.0	42.0	54.0	0.0	38
40	2011-01-01 00:19:30	39	43.0	43.0	54.0	0.0	39
41	2011-01-01 00:20:00	40	44.0	44.0	54.0	0.0	40
42	2011-01-01 00:20:30	41	45.0	45.0	54.0	0.0	41
43	2011-01-01 00:21:00	42	46.0	46.0	54.0	0.0	42
44	2011-01-01 00:21:30	43	47.0	47.0	54.0	0.0	43
45	2011-01-01 00:22:00	44	48.0	48.0	54.0	0.0	44
46	2011-01-01 00:22:30	45	49.0	49.0	54.0	0.0	45
47	2011-01-01 00:23:00	46	50.0	50.0	54.0	0.0	46
48	2011-01-01 00:23:30	47	51.0	51.0	54.0	0.0	47
49	2011-01-01 00:24:00	48	52.0	52.0	54.0	0.0	48
50	2011-01-01 00:24:30	49	53.0	53.0	54.0	0.0	49
51	2011-01-01 00:25:00	50	54.0	54.0	54.0	0.0	50
52	2011-01-01 00:25:30	51	55.0	55.0	54.0	0.0	51
53	2011-01-01 00:26:00	52	56.0	56.0	54.0	0.0	52
54	2011-01-01 00:26:30	53	57.0	57.0	54.0	0.0	53
55	2011-01-01 00:27:00	54	58.0	58.0	54.0	0.0	54
56	2011-01-01 00:27:30	55	59.0	59.0	54.0	0.0	55
57	2011-01-01 00:28:00	56	60.0	60.0	54.0	0.0	56
58	2011-01-01 00:28:30	57	61.0	61.0	54.0	0.0	57
59	2011-01-01 00:29:00	58	62.0	62.0	54.0	0.0	58
60	2011-01-01 00:29:30	59	63.0	63.0	54.0	0.0	59
61	2011-01-01 00:30:00	60	64.0	64.0	54.0	0.0	60
62	2011-01-01 00:30:30	61	65.0	65.0	54.0	0.0	61
63	2011-01-01 00:31:00	62	66.0	66.0	54.0	0.0	62
64	2011-01-01 00:31:30	63	67.0	67.0	54.0	0.0	63
65	2011-01-01 00:32:00	64	68.0	68.0	54.0	0.0	64
66	2011-01-01 00:32:30	65	69.0	69.0	54.0	0.0	65
67	2011-01-01 00:33:00	66	70.0	70.0	54.0	0.0	66
68	2011-01-01 00:33:30	67	71.0	71.0	54.0	0.0	67
69	2011-01-01 00:34:00	68	72.0	72.0	54.0	0.0	68
70	2011-01-01 00:34:30	69	73.0	73.0	54.0	0.0	69
71	2011-01-01 00:35:00	70	74.0	74.0	54.0	0.0	70
72	2011-01-01 00:35:30	71	75.0	75.0	54.0	0.0	71
73	2011-01-01 00:36:00	72	76.0	76.0	54.0	0.0	72
74	2011-01-01 00:36:30	73	77.0	77.0	54.0	0.0	73
75	2011-01-01 00:37:00	74	78.0	78.0	54.0	0.0	74
76	2011-01-01 00:37:30	75	79.0	79.0	54.0	0.0	75
77	2011-01-01 00:38:00	76	80.0	80.0	54.0	0.0	76
78	2011-01-01 00:38:30	77	81.0	81.0	54.0	0.0	77
79	2011-01-01 00:39:00	78	82.0	82.0	54.0	0.0	78
80	2011-01-01 00:39:30	79	83.0	83.0	54.0	0.0	79
81	2011-01-01 00:40:00	80	84.0	84.0	54.0	0.0	80
82	2011-01-01 00:40:30	81	85.0	85.0	54.0	0.0	81
83	2011-01-01 00:41:00	82	86.0	86.0	54.0	0.0	82
84	2011-01-01 00:41:30	83	87.0	87.0	54.0	0.0	83
85	2011-01-01 00:42:00	84	88.0	88.0	54.0	0.0	84
86	2011-01-01 00:42:30	85	89.0	89.0	54.0	0.0	85
87	2011-01-01 00:43:00	86	90.0	90.0	54.0	0.0	86
88	2011-01-01 00:43:30	87	91.0	91.0	54.0	0.0	87
89	2011-01-01 00:44:00	88	92.0	92.0	54.0	0.0	88
90	2011-01-01 00:44:30	89	93.0	93.0	54.0	0.0	89
91	2011-01-01 00:45:00	90	94.0	94.0	54.0	0.0	90
92	2011-01-01 00:45:30	91	95.0	95.0	54.0	0.0	91
93	2011-01-01 00:46:00	92	96.0	96.0	54.0	0.0	92
94	2011-01-01 00:46:30	93	97.0	97.0	54.0	0.0	93
95	2011-01-01 00:47:00	94	98.0	98.0	54.0	0.0	94
96	2011-01-01 00:47:30	95	99.0	99.0	54.0	0.0	95
97	2011-01-01 00:48:00	96	100.0	100.0	54.0	0.0	96
98	2011-01-01 00:48:30	97	101.0	101.0	54.0	0.0	97
99	2011-01-01 00:49:00	98	102.0	102.0	54.0	0.0	98
100	2011-01-01 00:49:30	99	103.0	103.0	54.0	0.0	99
101	2011-01-01 00:50:00	100	104.0	104.0	54.0	0.0	100
102	2011-01-01 00:50:30	101	105.0	105.0	54.0	0.0	101
103	2011-01-01 00:51:00	102	106.0	106.0	54.0	0.0	102
104	2011-01-01 00:51:30	103	107.0	107.0	54.0	0.0	103
105	2011-01-01 00:52:00	104	108.0	108.0	54.0	0.0	104
106	2011-01-01 00:52:30	105	109.0	109.0	54.0	0.0	105
107	2011-01-01 00:53:00	106	110.0	110.0	54.0	0.0	106
108	2011-01-01 00:53:30	107	111.0	111.0	54.0	0.0	107
109	2011-01-01 00:54:00	108	112.0	112.0	54.0	0.0	108
110	2011-01-01 00:54:30	109	113.0	113.0	54.0	0.0	109
111	2011-01-01 00:55:00	110	114.0	114.0	54.0	0.0	110
112	2011-01-01 00:55:30	111	115.0	115.0	54.0	0.0	111
113	2011-01-01 00:56:00	112	116.0	116.0	54.0	0.0	112
114	2011-01-01 00:56:30	113	117.0	117.0	54.0	0.0	113
115	2011-01-01 00:57:00	114	118.0	118.0	54.0	0.0	114
116	2011-01-01 00:57:30	115	119.0	119.0	54.0	0.0	115
117	2011-01-01 00:58:00	116	120.0	120.0	54.0	0.0	116
118	2011-01-01 00:58:30	117	121.0	121.0	54.0	0.0	117
119	2011-01-01 00:59:00	118	122.0	122.0	54.0	0.0	118
120	2011-01-01 00:59:30	119	123.0	123.0	54.0	0.0	119
121	2011-01-01 00:59:59	120	124.0	124.0	54.0	0.0	120
122	2011-01-01 00:00:00	121	125.0	125.0	54.0	0.0	121
123	2011-01-01 00:00:00	122	126.0	126.0	54.0	0.0	122
124	2011-01-01 00:00:00	123	127.0	127.0	54.0	0.0	123
125	2011-01-01 00:00:00	124	128.0	128.0	54.0	0.0	124
126	2011-01-01 00:00:00	125	129.0	129.0	54.0	0.0	125
127	2011-01-01 00:00:00	126	130.0	130.0	54.0	0.0	126
128	2011-01-01 00:00:00	127	131.0	131.0	54.0	0.0	127
129	2011-01-01 00:00:00	128	132.0	132.0	54.0	0.0	128
130	2011-01-01 00:00:00</td						

The following is the output:



This line in the graph attempts to visualize and quantify the relationship between `temp` and `count`. To make a prediction, we simply find a given temperature and then see where the line would predict the `count`. For example, if the temperature is 20 degrees (Celsius, mind you), then our line would predict that about 200 bikes will be rented. If the temperature is above 40 degrees, then more than 400 bikes will be needed!

It appears that as `temp` goes up, our `count` also goes up. Let's see if our correlation value, which quantifies a linear relationship between variables, also matches this notion:


```
bikes[['count', 'temp']].corr()
# 0.3944
```

There is a (weak) positive correlation between the two variables! Now, let's go back to the form of the linear regression:

$$y = \beta_0 + \beta_1 x$$

Our model will attempt to draw a perfect line between all of the dots in the preceding graph but, of course, we can clearly see that there is no perfect line between these dots! The model will then find the *best line of fit* possible. How? We can draw infinite lines between the data points, but what makes a line the best?

Consider the following diagram:



In our model, we are given the x and the y , and the model learns the beta coefficients, also known as **model coefficients**:

- The black dots are the observed values of x and y .
- The blue line is our line of best fit.
- The red lines between the dots and the line are called the residuals; they are the distances between the observed values and the line. They are how wrong the line is.

Each data point has a residual or a distance to the line of best fit. The **sum of squared residuals** is the summation of each residual squared. The best fit line has the smallest sum of squared residual value. Let's build this line in Python:

```
# create X and y
feature_cols = ['temp'] # a list of the predictors
X = bikes[feature_cols] # subsetting our data to only the predictors
y = bikes['count'] # our response variable
```

Note how we made an x and a y variable. These represent our predictors and our response variable. Then, we will import our machine learning module, `scikit-learn`, as shown here:

```
# import scikit-learn, our machine learning module
from sklearn.linear_model import LinearRegression
```

Finally, we will fit our model to the predictors and the response variable, as follows:

```
linreg = LinearRegression() #instantiate a new model
linreg.fit(X, y) #fit the model to our data

# print the coefficients
print(linreg.intercept_)
print(linreg.coef_)
6.04621295962 # our Beta_0
[ 9.17054048] # our beta parameters
```


Let's interpret this:

- $B_0 (6.04)$ is the value of y when $x = 0$
- It is the estimation of bikes that will be rented when the temperature is 0 degrees Celsius
- So, at 0 degrees, six bikes are predicted to be in use (it's cold!)

Sometimes, it might not make sense to interpret the intercept at all because there might not be a concept of zero of something. Recall the levels of data. Not all levels have this notion. Temperature exists at a level that has the inherent notion of *no bikes*; so, we are safe. Be careful in the future though and verify results:

- $B_1 (9.17)$ is our temperature coefficient.
- It is the change in y divided by the change in x .
- It represents how x and y move together.
- A change in 1 degree Celsius is associated with an increase of about nine bikes rented.
- The sign of this coefficient is important. If it were negative, that would imply that a rise in temperature is associated with a drop in rentals.

Consider the following representation of the beta coefficients in a linear regression:



It is important to reiterate that these are all statements of correlation and not a statement of causation. We have no means of stating whether or not the rental increase is caused by the change in temperature, it just appears that the two are moving together.

Using `scikit-learn` to make predictions is easy:

```
linreg.predict(20)
# 189.4570
```

This means that 190 bikes will likely be rented if the temperature is 20 degrees.

Adding more predictors

Adding more predictors to the model is as simple as telling the linear regression model in `scikit-learn` about them!

Before we do that, we should look at the data dictionary provided to us to make more sense out of these predictors:

- `season`: 1 = spring, 2 = summer, 3 = fall, and 4 = winter
- `holiday`: Whether the day is considered a holiday
- `workingday`: Whether the day is a weekend or holiday
- `weather`:
 - Clear, Few clouds, Partly cloudy
 - Mist + Cloudy, Mist + Broken clouds, Mist + Few clouds, Mist
 - Light Snow, Light Rain + Thunderstorm + Scattered clouds, Light Rain + Scattered clouds
 - Heavy Rain + Ice Pallets + Thunderstorm + Mist, Snow + Fog
- `temp`: Temperature in Celsius
- `atemp`: Feels like temperature in Celsius
- `humidity`: Relative humidity
- `windspeed`: Wind speed
- `casual`: Number of non-registered user rentals initiated
- `registered`: Number of registered user rentals initiated
- `count`: Number of total rentals

Now let's actually create our linear regression model. Like we did previously, we will first create a list holding the features we wish to look at, create our features and our response datasets (`x` and `y`), and then fit our linear regression. Once we fit our regression model, we will take a look at the model's coefficients in order to see how our features are interacting with our response:

```
# create a list of features
feature_cols = ['temp', 'season', 'weather', 'humidity']
# create X and y
X = bikes[feature_cols]
y = bikes['count']

# instantiate and fit
linreg = LinearRegression()
```

```
linreg.fit(X, y)

# pair the feature names with the coefficients
result = zip(feature_cols, linreg.coef_)
resultSet = set(result)
print(resultSet)
```

This gives us the following output:

```
[('temp', 7.8648249924774403),
 ('season', 22.538757532466754),
 ('weather', 6.6703020359238048),
 ('humidity', -3.1188733823964974)]
```

And this is what that means:


- Holding all other predictors constant, a 1 unit increase in temperature is associated with a rental increase of 7.86 bikes
- Holding all other predictors constant, a 1 unit increase in season is associated with a rental increase of 22.5 bikes
- Holding all other predictors constant, a 1 unit increase in weather is associated with a rental increase of 6.67 bikes
- Holding all other predictors constant, a 1 unit increase in humidity is associated with a rental decrease of 3.12 bikes

This is interesting. Note that, as weather goes up (meaning that the weather is getting closer to overcast), the bike demand goes up, as is the case when the season variables increase (meaning that we are approaching winter). This is not what I was expecting at all!

Let's take a look at the individual scatter plots between each predictor and the response, as illustrated here:

```
feature_cols = ['temp', 'season', 'weather', 'humidity']
# multiple scatter plots
sns.pairplot(bikes, x_vars=feature_cols, y_vars='count', kind='reg')
```

We get the following output:



Note how the weather line is trending downwards, which is the opposite of what the last linear model was suggesting. Now, we have to worry about which of these predictors are actually helping us make the prediction, and which ones are just noise. To do so, we're going to need some more advanced metrics.

Regression metrics

There are three main metrics when using regression machine learning models. They are as follows:

- The mean absolute error
- The mean squared error
- The root mean squared error

Each metric attempts to describe and quantify the effectiveness of a regression model by comparing a list of predictions to a list of correct answers. Each of the following aforementioned metrics is slightly different from the rest and tells a different story:

Mean Absolute Error (MAE) is the mean of the absolute value of the errors:

$$\frac{1}{n} \sum_{i=1}^n |y_i - \hat{y}_i|$$

Mean Squared Error (MSE) is the mean of the squared errors:

$$\frac{1}{n} \sum_{i=1}^n (y_i - \hat{y}_i)^2$$

Root Mean Squared Error (RMSE) is the square root of the mean of the squared errors:

$$\sqrt{\frac{1}{n} \sum_{i=1}^n (y_i - \hat{y}_i)^2}$$

Let's look at the coefficients:

- n is the number of observations
- y_i is the actual value
- \hat{y} is the predicted value

Let's take a look in Python:

```
# example true and predicted response values
true = [9, 6, 7, 6]
pred = [8, 7, 7, 12]
# note that each value in the last represents a single prediction for
# a model
# So we are comparing four predictions to four actual answers

# calculate these metrics by hand!
from sklearn import metrics
import numpy as np
print('MAE:', metrics.mean_absolute_error(true, pred))
print('MSE:', metrics.mean_squared_error(true, pred))
print('RMSE:', np.sqrt(metrics.mean_squared_error(true, pred)))
```

The following is the output:

```
MAE: 2.0
MSE: 9.5
RMSE: 3.08220700148
```

The breakdown of these numbers is as follows:

- MAE is probably the easiest to understand, because it's just the average error. It denotes, on average, how wrong the model is.
- MSE is more effective than MAE, because MSE punishes larger errors, which tends to be much more useful in the real world.
- RMSE is even more popular than MSE, because it is much more interpretable.

RMSE is usually the preferred metric for regression, but no matter which one you choose, they are all loss functions and therefore are something to be minimized. Let's use RMSE to ascertain which columns are helping and which are hurting.

Let's start with only using temperature. Note that our procedure will be as follows:

1. Create our X and our y variables
2. Fit a linear regression model

3. Use the model to make a list of predictions based on X
4. Calculate RMSE between the predictions and the actual values

Let's take a look at the code:

```
from sklearn import metrics
# import metrics from scikit-learn

feature_cols = ['temp']
# create X and y
X = bikes[feature_cols]
linreg = LinearRegression()
linreg.fit(X, y)
y_pred = linreg.predict(X)
np.sqrt(metrics.mean_squared_error(y, y_pred)) # RMSE
# Can be interpreted loosely as an average error
#166.45
```

Now, let's try it using temperature and humidity, as shown here:

```
feature_cols = ['temp', 'humidity']
# create X and y
X = bikes[feature_cols]
linreg = LinearRegression()
linreg.fit(X, y)
y_pred = linreg.predict(X)
np.sqrt(metrics.mean_squared_error(y, y_pred)) # RMSE
# 157.79
```


It got better! Let's try using even more predictors, as illustrated here:

```
feature_cols = ['temp', 'humidity', 'season', 'holiday', 'workingday',
'windspeed', 'atemp']
# create X and y
X = bikes[feature_cols]
linreg = LinearRegression()
linreg.fit(X, y)
y_pred = linreg.predict(X)
np.sqrt(metrics.mean_squared_error(y, y_pred)) # RMSE
# 155.75
```

Even better! At first, this seems like a major triumph, but there is actually a hidden danger here. Note that we are training the line to fit to x and y and then asking it to predict x again! This is actually a huge mistake in machine learning because it can lead to **overfitting**, which means that our model is merely *memorizing* the data and regurgitating it back to us.

Imagine that you are a student, and you walk into the first day of class and the teacher says that the final exam is very difficult in this class. In order to prepare you, they give you practice test after practice test after practice test. The day of the final exam arrives and you are shocked to find out that every question on the exam is exactly the same as in the practice test! Luckily, you did them so many times that you remember the answer and get 100% in the exam.

The same thing applies here, more or less. By fitting and predicting on the same data, the model is memorizing the data and getting better at it. A great way to combat this overfitting problem is to use the train/test approach to fit machine learning models, which works as illustrated in the following diagram:



Essentially, we will take the following steps:

1. Split up the dataset into two parts: a training and a test set
2. Fit our model on the training set and then test it on the test set, just like in school, where the teacher would teach from one set of notes and then test us on different (but similar) questions
3. Once our model is good enough (based on our metrics), we turn our model's attention toward the entire dataset
4. Our model awaits new data previously unseen by anyone

The goal here is to minimize the out-of-sample errors of our model, which are the errors our model has on data that it has never seen before. This is important because the main idea (usually) of a supervised model is to predict outcomes for new data. If our model is unable to generalize from our training data and use that to predict unseen cases, then our model isn't very good.

The preceding diagram outlines a simple way of ensuring that our model can effectively ingest the training data and use it to predict data points that the model itself has never seen. Of course, as data scientists, we know that the test set also has answers attached to them, but the model doesn't know that.

All of this might sound complicated, but luckily, the `scikit-learn` package has a built-in method to do this, as shown here:

```
from sklearn.cross_validation import train_test_split
# function that splits data into training and testing sets

feature_cols = ['temp']
X = bikes[feature_cols]
y = bikes['count']
# setting our overall data X, and y
# Note that in this example, we are attempting to find an association
between the temperature of the day and the number of bike rentals.

X_train, X_test, y_train, y_test = train_test_split(X, y) # split the
data into training and testing sets
# X_train and y_train will be used to train the model
# X_test and y_test will be used to test the model
# Remember that all four of these variables are just subsets of the
overall X and y.

linreg = LinearRegression()
# instantiate the model

linreg.fit(X_train, y_train)
# fit the model to our training set

y_pred = linreg.predict(X_test)
# predict our testing set

np.sqrt(metrics.mean_squared_error(y_test, y_pred)) # RMSE
# Calculate our metric: 166.91
```

We will spend more time on the reasoning behind this train/test split in *Chapter 12, Beyond the Essentials*, and look into an even more helpful method, but the main reason we must go through this extra work is because we do not want to fall into a trap where our model is simply regurgitating our dataset back to us and will not be able to handle unseen data points.

In other words, our train/test split is ensuring that the metrics we are looking at are more honest estimates of our sample performance.

Now, let's try again with more predictors, as follows:

```
feature_cols = ['temp', 'workingday']
X = bikes[feature_cols]
y = bikes['count']

X_train, X_test, y_train, y_test = train_test_split(X, y)
# Pick a new random training and test set

linreg = LinearRegression()
linreg.fit(X_train, y_train)
y_pred = linreg.predict(X_test)
# fit and predict

np.sqrt(metrics.mean_squared_error(y_test, y_pred))
# 166.95
```

Our model actually got worse with that addition! This implies that `workingday` might not be very predictive of our response, the bike rental count.

Now, all of this is well and good, but how well is our model really doing at predicting? We have our root mean squared error of around 167 bikes, but is that good? One way to discover this is to evaluate the **null model**.

The null model in supervised machine learning represents effectively guessing the expected outcome over and over, and seeing how you did. For example, in regression, if we only ever guess the average number of hourly bike rentals, then how well would that model do?

First, let's get the average hourly bike rental, as shown here:

```
average_bike_rental = bikes['count'].mean()
average_bike_rental
# 191.57
```

This means that, overall, in this dataset, regardless of weather, time, day of the week, humidity, and everything else, the average number of bikes that go out every hour is about 192.

Let's make a fake prediction list, wherein every single guess is 191.57. Let's make this guess for every single hour, as follows:

```
num_rows = bikes.shape[0]
num_rows
# 10886
null_model_predictions = [average_bike_rental]*num_rows
null_model_predictions
```

The output is as follows:

```
[191.57413191254824,
 191.57413191254824,
 191.57413191254824,
 191.57413191254824,
 ...
 191.57413191254824,
 191.57413191254824,
 191.57413191254824,
 191.57413191254824]
```

So, now we have 10886 values, and all of them are the average hourly bike rental numbers. Now, let's see what RMSE would be if our model only ever guessed the expected value of the average hourly bike rental count:

```
np.sqrt(metrics.mean_squared_error(y, null_model_predictions))
```

The output is as follows:

```
181.13613
```

Simply guessing, it looks like our RMSE would be 181 bikes. So, even with one or two features, we can beat it! Beating the null model is a kind of baseline in machine learning. If you think about it, why go through any effort at all if your machine learning is not even better than just guessing!

We've spent a great deal of time on linear regression, but now I'd like to take some time to look at our next machine learning model, which is actually, somewhat, a cousin of linear regression. They are based on very similar ideas but have one major difference – while linear regression is a regression model and can only be used to make predictions of continuous numbers, our next machine learning model will be a classification model, which means that it will attempt to make associations between features and a categorical response.

Logistic regression

Our first classification model is called logistic regression. I can already hear the questions you have in your head: what makes it logistic? Why is it called regression if you claim that this is a classification algorithm? All in good time, my friend.

Logistic regression is a generalization of the linear regression model that was adapted to fit classification problems. In linear regression, we use a set of quantitative feature variables to predict a continuous response variable. In logistic regression, we use a set of quantitative feature variables to predict the *probabilities* of class membership. These probabilities can then be mapped to class labels, hence predicting a class for each observation.

When performing linear regression, we use the following function to make our line of best fit:

$$y = \beta_0 + \beta_1 x$$

Here, y is our response variable (the thing we wish to predict), our beta represents our model parameters, and x represents our input variable (a single one in this case, but it can take in more, as we have seen).

Briefly, let's assume that one of the response options in our classification problem is class 1.

When performing logistic regression, we use the following form:

$$\pi = Pr(y = 1|x) = \frac{e^{\beta_0 + \beta_1 x}}{1 + e^{\beta_0 + \beta_1 x}}$$

Here, π represents the conditional probability that our response variable belongs to class 1, given our data, x . Now, you might be wondering, what on earth is that monstrosity of a function on the right-hand side, and where did the e variable come from? Well, that monstrosity is called the logistic function and it is actually wonderful. And that variable, e , is no variable at all. Let's back up a tick.

The variable e is a special number, like π . It is, approximately, 2.718, and is called **Euler's number**. It is used frequently in modeling environments with *natural* growth and decay. For example, scientists use e to model the population growth of bacteria and buffalo alike. Euler's number is used to model the radioactive decay of chemicals and to calculate continuous compound interest! Today, we will use e for a very special purpose for machine learning.

Why can't we just make a linear regression directly to the probability of the data point belonging to a certain class, like this:

$$Pr(y=1|x) = y = \beta_0 + \beta_1 x$$

We can't do that for a few reasons, but I will point out a big one. Linear regression, because it attempts to relate to a continuous response variable, assumes that our y is continuous. In our case, y would represent the probability of an event occurring. Even though our probability is, in fact, a continuous range, it is just that—a range between 0 and 1. A line would extrapolate beyond 0 and 1 and *be able* to predict a probability of -4 or 1,542! We can't have that. Our graph must be bound neatly between 0 and 1 on the y axis, just like a real probability.

Another reason is a bit more philosophical. Using a linear regression, we are making a serious assumption. Our big assumption here is that there is a linear relationship between probability and our features. In general, if we think about the probability of an event, we tend to think of smooth curves representing them, not a single boring line. So, we need something a bit more appropriate. For this, let's go back and revisit basic probability for a minute.

Probability, odds, and log odds

We are familiar with the basic concept of probability in that the probability of an event occurring can be simply modeled as the number of ways the event can occur, divided by all of the possible outcomes. For example, if, out of 3,000 people who walked into a store, 1,000 actually bought something, then we could say that the probability of a single person buying an item is as follows:

$$Pr(\text{buy}) = 1000/3000 = 1/3 = 33.3\%$$

However, we also have a related concept, called **odds**. The odds of an outcome occurring is the ratio of the number of ways that the outcome occurs divided by every other possible outcome instead of all possible outcomes. In the same example, the odds of a person buying something would be as follows:

$$\text{Odds}(\text{buy}) = 1000/3000 = 1/3 = 33.3\%$$

This means that, for every customer you convert, you will not convert two customers. These concepts are so related that, there is even a formula to get from one to the other. We have that here:

$$Odds = \frac{P}{1-P}$$

Let's check this out with our example, as illustrated here:

$$Odds = \frac{\frac{1}{3}}{1 - \frac{1}{3}} = \frac{\frac{1}{3}}{\frac{2}{3}} = \frac{1}{2}$$

It checks out!

Let's use Python to make a table of probabilities and associated odds, as shown here:

```
# create a table of probability versus odds
table = pd.DataFrame({'probability':[0.1, 0.2, 0.25, 0.5, 0.6, 0.8, 0.9]})
table['odds'] = table.probability/(1 - table.probability)
table
```

The following is the output:

	probability	odds
0	0.10	0.111111
1	0.20	0.250000
2	0.25	0.333333
3	0.50	1.000000
4	0.60	1.500000
5	0.80	4.000000
6	0.90	9.000000

So, we can see that, as our probabilities increase, so do our odds, but at a much faster rate! In fact, as the probability of an event occurring nears 1, our odds will shoot off into infinity. Earlier, we said that we couldn't simply regress to probability because our line would shoot off into positive and negative infinities, predicting improper probabilities, but what if we regress to odds? Well, odds go off to positive infinity, but alas, they will merely approach 0 on the bottom, but never go below 0. Therefore, we cannot simply regress to probability or odds. It looks like we've hit rock bottom folks!

But wait—natural numbers and logarithms come to the rescue! Think of logarithms as follows:

$$\text{if } 2^4 = 16 \text{ then } \log_2 16 = 4$$

Basically, logarithms and exponents are one and the same. We are just so used to writing exponents in the first way that we forget there is another way to write them. How about another example? If we take the logarithm of a number, we are asking the question, *what exponent would we need to put on this number to make it the given number?*

Note that `np.log` automatically does all logarithms in base e, which is what we want:

```
np.log(10) # == 2.3025
# meaning that e ^ 2.302 == 10

# to prove that
2.71828**2.3025850929940459 # == 9.9999
# e ^ log(10) == 10
```

Let's go ahead and add the logarithm of odds, or `logodds`, to our table, as follows:

```
# add log-odds to the table
table['logodds'] = np.log(table.odds)
table
```

The following is the output:

	probability	odds	logodds
0	0.10	0.111111	-2.197225
1	0.20	0.250000	-1.386294
2	0.25	0.333333	-1.098612
3	0.50	1.000000	0.000000
4	0.60	1.500000	0.405465
5	0.80	4.000000	1.386294
6	0.90	9.000000	2.197225

So, now, every row has the probability of a single event occurring, the odds of that event occurring, and now the logodds of that event occurring. Let's go ahead and ensure that our numbers are on the up and up. Let's choose a probability of .25, as illustrated here:

```
prob = .25

odds = prob / (1 - prob)
odds
# 0.33333333

logodds = np.log(odds)
logodds
# -1.09861228
```

It checks out! Wait, look! Our logodds variable seems to go down below zero and, in fact, logodds is not bounded above, nor is it bounded below, which means that it is a great candidate for a response variable for linear regression. In fact, this is where our story of logistic regression really begins.

The math of logistic regression


The long and short of it is that logistic regression is a linear regression between our feature, x , and the log-odds of our data belonging to a certain class that we will call *true* for the sake of generalization.

If p represents the probability of a data point belonging to a particular class, then logistic regression can be written as follows:

$$\log_e \frac{p}{1-p} = \beta_0 + \beta_1 x$$

If we rearrange our variables and solve this for p , we would get the logistic function, which takes on an *S* shape, where y is bounded by $[0, 1]$:

$$p = \frac{e^{\beta_0 + \beta_1 x}}{1 + e^{\beta_0 + \beta_1 x}}$$



The preceding graph represents the logistic function's ability to map our continuous input, x , to a smooth probability curve that begins at the left, near probability 0, and as we increase x , our probability of belonging to a certain class rises *naturally* and smoothly up to probability 1. Let's explain this in clearer terms:

- Logistic regression gives an output of the probabilities of a specific class being true
- Those probabilities can be converted into class predictions

The logistic function has some nice properties, as follows:

- It takes on an S shape
- Output is bounded by 0 and 1, as a probability should be

In order to interpret the output value of a logistic function, we must understand the difference between probability and odds. The odds of an event are given by the ratio of the probability of the event by its complement, as shown here:

$$Odds = \frac{P}{1-P}$$

In linear regression, the β_1 parameter represents the change in the response variable for a unit change in x . In logistic regression, β_1 represents the change in the log-odds for a unit change in x . This means that e^{β_1} gives us the change in the odds for a unit change in x .

Consider that we are interested in mobile purchase behavior. Let y be a class label denoting purchase/no purchase, and let x denote whether the phone was an iPhone. Also, suppose that we perform a logistic regression, and we get $\beta = 0.693$. In this case, the odds ratio is $np.exp(0.693) = 2$, which means that the likelihood of purchase is twice as high if the phone is an iPhone.

Our examples have mostly been binary classification, meaning that we are only predicting one of two outcomes, but logistic regression can handle predicting multiple options in our categorical response using a one-versus-all approach, meaning that it will fit a probability curve for each categorical response!

Let's go back to our bikes briefly to see scikit-learn's logistic regression in action. I will begin by making a new response variable that is categorical. To make things simple, I made a column called `above_average`, which is true if the hourly bike rental count is above average and false otherwise:

```
# Make a categorical response
bikes['above_average'] = bikes['count'] >= average_bike_rental
```

As we mentioned previously, we should look at our null model. In regression, our null model always predicts the average response, but in classification, our null model always predicts the most common outcome. In this case, we can use a pandas value `count` to see that. About 60% of the time, the bike rental count is not above average:

```
bikes['above_average'].value_counts(normalize=True)
```

Now, let's actually use logistic regression to try and predict whether or not the hourly bike rental count will be above average, as shown here:

```
from sklearn.linear_model import LogisticRegression

feature_cols = ['temp']
# using only temperature

X = bikes[feature_cols]
y = bikes['above_average']
# make our overall X and y variables, this time our y is
# out binary response variable, above_average

X_train, X_test, y_train, y_test = train_test_split(X, y)
# make our train test split

logreg = LogisticRegression()
# instantiate our model

logreg.fit(X_train, y_train)
# fit our model to our training set

logreg.score(X_test, y_test)
# score it on our test set to get a better sense of out of sample
# performance

# 0.65650257
```

It seems that, by only using temperature, we can beat the null model of guessing false all of the time! This is our first step in making our model the best it can be.

Between linear and logistic regression, I'd say we already have a great tool belt of machine learning forming, but I have a question—it seems that both of these algorithms are only able to take in quantitative columns as features, but what if I have a categorical feature that I think has an association to my response?

Dummy variables

Dummy variables are used when we are hoping to convert a categorical feature into a quantitative one. Remember that we have two types of categorical features: nominal and ordinal. Ordinal features have natural order among them, while nominal data does not.

Encoding qualitative (nominal) data using separate columns is called making dummy variables, and it works by turning each unique category of a nominal column into its own column that is either true or false.

For example, if we had a column for someone's college major and we wished to plug that information into a linear or logistic regression, we couldn't because they only take in numbers! So, for each row, we had new columns that represent the single nominal column. In this case, we have four unique majors: computer science, engineering, business, and literature. We end up with three new columns (we omit computer science as it is not necessary):

The diagram illustrates the process of creating dummy variables from a categorical column. On the left, a table titled 'Major (k=4)' lists six rows: Computer Science, Engineering, Business, Literature, Business, and Engineering. Two teal arrows point from this table to the right, where another table shows the resulting three columns: Engineering, Business, and Literature. The 'Engineering' column has values [0, 1, 0, 0, 0, 1]. The 'Business' column has values [0, 0, 1, 0, 1, 0]. The 'Literature' column has values [0, 0, 0, 1, 0, 0].

Major (k=4)	Engineering	Business	Literature
Computer Science	0	0	0
Engineering	1	0	0
Business	0	1	0
Literature	0	0	1
Business	0	1	0
Engineering	1	0	0

Note that the first row has a **0** in all of the columns, which means that this person did not major in engineering, did not major in business, and did not major in literature. The second person has a single **1** in the Engineering column as that is the major they studied.

In our bikes example, let's define a new column, called `when_is_it`, which is going to be one of the following four options:

- Morning
- Afternoon
- Rush_hour
- Off_hours

To do this, our approach will be to make a new column that is simply the hour of the day, use that column to determine when in the day it is, and explore whether or not we think that column might help us predict the `above_daily` column:

```
bikes['hour'] = bikes['datetime'].apply(lambda x:int(x[11]+x[12]))
# make a column that is just the hour of the day
bikes['hour'].head()
0 1 2 3
```

Great! Now, let's define a function that turns these hours into strings. For this example, let's define the hours between 5 and 11 as morning, between 11 am and 4 pm as being afternoon, 4 and 6 as being rush hour, and everything else as being off hours:

```
# this function takes in an integer hour
# and outputs one of our four options
def when_is_it(hour):
    if hour >= 5 and hour < 11:
        return "morning"
    elif hour >= 11 and hour < 16:
        return "afternoon"
    elif hour >= 16 and hour < 18:
        return "rush_hour"
    else:
        return "off_hours"
```

Let's apply this function to our new hour column and make our brand new column, `when_is_it`:

```
bikes['when_is_it'] = bikes['hour'].apply(when_is_it)
bikes[['when_is_it', 'above_average']].head()
```


The following is the table:

	<code>when_is_it</code>	<code>above_average</code>
0	off_hours	False
1	off_hours	False
2	off_hours	False
3	off_hours	False
4	off_hours	False

Let's try to use only this new column to determine whether or not the hourly bike rental count will be above average. Before we do, let's do the basics of exploratory data analysis and make a graph to see if we can visualize a difference between the four times of the day. Our graph will be a bar chart with one bar per time of the day. Each bar will represent the percentage of times that this time of the day had a greater than normal bike rental:

```
bikes.groupby('when_is_it').above_average.mean().plot(kind='bar')
```

The following is the output:



We can see that there is a pretty big difference! For example, when it is off hours, the chance of having more than average bike rentals is about 25%, whereas during rush hour, the chance of being above average is over 80%! Okay, this is exciting, but let's use some built-in pandas tools to extract dummy columns, as follows:

```
when_dummies = pd.get_dummies(bikes['when_is_it'], prefix='when_')
when_dummies.head()
```

The following is the output:

	when__afternoon	when__morning	when__off_hours	when__rush_hour
0	0.0	0.0	1.0	0.0
1	0.0	0.0	1.0	0.0
2	0.0	0.0	1.0	0.0
3	0.0	0.0	1.0	0.0
4	0.0	0.0	1.0	0.0

```
when_dummies = when_dummies.iloc[:, 1:]
# remove the first column
when_dummies.head()
```

Following is the output:

	when_morning	when_off_hours	when_rush_hour
0	0.0	1.0	0.0
1	0.0	1.0	0.0
2	0.0	1.0	0.0
3	0.0	1.0	0.0
4	0.0	1.0	0.0

Great! Now, we have a DataFrame full of numbers that we can plug in to our logistic regression:

```
X = when_dummies
# our new X is our dummy variables
y = bikes.above_average

logreg = LogisticRegression()
# instantiate our model

logreg.fit(X_train, y_train)
# fit our model to our training set

logreg.score(X_test, y_test)
# score it on our test set to get a better sense of out of sample
# performance

# 0.685157
```

This is even better than just using the temperature! What if we tacked temperature and humidity onto that? So, now, we are using the temperature, humidity, and our time of day dummy variables to predict whether or not we will have higher than average bike rentals:

```
new_bike = pd.concat([bikes[['temp', 'humidity']], when_dummies],
axis=1) # combine temperature, humidity, and the dummy variables

X = new_bike # our new X is our dummy variables

y = bikes.above_average

X_train, X_test, y_train, y_test = train_test_split(X, y)

logreg = LogisticRegression() # instantiate our model
```

```
logreg.fit(X_train, y_train) # fit our model to our training set  
  
logreg.score(X_test, y_test) # score it on our test set to get a  
# better sense of out of sample performance  
  
# 0.75165
```

Wow. Okay, let's quit while we're ahead.

Summary

In this chapter, we looked at machine learning and its different subcategories. We explored supervised, unsupervised, and reinforcement learning strategies and looked at situations where each one would come in handy.

Looking into linear regression, we were able to find relationships between predictors and a continuous response variable. Through the train/test split, we were able to help avoid overfitting our machine learning models and get a more generalized prediction. We were able to use metrics, such as the root mean squared error, to evaluate our models as well.

By extending our notion of linear regression into logistic regression, we were able to then find association between the same predictors, but now for categorical responses. By introducing dummy variables into the mix, we were able to add categorical features to our models and improve our performance even further.

In the next few chapters, we will be taking a much deeper dive into many more machine learning models and, along the way, we will learn new metrics, new validation techniques, and more importantly, new ways of applying our data science to the world.

11

Predictions Don't Grow on Trees - or Do They?

Our goal in this chapter is to see and apply the concepts learned about in the previous chapters in order to construct and use modern learning algorithms in order to glean insights and make predictions on real datasets. While we explore the following algorithms, we should always remember that we are constantly keeping our metrics in mind.

In this chapter, we will be looking at the following machine learning algorithms:

- Decision trees
- Naive Bayes classification
- k-means clustering

The first two are examples of supervised learning, while the final algorithm is an example of unsupervised learning.

Let's get to it!

Naive Bayes classification

Let's get right into it! Let's begin with Naive Bayes classification. This machine learning model relies heavily on the results from the previous chapters, specifically with Bayes' theorem:

$$P(H|D) = \frac{P(D|H)P(H)}{P(D)}$$

Let's look a little closer at the specific features of this formula:

- $P(H)$ is the probability of the hypothesis before we observe the data, called the **prior probability**, or just **prior**
- $P(H | D)$ is what we want to compute, the probability of the hypothesis after we observe the data, called the **posterior**
- $P(D | H)$ is the probability of the data under the given hypothesis, called the **likelihood**
- $P(D)$ is the probability of the data under any hypothesis, called the **normalizing constant**

Naive Bayes classification is a classification model, and therefore a supervised model. Given this, what kind of data do we need?

- Labeled data
- Unlabeled data

(Insert Jeopardy music here)

If you answered *labeled* data, then you're well on your way to becoming a data scientist!

Suppose we have a dataset with n features (x_1, x_2, \dots, x_n) and a class label, C. For example, let's take some data involving spam text classification. Our data would consist of rows of individual text samples and columns of both our features and our class labels. Our features would be words and phrases that are contained within the text samples, and our class labels would be `spam` or `not_spam`. In this scenario, I will replace the `not_spam` class with an easier-to-say word, `ham`:

```
import pandas as pd
import sklearn
df = pd.read_table('https://raw.githubusercontent.com/sinanuozdemir/
sfdat22/master/data/sms.tsv',
                    sep='\t', header=None, names=['label', 'msg'])
df
```


Here is a sample of text data in a row column format:

	label	msg
0	ham	Go until jurong point, crazy.. Available only ...
1	ham	Ok lar... Joking wif u oni...
2	spam	Free entry in 2 a wkly comp to win FA Cup fina...
3	ham	U dun say so early hor... U c already then say...
4	ham	Nah I don't think he goes to usf, he lives aro...
5	spam	FreeMsg Hey there darling it's been 3 week's n...
6	ham	Even my brother is not like to speak with me. ...
7	ham	As per your request 'Melle Melle (Oru Minnamin...

Let's do some preliminary statistics to see what we are dealing with. Let's see the difference in the number of ham and spam messages at our disposal:

```
df.label.value_counts().plot(kind="bar")
```

This gives us a bar chart, as follows:



So, we have way more ham messages than we do spam. Because this is a classification problem, it will be very useful to know our null accuracy rate, which is the percentage chance of predicting a single row correctly if we keep guessing the most common class, ham:

```
df.label.value_counts() / df.shape[0]
```

ham	0.865937
spam	0.134063

So, if we blindly guessed ham, we would be correct about 87% of the time, but we can do better than that. If we have a set of classes, C , and features, x_i , then we can use Bayes' theorem to predict the probability that a single row belongs to class C , using the following formula:

$$P(class C | \{x_i\}) = \frac{P(\{x_i\} | class C) \cdot P(class C)}{P(\{x_i\})}$$

Let's look at this formula in a little more detail:

- $P(class C | \{x_i\})$: The posterior probability is the probability that the row belongs to class C given the features $\{x_i\}$.
- $P(\{x_i\} | class C)$: This is the likelihood that we would observe these features given that the row was in class C .
- $P(class C)$: This is the prior probability. It is the probability that the data point belongs to class C before we see any data.
- $P(\{x_i\})$: This is our normalization constant.

For example, imagine we have an email with three words: send cash now. We'll use Naive Bayes to classify the email as either being spam or ham:

$$P(spam | send cash now) = P(send cash now | spam) * P(spam) / P(send cash now)$$
$$P(ham | send cash now) = P(send cash now | ham) * P(ham) / P(send cash now)$$

We are concerned with the difference of these two numbers. We can use the following criteria to classify any single text sample:

- If $P(spam | send cash now)$ is larger than $P(ham | send cash now)$, then we will classify the text as spam
- If $P(ham | send cash now)$ is larger than $P(spam | send cash now)$, then we will label the text ham

Because both equations have $P(\text{send money now})$ in the denominator, we can ignore them.

So, now we are concerned with the following:

$$P(\text{send cash now} | \text{spam}) * P(\text{spam}) VS P(\text{send cash now} | \text{ham}) * P(\text{ham})$$

Let's figure out the numbers in this equation:

- $P(\text{spam}) = 0.134063$
- $P(\text{ham}) = 0.865937$
- $P(\text{send cash now} | \text{spam})$
- $P(\text{send cash now} | \text{ham})$

The final two likelihoods might seem like they would not be so difficult to calculate. All we have to do is count the numbers of spam messages that include the *send money now* phrase and divide that by the total number of spam messages:

```
df.msg = df.msg.apply(lambda x:x.lower())
# make all strings lower case so we can search easier

df[df.msg.str.contains('send cash now')].shape
(0, 2)
```

Oh no! There are none! There are literally zero texts with the exact phrase `send cash now`. The hidden problem here is that this phrase is very specific, and we can't assume that we will have enough data in the world to have seen this exact phrase many times before. Instead, we can make a naïve assumption in our Bayes' theorem. If we assume that the features (words) are conditionally independent (meaning that no word affects the existence of another word), then we can rewrite the formula:

$$P(\text{send cash now} | \text{spam}) = P(\text{send} | \text{spam}) * P(\text{cash} | \text{spam}) * P(\text{now} | \text{spam})$$

```
spams = df[df.label == 'spam']
for word in ['send', 'cash', 'now']:
    print(word, spams[spams.msg.str.contains(word)].shape[0] /
          float(spams.shape[0]))
```

- $P(\text{send} | \text{spam}) = 0.096$
- $P(\text{cash} | \text{spam}) = 0.091$
- $P(\text{now} | \text{spam}) = 0.280$

With this, we can calculate the following:

$$P(\text{send cash now} | \text{spam}) * P(\text{spam}) = (.096 * .091 / .280) * .134 = 0.00032$$

Repeating the same procedure for ham gives us the following:

- $P(\text{send} | \text{ham}) = 0.03$
- $P(\text{cash} | \text{ham}) = 0.003$
- $P(\text{now} | \text{ham}) = 0.109$

The fact that these numbers are both very low is not as important as the fact that the spam probability is much larger than the ham calculation. If we calculate $0.00032 / 0.0000084 = 38.1$, we will see that the send cash now probability for spam is 38 times higher than for spam.

Doing this means that we can classify send cash now as spam! Simple, right?

Let's use Python to implement a Naive Bayes classifier without having to do all of these calculations ourselves.

First, let's revisit the count vectorizer in scikit-learn, which turns text into numerical data for us. Let's assume that we will train on three documents (sentences):

```
# simple count vectorizer example
from sklearn.feature_extraction.text import CountVectorizer
# start with a simple example
train_simple = ['call you tonight',
                 'Call me a cab',
                 'please call me... PLEASE 44!']

# learn the 'vocabulary' of the training data
vect = CountVectorizer()
train_simple_dtm = vect.fit_transform(train_simple)
pd.DataFrame(train_simple_dtm.toarray(), columns=vect.get_feature_
names())
```

	44	cab	call	me	please	tonight	you
0	0	0	1	0	0	1	1
1	0	1	1	1	0	0	0
2	1	0	1	1	2	0	0

Note that each row represents one of the three documents (sentences), each column represents one of the words present in the documents, and each cell contains the number of times each word appears in each document.

```
We can then use the count vectorizer to transform new incoming test
documents to conform with our training set (the three sentences):
# transform testing data into a document-term matrix (using existing
vocabulary, notice don't is missing)
test_simple = ["please don't call me"]
test_simple_dtm = vect.transform(test_simple)
test_simple_dtm.toarray()
pd.DataFrame(test_simple_dtm.toarray(), columns=vect.get_feature_
names())
```

	44	cab	call	me	please	tonight	you
0	0	0	1	1	1	0	0

Note how, in our test sentence, we had a new word, namely *don't*. When we vectorized it, because we hadn't seen that word previously in our training data, the vectorizer simply ignored it. This is important and incentivizes data scientists to obtain as much data as possible for their training sets.

Now, let's do this for our actual data:

```
# split into training and testing sets
from sklearn.cross_validation import train_test_split
X_train, X_test, y_train, y_test = train_test_split(df.msg, df.label,
random_state=1)

# instantiate the vectorizer
vect = CountVectorizer()

# learn vocabulary and create document-term matrix in a single step
train_dtm = vect.fit_transform(X_train)
train_dtm
```

The following is the output:

```
<4179x7456 sparse matrix of type '<class 'numpy.int64'>'>
with 55209 stored elements in Compressed Sparse Row format>
```

Note that the format is in a sparse matrix, meaning that the matrix is large and full of zeroes. There is a special format to deal with objects such as this. Take a look at the number of columns.

There are 7,456 words!

This means that in our training set, there are 7,456 unique words to look at. We can now transform our test data to conform to our vocabulary:

```
# transform testing data into a document-term matrix
test_dtm = vect.transform(X_test)
test_dtm
```

The output is as follows:

```
<1393x7456 sparse matrix of type '<class 'numpy.int64'>'  
with 17604 stored elements in Compressed Sparse Row format>
```

Note that we have the same exact number of columns because it is conforming to our test set to be exactly the same vocabulary as before. No more, no less.

Now, let's build a Naive Bayes model (similar to the linear regression process):

```
## MODEL BUILDING WITH NAIVE BAYES

# train a Naive Bayes model using train_dtm
from sklearn.naive_bayes import MultinomialNB
# import our model

nb = MultinomialNB()
# instantiate our model

nb.fit(train_dtm, y_train)
# fit it to our training set
```

Now, the nb variable holds our fitted model. The training phase of the model involves computing the likelihood function, which is the conditional probability of each feature given each class:

```
# make predictions on test data using test_dtm
preds = nb.predict(test_dtm)

preds
```

The output is as follows:

```
array(['ham', 'ham', 'ham', ..., 'ham', 'spam', 'ham'],  
      dtype='|S4')
```

The prediction phase of the model involves computing the posterior probability of each class given the observed features, and choosing the class with the highest probability.

We will use sklearn's built-in accuracy and confusion matrix to look at how well our Naive Bayes models are performing:

```
# compare predictions to true labels
from sklearn import metrics
print metrics.accuracy_score(y_test, preds)
print metrics.confusion_matrix(y_test, preds)
```

The output is as follows:

```
accuracy == 0.988513998564
confusion matrix ==
[[1203    5]
 [ 11  174]]
```

First off, our accuracy is great! Compared to our null accuracy, which was 87%, 99% is a fantastic improvement.

Now, let's move on to our confusion matrix. From before, we know that each row represents actual values while columns represent predicted values, so the top left value, 1,203, represents our true negatives. But what is negative and positive? We gave the model the `spam` and `ham` strings as our classes, not positive and negative.

We can use the following:

```
nb.classes_
```

The output is as follows:

```
array(['ham', 'spam'])
```

We can then line up the indices so that 1,203 refers to true ham predictions and 174 refers to true spam predictions.

There were also *false spam classifications*, meaning that five messages were predicted as `spam`, but were actually `ham`, as well as *11 false ham classifications*.


In summary, Naive Bayes classification uses Bayes' theorem in order to fit posterior probabilities of classes so that data points are correctly labeled as belonging to the proper class.

Decision trees


Decision trees are supervised models that can either perform regression or classification.

Let's take a look at some major league baseball player data from 1986-1987. Each dot represents a single player in the league:

- **Years (x-axis):** Number of years played in the major leagues
- **Hits (y-axis):** Number of hits the player had in the previous year
- **Salary (color):** Low salary is blue/green, high salary is red/yellow



The preceding data is our training data. The idea is to build a model that predicts the salary of future players based on **Years** and **Hits**. A decision tree aims to make *splits* on our data in order to segment the data points that act similarly to each other, but differently to the others. The tree makes multiples of these splits in order to make the most accurate prediction possible. Let's look at a tree that was built for the preceding data:



Let's read this from top to bottom:

- The first split is **Years < 4.5**. When a splitting rule is `true`, you follow the left branch. When a splitting rule is `false`, you follow the right branch. So, for a new player, if they have been playing for less than 4.5 years, we will go down the left branch.
- For players in the left branch, the mean salary is \$166,000, hence you label it with that value (salary has been divided by 1,000 and log-transformed to 5.11 for ease of computation).
- For players in the right branch, there is a further split on **Hits < 117.5**, dividing players into two more salary regions: \$403,000 (transformed to 6.00) and \$846,000 (transformed to 6.74).

This tree doesn't just give us predictions; it also provides some more information about our data:

- It seems that the number of years in the league is the most important factor in determining salary with a smaller number of years correlating to a lower salary
- If a player has not been playing for long (< 4.5 years), the number of hits they have is not an important factor when it comes to their salary.
- For players with 5+ years under their belt, hits are an important factor for their salary determination
- Our tree only made up to two decisions before spitting out an answer (two is called our depth of the tree)

How does a computer build a regression tree?

Modern decision tree algorithms tend to use a recursive binary splitting approach:

1. The process begins at the top of the tree.
2. For every feature, it will examine every possible split and choose the feature and split such that the resulting tree has the lowest possible **Mean Squared Error (MSE)**. The algorithm makes that split.
3. It will then examine the two resulting regions and again make a single split (in one of the regions) to minimize the MSE.
4. It will keep repeating *Step 3* until a stopping criterion is met:
 - Maximum tree depth (maximum number of splits required to arrive at a leaf)
 - Minimum number of observations in a leaf (final) node

For classification trees, the algorithm is very similar, with the biggest difference being the metric we optimize over. Because MSE only exists for regression problems, we cannot use it. However, instead of accuracy, classification trees optimize over either the Gini index or entropy.

How does a computer fit a classification tree?

Similar to a regression tree, a classification tree is built by optimizing over a metric (in this case, the Gini index) and choosing the best split to make this optimization. More formally, at each node, the tree will take the following steps:

1. Calculate the purity of the data
2. Select a candidate split
3. Calculate the purity of the data after the split
4. Repeat for all variables
5. Choose the variable with the greatest increase in purity
6. Repeat for each split until some stop criteria is met

Let's say that we are predicting the likelihood of death aboard a luxury cruise ship given demographic features. Suppose we start with 25 people, 10 of whom survived, and 15 of whom died:

Before split	All
Survived	10
Died	15

We first calculate the Gini index before doing anything:


$$1 - \sum \left(\frac{\text{class}_i}{\text{total}} \right)^2$$

In this example, the overall classes are survived and died, as illustrated in the following formula:

$$\begin{aligned} 1 - \left(\frac{\text{survived}}{\text{total}} \right)^2 - \left(\frac{\text{died}}{\text{total}} \right)^2 \\ 1 - \left(\frac{10}{25} \right)^2 - \left(\frac{15}{25} \right)^2 = 0.48 \end{aligned}$$

This means that the purity of the dataset is 0.48.

Now, let's consider a potential split on gender. First, we calculate the Gini index for each gender:



The following formula calculates the Gini index for male and female, as follows:

$$gini(m) = 1 - \left(\frac{2}{15} \right)^2 + \left(\frac{13}{15} \right)^2 = .23$$

$$gini(f) = 1 - \left(\frac{8}{10} \right)^2 + \left(\frac{2}{10} \right)^2 = .32$$

Predictions Don't Grow on Trees - or Do They?

Once we have the Gini index for each gender, we then calculate the overall Gini index for the split on gender, as follows:

$$Gini(M)(M / M + F) + Gini(F)(F / M + F) = 0.23(15 / 10 + 15) + 0.32(10 / 10 + 15) = 0.27$$

So, the gini coefficient for splitting on gender is 0.27. We then follow this procedure for three potential splits:

- Gender (male or female)
- Number of siblings on board (0 or 1+)
- Class (first and second versus third)



In this example, we would choose the gender to split on as it is the lowest Gini index!

The following table briefly summarizes the differences between classification and regression decision trees:

Regression trees	Classification trees
Predict a quantitative response	Predict a qualitative response
Prediction is the average value in each leaf	Prediction is the most common label in each leaf
Splits are chosen to minimize MSE	Splits are chosen to minimize Gini index (usually)

Let's use scikit-learn's built-in decision tree function in order to build a decision tree:

```
# read in the data
titanic = pd.read_csv('short_titanic.csv')

# encode female as 0 and male as 1
titanic['Sex'] = titanic.Sex.map({'female':0, 'male':1})

# fill in the missing values for age with the median age
titanic.Age.fillna(titanic.Age.median(), inplace=True)

# create a DataFrame of dummy variables for Embarked
embarked_dummies = pd.get_dummies(titanic.Embarked, prefix='Embarked')
embarked_dummies.drop(embarked_dummies.columns[0], axis=1,
inplace=True)

# concatenate the original DataFrame and the dummy DataFrame
titanic = pd.concat([titanic, embarked_dummies], axis=1)

# define X and y
feature_cols = ['Pclass', 'Sex', 'Age', 'Embarked_Q', 'Embarked_S']
X = titanic[feature_cols]
y = titanic.Survived

X.head()
```


	Pclass	Sex	Age	Embarked_Q	Embarked_S
0	3	1	22.0	0.0	1.0
1	1	0	38.0	0.0	0.0
2	3	0	26.0	0.0	1.0
3	1	0	35.0	0.0	1.0
4	3	1	35.0	0.0	1.0

Note that we are going to use class, sex, age, and dummy variables for city embarked as our features:

```
# fit a classification tree with max_depth=3 on all data
from sklearn.tree import DecisionTreeClassifier treeclf =
DecisionTreeClassifier(max_depth=3, random_state=1) treeclf.fit(X, y)
```

Predictions Don't Grow on Trees - or Do They?

`max_depth` is a limit to the depth of our tree. This means that, for any data point, our tree is only able to ask up to three questions and make up to three splits. We can output our tree into a visual format and we will obtain the following:



We can notice a few things:

- Sex is the first split, meaning that sex is the most important determining factor of whether or not a person survived the crash
- `Embarked_Q` was never used in any split

For either classification or regression trees, we can also do something very interesting with decision trees, which is that we can output a number that represents each feature's importance in the prediction of our data points:

```
# compute the feature importances
pd.DataFrame({'feature':feature_cols, 'importance':treeclf.feature_importances_})
```

	feature	importance
0	Pclass	0.242664
1	Sex	0.655584
2	Age	0.064494
3	Embarked_Q	0.000000
4	Embarked_S	0.037258

The importance scores are an average Gini index difference for each variable, with higher values corresponding to higher importance to the prediction. We can use this information to select fewer features in the future. For example, both of the embarked variables are very low in comparison to the rest of the features, so we may be able to say that they are not important in our prediction of life or death.

Unsupervised learning

It's time to look at some examples of unsupervised learning, given that we spend the majority of this book on supervised learning models.

When to use unsupervised learning

There are many times when unsupervised learning can be appropriate. Some very common examples include the following:

- There is no clear response variable. There is nothing that we are explicitly trying to predict or correlate to other variables.
- To extract structure from data where no apparent structure/patterns exist (can be a supervised learning problem).
- When an unsupervised concept called feature extraction is used. Feature extraction is the process of creating new features from existing ones. These new features can be even stronger than the original features.

The first tends to be the most common reason that data scientists choose to use unsupervised learning. This case arises frequently when we are working with data and we are not explicitly trying to predict any of the columns, and we merely wish to find patterns of similar (and dissimilar) groups of points. The second option comes into play even if we are explicitly attempting to use a supervised model to predict a response variable. Sometimes, simple EDA might not produce any clear patterns in the data in the few dimensions that humans can imagine, whereas a machine might pick up on data points behaving similarly to each other in greater dimensions.

The third common reason to use unsupervised learning is to extract new features from features that already exist. This process (lovingly called feature extraction) might produce features that can be used in a future supervised model or that can be used for presentation purposes (marketing or otherwise).

k-means clustering


k-means clustering is our first example of an unsupervised machine learning model. Remember this means that we are not making predictions; instead, we are trying to extract structure from seemingly unstructured data.

Clustering is a family of unsupervised machine learning models that attempt to group data points into clusters with centroids.

 **Definition**
Cluster: This is a group of data points that behave similarly.
Centroid: This is the center of a cluster. It can be thought of as an average point in the cluster.

The preceding definition can be quite vague, but it becomes specific when narrowed down to specific domains. For example, online shoppers who behave similarly might shop for similar things or at similar shops, whereas similar software companies might make comparable software at comparable prices.

Here is a visualization of clusters of points:



In the preceding diagram, our human brains can very easily see the difference between the four clusters. We can see that the red cluster is at the bottom-left of the graph while the green cluster lives in the bottom-right portion of the graph. This means that the red data points are similar to each other, but *not* similar to data points in the other clusters.

We can also see the centroids of each cluster as the square in each color. Note that the centroid is *not* an actual data point, but is merely an abstraction of a cluster that represents the center of the cluster.

The concept of *similarity* is central to the definition of a cluster, and therefore to cluster analysis. In general, greater similarity between points leads to better clustering. In most cases, we turn data into points in n-dimensional space and use the distance between these points as a form of similarity. The centroid of the cluster then is usually the average of each dimension (column) for each data point in each cluster. So, for example, the centroid of the red cluster is the result of taking the average value of each column of each red data point.


The purpose of cluster analysis is to enhance our understanding of a dataset by dividing the data into groups. Clustering provides a layer of abstraction from individual data points. The goal is to extract and enhance the natural structure of the data. There are many kinds of classification procedures. For our class, we will be focusing on k-means clustering, which is one of the most popular clustering algorithms.

k-means is an iterative method that partitions a dataset into k clusters. It works in four steps:


1. Choose k initial centroids (note that k is an input)
2. For each point, assign the point to the nearest centroid
3. Recalculate the centroid positions
4. Repeat Step 2 and Step 3 until the stopping criteria is met

Illustrative example – data points

Imagine that we have the following data points in a two-dimensional space:




Each dot is colored gray to assume no prior grouping before applying the k-means algorithm. The goal here is to eventually color in each dot and create groupings (clusters), as illustrated in the following plot:




Here, *Step 1* has been applied. We have (randomly) chosen three centroids (red, blue, and yellow):




Most k-means algorithms place random initial centroids, but there exist other pre-compute methods to place initial centroids. For now, random is fine.



The first part of *Step 2* has been applied. For each data point, we found the most similar centroid (closest):



The second part of *Step 2* has been applied here. We have colored in each data point in accordance with its most similar centroid:




This is *Step 3* and the crux of k-means. Note that we have physically moved the centroids to be the actual center of each cluster. We have, for each color, computed the average point and made that point the new centroid. For example, suppose the three red data points had the coordinates $(1, 3)$, $(2, 5)$, and $(3, 4)$. The center (red cross) would be calculated as follows:

```
# centroid calculation
import numpy as np
red_point1 = np.array([1, 3])
red_point2 = np.array([2, 5])
red_point3 = np.array([3, 4])


red_center = (red_point1 + red_point2 + red_point3) / 3.

red_center
# array([ 2.,  4.])
```


That is, the $(2, 4)$ point would be the coordinates of the preceding red cross:




None of the actual data points will ever move. They can't. The only entities that move are the centroids, which are not actual data points.




We continue with our algorithm by repeating *Step 2*. Here is the first part where we find the closest center for each point. Note a big change: the point that is circled in the following figure used to be a yellow point, but has changed to be a red cluster point because the yellow cluster moved closer to its yellow constituents:



It might help to think of points as being planets in space with gravitational pull. Each centroid is pulled by the planets' gravity.




Here is the second part of *Step 2* again. We have assigned each point to the color of the closest cluster:



Here, we recalculate the centroids for each cluster once more (*Step 3*). Note that the blue center did not move at all, while the yellow and red centers both moved.

Because we have reached a stopping criterion (clusters do not move if we repeat *Step 2* and *Step 3*), we finalize our algorithm and we have our three clusters, which is the final result of the k-means algorithm:



Illustrative example – beer!

Enough data science, beer!

OK, OK, settle down. It's a long book; let's grab a beer. On that note, did you know there are many types of beer? I wonder if we could possibly group beers into different categories based on different quantitative features... Let's try! Take a look at the following:

```
# import the beer dataset
url = '../data/beer.txt'
beer = pd.read_csv(url, sep=' ')
```

```
print beer.shape  
The output is as follows:  
(20, 5)  
beer.head()
```

	name	calories	sodium	alcohol	cost
0	Budweiser	144	15	4.7	0.43
1	Schlitz	151	19	4.9	0.43
2	Lowenbrau	157	15	0.9	0.48
3	Kronenbourg	170	7	5.2	0.73
4	Heineken	152	11	5.0	0.77

Here, we have 20 beers with five columns: **name**, **calories**, **sodium**, **alcohol**, and **cost**. In clustering (like almost all machine learning models), we like quantitative features, so we will ignore the name of the beer in our clustering:

```
# define X  
X = beer.drop('name', axis=1)
```

Now, we will perform k-means using scikit-learn:

```
# K-means with 3 clusters  
from sklearn.cluster import KMeans  
km = KMeans(n_clusters=3, random_state=1)  
km.fit(X)
```



n_clusters is our k. It is our input number of clusters.
random_state as always produces reproducible results for educational purposes. Using three clusters for now is random.



Our k-means algorithm has run the algorithm on our data points and come up with three clusters:

```
# save the cluster labels and sort by cluster  
beer['cluster'] = km.labels_
```

We can take a look at the center of each cluster by using a groupby and mean statement:

```
# calculate the mean of each feature for each cluster  
beer.groupby('cluster').mean()
```

	calories	sodium	alcohol	cost
cluster				
0	150.00	17.0	4.521429	0.520714
1	102.75	10.0	4.075000	0.440000
2	70.00	10.5	2.600000	0.420000


On human inspection, we can see that cluster 0 has, on average, a higher calorie, sodium, and alcohol content, and costs more. These might be considered heavier beers. Cluster 2 has, on average, a very low alcohol content and very few calories. These are probably light beers. Cluster 1 is somewhere in the middle.

Let's use Python to make a graph to see this in more detail:

```
import matplotlib.pyplot as plt  
%matplotlib inline  
  
# save the DataFrame of cluster centers  
centers = beer.groupby('cluster').mean()  
# create a "colors" array for plotting  
colors = np.array(['red', 'green', 'blue', 'yellow'])  
# scatter plot of calories versus alcohol, colored by cluster (0=red,  
1=green, 2=blue)  
plt.scatter(beer.calories, beer.alcohol, c=colors[list(beer.cluster)],  
s=50)  
  
# cluster centers, marked by "+"  
plt.scatter(centers.calories, centers.alcohol, linewidths=3,  
marker='+', s=300, c='black')  
  
# add labels  
plt.xlabel('calories')  
plt.ylabel('alcohol')
```



A big part of unsupervised learning is human inspection. Clustering has no context of the problem domain and can only tell us the clusters it found it – cannot tell us about what the clusters mean.



In the next section, we will learn how to choose an optimal number for K and cluster validation.

Choosing an optimal number for K and cluster validation

A big part of k-means clustering is knowing the optimal number of clusters. If we knew this number ahead of time, then that might defeat the purpose of even using unsupervised learning. So, we need a way to evaluate the output of our cluster analysis.

The problem here is that, because we are not performing any kind of prediction, we cannot gauge how *right* the algorithm is at predictions. Metrics such as accuracy and RMSE go right out of the window.

The Silhouette Coefficient

The Silhouette Coefficient is a common metric for evaluating clustering performance in situations when the true cluster assignments are not known.

A Silhouette Coefficient is *calculated* for each observation as follows:

$$SC = \frac{b - a}{\max(a, b)}$$

Let's look a little closer at the specific features of this formula:

- a : Mean distance to all other points in its cluster
- b : Mean distance to all other points in the next nearest cluster

It ranges from -1 (worst) to 1 (best). A global score is calculated by taking the mean score for all observations. In general, a Silhouette Coefficient of 1 is preferred, while a score of -1 is not preferable:

```
# calculate Silhouette Coefficient for K=3
from sklearn import metrics
metrics.silhouette_score(X, km.labels_)
```

The output is as follows:


```
0.67317750464557957
```

Let's try calculating the coefficient for multiple values of K to find the best value:

```
# center and scale the data
from sklearn.preprocessing import StandardScaler
scaler = StandardScaler()
X_scaled = scaler.fit_transform(X)

# calculate SC for K=2 through K=19
k_range = range(2, 20)
scores = []
for k in k_range:
    km = KMeans(n_clusters=k, random_state=1)
    km.fit(X_scaled)
    scores.append(metrics.silhouette_score(X, km.labels_))

# plot the results
plt.plot(k_range, scores)
plt.xlabel('Number of clusters')
plt.ylabel('Silhouette Coefficient')
plt.grid(True)
```



So, it looks like our optimal number of beer clusters is 4! This means that our k-means algorithm has determined that there seems to be four distinct types of beer.

k-means is a popular algorithm because of its computational efficiency and simple and intuitive nature. k-means, however, highly scale-dependent and is not suitable for data with widely varying shapes and densities. There are ways to combat this issue by scaling data using scikit-learn's standard scalar:

```
# center and scale the data
from sklearn.preprocessing import StandardScaler
scaler = StandardScaler()
X_scaled = scaler.fit_transform(X)

# K-means with 3 clusters on scaled data
km = KMeans(n_clusters=3, random_state=1)
km.fit(X_scaled)
```

Easy!

Now, let's take a look at the third reason to use unsupervised methods that falls under the third option in our reasons to use unsupervised methods: feature extraction.

Feature extraction and principal component analysis

Sometimes, we have an overwhelming number of columns and likely not enough rows to handle the great quantity of columns.

A great example of this is when we were looking at the `send cash now` example in our Nave Bayes example. We had literally 0 instances of texts with that exact phrase, so instead, we turned to a naïve assumption that allowed us to extrapolate a probability for both of our categories.

The reason we had this problem in the first place was because of something called the curse of dimensionality. The curse of dimensionality basically says that as we introduce and consider new feature columns, we need almost exponentially more rows (data points) in order to fill in the empty spaces that we create.

Consider an example where we attempt to use a learning model that utilizes the distance between points on a corpus of text that has 4,086 pieces of text and that the whole thing has been Countvectorized. Let's assume that these texts between them have 18,884 words:

```
X.shape
```

The output is as follows:

```
(20, 4)
```

Now, let's do an experiment. I will first consider a single word as the only dimension of our text. Then, I will count how many of pieces of text are within 1 unit of each other. For example, if two sentences both contain that word, they would be 0 units away and, similarly, if neither of them contain the word, they would be 0 units away from one another:

```
d = 1
# Let's look for points within 1 unit of one another

X_first_word = X.iloc[:, :1]
# Only looking at the first column, but ALL of the rows

from sklearn.neighbors import NearestNeighbors
# this module will calculate for us distances between each point

neigh = NearestNeighbors(n_neighbors=4086)
neigh.fit(X_first_word)
# tell the module to calculate each distance between each point
```



Note that we have 16,695,396 (4086*4086) distances to scan over.

```
A = neigh.kneighbors_graph(X_first_word, mode='distance').todense()
# This matrix holds all distances (over 16 million of them)
```

```
num_points_within_d = (A < d).sum()
# Count the number of pairs of points within 1 unit of distance

num_points_within_d
16258504
So, 16.2 million pairs of texts are within a single unit of distance.
Now, let's try again with the first two words:
X_first_two_words = X.iloc[:, :2]
neigh = NearestNeighbors(n_neighbors=4086)
neigh.fit(X_first_two_words)
A = neigh.kneighbors_graph(X_first_two_words, mode='distance').todense()
num_points_within_d = (A < d).sum()

num_points_within_d
16161970
```


Great! By adding this new column, we lost about 100,000 pairs of points that were within a single unit of distance. This is because we are adding space in-between them for every dimension that we add. Let's take this test a step further and calculate this number for the first 100 words and then plot the results:

```
d = 1
# Scan for points within one unit

num_columns = range(1, 100)
# Looking at the first 100 columns
points = []
# We will be collecting the number of points within 1 unit for a graph

neigh = NearestNeighbors(n_neighbors=X.shape[0])
for subset in num_columns:
    X_subset = X.iloc[:, :subset]
    # look at the first column, then first two columns, then first three
    # columns, etc
    neigh.fit(X_subset)
    A = neigh.kneighbors_graph(X_subset, mode='distance').todense()
    num_points_within_d = (A < d).sum()
    # calculate the number of points within 1 unit
    points.append(num_points_within_d)
```

Now, let's plot the number of points within 1 unit versus the number of dimensions we looked at:



We can see clearly that the number of points within a single unit of one another goes down dramatically as we introduce more and more columns. And this is only the first 100 columns! Let's see how many points are within a single unit by the time we consider all 18,000+ words:

```

neigh = NearestNeighbors(n_neighbors=4086)
neigh.fit(X)
A = neigh.kneighbors_graph(X, mode='distance').todense()
num_points_within_d = (A < d).sum()

num_points_within_d
4090

```

By the end, only 4,000 sentences are within a unit of one another. All of this space that we add in by considering new columns makes it harder for the finite amount of points we have to stay happily within range of each other. We would have to add in more points in order to fill in this gap. And that, my friends, is why we should consider using dimension reduction.

The curse of dimensionality is solved by either adding more data points (which is not always possible) or implementing dimension reduction. Dimension reduction is simply the act of reducing the number of columns in our dataset and not the number of rows. There are two ways of implementing dimension reduction:

- **Feature selection:** This is the act of subsetting our column features and only using the best features
- **Feature extraction:** This is the act of mathematically transforming our feature set into a new extracted coordinate system

We are familiar with feature selection as the process of saying the "*Embarked_Q*" is *not helping my decision tree; let's get rid of it and see how it performs.* It is literally when we (or the machine) make the decision to ignore certain columns.

Feature extraction is a bit trickier...

In feature extraction, we are using usually fairly complicated mathematical formulas in order to obtain new super columns that are usually better than any single original column.

Our primary model for doing so is called **Principal Component Analysis (PCA)**. PCA will extract a set number of super columns in order to represent our original data with much fewer columns. Let's take a concrete example. Previously, I mentioned some text with 4,086 rows and over 18,000 columns. That dataset is actually a set of Yelp online reviews:

```
url = '../data/yelp.csv'  
yelp = pd.read_csv(url, encoding='unicode-escape')  
  
# create a new DataFrame that only contains the 5-star and 1-star  
reviews  
yelp_best_worst = yelp[(yelp.stars==5) | (yelp.stars==1)]  
  
# define X and y  
X = yelp_best_worst.text  
y = yelp_best_worst.stars == 5
```

Our goal is to predict whether or not a person gave a 5- or 1-star review based on the words they used in the review. Let's set a base line with logistic regression and see how well we can predict this binary category:

```
from sklearn.linear_model import LogisticRegression  
lr = LogisticRegression()  
  
X_train, X_test, y_train, y_test = train_test_split(X, y, random_  
state=100)
```

```
# Make our training and testing sets

vect = CountVectorizer(stop_words='english')
# Count the number of words but remove stop words like a, an, the,
you, etc

X_train_dtm = vect.fit_transform(X_train)
X_test_dtm = vect.transform(X_test)
# transform our text into document term matrices

lr.fit(X_train_dtm, y_train)
# fit to our training set

lr.score(X_test_dtm, y_test)
# score on our testing set
```

The output is as follows:

```
0.91193737
```

So, by utilizing all of the words in our corpus, our model seems to have over 91% accuracy. Not bad!

Let's try only using the top 100 used words:

```
vect = CountVectorizer(stop_words='english', max_features=100)
# Only use the 100 most used words
X_train_dtm = vect.fit_transform(X_train)
X_test_dtm = vect.transform(X_test)
print( X_test_dtm.shape) # (1022, 100)

lr.fit(X_train_dtm, y_train)

lr.score(X_test_dtm, y_test)
```

The output is as follows:

```
0.8816
```

Note how our training and testing matrices have 100 columns. This is because I told our vectorizer to only look at the top 100 words. See also that our performance took a hit and is now down to 88% accuracy. This makes sense because we are ignoring over 4,700 words in our corpus.

Now, let's take a different approach. Let's import a PCA module and tell it to make us 100 new super columns and see how that performs:

```
from sklearn import decomposition
# We will be creating 100 super columns

vect = CountVectorizer(stop_words='english')
# Don't ignore any words
pca = decomposition.PCA(n_components=100)
# instantiate a pca object
X_train_dtm = vect.fit_transform(X_train).todense()
# A dense matrix is required to pass into PCA, does not affect the
overall message

X_train_dtm = pca.fit_transform(X_train_dtm)

X_test_dtm = vect.transform(X_test).todense()
X_test_dtm = pca.transform(X_test_dtm)
print( X_test_dtm.shape) # (1022, 100)

lr.fit(X_train_dtm, y_train)

lr.score(X_test_dtm, y_test)
```

The output is as follows:

.89628

Not only do our matrices still have 100 columns, but these columns are no longer words in our corpus. They are complex transformations of columns and are 100 new columns. Also note that using 100 of these new columns gives us better predictive performance than using the 100 top words!

Feature extraction is a great way to use mathematical formulas to extract brand new columns that generally perform better than just selecting the best ones beforehand.

But how do we visualize these new super columns? Well, I can think of no better way than to look at an example using image analysis. Specifically, let's make facial recognition software. OK? OK. Let's begin by importing some faces given to us by scikit-learn:

```
from sklearn.datasets import fetch_lfw_people

lfw_people = fetch_lfw_people(min_faces_per_person=70, resize=0.4)


# introspect the images arrays to find the shapes (for plotting)
n_samples, h, w = lfw_people.images.shape
```

```
# for machine learning we use the 2 data directly (as relative pixel #
positions info is ignored by this model)
X = lfw_people.data
y = lfw_people.target
n_features = X.shape[1]


X.shape (1288, 1850)
```

We have gathered 1,288 images of people's faces, and each one has 1,850 features (pixels) that identify that person. Here's an example:

```
plt.imshow(X[0].reshape((h, w)), cmap=plt.cm.gray) lfw_people.target_
names[y[0]] 'Hugo Chavez'
```



```
plt.imshow(X[100].reshape((h, w)), cmap=plt.cm.gray) lfw_people.
target_names[y[100]] 'George W Bush'
```



Great. To get a glimpse at the type of dataset we are looking at, let's look at a few overall metrics:

```
# the label to predict is the id of the person
target_names = lfw_people.target_names
n_classes = target_names.shape[0]
print("Total dataset size:")
print("n_samples: %d" % n_samples)
print("n_features: %d" % n_features)
print("n_classes: %d" % n_classes)
Total dataset size:
n_samples: 1288
n_features: 1850

n_classes: 7
```

So, we have 1,288 images, 1,850 features, and 7 classes (people) to choose from. Our goal is to make a classifier that will assign the person's face a name based on the 1,850 pixels given to us.

Let's take a base line and see how logistic regression performs on our data without doing anything:

```
from sklearn.linear_model import LogisticRegression
from sklearn.metrics import accuracy_score
from time import time # for timing our work
X_train, X_test, y_train, y_test = train_test_split(
    X, y, test_size=0.25, random_state=1)
# get our training and test set
t0 = time() # get the time now
logreg = LogisticRegression()
logreg.fit(X_train, y_train)
# Predicting people's names on the test set
y_pred = logreg.predict(X_test)
print(accuracy_score(y_pred, y_test), "Accuracy")

print( (time() - t0), "seconds" )
```

The output is as follows:

```
0.810559006211 Accuracy
6.31762504578 seconds
```

So, within 6.3 seconds, we were able to get 81% on our test set. Not too bad.

Now, let's try this with our *super faces*:

```
# split into a training and testing set
from sklearn.cross_validation import train_test_split

# Compute a PCA (eigenfaces) on the face dataset (treated as unlabeled
# dataset): unsupervised feature extraction / dimensionality reduction
n_components = 75

print("Extracting the top %d eigenfaces from %d faces"
% (n_components, X_train.shape[0]))
pca = decomposition.PCA(n_components=n_components, whiten=True).fit(X_train)
# This whiten parameter speeds up the computation of our extracted
# columns
# Projecting the input data on the eigenfaces orthonormal basis
X_train_pca = pca.transform(X_train)

X_test_pca = pca.transform(X_test)
```

The preceding code is collecting 75 extracted columns from our 1,850 unprocessed columns. These are our super faces. Now, let's plug in our newly extracted columns into our logistic regression and compare:

```
t0 = time()
# Predicting people's names on the test set WITH PCA
logreg.fit(X_train_pca, y_train)
y_pred = logreg.predict(X_test_pca)
print accuracy_score(y_pred, y_test), "Accuracy"
print (time() - t0), "seconds"
0.82298136646 Accuracy

0.194181919098 seconds
```


Wow! Not only was this entire calculation about 30 times faster than the unprocessed images, but the predictive performance also got better! This shows us that PCA and feature extraction, in general, can help us all around when performing machine learning on complex datasets with many columns. By searching for these patterns in the dataset and extracting new feature columns, we can speed up and enhance our learning algorithms.

Let's look at one more interesting thing. I mentioned before that one of the purposes of this example was to examine and visualize our *eigenfaces*; as they are called, our super columns. I will not disappoint. Let's write some code that will show us our super columns as they would look to us humans:

```
def plot_gallery(images, titles, n_row=3, n_col=4):
    """Helper function to plot a gallery of portraits"""
    plt.figure(figsize=(1.8 * n_col, 2.4 * n_row))
    plt.subplots_adjust(bottom=0, left=.01, right=.99, top=.90,
    hspace=.35)
    for i in range(n_row * n_col):
        plt.subplot(n_row, n_col, i + 1)
        plt.imshow(images[i], cmap=plt.cm.gray)
        plt.title(titles[i], size=12)
    # plot the gallery of the most significative eigenfaces
    eigenfaces = pca.components_.reshape((n_components, h, w))
    eigenface_titles = ["eigenface %d" % i for i in range(eigenfaces.
    shape[0])]
    plot_gallery(eigenfaces, eigenface_titles)

plt.show()
```

Following is the output to the preceding code:



Wow. A haunting and yet beautiful representation of what the data believes to be the most important features of a face. As we move from the top-left (first super column) to the bottom, it is actually somewhat easy to see what the image is trying to tell us. The first super column looks like a very general face structure with eyes and a nose and a mouth. It is almost saying "I represent the basic qualities of a face that all faces must have." Our second super column directly to its right seems to be telling us about shadows in the image. The next one might be telling us that skin tone plays a role in detecting who this is, which might be why the third face is much darker than the first two.

Using feature extraction unsupervised learning methods such as PCA can give us a very deep look into our data and reveal to us what the data believes to be the most important features, not just what we believe them to be. Feature extraction is a great preprocessing tool that can speed up our future learning methods, make them more powerful, and give us more insight into how the data believes it should be viewed. To sum up this section, we will list the pros and cons.

Here are the pros of using feature extraction:

- Our models become much faster
- Our predictive performance can become better
- It can give us insight into the extracted features (eigenfaces)

And here are the cons of using feature extraction:

We lose some of the interpretability of our features as they are new mathematically-derived columns, not our old ones

We can lose predictive performance because we are losing information as we extract fewer columns

Summary

Between decision trees, Naïve Bayes classification, feature extraction, and k-means clustering, we have seen that machine learning goes way beyond the simplicity of linear and logistic regression, and can solve many types of complicated problems.

We also saw examples of both supervised and unsupervised learning and, in doing so, became familiar with many types of data science related problems.

In the next chapter, we will be looking at even more complicated learning algorithms, including artificial neural networks and ensembling techniques. We will also see and understand more complicated concepts in data science, including the bias-variance trade-off, as well as the concept of overfitting.

12

Beyond the Essentials

In this chapter, we will be discussing some of the more complicated parts of data science that can put some people off. The reason for this is that data science is not all fun and machine learning. Sometimes, we have to discuss and consider theoretical and mathematical paradigms, and evaluate our procedures.

This chapter will explore many of these procedures step by step so that we completely and totally understand the topics. We will be discussing topics such as the following:

- Cross-validation
- The bias/variance trade-off
- Overfitting and underfitting
- Ensembling techniques
- Random forests
- Neural networks

These are only some of the topics to be covered. At no point do I want you to be confused. I will attempt to explain each procedure/algorithm with the utmost care and with many examples and visuals.

The bias/variance trade-off

We have discussed the concept of bias and variance briefly in the previous chapters. When we are discussing these two concepts, we are generally speaking of supervised learning algorithms. We are specifically talking about deriving errors from our predictive models due to bias and variance.

Errors due to bias

When speaking of errors due to bias, we are speaking of the difference between the expected prediction of our model and the actual (correct) value, which we are trying to predict. Bias, in effect, measures how far, in general, our model's predictions are from the correct value.

Think about bias as simply being the difference between a predicted value and the actual value. For example, consider that our model, represented as $F(x)$, predicts the value of 29, as follows:

$$F(29) = 88$$

Here, the value of 29 should have been predicted as 79:

$$Bias(29) = 88 - 79 = 9$$

If a machine learning model tends to be very accurate in its prediction (regression or classification), then it is considered a low bias model, whereas if the model is more often than not wrong, it is considered to be a high bias model.

Bias is a measure you can use to judge models on the basis of their accuracy or just how correct the model is on average.

Error due to variance

An error due to variance is dependent on the variability of a model's prediction for a given data point. Imagine that you repeat the machine learning model building process over and over. The variance is measured by looking at how much the predictions for a fixed point vary between different end results.

To imagine variance in your head, think about a population of data points. If you were to take randomized samples over and over, how drastically would your machine learning model change or fit differently each time? If the model does not change much between samples, the model would be considered a low variance model. If your model changes drastically between samples, then that model would be considered a high variance model.

Variance is a great measure with which to judge our model on the basis of generalizability. If our model has a low variance, we can expect it to behave in a certain way when using it in the wild and predict values without human supervision.

Our goal is to optimize both bias and variance. Ideally, we are looking for the lowest possible variance and bias.

I find that this can be best explained using an example.

Example – comparing body and brain weight of mammals

Imagine that we are considering a relationship between the brain weight of mammals and their corresponding body weights. A hypothesis might read that there is a positive correlation between the two (as one goes up, so does the other). But how strong is this relationship? Is it even linear? Perhaps, as the brain weight increases, there is a logarithmic or quadratic increase in body weight.

Let's use Python to explore this:

```
# # Exploring the Bias-Variance Tradeoff

import pandas as pd
import numpy as np
import seaborn as sns
%matplotlib inline
```

I will be using a module, called `seaborn`, to visualize data points as a scatter plot and also to graph linear (and higher polynomial) regression models:

```
# ## Brain and body weight

...
This is a [dataset]) of the average
weight of the body and the brain for
62 mammal species. Let's read it into pandas and
take a quick look:
```

...

```
df = pd.read_table('http://people.sc.fsu.edu/~jburkardt/  
datasets/regression/x01.txt', sep='\s+', skiprows=33,  
names=['id','brain','body'], index_col='id')  
df.head()
```

	brain	body
id		
1	3.385	44.5
2	0.480	15.5
3	1.350	8.1
4	465.000	423.0
5	36.330	119.5

We are going to take a small subset of the samples to exaggerate the visual representations of bias and variance, as follows:


```
# We're going to focus on a smaller subset in which the body weight is  
less than 200:  
df = df[df.body < 200]  
df.shape
```

The output is as follows:

```
(51, 2)
```

We're actually going to pretend that there are only 51 mammal species in existence. In other words, we are pretending that this is the entire dataset of brain and body weights for every known mammal species:

```
# Let's create a scatterplot  
sns.lmplot(x='body', y='brain', data=df, ci=None, fit_reg=False)
```




Scatter plot of mammalian brain and body weights

There appears to be a relationship between brain and body weight for mammals. So far, we might assume that it is a positive correlation.

Now, let's throw a linear regression into the mix. Let's use seaborn to make and plot a first-degree polynomial (linear) regression:

```
sns.lmplot(x='body', y='brain', data=df, ci=None)
```



The same scatter plot as before with a linear regression visualization put in

Now, let's pretend that a new mammal species has been discovered. We measure the body weight of every member of this species that we can find and calculate an average body weight of 100. We want to predict the average brain weight of this species (rather than measuring it directly). Using this line, we might predict a brain weight of about 45.

Something you might note is that this line isn't that close to the data points in the graph, so maybe it isn't the best model to use! You might argue that the bias is too high. And I would agree! Linear regression models tend to have a high bias, but linear regression also has something up its sleeve: it has a very low variance. However, what does that really mean?

Let's say that we take our entire population of mammals and randomly split them into two samples, as follows:

```
# set a random seed for reproducibility np.random.seed(12345) #
randomly assign every row to either sample 1 or sample 2 df['sample'] =
np.random.randint(1, 3, len(df)) df.head()
```

We include a new sample column:

	brain	body	sample
id			
1	3.385	44.5	1
2	0.480	15.5	2
3	1.350	8.1	2
5	36.330	119.5	2
6	27.660	115.0	1


```
# Compare the two samples, they are fairly different!
df.groupby('sample')[['brain', 'body']].mean()
```

We now obtain the following output:

	brain	body
sample		
1	18.113778	52.068889
2	13.323364	34.669091

We can now tell seaborn to create two plots, in which the left plot only uses the data from sample 1 and the right plot only uses the data from sample 2:


```
# col='sample' subsets the data by sample and creates two
# separate plots
sns.lmplot(x='body', y='brain', data=df, ci=None, col='sample')
```



Side-by-side scatter plots of linear regressions for samples 1 and 2

They barely look different, right? If you look closely, you will note that not a single data point is shared between the samples and yet the line looks almost identical. To further show this point, let's put both the lines of best fit in the same graph and use colors to separate the samples, as illustrated here:

```
# hue='sample' subsets the data by sample and creates a # single plot
sns.lmplot(x='body', y='brain', data=df, ci=None, hue='sample')
```




Presentation of two lines of best fit in the same graph

The line looks pretty similar between the two plots, despite the fact that they used separate samples of data. In both cases, we would predict a brain weight of about 45.

The fact that even though the linear regression was given to completely distinct datasets pulled from the same population, it produced a very similar line, which suggests that the model is of low variance.

What if we increased our model's complexity and allowed it to learn more? Instead of fitting a line, let's let `seaborn` fit a fourth-degree polynomial (a quartic polynomial). By adding to the degree of the polynomial, the graph will be able to make twists and turns in order to fit our data better, as shown here:

```
# What would a low bias, high variance model look like? Let's try
# polynomial regression, with an fourth order polynomial:
sns.lmplot(x='body', y='brain', data=df, ci=None, col='sample',
order=4)
```



Using a quartic polynomial for regression purposes

Note how, for two distinct samples from the same population, the quartic polynomial looks vastly different. This is a sign of high variance.


This model is low bias because it matches our data well! However, it has high variance because the models are wildly different depending on which points happen to be in the sample. (For a body weight of 100, the brain weight prediction would either be 40 or 0, depending on which data happened to be in the sample.)

Our polynomial is also unaware of the general relationship of the data. It seems obvious that there is a positive correlation between the brain and body weight of mammals. However, in our quartic polynomials, this relationship is nowhere to be found and is unreliable. In our first sample (the graph on the left), the polynomial ends up shooting downwards, while in the second graph, the graph is going upwards toward the end. Our model is unpredictable and can behave wildly differently, depending on the given training set.

It is our job, as data scientists, to find the middle ground.

Perhaps we can create a model that has less bias than the linear model, and less variance than the fourth-order polynomial:

```
# Let's try a second order polynomial instead:  
sns.lmplot(x='body', y='brain', data=df, ci=None, col='sample',  
order=2)
```



Scatter plot using a quadratic polynomial its our estimator

This plot seems to have a good balance of bias and variance.

Two extreme cases of bias/variance trade-off

What we just saw were two extreme cases of model fitting: one was underfitting and the other was overfitting.

Underfitting

Underfitting occurs when our models make little to no attempt to fit our data. Models that are high bias and low variance are prone to underfitting. In the case of the mammal brain/body weight example, the linear regression is underfitting our data. While we have a general shape of the relationship, we are left with a high bias.

If your learning algorithm shows high bias and/or is underfitting, the following suggestions may help:

- **Use more features:** Try including new features into the model if it helps with our predictive power.
- **Try a more complicated model:** Adding complexity to your model can help improve bias. An overly complicated model will hurt too!

Overfitting

Overfitting is the result of the model trying too hard to fit into the training set, resulting in a lower bias but a much higher variance. Models that are low bias and high variance are prone to overfitting. In the case of the mammal brain/body weight example, the fourth-degree polynomial (quartic) regression is overfitting our data.

If your learning algorithm shows high variance and/or is overfitting, the following suggestions may help:

- **Use fewer features:** Using fewer features can decrease our variance and prevent overfitting
- **Fit on more training samples:** Using more training data points in our cross-validation can reduce the effect of overfitting, and improve our high variance estimator


How bias/variance play into error functions

Error functions (which measure how incorrect our models are) can be thought of as functions of bias, variance, and irreducible error. Mathematically put, the error of predicting a dataset using our supervised learning model might look as follows:

$$\text{Error}(x) = \text{Bias}^2 + \text{Variance} + \text{Irreducible Error}$$

Here, *Bias*² is our bias term squared (which arises when simplifying the mentioned statement from more complicated equations), and *Variance* is a measurement of how much our model fitting varies between randomized samples.

Simply put, both bias and variance contribute to errors. As we increase our model complexity (for example, go from a linear regression to an eighth-degree polynomial regression or grow our decision trees deeper), we find that *Bias*² decreases, *Variance* increases, and the total error of the model forms a parabolic shape, as illustrated in the following diagram:



Relationship of bias and variance

Our goal, as data scientists, is to find the sweet spot that optimizes our model complexity. It is easy to overfit our data. To combat overfitting in practice, we should always use cross-validation (splitting up datasets iteratively, retraining models and averaging metrics) to get the best predictor of an error.

To illustrate this point, I will introduce (quickly) a new supervised algorithm and demonstrate the bias/variance trade-off visually.

We will be using the **K-Nearest Neighbors (KNN)** algorithm, which is a supervised learning algorithm that uses a lookalike paradigm, which means that it makes predictions based on similar data points that it saw in the past.

KNN has a complexity input, K , which represents how many similar data points to compare to. If $K = 3$, then, for a given input, we look to the nearest three data points and use them for our prediction. In this case, K represents our model's complexity:

```
from sklearn.neighbors import KNeighborsClassifier
# read in the iris data
from sklearn.datasets import load_iris
iris = load_iris()
X, y = iris.data, iris.target
```

So, we have our X and our y . A great way to overfit a model is to train and predict the exact same data:

```
knn = KNeighborsClassifier(n_neighbors=1)
knn.fit(X, y)
knn.score(X, y)
```

The output is as follows:

```
1.0
```

Wow, 100% accuracy?! This is too good to be true.

By training and predicting the same data, we are essentially telling our data to purely memorize the training set and spit it back to us (this is called our training error). This is the reason we introduced our training and test sets in Chapter 10, *How to Tell If Your Toaster Is Learning – Machine Learning Essentials*.

K folds cross-validation

K folds cross-validation is a much better estimator of our model's performance, even more so than our train-test split. Here's how it works:

We will take a finite number of equal slices of our data (usually 3, 5, or 10). Assume that this number is called k .

1. For each "fold" of the cross-validation, we will treat $k-1$ of the sections as the training set, and the remaining section as our test set.
2. For the remaining folds, a different arrangement of $k-1$ sections is considered for our training set and a different section is our training set.
3. We compute a set metric for each fold of the cross-validation.
4. We average our scores at the end.

Cross-validation is effectively using multiple train-test splits that are being done on the same dataset. This is done for a few reasons, but mainly because cross-validation is the most honest estimate of our model's out-of-sample (OOS) error.

To explain this visually, let's look at our mammal brain and body weight example for a second. The following code manually creates a five-fold cross-validation, wherein five different training and test sets are made from the same population:

```
import matplotlib.pyplot as plt
from sklearn.cross_validation import KFold


df = pd.read_table('http://people.sc.fsu.edu/~jburkardt/
```

```

datasets/regression/x01.txt', sep='\s+', skiprows=33,
names=['id', 'brain', 'body'])
df = df[df.brain < 300] [df.body < 500]
# limit points for visibility

nfolds = 5
fig, axes = plt.subplots(1, nfolds, figsize=(14,4))
for i, fold in enumerate(KFold(len(df), n_folds=nfolds,
                               shuffle=True)):
    training, validation = fold
    x, y = df.iloc[training]['body'], df.iloc[training]['brain']
    axes[i].plot(x, y, 'ro')
    x, y = df.iloc[validation]['body'], df.iloc[validation]['brain']
    axes[i].plot(x, y, 'bo')
plt.tight_layout()

```



Five-fold cross-validation: red = training sets, blue = test sets

Here, each graph shows the exact same population of mammals, but the dots are colored red if they belong to the training set of that fold and blue if they belong to the testing set. By doing this, we are obtaining five different instances of the same machine learning model in order to see if the performance remains consistent across the folds.

If you stare at the dots long enough, you will note that each dot appears in a training set exactly four times ($k - 1$), while the same dot appears in a test set exactly once and only once.

Some features of k-fold cross-validation include the following:

- It is a more accurate estimate of the OOS prediction error than a single train-test split because it is taking several independent train-test splits and averaging the results together.
- It is a more efficient use of data than single train-test splits because the entire dataset is being used for multiple train-test splits instead of just one.

- Each record in our dataset is used for both training and testing.
- This method presents a clear trade-off between efficiency and computational expense. A 10-fold CV is 10x more expensive computationally than a single train/test split.
- This method can be used for parameter tuning and model selection.

Basically, whenever we wish to test a model on a set of data, whether we just completed tuning some parameters or feature engineering, k-fold cross-validation is an excellent way to estimate the performance on our model.

Of course, `sklearn` comes with an easy-to-use cross-validation module, called `cross_val_score`, which automatically splits up our dataset for us, runs the model on each fold, and gives us a neat and tidy output of results:

```
# Using a training set and test set is so important
# Just as important is cross validation. Remember cross validation
# is using several different train test splits and
# averaging your results!

## CROSS-VALIDATION

# check CV score for K=1
from sklearn.cross_validation import cross_val_score, train_test_split
tree = KNeighborsClassifier(n_neighbors=1)
scores = cross_val_score(tree, X, y, cv=5, scoring='accuracy')
scores.mean()
0.95999999999
```

This is a much more reasonable accuracy than our previous score of 1. Remember that we are not getting 100% accuracy anymore because we have a distinct training and test set. The data points that KNN has never seen are the test points and it, therefore, cannot match them exactly to themselves.

Let's try cross-validating KNN with $K=5$ (increasing our model's complexity), as shown here:


```
# check CV score for K=5
knn = KNeighborsClassifier(n_neighbors=5)
scores = cross_val_score(knn, X, y, cv=5, scoring='accuracy')
scores
np.mean(scores)
0.9733333
```

Even better! So, now we have to find the best K . The best K is the one that maximizes our accuracy. Let's try a few:

```
# search for an optimal value of K
k_range = range(1, 30, 2) # [1, 3, 5, 7, ..., 27, 29]
errors = []
for k in k_range:
    knn = KNeighborsClassifier(n_neighbors=k)
    # instantiate a KNN with k neighbors
    scores = cross_val_score(knn, X, y, cv=5, scoring='accuracy')
    # get our five accuracy scores
    accuracy = np.mean(scores)
    # average them together
    error = 1 - accuracy
    # get our error, which is 1 minus the accuracy
    errors.append(error)
    # keep track of a list of errors
```

We now have an error value ($1 - \text{accuracy}$) for each value of K ($1, 3, 5, 7, 9, \dots, 29$):

```
# plot the K values (x-axis) versus the 5-fold CV score (y-axis)
plt.figure()
plt.plot(k_range, errors)
plt.xlabel('K')
plt.ylabel('Error')
```



Graph of errors of the KNN model against KNN's complexity, represented by the value of K

Compare this graph to the previous graph of model complexity and bias/variance. Toward the left, our graph has a higher bias and is underfitting. As we increased our model's complexity, the error term began to go down, but after a while, our model became overly complex, and the high variance kicked in, making our error term go back up.

It seems that the optimal value of K is between 6 and 10.

Grid searching

sklearn also has another useful tool up its sleeve called grid searching. A grid search will by brute force try many different model parameters and give us the best one based on a metric of our choosing. For example, we can choose to optimize KNN for accuracy in the following manner:

```
from sklearn.grid_search import GridSearchCV
from sklearn.neighbors import KNeighborsClassifier
# import our grid search module

knn = KNeighborsClassifier(n_jobs=-1)
# instantiate a blank slate KNN, no neighbors

k_range = list(range(1, 31, 2))
print(k_range)

#k_range = range(1, 30)
param_grid = dict(n_neighbors=k_range)
# param_grid = {"n_neighbors": [1, 3, 5, ...]}
print(param_grid)

grid = GridSearchCV(knn, param_grid, cv=5, scoring='accuracy')

grid.fit(X, y)
```


In the `grid.fit()` line of code, what is happening is that, for each combination of features in this case, we have 15 different possibilities for K, so we are cross-validating each one five times. This means that by the end of this code, we will have $15 * 5 = 75$ different KNN models! You can see how, when applying this technique to more complex models, we could run into difficulties with time:

```
# check the results of the grid search
grid.grid_scores_
grid_mean_scores = [result[1] for result in grid.grid_scores_]
# this is a list of the average accuracies for each parameter
# combination
```

```

plt.figure()
plt.ylim([0.9, 1])
plt.xlabel('Tuning Parameter: N nearest neighbors')
plt.ylabel('Classification Accuracy')
plt.plot(k_range, grid_mean_scores)
plt.plot(grid.best_params_['n_neighbors'], grid.best_score_,
'ro', markersize=12, markeredgewidth=1.5, markerfacecolor='None',
markeredgecolor='r')

```



Classification Accuracy versus Tuning Parameters in N nearest neighbors

Note that the preceding graph is basically the same as the one we achieved previously with our `for` loop, but much easier!

We can see that seven neighbors (circled in the preceding graph) seem to have the best accuracy. However, we can also, very easily, get our best parameters and our best model, as shown here:

```

grid.best_params_
# {'n_neighbors': 7}

grid.best_score_
# 0.9799999999

grid.best_estimator_
# actually returns the unfit model with the best parameters
# KNeighborsClassifier(algorithm='auto', leaf_size=30,
metric='minkowski', metric_params=None, n_jobs=1, n_neighbors=7, p=2,
weights='uniform')

```

I'll take this one step further. Maybe you've noted that KNN has other parameters as well, such as `algorithm`, `p`, and `weights`. A quick look at the scikit-learn documentation reveals that we have some options for each of these, which are as follows:

- `p` is an integer and represents the type of distance we wish to use. By default, we use `p=2`, which is our standard distance formula.
- `weights` is, by default, `uniform`, but can also be `distance`, which weighs points by their distance, meaning that close neighbors have a greater impact on the prediction.
- `algorithm` is how the model finds the nearest neighbors. We can try `ball_tree`, `kd_tree`, or `brute`. The default is `auto`, which tries to use the best one automatically:

```
knn = KNeighborsClassifier()
k_range = range(1, 30)
algorithm_options = ['kd_tree', 'ball_tree', 'auto', 'brute']
p_range = range(1, 8)
weight_range = ['uniform', 'distance']
param_grid = dict(n_neighbors=k_range, weights=weight_range,
algorithm=algorithm_options, p=p_range)
# trying many more options
grid = GridSearchCV(knn, param_grid, cv=5, scoring='accuracy')
grid.fit(X, y)
```

The preceding code takes about a minute to run on my laptop because it is trying many - 1648, in fact - different combinations of parameters and cross-validating each one five times. All in all, to get the best answer, it is fitting 8,400 different KNN models:

```
grid.best_score_
0.98666666

grid.best_params_
{'algorithm': 'kd_tree', 'n_neighbors': 6, 'p': 3, 'weights': 'uniform'}
```

Grid searching is a simple (but inefficient) way of parameter tuning our models to get the best possible outcome. It should be noted that to get the best possible outcome, data scientists should use feature manipulation (both reduction and engineering) to obtain better results in practice as well. It should not merely be up to the model to achieve the best performance.

Visualizing training error versus cross-validation error

I think it is important once again to go over and compare the cross-validation error and the training error. This time, let's put them both on the same graph to compare how they both change as we vary the model complexity.

I will use the mammal dataset once more to show the cross-validation error and the training error (the error on predicting the training set). Recall that we are attempting to regress the body weight of a mammal to the brain weight of a mammal:

```
# This function uses a numpy polynomial fit function to
# calculate the RMSE of given X and y
def rmse(x, y, coefs):
    yfit = np.polyval(coefs, x)
    rmse = np.sqrt(np.mean((y - yfit) ** 2))
    return rmse

xtrain, xtest, ytrain, ytest = train_test_split(df['body'],
df['brain'])

train_err = []
validation_err = []
degrees = range(1, 8)

for i, d in enumerate(degrees):
    p = np.polyfit(xtrain, ytrain, d)
    # built in numpy polynomial fit function


    train_err.append(rmse(xtrain, ytrain, p))
    validation_err.append(rmse(xtest, ytest, p))

fig, ax = plt.subplots()
# begin to make our graph

ax.plot(degrees, validation_err, lw=2, label = 'cross-validation
error')
ax.plot(degrees, train_err, lw=2, label = 'training error')
# Our two curves, one for training error, the other for cross
validation

ax.legend(loc=0)
ax.set_xlabel('degree of polynomial')
ax.set_ylabel('RMSE')
```

We will get the following graph:



So, we can see that as we increase our degree of fit, our training error goes down without a hitch, but we are now smart enough to know that as we increase the model complexity, our model is overfitting to our data and is merely regurgitating our data back to us, whereas our cross-validation error line is much more honest and begins to perform poorly after about degree 2 or 3.

Let's recap:

- Underfitting occurs when the cross-validation error and the training error are both high
- Overfitting occurs when the cross-validation error is high, while the training error is low
- We have a good fit when the cross-validation error is low, and only slightly higher than the training error

Both underfitting (high bias) and overfitting (high variance) will result in poor generalization of the data.

Here are some tips if you face high bias or variance.

Try the following if your model tends to have a *high bias*:

- Try adding more features to the training and test sets
- Either add to the complexity of your model or try a more modern sophisticated model

Try the following if your model tends to have a high variance:

- Try to include more training samples, which reduces the effect of overfitting

In general, the bias/variance trade-off is the struggle to minimize the bias and variance in our learning algorithms. Many newer learning algorithms that were, invented in the past few decades were made with the intention of having the best of both worlds.

Ensembling techniques

Ensemble learning, or ensembling, is the process of combining multiple predictive models to produce a supermodel that is more accurate than any individual model on its own:

- **Regression:** We will take the average of the predictions for each model
- **Classification:** We will take a vote and use the most common prediction, or take the average of the predicted probabilities

Imagine that we are working on a binary classification problem (predicting either 0 or 1):

```
# ENSEMBLING

import numpy as np

# set a seed for reproducibility
np.random.seed(12345)

# generate 2000 random numbers (between 0 and 1) for each model,
# representing 2000 observations
mod1 = np.random.rand(2000)
mod2 = np.random.rand(2000)
mod3 = np.random.rand(2000)
mod4 = np.random.rand(2000)
mod5 = np.random.rand(2000)
```

Now, we simulate five different learning models, each with about 70% accuracy, as follows:

```
# each model independently predicts 1 (the "correct response") if
# random number was at least 0.4
preds1 = np.where(mod1 > 0.4, 1, 0)
preds2 = np.where(mod2 > 0.4, 1, 0)
preds3 = np.where(mod3 > 0.4, 1, 0)
preds4 = np.where(mod4 > 0.4, 1, 0)
preds5 = np.where(mod5 > 0.4, 1, 0)

print(preds1.mean())
0.596
print(preds2.mean())
0.6065
print(preds3.mean())
0.591
print(preds4.mean())
0.5965
print(preds5.mean())
# 0.611
# Each model has an "accuracy of around 60% on its own
```

Now, let's apply my degrees in magic. Er... sorry, math:

```
# average the predictions and then round to 0 or 1
ensemble_preds = np.round((preds1 + preds2 + preds3 + preds4 +
preds5)/5.0).astype(int)
ensemble_preds.mean()
```

The output is as follows:

0.674

As you add more models to a voting process, the probability of errors will decrease; this is known as Condorcet's jury theorem.

Crazy, right?

For ensembling to work well in practice, the models must have the following characteristics:

- **Accuracy:** Each model must at least outperform the null model
- **Independence:** A model's prediction process is not affected by another model's prediction process

If you have a bunch of individually OK models, the edge case mistakes made by one model are probably not going to be made by the other models, so the mistakes will be ignored when combining the models.

There are the following two basic methods for ensembling:

- Manually ensemble your individual models by writing a good deal of code
- Use a model that ensembles for you

We're going to look at a model that ensembles for us. To do this, let's take a look at decision trees again.

Decision trees tend to have low bias and high variance. Given any dataset, the tree can keep asking questions (making decisions) until it is able to nitpick and distinguish between every single example in the dataset. It could keep asking question after question until there is only a single example in each leaf (terminal) node. The tree is trying too hard, growing too deep, and just memorizing every single detail of our training set. However, if we started over, the tree could potentially ask different questions and still grow very deep. This means that there are many possible trees that could distinguish between all elements, which means higher variance. It is unable to generalize well.

In order to reduce the variance of a single tree, we can place a restriction on the number of questions asked in a tree (the `max_depth` parameter), or we can create an ensemble version of decision trees, called random forests.

Random forests

The primary weakness of decision trees is that different splits in the training data can lead to very different trees. Bagging is a general purpose procedure to reduce the variance of a machine learning method, but is particularly useful for decision trees.

Bagging is short for Bootstrap aggregation, which means the aggregation of Bootstrap samples. What is a Bootstrap sample?

A Bootstrap sample is a smaller sample that is "bootstrapped" from a larger sample. Bootstrapping is a type of resampling where large numbers of smaller samples of the same size are repeatedly drawn, with replacement, from a single original sample:

```
# set a seed for reproducibility
np.random.seed(1)

# create an array of 1 through 20
nums = np.arange(1, 21)
print (nums).
```

The output is as follows:

```
[ 1  2  3  4  5  6  7  8  9 10 11 12 13 14 15 16 17 18 19 20]
# sample that array 20 times with replacement
np.random.choice(a=nums, size=20, replace=True)
```

The preceding command will create a bootstrapped sample, as follows:

```
[ 6 12 13  9 10 12  6 16  1 17  2 13  8 14  7 19  6 19 12 11]
# This is our bootstrapped sample notice it has repeat variables!
```

So, how does bagging work for decision trees?

1. Grow B trees using Bootstrap samples from the training data
2. Train each tree on its Bootstrap sample and make predictions
3. Combine the predictions:
 - Average the predictions for regression trees
 - Take a vote for classification trees

The following are a few things to note:

- Each Bootstrap sample should be the same size as the original training set
- B should be a large enough value that the error seems to have *stabilized*
- The trees are grown intentionally deep so that they have low bias/high variance

The reason we grow the trees intentionally deep is that the bagging inherently increases predictive accuracy by reducing the variance, similar to how cross-validation reduces the variance associated with estimating our out-of-sample error.

Random forests are a variation of bagged trees.

However, when building each tree, each time we consider a split between the features, a random sample of m features is chosen as split candidates from the full set of p features. The split is only allowed to be one of those m features:

- A new random sample of features is chosen for *every single* tree at every single split
- For classification, m is typically chosen to be the square root of p
- For regression, m is typically chosen to be somewhere between $p/3$ and p

What's the point?

Suppose there is one very strong feature in the dataset. When using decision (or bagged) trees, most of the trees will use that feature as the top split, resulting in an ensemble of similar trees that are highly correlated with each other.

If our trees are highly correlated with each other, then averaging these quantities will not significantly reduce variance (which is the entire goal of ensembling). Also, by randomly leaving out candidate features from each split, random forests reduce the variance of the resulting model.

Random forests can be used in both classification and regression problems, and can be easily used in scikit-learn. Let's try to predict MLB salaries based on statistics about the player, as shown here:

```
# read in the data
url = '../data/hitters.csv'

hitters = pd.read_csv(url)

# remove rows with missing values
hitters.dropna(inplace=True)

# encode categorical variables as integers
hitters['League'] = pd.factorize(hitters.League)[0]
hitters['Division'] = pd.factorize(hitters.Division)[0]
hitters['NewLeague'] = pd.factorize(hitters.NewLeague)[0]

# define features: exclude career statistics (which start with "C")
# and the response (Salary)
feature_cols = [h for h in hitters.columns if h[0] != 'C' and h != 'Salary']

# define X and y
X = hitters[feature_cols]
y = hitters.Salary
```

Let's try and predict the salary first using a single decision tree, as illustrated here:

```
from sklearn.tree import DecisionTreeRegressor


# list of values to try for max_depth
max_depth_range = range(1, 21)

# list to store the average RMSE for each value of max_depth
```

```
RMSE_scores = []

# use 10-fold cross-validation with each value of max_depth
from sklearn.cross_validation import cross_val_score
for depth in max_depth_range:
    treereg = DecisionTreeRegressor(max_depth=depth, random_state=1)
    MSE_scores = cross_val_score(treereg, X, y, cv=10, scoring='mean_squared_error')
    RMSE_scores.append(np.mean(np.sqrt(-MSE_scores)))

# plot max_depth (x-axis) versus RMSE (y-axis)
plt.plot(max_depth_range, RMSE_scores)
plt.xlabel('max_depth')
plt.ylabel('RMSE (lower is better)')
```



RMSE for decision tree models against the max depth of the tree (complexity)

Let's do the same thing, but this time with a random forest:

```
from sklearn.ensemble import RandomForestRegressor


# list of values to try for n_estimators
estimator_range = range(10, 310, 10)

# list to store the average RMSE for each value of n_estimators
```

```
RMSE_scores = []

# use 5-fold cross-validation with each value of n_estimators
(WARNING: SLOW!)
for estimator in estimator_range:
    rfreg = RandomForestRegressor(n_estimators=estimator, random_
state=1)
    MSE_scores = cross_val_score(rfreg, X, y, cv=5, scoring='mean_
squared_error')
    RMSE_scores.append(np.mean(np.sqrt(-MSE_scores)))

# plot n_estimators (x-axis) versus RMSE (y-axis)
plt.plot(estimator_range, RMSE_scores)
plt.xlabel('n_estimators')
plt.ylabel('RMSE (lower is better)')
```



RMSE for random forest models against the max depth of the tree (complexity)

Note the y-axis; our RMSE is much lower on average! Now, let's see how we can obtain a major increase in predictive power using random forests.

In random forests, we still have the concept of important features, like we had in decision trees:

```
# n_estimators=150 is sufficiently good
rfreg = RandomForestRegressor(n_estimators=150, random_state=1)
rfreg.fit(X, y)
# compute feature importances
pd.DataFrame({'feature':feature_cols, 'importance':rfreg.feature_
importances_}).sort('importance', ascending = False)
```

We obtain the following output to the preceding code:

	feature	importance
6	Years	0.263990
5	Walks	0.146786
1	Hits	0.139801
4	RBI	0.136265
0	AtBat	0.091551
9	PutOuts	0.060647
3	Runs	0.057460
2	HmRun	0.040183
11	Errors	0.024711
10	Assists	0.023367
8	Division	0.007628
12	NewLeague	0.004545
7	League	0.003067

So, it looks like the number of years the player has been in the league is still the most important feature when deciding that player's salary.

Comparing random forests with decision trees

It is important to realize that just using random forests is not the solution to your data science problems. While random forests provide many advantages, many disadvantages also come with them.

The advantages of random forests are as follows:

- Their performance is competitive with the best-supervised learning methods
- They provide a more reliable estimate of feature importance
- They allow you to estimate out-of-sample errors without using train/test splits or cross-validation

The disadvantages of random forests are as follows:

- They are less interpretable (cannot visualize an entire forest of decision trees)
- They are slower to train and predict (not great for production or real-time purposes)

Neural networks


Probably one of the most talked about machine learning models, neural networks are computational networks built to model animals' nervous systems. Before getting too deep into the structure, let's take a look at the big advantages of neural networks.

The key component of a neural network is that it is not only a complex structure, but it is also a complex and flexible structure. This means the following two things:

- Neural networks are able to estimate any function shape (this is called being non-parametric)
- Neural networks can adapt and literally change their own internal structure based on their environment

Basic structure

Neural networks are made up of interconnected nodes (**perceptrons**) that each take in input (quantitative value), and output other quantitative values. Signals travel through the network and eventually end up at a prediction node:




Visualization of neural network interconnected nodes

Another huge advantage of neural networks is that they can be used for supervised learning, unsupervised learning, and reinforcement learning problems. The ability to be so flexible, predict many functional shapes, and adapt to their surroundings make neural networks highly preferable in select fields, as follows:

- **Pattern recognition:** This is probably the most common application of neural networks. Some examples are handwriting recognition and image processing (facial recognition).
- **Entity movement:** Examples for this include self-driving cars, robotic animals, and drone movement.
- **Anomaly detection:** Since neural networks are good at recognizing patterns, they can also be used to recognize when a data point does not fit a pattern. Think of a neural network monitoring a stock price movement; after a while of learning the general pattern of a stock price, the network can alert you when something is unusual in the movement.

The simplest form of a neural network is a single perceptron. A perceptron, visualized as follows, takes in some input and outputs a signal:




This signal is obtained by combining the input with several weights and then is put through some *activation function*. In cases of simple binary outputs, we generally use the logistic function, as shown here:

$$f_{log}(z) = \frac{1}{1 + e^{-z}}$$

f_{log} is called **logistic function**

To create a neural network, we need to connect multiple perceptrons to each other in a network fashion, as illustrated in the following graph.

A **multilayer perceptron (MLP)** is a finite acyclic graph. The nodes are neurons with logistic activation:



As we train the model, we update the weights (which are random at first) of the model in order to get the best predictions possible. If an observation goes through the model and is outputted as false when it should have been true, the logistic functions in the single perceptrons are changed slightly. This is called back-propagation. Neural networks are usually trained in batches, which means that the network is given several training data points at once several times, and each time, the **back-propagation** algorithm will trigger an internal weight change in the network.


It isn't hard to see that we can grow the network very deep and have many hidden layers, which are associated with the complexity of the neural network. When we grow our neural networks very deep, we are dipping our toes into the idea of *deep learning*. The main advantage of deep neural networks (networks with many layers) is that they can approximate almost any shape function and they can (theoretically) learn optimal combinations of features for us and use these combinations to obtain the best predictive power.

Let's see this in action. I will be using a module called PyBrain to make my neural networks. However, first, let's take a look at a new dataset, which is a dataset of handwritten digits. We will first try to recognize digits using a random forest, as shown here:

```
from sklearn.cross_validation import cross_val_score
from sklearn import datasets
import matplotlib.pyplot as plt
from sklearn.ensemble import RandomForestClassifier
%matplotlib inline
```

```
digits = datasets.load_digits()

plt.imshow(digits.images[100], cmap=plt.cm.gray_r,
interpolation='nearest')
# a 4 digit
```



```
X, y = digits.data, digits.target

# 64 pixels per image
X[0].shape

# Try Random Forest
rfclf = RandomForestClassifier(n_estimators=100, random_state=1)
cross_val_score(rfclf, X, y, cv=5, scoring='accuracy').mean()
0.9382782
```

Pretty good! An accuracy of 94% is nothing to laugh at, but can we do even better?



Warning! The PyBrain syntax can be a bit tricky.

```
from pybrain.datasets import ClassificationDataSet
from pybrain.utilities import percentError
from pybrain.tools.shortcuts import buildNetwork
from pybrain.supervised.trainers import BackpropTrainer
from pybrain.structure.modules import SoftmaxLayer
```

```
from numpy import ravel

# pybrain has its own data sample class that we must add
# our training and test set to
ds = ClassificationDataSet(64, 1 , nb_classes=10)
for k in xrange(len(X)):
    ds.addSample(ravel(X[k]),y[k])

# their equivalent of train test split
test_data, training_data = ds.splitWithProportion( 0.25 )

# pybrain's version of dummy variables

test_data._convertToOneOfMany( )
training_data._convertToOneOfMany( )

print test_data.indim # number of pixels going in
# 64
print test_data.outdim # number of possible options (10 digits)
# 10

# instantiate the model with 64 hidden layers (standard params)
fnn = buildNetwork( training_data.indim, 64, training_data.outdim,
outclass=SoftmaxLayer )
trainer = BackpropTrainer( fnn, dataset=training_data, momentum=0.1,
learningrate=0.01 , verbose=True, weightdecay=0.01)

# change the number of epochs to try to get better results!
trainer.trainEpochs (10) # 10 batches
print 'Percent Error on Test dataset: ' , \
percentError( trainer.testOnClassData (
    dataset=test_data )
, test_data['class'] )
```

The model will output a final error on a test set:


```
Percent Error on Test dataset: 4.67706013363
accuracy = 1 - .0467706013363
accuracy
0.95322
```

This is already better! Both the random forests and neural networks do very well with this problem because both of them are non-parametric, which means that they do not rely on the underlying shape of the data to make predictions. They are able to estimate any shape of function.

To predict the shape, we can use the following code:

```
plt.imshow(digits.images[0], cmap=plt.cm.gray_r,
           interpolation='nearest')

fnn.activate(X[0])
array([ 0.92183643,  0.00126609,  0.00303146,  0.00387049,
       0.01067609,
       0.00718017,  0.00825521,  0.00917995,  0.00696929,  0.02773482])
```



The array represents a probability for every single digit, which means that there is a 92% chance that the digit in the preceding screenshot is a 0 (which it is). Note how the next highest probability is for a 9, which makes sense because 9 and 0 have similar shapes (ovular).

Neural networks do have a major flaw. If left alone, they have a very high variance. To see this, let's run the exact same code we used previously and train the exact same type of neural network on the exact same data, as illustrated here:

```
# Do it again and see the difference in error
fnn = buildNetwork( training_data.indim, 64, training_data.outdim,
outclass=SoftmaxLayer )
trainer = BackpropTrainer( fnn, dataset=training_data, momentum=0.1,
learningrate=0.01 , verbose=True, weightdecay=0.01)

# change the number of epochs to try to get better results!
trainer.trainEpochs (10)
print ('Percent Error on Test dataset: ' , \
percentError( trainer.testOnClassData (
    dataset=test_data )
, test_data['class']) )

accuracy = 1 - .0645879732739
accuracy
0.93541
```

See how just rerunning the model and instantiating different weights made the network turn out to be different than before? This is a symptom of being a high variance model. In addition, neural networks generally require many training samples in order to combat the high *variances* of the model and also require a large amount of computation power to work well in production environments.

Summary

This concludes our long journey into the principles of data science. In the last 300-odd pages, we looked at different techniques in probability, statistics, and machine learning to answer the most difficult questions out there. I would like to personally congratulate you on making it through this book. I hope that it proved useful and inspired you to learn even more!

This isn't everything I need to know?

Nope! There is only so much I can fit into a principles level book. There is still so much to learn.

Where can I learn more?

I recommend going to find open source data challenges (<https://www.kaggle.com/> is a good source) for this. I'd also recommend seeking out, trying, and solving your own problems at home!

When do I get to call myself a data scientist?

When you begin cultivating actionable insights from datasets, both large and small, that companies and people can use, then you have the honor of calling yourself a true data scientist.

In the next chapter, we will apply the concepts we learned in this book to real-life case studies, including building predictive models to predict the stock market. We will also cover the emerging machine learning topic of TensorFlow.

13

Case Studies

In this chapter, we will take a look at a few case studies to help you develop a better understanding of the topics we've looked at so far.

- Case study 1 – Predicting stock prices based on social media
- Case study 2 – Why do some people cheat on their spouses?
- Case study 3 – Using TensorFlow

Case study 1 – Predicting stock prices based on social media

Our first case study will be quite exciting! We will attempt to predict the price of the stock of a publicly traded company using only social media sentiment. While this example will not use any explicit statistical/machine learning algorithms, we will utilize **exploratory data analysis (EDA)** and use visuals in order to achieve our goal.

Text sentiment analysis

When talking about sentiment, it should be clear what is meant. By sentiment, I am referring to a quantitative value (at the interval level) between -1 and 1. If the sentiment score of a text piece is close to -1, it is said to have negative sentiment. If the sentiment score is close to 1, then the text is said to have positive sentiment. If the sentiment score is close to 0, we say it has neutral sentiment. We will use a Python module called `TextBlob` to measure our text sentiment:

```
from textblob import TextBlob
# use the textblob module to make a function called stringToSentiment
# that returns a sentences sentiment
def stringToSentiment(text):
    return TextBlob(text).sentiment.polarity
```

Case Studies

Now, we can use this function, which calls the `Textblob` module to score text out of the box:

```
stringToSentiment('i hate you')
# -0.8

stringToSentiment('i love you')
# 0.5

stringToSentiment('i see you')
# 0.0
```

Now, let's read in our tweets for our study:

```
# read in tweets data into a dataframe
from textblob import TextBlob
import pandas as pd
%matplotlib inline
# these tweets are from last May and are about Apple (AAPL)
tweets = pd.read_csv('../data/so_many_tweets.csv')
tweets.head()
```

The output is as follows:

	Text	Date	Status	Retweet
0	RT @j_o_h_n_danger: \$TWTR now top holding for ...	2015-05-24 03:46:08	602319644234395648	6.022899e+17
1	RT diggingplatinum RT WWalkerWW: iOS 9 vs. And...	2015-05-24 04:17:42	602327586983796737	NaN
2	RT bosocial RT insidermonkey RT j_o_h_n_danger...	2015-05-24 04:13:22	602326499534966784	NaN
3	RT @WWalkerWW: iOS 9 vs. Android M à The New...	2015-05-24 04:08:34	602325288740114432	6.023104e+17
4	RT @seeitmarket: Apple Chart Update: Big Test ...	2015-05-24 04:04:42	602324318903771136	6.023215e+17

Exploratory data analysis

So, we have four columns, as follows:

- **Text:** Unstructured text at the nominal level
- **Date:** Datetime (we will think of datetime in a continuous way)
- **Status:** Unique status ID at the nominal level
- **Retweet:** Status ID of tweet showing that this tweet was a retweet at the nominal level

So, we have four columns, but how many rows? Also, what does each row represent? It seems that each row represents a single tweet about the company:

```
tweets.shape
```

The output is as follows:

```
(52512, 4)
```

So, we have four columns and 52512 tweets/rows at our disposal! Oh boy... Our goal here is to eventually use the tweets' sentiments, so we will likely need a sentiment column in the DataFrame. Using our fairly straightforward function from the previous example, let's add this column!

```
# create a new column in tweets called sentiment that maps
stringToSentiment to the text column
tweets['sentiment'] = tweets['Text'].apply(stringToSentiment)

tweets.head()
```

The preceding code will apply the `stringToSentiment` function to each and every element in the `Text` column of the `tweets` DataFrame:

```
tweets.head()
```

	Text	Date	Status	Retweet	sentiment
0	RT @j_o_h_n_danger: \$TWTR now top holding for ...	2015-05-24 03:46:08	602319644234395648	6.022899e+17	0.500000
1	RT diggingplatinum RT WWalkerWW: iOS 9 vs. And...	2015-05-24 04:17:42	602327586983796737	NaN	0.136364
2	RT bosocial RT insidermonkey RT j_o_h_n_danger...	2015-05-24 04:13:22	602326499534966784	NaN	0.500000
3	RT @WWalkerWW: iOS 9 vs. Android M â The New...	2015-05-24 04:08:34	602325288740114432	6.023104e+17	0.136364
4	RT @seeitmarket: Apple Chart Update: Big Test ...	2015-05-24 04:04:42	602324318903771136	6.023215e+17	0.000000

So, now, we have a sense for the sentiment score for each tweet in this dataset. Let's simplify our problem and try to use an entire days' worth of tweets to predict whether or not the price of AAPL will increase within 24 hours. If this is the case, we have another issue here. The `Date` column reveals that we have multiple tweets for each day. Just look at the first five tweets; they are all on the same day. We will resample this dataset in order to get a sense of the average sentiment of the stock on Twitter every day.

We will do this in three steps:

1. We will ensure that the Date column is of the Python `datetime` type.
2. We will replace our DataFrame's index with the `datetime` column (which allows us to use complex `datetime` functions).
3. We will resample the data so that each row, instead of representing a tweet, will represent a single day with an aggregated sentiment score for each day:

 The index of the DataFrame is a special series used to identify rows in our structure. By default, a DataFrame will use incremental integers to represent rows (0 for the first row, 1 for the second row, and so on).

```
import pandas as pd
tweets.index = pd.RangeIndex(start=0, stop=52512, step=1)
# As a list, we can splice it
list(tweets.index) [:5]

[0, 1, 2, 3, 4]
```

4. Let's tackle this date issue now! We will ensure that the Date column is of the Python `datetime` type:

```
# cast the date column as a datetime
tweets['Date'] = pd.to_datetime(tweets.Date)
tweets['Date'].head()
```

```
Date
2015-05-24 03:46:08    2015-05-24 03:46:08
2015-05-24 04:17:42    2015-05-24 04:17:42
2015-05-24 04:13:22    2015-05-24 04:13:22
2015-05-24 04:08:34    2015-05-24 04:08:34
2015-05-24 04:04:42    2015-05-24 04:04:42
Name: Date, dtype: datetime64[ns]
```

5. We will replace our DataFrame's index with the datetime column (which allows us to use complex datetime functions):

```
tweets.index = tweets.Date
tweets.index
```

```
Index([u'2015-05-24 03:46:08', u'2015-05-24 04:17:42', u'2015-05-
24 04:13:22',
       u'2015-05-24 04:08:34', u'2015-05-24 04:04:42', u'2015-05-
24 04:00:01',
       u'2015-05-24 03:54:07', u'2015-05-24 04:25:29', u'2015-05-
24 04:24:47',
       u'2015-05-24 04:06:42',
       ...
       u'2015-05-02 16:30:02', u'2015-05-02 16:29:35', u'2015-05-
02 16:28:26',
       u'2015-05-02 16:27:53', u'2015-05-02 16:27:02', u'2015-05-
02 16:26:39',
       u'2015-05-02 16:25:00', u'2015-05-02 16:23:39', u'2015-05-
02 16:23:38',
       u'2015-05-02 16:23:21'],
      dtype='object', name=u'Date', length=52512)
```

```
tweets.head()
```

	yesterday_sentiment	Close	yesterday_close	percent_change_in_price	change_close_big_deal
Date					
2015-05-05	0.084062	125.800003	128.699997	-0.022533	True
2015-05-06	0.063882	125.010002	125.800003	-0.006280	False
2015-05-07	0.066166	125.260002	125.010002	0.002000	False
2015-05-08	0.078892	127.620003	125.260002	0.018841	True
2015-05-11	0.102898	126.320000	127.620003	-0.010187	True



Note that the black index on the left used to be numbers, but now is the exact datetime that the tweet was sent.



6. Resample the data so that each row, instead of representing a tweet, will represent a single day with an aggregated sentiment score for each day:

```
# create a dataframe called daily_tweets which resamples tweets by
# D, averaging the columns
daily_tweets = tweets[['sentiment']].resample('D', how='mean')
# I only want the sentiment column in my new Dataframe.
daily_tweets.head()
```

	sentiment
Date	
2015-05-02	0.083031
2015-05-03	0.107789
2015-05-04	0.084062
2015-05-05	0.063882
2015-05-06	0.066166

That's looking better! Now, each row represents a single day, and the sentiment score column is showing us an average sentiment for the day. Let's see how many days' worth of tweets we have:


```
daily_tweets.shape  
  
(23, 1)
```

OK, so we went from over 50,000 tweets to only 23 days! Now, let's take a look at the progression of sentiment over several days:

```
# plot the sentiment as a line graph  
  
daily_tweets.sentiment.plot(kind='line')
```

The following graph represents the average daily sentiment in regard to a specific company for 23 days in

May 2015:



```
import pandas as pd
import pandas_datareader as pdr
import datetime
historical_prices = pdr.get_data_yahoo('AAPL',
                                         start=datetime.datetime(2015, 5, 2),
                                         end=datetime.datetime(2015, 5, 25))

prices = pd.DataFrame(historical_prices)

prices.head()
```

	Adj_Close	Close	Date	High	Low	Open	Symbol	Volume
0	129.180748	132.539993	2015-05-22	132.970001	131.399994	131.600006	AAPL	45596000
1	128.059901	131.389999	2015-05-21	131.630005	129.830002	130.070007	AAPL	39730400
2	126.763608	130.059998	2015-05-20	130.979996	129.339996	130.00	AAPL	36454900
3	126.773364	130.070007	2015-05-19	130.880005	129.639999	130.690002	AAPL	44633200
4	126.890318	130.190002	2015-05-18	130.720001	128.360001	128.380005	AAPL	50882900

Now, two things are primarily of interest to us here:

- We are really only interested in the `Close` column, which is the final price set for the trading day
- We also need to set the index of this DataFrame to be *datetimes* so that we can merge the sentiment and the price DataFrames together:

```
prices.info() #the columns aren't numbers!
```

```
<class 'pandas.core.frame.DataFrame'>
DatetimeIndex: 15 entries, 2015-05-22 to 2015-05-04
Data columns (total 8 columns):
Adj_Close    15 non-null object
Close        15 non-null object      # NOT A NUMBER
Date         15 non-null object
High         15 non-null object
Low          15 non-null object
Open         15 non-null object
Symbol       15 non-null object
Volume       15 non-null object
dtypes: object(8)
```


Let's fix that. While we're at it, let's also fix `Volume`, which represents the number of stocks traded on that day:

```
# cast the column as numbers
prices.Close= not_null_close.Close.astype('float')

prices.Volume = not_null_close.Volume.astype('float')
```

Now, let's try to plot both the volume and price of AAPL in the same graph:

```
# plot both volume and close as line graphs in the same graph, what do
you notice is the problem?
prices[["Volume", 'Close']].plot()
```



Trade volume versus date

Woah, what's wrong here? Well, if we look carefully, `Volume` and `Close` are on very different scales!


```
prices[["Volume", 'Close']].describe()
```

	Volume	Close
count	1.500000e+01	15.000000
mean	4.649939e+07	128.170667
std	9.167054e+06	2.386393
min	3.469420e+07	125.010002
25%	4.088310e+07	125.940002
50%	4.520350e+07	128.699997
75%	5.007715e+07	130.065002
max	7.214100e+07	132.539993

Case Studies

And by a lot! The `volume` column has a mean in the tens of millions, while the average closing price is merely 125!

```
from sklearn.preprocessing import StandardScaler
# scale the columns by z scores using StandardScaler
# Then plot the scaled data
s = StandardScaler()
only_prices_and_volumes = prices[["Volume", 'Close']]
price_volume_scaled = s.fit_transform(only_prices_and_volumes)
pd.DataFrame(price_volume_scaled, columns=["Volume", 'Close']).plot()
```



Correlation of volume and closing prices

That looks much better! You can see how, as the price of AAPL went down somewhere in the middle, the volume of trading also went up! This is actually fairly common:

```
# concatenate prices.Close, and daily_tweets.sentiment

merged = pd.concat([prices.Close, daily_tweets.sentiment], axis=1)
merged.head()
```


	sentiment
Date	
2015-05-02	0.083031
2015-05-03	0.107789
2015-05-04	0.084062
2015-05-05	0.063882
2015-05-06	0.066166

Hmm, why are there some null `Close` values? Well, if you look up May 2, 2015 on a calendar, you will see that it is a Saturday and the markets are closed on Saturdays, meaning there cannot be a closing price! So, we need to make a decision on whether or not to remove these rows because we still have sentiment for that day. Eventually, we will be attempting to predict the next day's closing price and whether the price increased or not, so let's go ahead and remove any null values in our dataset:

```
# Delete any rows with missing values in any column  
merged.dropna(inplace=True)
```

Now, let's attempt to graph our plot:

```
merged.plot()  
# wow that looks awful
```




Closing price/sentiment score versus date

Wow, that's terrible. Once again, we must scale our features in order to gain any valuable insight:

```
# scale the columns by z scores using StandardScaler
from sklearn.preprocessing import StandardScaler
s = StandardScaler()
merged_scaled = s.fit_transform(merged)

pd.DataFrame(merged_scaled, columns=merged.columns).plot()
# notice how sentiment seems to follow the closing price
```



Closing price versus sentiment score

Much better! You can start to see how the closing price of the stock actually does seem to move with our sentiment. Let's take this one step further and attempt to apply a supervised learning model. For this to work, we need to define our features and our response. Recall that our response is the value that we wish to predict, and our features are values that we will use to predict the response.

If we look at each row of our data, we have a sentiment and closing price for that day. However, we wish to use today's sentiment to predict tomorrow's stock price and whether it increased or not. Think about it; it would be kind of cheating because today's sentiment will include tweets from after the closing price was finalized. To simplify this, we will ignore any tweet as a feature for the prediction of today's price.

So, for each row, our response should be today's closing price, while our feature should be yesterday's sentiment of the stock. To do this, I will use a built-in function in pandas called `shift` to shift our sentiment column one item backward:

```
# Shift the sentiment column backwards one item

merged['yesterday_sentiment'] = merged['sentiment'].shift(1)
merged.head()
```

	Close	sentiment	yesterday_sentiment
Date			
2015-05-04	128.699997	0.084062	NaN
2015-05-05	125.800003	0.063882	0.084062
2015-05-06	125.010002	0.066166	0.063882
2015-05-07	125.260002	0.078892	0.066166
2015-05-08	127.620003	0.102898	0.078892

DataFrame with yesterday's sentiment included

Ah good, so now, for each day we have our true feature, which is `yesterday_sentiment`. Note that in our heads (first five rows), we have a new null value! This is because, on the first day, we don't have a value from yesterday, so we will have to remove it. But before we do, let's define our response column.

We have two options:

- Keep our response quantitative and use a regression analysis
- Convert our response to a qualitative state and use classification

Which route to choose is up to the data scientist and depends on the situation. If you merely wish to associate sentiment with a movement in price, then I recommend using the classification route. If you wish to associate sentiment with the amount of movement, I recommend a regression. I will do both!

Regression route

We are already good to go on this front! We have our response and our single feature. We will first have to remove that one null value before continuing:

```
# Make a new dataframe for our regression and drop the null values

regression_df = merged[['yesterday_sentiment', 'Close']]
regression_df.dropna(inplace=True)
regression_df.head()
```

	yesterday_sentiment	Close
Date		
2015-05-05	0.084062	125.800003
2015-05-06	0.063882	125.010002
2015-05-07	0.066166	125.260002
2015-05-08	0.078892	127.620003
2015-05-11	0.102898	126.320000

Let's use both a random forest and a linear regression and see which performs better, using **root-mean-square error (RMSE)** as our metric:

```
# Imports for our regression

from sklearn.linear_model import LinearRegression
from sklearn.ensemble import RandomForestRegressor
from sklearn.cross_validation import cross_val_score
import numpy as np
```

We will use a cross-validated RMSE in order to compare our two models:

```
# Our RMSE as a result of cross validation linear regression

linreg = LinearRegression()
rmse_cv = np.sqrt(abs(cross_val_score(linreg, regression_
df[['yesterday_sentiment']], regression_df['Close'], cv=3,
scoring='mean_squared_error').mean()))
rmse_cv

3.49837
```

```
# Our RMSE as a result of cross validation random forest

rf = RandomForestRegressor()
rmse_cv = np.sqrt(abs(cross_val_score(rf, regression_df[['yesterday_sentiment']], regression_df['Close'], cv=3, scoring='mean_squared_error').mean()))
rmse_cv

3.30603
```

Look at our RMSE; it's about 3.5 for both models, meaning that on average, our model is off by about 3.5 dollars, which is actually a big deal considering our stock price likely doesn't move *that* much:

```
regression_df['Close'].describe()

count      14.000000
mean      128.132858
std       2.471810    # Our standard deviation is less than our RMSE
(bad sign)
min      125.010002
25%      125.905003
50%      128.195003
75%      130.067505
max      132.539993
```

Another way to test the validity of our model is by comparing our RMSE to the null model's RMSE. The null model for a regression model is predicting the average value for each value:

```
# null model for regression
mean_close = regression_df['Close'].mean()
preds = [mean_close]*regression_df.shape[0]
preds
from sklearn.metrics import mean_squared_error
null_rmse = np.sqrt(mean_squared_error(preds, regression_df['Close']))
null_rmse
```

```
2.381895
```

Because our model did not beat the null model, perhaps regression isn't the best way to go.

Classification route

For classification, we have a bit more work to do because we don't have a categorical response yet. To make one, we need to transform the closing column into some categorical option. I will choose to make the following response. I will make a new column called `change_close_big_deal`, which is defined as follows:

$$\text{change_close_big_deal} = \begin{cases} 1, & \text{the change in stock price was } > 1\% \text{ or } < -1\% \\ 0, & \text{else} \end{cases}$$

So, our response will be `1` if our response changed significantly, and `0` if the change in stock was negligible:

```
# Imports for our classification

from sklearn.linear_model import LogisticRegression
from sklearn.ensemble import RandomForestClassifier
from sklearn.cross_validation import cross_val_score
import numpy as np

# Make a new dataframe for our classification and drop the null values

classification_df = merged[['yesterday_sentiment', 'Close']]

# variable to represent yesterday's closing price
classification_df['yesterday_close'] = classification_df['Close'].shift(1)

# column that represents the percent change in price since yesterday
classification_df['percent_change_in_price'] = (classification_df['Close'] - classification_df['yesterday_close']) / classification_df['yesterday_close']

# drop any null values
classification_df.dropna(inplace=True)
classification_df.head()

# Our new classification response
```

```
classification_df['change_close_big_deal'] = abs(classification_
df['percent_change_in_price']) > .01
classification_df.head()
```

	yesterday_sentiment	Close	yesterday_close	percent_change_in_price	change_close_big_deal
Date					
2015-05-05	0.084062	125.800003	128.699997	-0.022533	True
2015-05-06	0.063882	125.010002	125.800003	-0.006280	False
2015-05-07	0.066166	125.260002	125.010002	0.002000	False
2015-05-08	0.078892	127.620003	125.260002	0.018841	True
2015-05-11	0.102898	126.320000	127.620003	-0.010187	True

Our DataFrame with a new column called `change_close_big_deal` is either True or False.

Now, let's perform the same cross-validation as we did with our regression, but this time, we will be using the *accuracy* feature of our cross-validation module and, instead of a regression module, we will be using two classification machine learning algorithms:

```
# Our accuracy as a result of cross validation random forest

rf = RandomForestClassifier()
accuracy_cv = cross_val_score(rf, classification_df[['yesterday-
sentiment']], classification_df['change_close_big_deal'], cv=3,
scoring='accuracy').mean()

accuracy_cv

0.1777777
```

Gosh! Not so good, so let's try logistic regression instead:

```
# Our accuracy as a result of cross validation logistic regression

logreg = LogisticRegression()
accuracy_cv = cross_val_score(logreg, classification_df[['yesterday_-
sentiment']], classification_df['change_close_big_deal'], cv=3,
scoring='accuracy').mean()

accuracy_cv

0.5888
```

Better! But, of course, we should check it with our null model's accuracy:

```
# null model for classification  
null_accuracy = 1 - classification_df['change_close_big_deal'].mean()  
  
null_accuracy  
  
0.5833333
```

Whoa, our model can beat the null accuracy, meaning that our machine learning algorithm can predict the movement of a stock price using social media sentiment better than just randomly guessing!

Going beyond with this example

There are many ways that we could have enhanced this example to make a more robust prediction. We could have included more features, including a moving average of sentiment, instead of looking simply at the previous day's sentiment. We could have also brought in more examples to enhance our idea of sentiment. We could have looked at Facebook, the media, and so on, for more information on how we believe the stock will perform in the future.

We really only had 14 data points, which is far from sufficient to make a production-ready algorithm. Of course, for the purposes of this book, this is enough, but if we are serious about making a financial algorithm that can effectively predict stock price movement, we will have to obtain many more days of media coverage and prices.

We could have spent more time optimizing our parameters in our models by utilizing the `gridsearchcv` module in the `sklearn` package to get the most out of our models. There are other models that exist that deal specifically with time series data (data that changes over time), including a model called **AutoRegressive Integrated Moving Average (ARIMA)**. Models such as ARIMA and similar ones attempt to focus and zero in on specific time series features.

Case study 2 – Why do some people cheat on their spouses?

In 1978, a survey was conducted on housewives in order to discern factors that led them to pursue extramarital affairs. This study became the basis for many future studies of both men and women, all attempting to focus on features of people and marriages that led either partner to seek partners elsewhere behind their spouse's back.

Supervised learning is not always about prediction. In this case study, we will purely attempt to identify a few factors of the many that we believe might be the most important factors that lead someone to pursue an affair.

First, let's read in the data:

```
# Using dataset of a 1978 survey conducted to measure likelihood of
# women to perform extramarital affairs
# http://statsmodels.sourceforge.net/stable/datasets/generated/fair.
# html

import statsmodels.api as sm
affairs_df = sm.datasets.fair.load_pandas().data
affairs_df.head()
```

	rate_marriage	age	yrs_married	children	religious	educ	occupation	occupation_husb	affairs
0	3.0	32.0	9.0	3.0	3.0	17.0	2.0	5.0	0.111111
1	3.0	27.0	13.0	3.0	1.0	14.0	3.0	4.0	3.230769
2	4.0	22.0	2.5	0.0	1.0	16.0	3.0	5.0	1.400000
3	4.0	37.0	16.5	4.0	3.0	16.0	5.0	5.0	0.727273
4	5.0	27.0	9.0	1.0	1.0	14.0	3.0	4.0	4.666666

The statsmodels website provides a data dictionary, as follows:

- **rate_marriage**: The rating given to the marriage (given by the wife); 1 = *very poor*, 2 = *poor*, 3 = *fair*, 4 = *good*, 5 = *very good*; *ordinal level*
- **age**: Age of the wife; *ratio level*
- **yrs_married**: Number of years married; *ratio level*
- **children**: Number of children between husband and wife; *ratio level*
- **religious**: How religious the wife is; 1 = *not*, 2 = *mildly*, 3 = *fairly*, 4 = *strongly*; *ordinal level*
- **educ**: Level of education; 9 = *grade school*, 12 = *high school*, 14 = *some college*, 16 = *college graduate*, 17 = *some graduate school*, 20 = *advanced degree*; *ratio level*
- **occupation**: 1 = *student*; 2 = *farming, agriculture; semi-skilled, or unskilled worker*; 3 = *white-collar*; 4 = *teacher, counselor, social worker, nurse; artist, writer; technician, skilled worker*; 5 = *managerial, administrative, business*; 6 = *professional with advanced degree*; *nominal level*
- **occupation_husb**: Husband's occupation; same as occupation; *nominal level*
- **affairs**: Measure of time spent in extramarital affairs; *ratio level*

Case Studies

Okay, so we have a quantitative response, but my question is simply what factors cause someone to have an affair. The exact number of minutes or hours does not really matter that much. For this reason, let's make a new categorical variable called `affair_binary`, which is either `true` (they had an affair for more than 0 minutes) or `false` (they had an affair for 0 minutes):

```
# Create a categorical variable  
  
affairs_df['affair_binary'] = (affairs_df['affairs'] > 0)
```

Again, this column has either a `true` or a `false` value. The value is `true` if the person had an extramarital affair for more than 0 minutes. The value is `false` otherwise. From now on, let's use this binary response as our primary response. Now, we are trying to find which of these variables are associated with our response, so let's begin.

Let's start with a simple correlation matrix. Recall that this matrix shows us linear correlations between our quantitative variables and our response. I will show the correlation matrix as both a matrix of decimals and also as a heat map. Let's look at the numbers first:

```
# find linear correlations between variables and affair_binary  
affairs_df.corr()
```

	rate_marriage	age	yrs_married	children	religious	educ	occupation	occupation_husb	affairs	affair_binary
rate_marriage	1.000000	-0.111127	-0.128978	-0.129161	0.078794	0.079869	0.039528	0.027745	-0.178068	-0.331776
age	-0.111127	1.000000	0.894082	0.673902	0.136598	0.027960	0.106127	0.162567	-0.089964	0.146519
yrs_married	-0.128978	0.894082	1.000000	0.772806	0.132683	-0.109058	0.041782	0.128135	-0.087737	0.203109
children	-0.129161	0.673902	0.772806	1.000000	0.141845	-0.141918	-0.015068	0.086660	-0.070278	0.159833
religious	0.078794	0.136598	0.132683	0.141845	1.000000	0.032245	0.035746	0.004061	-0.125933	-0.129299
educ	0.079869	0.027960	-0.109058	-0.141918	0.032245	1.000000	0.382286	0.183932	-0.017740	-0.075280
occupation	0.039528	0.106127	0.041782	-0.015068	0.035746	0.382286	1.000000	0.201156	0.004469	0.028981
occupation_husb	0.027745	0.162567	0.128135	0.086660	0.004061	0.183932	0.201156	1.000000	-0.015614	0.017637
affairs	-0.178068	-0.089964	-0.087737	-0.070278	-0.125933	-0.017740	0.004469	-0.015614	1.000000	0.464046
affair_binary	-0.331776	0.146519	0.203109	0.159833	-0.129299	-0.075280	0.028981	0.017637	0.464046	1.000000

Correlation matrix for extramarital affairs data from a Likert survey conducted in 1978

Remember that we ignore the diagonal series of 1s because they are merely telling us that every quantitative variable is correlated with itself. Note the other correlated variables, which are the values closest to 1 and -1 in the last row or column (the matrix is always symmetrical across the diagonal).

We can see a few standout variables:


- affairs
- age
- yrs_married
- children

These are the top four variables with the *largest* magnitude (absolute value).

However, one of these variables is cheating. The `affairs` variable is the largest in magnitude, but is obviously correlated to `affair_binary` because we made the `affair_binary` variable directly based on `affairs`. Let's ignore that one.

Let's take a look at our correlation heat map to see whether our views can be seen there:

```
import seaborn as sns
sns.heatmap(affairs_df.corr())
```



The same correlation matrix, but this time as a heat map. Note the colors close to dark red and dark blue (excluding the diagonal).

We are looking for the dark red and dark blue areas of the heat map. These colors are associated with the most correlated features.

Remember that correlations are not the only way to identify which features are associated with our response. This method shows us how linearly correlated the variables are with each other. We may find another variable that affects affairs by evaluating the coefficients of a decision tree classifier. These methods might reveal new variables that are associated with our variables, but not in a linear fashion.

 Also notice that there are two variables here that don't actually belong... Can you spot them? These are the occupation and occupation_husb variables. Recall earlier that we deemed them as nominal and therefore have no right to be included in this correlation matrix. This is because pandas, unknowingly, casts them as integers and now considers them as quantitative variables. Don't worry, we will fix this soon.

First, let's make ourselves an x and a y DataFrame:

```
affairs_X = affairs_df.drop(['affairs', 'affair_binary'], axis=1)
# data without the affairs or affair_binary column

affairs_y = affairs_df['affair_binary']
```

Now, we will instantiate a decision tree classifier and cross-validate our model in order to determine whether or not the model is doing an okay job at fitting our data:

```
from sklearn.tree import DecisionTreeClassifier
model = DecisionTreeClassifier()
# instantiate the model

from sklearn.cross_validation import cross_val_score
# import our cross validation module

# check the accuracy on the training set
scores = cross_val_score(model, affairs_X, affairs_y, cv=10)

print( scores.mean(), "average accuracy" )
0.659756806845 average accuracy

print( scores.std(), "standard deviation" ) # very low, meaning
variance of the model is low
0.0204081732291 standard deviation

# Looks ok on the cross validation side
```

Because our standard deviation is low, we may make the assumption that the variance of our model is low (because variance is the square of standard deviation). This is good because this means that our model is not fitting wildly differently on each fold of the cross-validation and that it is generally a reliable model.

Because we agree that our decision tree classifier is generally a reliable model, we can fit the tree to our entire dataset and use the importance metric to identify which variables our tree deems the most important:

```
# Explore individual features that make the biggest impact
# rate_marriage, yrs_married, and occupation_husb. But one of these
variables doesn't quite make sense right?
# Its the occupation variable, because they are nominal, their
interpretations
model.fit(affairs_X, affairs_y)
pd.DataFrame({'feature':affairs_X.columns, 'importance':model.feature_
importances_}).sort_values('importance').tail(3)
```

	feature	importance
2	yrs_married	0.136953
0	rate_marriage	0.142588
7	occupation_husb	0.173304

So, `yrs_married` and `rate_marriage` are both important, but the most important variable is `occupation_husb`. But that doesn't make sense because that variable is nominal! So, let's apply our dummy variable technique wherein we create new columns that represent each option for `occupation_husb` and also for `occupation`.

Firstly, for the `occupation` column:

```
# Dummy Variables:

# Encoding qualitative (nominal) data using separate columns (see
slides for linear regression for more)

occupation_dummies = pd.get_dummies(affairs_df['occupation'],
prefix='occ_').iloc[:, 1:]

# concatenate the dummy variable columns onto the original DataFrame
(axis=0 means rows, axis=1 means columns)
affairs_df = pd.concat([affairs_df, occupation_dummies], axis=1)
affairs_df.head()
```

Case Studies

This new DataFrame has many new columns:

educ	occupation	occupation_husb	affairs	affair_binary	occ_2.0	occ_3.0	occ_4.0	occ_5.0	occ_6.0
17.0	2.0	5.0	0.111111	True	1.0	0.0	0.0	0.0	0.0
14.0	3.0	4.0	3.230769	True	0.0	1.0	0.0	0.0	0.0
16.0	3.0	5.0	1.400000	True	0.0	1.0	0.0	0.0	0.0
16.0	5.0	5.0	0.727273	True	0.0	0.0	0.0	1.0	0.0
14.0	3.0	4.0	4.666666	True	0.0	1.0	0.0	0.0	0.0

Remember, these new columns, occ_2.0, occ_4.0, and so on, represent a binary variable that represents whether or not the wife holds job 2, 4, and so on:

```
# Now for the husband's job

occupation_dummies = pd.get_dummies(affairs_df['occupation_husb'],
prefix='occ_husb_').iloc[:, 1:]

# concatenate the dummy variable columns onto the original DataFrame
(axis=0 means rows, axis=1 means columns)
affairs_df = pd.concat([affairs_df, occupation_dummies], axis=1)
affairs_df.head()

(6366, 15)
```

Now, we have 15 new columns! Let's run our tree again and find the most important variables:

```
# remove appropriate columns for feature set affairs_X = affairs_
df.drop(['affairs', 'affair_binary', 'occupation', 'occupation_
husb'], axis=1) affairs_y = affairs_df['affair_binary'] model =
DecisionTreeClassifier() from sklearn.cross_validation import cross_
val_score # check the accuracy on the training set scores = cross_
val_score(model, affairs_X, affairs_y, cv=10) print scores.mean(),
"average accuracy"

print (scores.std(), "standard deviation") # very low, meaning
variance of the model is low # Still looks ok # Explore individual
features that make the biggest impact model.fit(affairs_X, affairs_y)

pd.DataFrame({'feature':affairs_X.columns, 'importance':model.feature_
importances_}).sort_values('importance').tail(10)
```

	feature	importance
15	occ_husb_6.0	0.024299
11	occ_husb_2.0	0.030418
14	occ_husb_5.0	0.042021
13	occ_husb_4.0	0.047874
4	religious	0.098630
1	age	0.111628
5	educ	0.131468
2	yrs_married	0.132034
3	children	0.134374
0	rate_marriage	0.139502

And there you have it:

- `rate_marriage`: The rating of the marriage, as told by the decision tree
- `children`: The number of children they had, as told by the decision tree and our correlation matrix
- `yrs_married`: The number of years they had been married, as told by the decision tree and our correlation matrix
- `educ`: The level of education the women had, as told by the decision tree
- `age`: The age of the women, as told by the decision tree and our correlation matrix

These seem to be the top five most important variables in determining whether or not a woman from the 1978 survey would be involved in an extramarital affair.

Case study 3 – Using TensorFlow

I would like to finish off our time together by looking at a somewhat more modern machine learning module called TensorFlow.

TensorFlow is an open source machine learning module that is used primarily for its simplified deep learning and neural network abilities. I would like to take some time to introduce the module and solve a few quick problems using TensorFlow. The syntax for TensorFlow (like PyBrain in *Chapter 12, Beyond the Essentials*) is a bit different than our normal *scikit-learn* syntax, so I will be going over it step by step. Let's start with some imports:

```
from sklearn import datasets, metrics
import tensorflow as tf
import numpy as np
from sklearn.cross_validation import train_test_split
%matplotlib inline
```

Our imports from *sklearn* include *train_test_split*, *datasets*, and *metrics*. We will be utilizing our train test splits to reduce overfitting, we will use datasets in order to import our iris classification data, and we'll use the *metrics* module in order to calculate some simple metrics for our learning models.

TensorFlow learns in a different way in that it is always trying to minimize an error function. It does this by iteratively going through our entire dataset and, every so often, updates our model to better fit the data.

It is important to note that TensorFlow doesn't just implement neural networks, but can implement even simpler models as well. For example, let's implement a classic logistic regression using TensorFlow:

```
# Our data set of iris flowers
iris = datasets.load_iris()

# Load datasets and split them for training and testing
X_train, X_test, y_train, y_test = train_test_split(iris.data, iris.
target)

##### TENSORFLOW #####
# Here is tensorflow's syntax for defining features.
# We must specify that all features have real-value data
feature_columns = [tf.contrib.layers.real_valued_column("", dimension=4)]
```

```
# notice the dimension is set to four because we have four columns

# We set our "learning rate" which is a decimal that tells the network
# how quickly to learn
optimizer = tf.train.GradientDescentOptimizer(learning_rate=.1)
# A learning rate closer to 0 means the network will learn slower

# Build a linear classifier (logistic regression)
# note we have to tell tensorflow the number of classes we are looking
for
# which are 3 classes of iris
classifier = tf.contrib.learn.LinearClassifier(feature_
columns=feature_columns,
                                                optimizer=optimizer,
                                                n_classes=3)

# Fit model. Uses error optimization techniques like stochastic
gradient descent
classifier.fit(x=X_train,
                y=y_train,
                steps=1000) # number of iterations
```

I will point out the key lines of code from the preceding snippet to really solidify what is happening during training:

1. `feature_columns = [tf.contrib.layers.real_valued_column("", dimension=4)]:`
 - Here, I am creating four input columns that we know correlate to the flowers' sepal length, sepal width, petal length, and petal width.
2. `optimizer = tf.train.GradientDescentOptimizer(learning_rate=.1):`
 - Here, I am telling TensorFlow to optimize using something called **gradient descent**, which means that we will define an error function (which will happen in the next step) and, little by little, we will work our way to minimize this error function.
 - Our learning rate should hover close to 0 because we want our model to learn slowly. If our model learns too quickly, it might "skip over" the correct answer!

3. `classifier = tf.contrib.learn.LinearClassifier(feature_columns=feature_columns, optimizer=optimizer, n_classes=3):`
 - When we specify `LinearClassifier`, we are denoting the same error function that logistic regression is minimizing, meaning that this classifier is attempting to work as a logistic regression classifier.
 - We give the model our `feature_columns`, as defined in *Step 1*.
 - The `optimizer` is the method of minimizing our error function; in this case, we chose gradient descent.
 - We must also specify our number of classes as being 3. We know that we have three different iris flowers that the model could choose from.
4. `classifier.fit(x=X_train, y=y_train, steps=1000):`
 - The training looks similar to a scikit-learn model, with an added parameter called `steps`. `steps` tell us how many times we would like to go over our dataset. So, when we specify 1000, we are iterating over our dataset. The more steps we take, the more the model gets a chance to learn.

Phew! When we run the preceding code, a linear classifier (logistic regression) model is being fit, and when it is done, it is ready to be tested:

```
# Evaluate accuracy.  
accuracy_score = classifier.evaluate(x=X_test,  
                                      y=y_test) ["accuracy"]  
  
print('Accuracy: {:.f}'.format(accuracy_score))  
Accuracy: 0.973684
```

Excellent! It is worth noting that when using TensorFlow, we may also utilize a similarly simple `predict` function:

```
# Classify two new flower samples.  
new_samples = np.array(  
    [[6.4, 3.2, 4.5, 1.5], [5.8, 3.1, 5.0, 1.7]], dtype=float)  
  
y = classifier.predict(new_samples)  
print('Predictions: {}'.format(str(y)))  
Predictions: [1 2]
```

Now, let's compare this with a standard scikit-learn logistic regression to see who won:

```
from sklearn.linear_model import LogisticRegression
# compare our result above to a simple scikit-learn logistic
regression

logreg = LogisticRegression()
# instantiate the model

logreg.fit(X_train, y_train)
# fit it to our training set

y_predicted = logreg.predict(X_test)
# predict on our test set, to avoid overfitting!

accuracy = metrics.accuracy_score(y_predicted, y_test)
# get our accuracy score

accuracy
# It's the same thing!
```

Wow, so it seems that with 1,000 steps, a gradient descent-optimized TensorFlow model is no better than a simple sklearn logistic regression. OK, that's fine, but what if we allowed the model to iterate over the `iris` dataset even more?

```
feature_columns = [tf.contrib.layers.real_valued_column("", dimension=4)]

optimizer = tf.train.GradientDescentOptimizer(learning_rate=.1)


classifier = tf.contrib.learn.LinearClassifier(feature_
columns=feature_columns,
                                                optimizer=optimizer,
                                                n_classes=3)

classifier.fit(x=X_train,
                y=y_train,
                steps=2000) # number of iterations is 2000 now
```

Our code is exactly the same as before, but now we have 2000 steps instead of 1000:

```
# Evaluate accuracy.  
accuracy_score = classifier.evaluate(x=X_test,  
                                     y=y_test) ["accuracy"]  
  
print('Accuracy: {:.f}'.format(accuracy_score))  
Accuracy: 0.973684
```

And now we have even better accuracy!



Note that you need to be very careful in choosing the number of steps. As you increase this number, you increase the number of times your model sees the exact same training points over and over again. We do have a chance of overfitting! To remedy this, I would recommend choosing multiple train/test splits and running the model on each one (**k-fold cross-validation**).



It is also worth mentioning that TensorFlow implements very low bias, high-variance models, meaning that running the preceding code again for TensorFlow might result in a different answer! This is one of the caveats of deep learning. They might converge to a very great low bias model, but that model will have a high variance and, therefore, amazingly might not generalize to all of the sample data. As we mentioned previously, cross-validation would be helpful in order to mitigate this.

TensorFlow and neural networks

Now, let's point a more powerful model at our `iris` dataset. Let's create a neural network whose goal it is to classify iris flowers (because why not?):

```
# Specify that all features have real-value data  
feature_columns = [tf.contrib.layers.real_valued_column("",  
dimension=4)]  
  
optimizer = tf.train.GradientDescentOptimizer(learning_rate=.1)  
  
# Build 3 layer DNN with 10, 20, 10 units respectively.  
classifier = tf.contrib.learn.DNNClassifier(feature_columns=feature_  
columns,  
                                              hidden_units=[10, 20, 10],
```

```
optimizer=optimizer,
n_classes=3)

# Fit model.
classifier.fit(x=X_train,
                 y=y_train,
                 steps=2000)
```

Notice that our code really hasn't changed from the last segment. We still have our `feature_columns` from before, but now we introduce, instead of a linear classifier, a **DNNClassifier**, which stands for **Deep Neural Network Classifier**.

This is TensorFlow's syntax for implementing a neural network. Let's take a closer look:

```
tf.contrib.learn.DNNClassifier(feature_columns=feature_columns,
                                 hidden_units=[10, 20, 10],
                                 optimizer=optimizer,
                                 n_classes=3)
```

We can see that we are inputting the same `feature_columns`, `n_classes`, and `optimizer`, but see how we have a new parameter called **hidden_units**? This list represents the number of nodes to have in each layer between the input and the output layer.

All in all, this neural network will have five layers:

- The first layer will have four nodes, one for each of the iris feature variables, and this layer is the input layer
- A hidden layer of 10 nodes
- A hidden layer of 20 nodes
- A hidden layer of 10 nodes
- The final layer will have three nodes, one for each possible outcome of the network, and this is called our output layer

Now that we've trained our model, let's evaluate it on our test set:

```
# Evaluate accuracy.
accuracy_score = classifier.evaluate(x=X_test,
                                      y=y_test) ["accuracy"]
print('Accuracy: {:.2f}'.format(accuracy_score))
Accuracy: 0.921053
```

Hmm, our neural network didn't do so well on this dataset, but perhaps it is because the network is a bit too complicated for such a simple dataset. Let's introduce a new dataset that has a bit more to it...

The `mnist` dataset consists of over 50,000 handwritten digits (0-9), and its goal is to recognize the handwritten digits and output which letter they are writing. TensorFlow has a built-in mechanism for downloading and loading these images. We've seen these images before, but on a much smaller scale, in *Chapter 12, Beyond the Essentials*:

```
from tensorflow.examples.tutorials.mnist import input_data
mnist = input_data.read_data_sets("MNIST_data/", one_hot=False)

Extracting MNIST_data/train-images-idx3-ubyte.gz
Extracting MNIST_data/train-labels-idx1-ubyte.gz
Extracting MNIST_data/t10k-images-idx3-ubyte.gz
Extracting MNIST_data/t10k-labels-idx1-ubyte.gz
```

Notice that one of our inputs for downloading `mnist` is called `one_hot`. This parameter either brings in the dataset's target variable (which is the digit itself) as a single number, or has a dummy variable.

For example, if the first digit were a 7, the target would be either of these:

- `7`: If `one_hot` was `false`
- `0 0 0 0 0 0 1 0 0`: If `one_hot` was `true` (notice that starting from 0, the seventh index is a 1)

We will encode our target the former way, as this is what our TensorFlow neural network and our sklearn logistic regression will expect.


The dataset is split up already into a training and test set, so let's create new variables to hold them:

```
x_mnist = mnist.train.images
y_mnist = mnist.train.labels.astype(int)
```

For the `y_mnist` variable, I specifically cast every target as an integer (by default, they come in as floats) because otherwise, TensorFlow would throw an error at us.

Out of curiosity, let's take a look at a single image:

```
import matplotlib.pyplot as plt
plt.imshow(x_mnist[10].reshape(28, 28))
```



The number 0 in the MNIST dataset

And, hopefully, our target variable matches at the 10th index as well:

```
y_mnist[10]  
0
```

Excellent! Now, let's take a peek at how big our dataset is:

```
x_mnist.shape  
(55000, 784)  
  
y_mnist.shape  
(55000,)
```

Our training size is 55000 images and target variables.

Let's fit a deep neural network to our images and see whether it will be able to pick up on the patterns in our inputs:

```
# Specify that all features have real-value data feature_columns =  
[tf.contrib.layers.real_valued_column("", dimension=784)] optimizer =  
tf.train.GradientDescentOptimizer(learning_rate=.1)  
# Build 3 layer DNN with 10, 20, 10 units respectively. classifier  
= tf.contrib.learn.DNNClassifier(feature_columns=feature_columns,  
hidden_units=[10, 20, 10], optimizer=optimizer, n_classes=10)  
# Fit model. classifier.fit(x=x_mnist, y=y_mnist, steps=1000)  
# Warning this is veryyyyyyy slow
```

This code is very similar to our previous segment using `DNNClassifier`; however, look how, in our first line of code, I have changed the number of columns to be 784 while, in the classifier itself, I changed the number of output classes to be 10. These are manual inputs that TensorFlow must be given to work.

The preceding code runs very slowly. It is adjusting itself, little by little, in order to get the best possible performance from our training set. Of course, we know that the ultimate test here is testing our network on an unknown test set, which is also given to us by TensorFlow:

```
x_mnist_test = mnist.test.images
y_mnist_test = mnist.test.labels.astype(int)

x_mnist_test.shape
(10000, 784)

y_mnist_test.shape
(10000,)
```

So, we have 10,000 images to test on; let's see how our network was able to adapt to the dataset:

```
# Evaluate accuracy.
accuracy_score = classifier.evaluate(x=x_mnist_test,
                                      y=y_mnist_test) ["accuracy"]
print('Accuracy: {:.2f}'.format(accuracy_score))
Accuracy: 0.920600

Not bad, 92% accuracy on our dataset. Let's take a second and compare this performance to a standard sklearn logistic regression now:
logreg = LogisticRegression()
logreg.fit(x_mnist, y_mnist)
# Warning this is slow

y_predicted = logreg.predict(x_mnist_test)
from sklearn.metrics import accuracy_score
# predict on our test set, to avoid overfitting!


accuracy = accuracy_score(y_predicted, y_mnist_test)
# get our accuracy score

accuracy
0.91969
```

Success! Our neural network performed better than the standard logistic regression. This is likely because the network is attempting to find relationships between the pixels themselves and using these relationships to map them to what digit we are writing down. In logistic regression, the model assumes that every single input is independent of one another, and therefore has a tough time finding relationships between them.

There are ways of making our neural network learn differently:

- We could make our network wider, that is, increase the number of nodes in the hidden layers instead of having several layers of a smaller number of nodes:



Artificial neural network (Source: http://electronicdesign.com/site-files/electronicdesign.com/files/uploads/2015/02/0816_Development_Tools_F1_0.gif)

```
# A wider network
feature_columns = [tf.contrib.layers.real_valued_column("", dimension=784)]

optimizer = tf.train.GradientDescentOptimizer(learning_rate=.1)

# Build 3 layer DNN with 10, 20, 10 units respectively.
classifier = tf.contrib.learn.DNNClassifier(feature_columns=feature_columns,
                                              hidden_units=[1500],
                                              optimizer=optimizer,
```

```
n_classes=10)

# Fit model.
classifier.fit(x=x_mnist,
                 y=y_mnist,
                 steps=100)
# Warning this is veryyyyyyy slow
# Evaluate accuracy.
accuracy_score = classifier.evaluate(x=x_mnist_test,
                                         y=y_mnist_test) ["accuracy"]
print('Accuracy: {:.2f}'.format(accuracy_score))
Accuracy: 0.898400
```

- We could increase our learning rate, forcing the network to attempt to converge on an answer faster. As I mentioned previously, we run the risk of the model skipping the answer entirely if we go down this route. It is usually better to stick with a smaller learning rate.
- We can change the method of optimization. Gradient descent is very popular; however, there are other algorithms for doing this. One example is called the **Adam Optimizer**. The difference is in the way they traverse the error function, and therefore the way that they approach the optimization point. Different problems in different domains call for different optimizers.
- There is no replacement for a good old fashioned feature selection phase, instead of attempting to let the network figure everything out for us. We can take the time to find relevant and meaningful features that actually will allow our network to find an answer quicker!

Summary

In this chapter, we've seen three different case studies from three different domains using many different statistical and machine learning methods. However, what all of them have in common is that in order to solve them properly, we had to implement a data science mindset. We had to solve problems in an interesting way, obtain data, clean the data, visualize the data, and finally model the data and evaluate our thinking process.

14

Building Machine Learning Models with Azure Databricks and Azure Machine Learning service

Whenever you need to handle a big data project, you'll find yourself needing to solve two major issues: computation power and data storage. By using Microsoft Azure and Azure Databricks, as we are going to see in this chapter, those problems will become a distant memory. Azure empowers you with computation power at scale with a pay-as-you-go model.

In this chapter, we are going to see which are the technologies that you, as a data scientist, can find and use on the Microsoft Azure platform. Those technologies are very important because they can help you manage big data projects without having to worry about infrastructure and computing power.

In this chapter, we will look at the following topics:

- Apache Spark, and Azure Databricks
- Configuring Azure Databricks
- Training a text classifier with Azure Databricks
- Azure Machine Learning
- Touchpoints between Azure Databricks or Azure Machine Learning service

Technical requirements

In order to follow along with the examples in this chapter, you will need a modern web browser, such as Microsoft Edge, Google Chrome, and Mozilla Firefox, and a Microsoft Azure subscription.

You can download the codes for this chapter from the following link:
<https://github.com/marconline/azure-databricks>.

The repository contains three Azure Databricks Workbooks. You can download them and import them into your workspace by going to your Azure Databricks workspace (more on that later), click on Workspace, then Import. The three files we want are the following:

- `SMS Spam Classification.py`: A workbook that contains model training and evaluation datasets
- `AzureML - Workspaces API.py`: An introductory workbook to connect Azure Databricks to Azure Machine Learning
- `Azure ML - SMS Spam Classification.py`: The final workbook, with model training, evaluation, and integration with Azure Machine Learning

Technologies for machine learning projects

In this section, we are going to learn about some of the most famous and useful technologies that you can use in machine learning and big data projects. It is very important to understand the difference between these technologies and how they relate to each other, as in some ways they are similar, but they have important differences.

We are going to look at the following:

- Apache Spark
- Databricks
- Azure Databricks
- MLlib

Apache Spark

In 2012, in order to surpass MapReduce computing limitations, Apache Spark and its RDD (more on this later) were released. In order to understand the change, we have to learn how the MapReduce paradigm works by comparing it to Spark.

MapReduce substantially uses a linear dataflow, because it reads data from the disk and maps a function across the data (this means that for each entry, a function is evaluated and a result is generated). The mapped result is reduced, and the reduced data is stored again on the disk. It is easy to understand if you just iteratively run that dataflow. This could also be a limitation as it is time consuming.

Spark has been created to facilitate iterative algorithms, in order to speed up access to datasets accessed multiple times in a loop. One class of iterative algorithms contains the training algorithms for machine learning systems. Now we can see why Apache Spark has so many applications for machine learning problems!

Apache Spark is a unified platform for big data projects. "Unified platform" means that it is able to provide tools for data loading, SQL-like querying, machine learning model' training and evaluation, real-time data computing and analysis on the same platform, and with a unique set of APIs, it is also usable with different programming languages.

Programmers can extend the platform, creating high-performance libraries by composing them with other libraries and letting Apache Spark determine the most efficient way to read and process the data. This places Apache Spark at the peak of parallel computing platforms for big data projects.

A Spark application is composed by two different processes:

- A driver that is executed on a single node in the cluster, responsible for providing application status updates, handling user inputs, and dividing the workload between workers.
- Multiple workers execute the computation passed to them by the driver. Their responsibility is to receive jobs from the driver, do the computation, and return a result.

A level above this, we have the cluster manager, whose responsibility is to provide resources to a Spark application. This means that our cluster manager can handle multiple Spark applications on the same cluster.

Data management in Apache Spark

In order to better understand data management in Spark, we need to discuss how Spark handles data and how it processes it in parallel. Data access is provided by different APIs that are regularly updated. At the beginning of Apache Spark, **Resilient Distributed Datasets (RDDs)** were the primary user-facing API.

After RDDs, DataFrame APIs were released. While RDDs are suitable for unstructured data, DataFrames are for structured tabular data. DataFrames have a schema, and in order to better understand the concept, they are like a spreadsheet. The difference is that they can be processed in parallel.

Both RDDs and DataFrames are immutable containers that can be split on different nodes. Immutable means that as soon as they are created, their content cannot be altered, but can only transformed into a new one.

In order to parallelize the processing, Spark divides DataFrames into partitions. Partitions are just a subset of rows given to a cluster node.

Transformations may be chained together, and are optimized and executed as soon as an action command is provided.


Actions are functions that force Spark to execute a transformation pipeline. Normally, an action is contained in one of these three groups:

- Actions that show something in the console
- Actions that retrieve data
- Actions that write data on output

Some functions are `count()`, which allows you to count the rows in the dataset; `take(n)`, which gives you back n elements from the dataset; and `collect()`, which retrieves all the elements as an array.

It is said that Spark adopts lazy evaluation for transformations. This means that we can define the transformation pipeline, but Spark will wait for the right moment to build and distribute the transformation execution plan on the different nodes, in order to get the result in the shortest amount of time.

Transformations may be narrow (that is, transformation generates only a single partition), or wide, where partitions generate multiple partitions and new partitions are composed from multiple different partitions.



Please note that when you write transformations, you will completely ignore the partitioning of data. It is Spark's responsibility to calculate how to divide the data and distribute it over the partitions on the cluster nodes.

Databricks and Azure Databricks

Databricks is a zero-management cloud platform based on Apache Spark. Because of this, it is a fully-managed Apache Spark cluster. You will be able to create and deploy clusters in seconds, even through API automatically scale workers up and down depending on your data workload and is always up to date.

In order to provide a full big data platform, Databricks provides users with an interactive workspace where you can create, share, and distribute (even via GitHub) notebooks in which you can write code in all of the languages supported by Spark, and visualize and explore data.

You can also automate complex data pipelines with simplified jobs such as scheduling, monitoring, and debugging.



Databricks, founded in 2013 by the founders of Apache Spark and funded with over than \$500 million, also features a free Community Edition for students and educational institutions. You can find more information on this at <https://www.databricks.com>.

Azure Databricks is Databricks optimized to run on Azure and is offered as a service, so you only pay for the computation power that you use. Microsoft worked together with the founders of Apache Spark in order to optimize your experience and provide you with seamless integration between the two platforms. This means that you don't have anything to install (that is, it's a one-click setup), and what you automatically get is an interactive workspace that enables you, as a data scientist, and your colleagues (data engineers, business analysts, and so on) to cooperate on a powerful platform.

The ability to integrate with Azure services enables you to create complete big data pipelines: your data (whether it's in raw or structured formats) can be imported into Azure through the services you already know, including Azure Data Factory, Event Hubs, or IoT Hub. You can store this data with persistence using Azure Blob Storage or Azure Data Lake Storage. Then, as soon as it is stored, you can process it using Azure Databricks.

Azure Databricks offers wonderful integration with Microsoft Power BI. It will be very easy for you and your team to create reports based on your analysis.



You can find more information on Azure Databricks at <https://docs.microsoft.com/en-us/azure/azure-databricks/>.



MLlib

MLlib is Spark's machine learning library. Its goal is to make practical machine learning (for example, creating and validating models) possible in a scalable and easy way. This means that MLlib fits natively into Spark's API, so you can use it with the language of your choice and on top of different data sources.

It contains a lot of common learning algorithms, including these:

- **Classification:** Logistic regression, naive Bayes, and more
- **Regression:** Generalized linear regression and survival regression
- **Decision trees:** Random forests and gradient-boosted trees
- **Recommendation**
- **Clustering:** k-means and Gaussian mixtures
- **Collaborative filtering**

It also contains different utilities, allowing you to do some basic statistics on your data (for example, averages, min, and max), transform features (that is, create new columns from other columns), evaluate your models in order to understand how they are performing, and tune interesting hyperparameters in order to find the best model. Then, if you need it, you will be able to save, export, and restore your models with ease. For example for doing some basic statistics on the data, feature transformations, model evaluation and hyper-parameter tuning and for saving and restoring models.

For example, regarding basic statistics, MLlib includes the following:

- Summary statistics, such as average, variance, max, min, and count
- Correlations between features
- Random data generation using normal and Poisson distributions

As we've already mentioned, Apache Spark excels at iterative computations, and this means that training machine learning models can be accomplished 100 times faster than with MapReduce. This also means that the combination of Azure Databricks and MLlib is a great one for building machine learning models at scale.

Doing machine learning with MLlib usually means using classes that may be divided into these groups:

- **Transformers** transform a DataFrame into a new one. For example, you can create a transformer that takes a DataFrame, reads a column, maps it into a new column (for example, it can uppercase all the letters), and outputs a new DataFrame with the mapped column appended. Additionally, a learning model could also take a DataFrame, read the column containing feature vectors, predict labels for each vector, and then output a new DataFrame with predicted labels appended as a column. Transformers provide a `transform()` method that you can use to transform a source DataFrame.
- **Estimators** abstract the concept of an algorithm that fits or trains on data. They accept a DataFrame and return a model (which is a transformer, so provides a `transform` method). For example, `LogisticRegression` is an estimator. Estimators provide a `fit()` method.

You can line up transformers and estimators by creating a so-called **pipeline**. A machine learning pipeline is specified as a sequence of stages where each stage is either a transformer or an estimator.

It's worth noting that, after a pipeline's `fit()` method is run, a `PipelineModel` is produced: this is a transformer as well. This means that you can transform a given test dataset by applying the generated **PipelineModel**. With this, Spark gives you the assurance that training and test data are processed by the same exact pipeline.


After a model has been trained, you can finally fine-tune its operations on hyperparameters. Those are distinct parameters from the model parameters being optimized by ML itself. Spark ML algorithms also provide you with many hyperparameters.

Finally, you typically select the model with the best tuned hyperparameters. Model selection, that is, testing different variations of your model by tuning hyperparameters, is very easy to do using Databricks. Models are always tuned simultaneously, creating efficiency and saving time. MLlib helps you with model validation by using `CrossValidator`: it takes an estimator, a set of `ParamMaps`, and an `Evaluator` as parameters. Then, it simply loops through all of the `ParamMaps`, and for each one, it trains the estimator. The consequent validation is performed by using the provided `Evaluator`.

Configuring Azure Databricks

We will first begin with the configuration of Azure Databricks via the following steps:

1. In order to use Azure Databricks, you need an active Azure subscription.
If you still don't have an Azure subscription, create a free one at <https://azure.microsoft.com/free/>.
2. Once you have logged into your Azure portal – <https://portal.azure.com> – click on **Create a Resource**, then select **Analytics**, and finally click on **Azure Databricks**, as shown in the following screenshot:



3. Under **Azure Databricks**, as shown in the following screenshot, provide the necessary information in order to create an Azure Databricks workspace. You'll need to enter the following:
 - **Workspace name:** A name unique to your subscription
 - **Subscription:** Your Azure subscription
 - **Resource group:** Select your resource group
 - **Location:** Select your location
 - **Pricing Tier:** You may choose between Standard and Premium tiers

[There is an active promotion that allows you to try, completely for free, the Premium tier Azure Databricks for 14 days. Azure Databricks bills you for **virtual machines (VMs)** provisioned in clusters and **Databricks Units (DBUs)** based on the VM instance selected. A DBU is a unit of processing capability per hour. For more information on pricing, please consult the Azure website at <https://azure.microsoft.com/en-us/pricing/details/databricks/>.]

- **Deploy Azure Databricks in your Virtual Network:** Select **No**


You can refer the following screenshot to fill the form. Feel free to change anything to match your preferences; for example, the **Location**:

4. As soon as you have completed the previous step, click on **Create** in order to let Azure create the workplace for you. Creation will take some minutes and you will get a feedback as soon as everything is up and running.

Creating an Azure Databricks cluster

We will now create a cluster on Azure Databricks with the following steps:


1. Once the workspace has been created, enter into that resource in your Azure portal and click on **Launch Workspace**, as shown in the following screenshot:



You will be redirected to Azure Databricks and will be automatically logged in with your Microsoft Account. You are inside a complete managed Databricks installation.

2. In order to be able to orientate in the panel, please check the left menu. You will find these sections:
 - **Home:** This lets you open the main menu
 - **Workspace:** This lets you manage resources inside the workspace
 - **Recent:** This shows you recently accessed resources
 - **Data:** This lets you handle data access
 - **Clusters:** This lets you manage your clusters
 - **Jobs:** This lets you create scheduled jobs
 - **Search:** This lets you find resources inside the workspace
3. In order to use Databricks, as you know, you need to have a running cluster. This is one of the greatest powers of Azure Databricks: with just a few clicks, you will be able to spin up very powerful clusters to do any kind of data analysis.
4. Click on **Clusters**, and then select the blue button, **Create Cluster**. In the resulting form, you will have to specify some information, as follows:
 - **Cluster Name:** An internal username, in order to help you distinguish this cluster from others you may have created.
 - **Cluster Mode:** You can choose between **Standard** or **High concurrency**. The former is the one you will choose most of the time, while the latter provides Spark-native, fine-grained sharing for maximum resource utilization and minimum query latency.
 - **Runtime:** Here, you can choose between different types of runtimes.
 - **Python version:** The version of Python enabled on your cluster.
 - **Enable autoscaling:** This lets you allow Azure to automatically scale up and down the number of nodes between minimum and maximum boundaries provided by you, depending on the load on the cluster.
 - **Terminate after X minutes of inactivity:** This lets you allow Azure to destroy the cluster after X minutes of inactivity (that is, not running jobs or commands).
 - **Worker type, Min Workers and Max Workers:** This is the size of the VM inside your cluster and the minimum and maximum number in your cluster, in case you chose to enable autoscaling. If you choose not to enable autoscaling, you will just see **Workers**, where you will be able to insert the total number of workers.
 - **Driver type:** This is the size of the VM inside which the Databricks driver will be run. You can choose to build it with the same size of the workers or with a different size.

You can refer the following screenshot for this particular step:



Please note that a cluster with a maximum of three VMs using Standard_D3_v2 machines will suffice for our tasks.

5. In the next step, click on **Create cluster** to start the cluster creation process. This will take a few minutes, as can be seen in the following screenshot:

Interactive Clusters		
Name	State	Nodes
NewCluster	Pending	0

6. As soon as the cluster has been created, you will see it in a Running state with a green light icon next to its name:

Name	State
NewCluster	Running

Congratulations! You have just created your first Azure Databricks cluster! You are now ready to crunch some real data and do some machine learning! Are you ready? Well, let's go on.

Training a text classifier with Azure Databricks

For this chapter, you can download the ready-to-use workbook from GitHub at <https://github.com/marconline/azure-databricks>. The file is `SMS_Spam_Classification.py`.

We will use this brand new cluster for something concrete, now. As you already know, Apache Spark contains MLLib, and by using this library, data scientists can focus on their data problems and models, instead of solving the complexities surrounding distributed data (such as infrastructure, configurations, and so on).

Before we continue with this walkthrough, I'm going to state the problem we need to solve. We want to create a model that is capable of predicting whether an SMS message is spam or not. In other words, we want to build a model that, given an SMS text as input, is able to predict if it is a spam message or not.

This is a typical supervised machine learning problem (that is, a single class classification problem) and, as such, we need to have a set of data to use for training our model and to later test it. In order to do this, we are going to use the SMS Spam Collection Data Set, available on the UCI Machine Learning Repository at <http://archive.ics.uci.edu/ml/datasets/sms+spam+collection>.

This dataset includes the text of SMS messages, and a label indicating whether the message is unwanted. Junk messages are labeled spam, while good messages are labeled ham.

In order to solve our problem, we need to implement a machine learning pipeline on Azure Databricks. Our pipeline is formed by the following steps:

1. Loading data into Azure Databricks
2. Reading and prepping our dataset
3. Feature engineering
4. Model training and testing
5. Exporting the model


Our path seems reasonable; what do you think?

We are now going to go through those steps one by one. Are you ready? Let's start!

Loading data into Azure Databricks

In order to create some machine learning models, we need to load our data into Azure Databricks. There are different ways to load data inside Azure Databricks, and there is, obviously, the opportunity to directly download it with a Python command, but we are going to use the old-school method:


1. Download the provided ZIP file containing the training data and unpack it.
2. You will find a 200 KB CSV file called `SMSSpamCollection.csv`. Open your Azure Databricks workspace and click on **Data**, then **Add Data**, as shown in the following screenshot:



3. In the next step, upload the file either by clicking on Browse and searching the file on your disk or dragging and dropping the file onto the drop zone. This operation will upload the file to the **DBFS** (short for **Databricks File System**). This is a distributed filesystem on Azure Databricks. The storage is on Azure Blob Storage, so it's not terminated when cluster is terminated.
4. Next, you can just copy the provided DBFS address, or if you prefer, you can create an Azure Databricks table. In the first case, you would use the address to create a Spark DataFrame. In the latter, you would define an Azure Databricks database that is a collection of structured tables.

[ Tables are equivalent to Apache Spark DataFrames. This means that you can cache, filter, and perform any operations supported by DataFrames on tables. There are two types of table: global and local. A global table is available across all clusters. A local table is not accessible from other clusters. This is also known as a temporary table or a view.]


5. We are going with the first method, so select the provided file address and copy it, as we will need it in the next step:



Reading and prepping our dataset

It's time to write some code:

1. Click on **Azure Databricks** and then, on the right, select **Create a Blank Notebook**. A notebook is a web-based interface for a document that contains runnable code, visualizations, and narrative text. Notebooks are one interface for interacting with Azure Databricks:



2. Give the notebook a name of your choice—I called it `SMS_Spam` Classification. Then, select Python as the primary language and attach it to the previously created cluster (it should be online by now). Click on **Create** and we are ready to go.
3. Insert the following command, making sure to substitute the file path with the path you got in the previous step 5 of previous recipe (it should be something similar to `/FileStore/tables/SMSSpamCollection.csv`):

```
data = spark.read.format('csv').options(delimiter='\t', inferSchema='true').load('filepath')
```

This command uses Spark core library to read a CSV file. We specified two options:

- `delimiter`: This tells Azure Databricks that the field delimiter in the file is a tab character (`\t`)
- `inferSchema`: This infers the input schema automatically from the data. This means that Spark will try to understand the type of the columns (that is, whether they contain strings, integers, or Booleans)

4. To execute the command, we must run the cell. In order to accomplish this, press *Shift + Enter* while in the cell, or press the triangular play button on the right of the cell. Azure Databricks will receive the command and perform the loading. This will create a DataFrame, as referenced by our `data` variable, that we can use to train our model:



A screenshot of the Azure Databricks notebook interface. The title bar says "SMS Spam Classification (Python)". The main area shows a single code cell with the following Python code:

```
1 data = spark.read.format('csv').options(delimiter='\t', inferSchema='true').load('/FileStore/tables/SHSSpamCollection.csv')
```

The cell has a play button icon on the right side.

Before going on, we will now conduct some simple analysis. Add a new cell and write the following command:


```
data.printSchema()
```

By running this cell, we can see that our file doesn't contain **headers**, because our two columns are called `_c0` and `_c1`.

5. It's a bad practice to work with columns when they're named like this, because, in short, it will lead to confusion. Each column should have a descriptive name. Let's rename them as follows:

```
data = data.withColumnRenamed("_c0", "ham_spam") .  
withColumnRenamed("_c1", "text")  
data.printSchema()
```

Now, our two columns are called `ham_spam` and `text`. I think you can easily understand which column contains what kind of data:



A screenshot of the Azure Databricks notebook interface showing the output of the `printSchema()` command. The output shows the schema of the DataFrame:

```
1 data = data.withColumnRenamed("_c0","ham_spam").withColumnRenamed("_c1", "text")  
2 data.printSchema()  
  
+---+  
| data: pyspark.sql.DataFrame = [ham_spam: string, text: string]|  
+---+  
root  
| -- ham_spam: string (nullable = true)  
| -- text: string (nullable = true)
```

- By printing the schema again, you can see that the two columns contain strings. That's normal, but it's something you want to avoid for label columns. For those type of data, you normally need numerical values and so, in this case, you will need to convert string labels to numerical values. How will we accomplish this? It's simple, we are going to use `StringIndexer`, as shown in the following code:


```
from pyspark.ml.feature import StringIndexer
stringIndexer = StringIndexer(inputCol="ham_spam",
outputCol="label")
data = stringIndexer.fit(data).transform(data)
```

`StringIndexer` is an estimator. As you can see, it has a `fit()` method. This returns `StringIndexModel`, a transformer that will be able to transform an input column, whose name is provided into the `inputCol` constructor parameter to a new column, whose name is provided into the `outputCol` constructor parameter. By calling `fit()` and `transform()`, our dataset now contains three columns: the previous two, plus the new `label` column that, as you can see by calling `printSchema()`, is a numerical one.

- We will now analyze some data. Copy and paste the following code into a new cell:

```
from pyspark.sql.functions import count
totalCount = data.count()
print("Total records: {}".format(totalCount))
data.groupBy("ham_spam").count().show()
```

You will see that, in few seconds, Azure Databricks will get back to use with a total count of the contained messages – 5574 – and a table containing a message count for each of the two categories. We can easily see that our dataset is a little bit skewed, as it contains way more ham messages than spam ones:



```
1 from pyspark.sql.functions import count
2 totalCount = data.count()
3 print("Total records: {}".format(totalCount))
4 data.groupBy("ham_spam").count().show()

▶ (6) Spark Jobs
Total records: 5574
+-----+-----+
| ham_spam|count|
+-----+-----+
|      ham| 4827|
|     spam|  747|
+-----+-----+
```


8. Now, we will visualize the discussion by using the following command:

```
display(data)
```

display is the command you should think of when you need a fast way to visualize, in either tabular or graphical form, your data. By passing a DataFrame to the display method, Azure Databricks will promptly give you back a widget containing a tabular representation.

9. You can sort all the columns in ascending or descending order just by clicking on the arrows near the corresponding header name.
10. If you want to produce a chart, just click on the chart icon at the bottom of the table. By clicking on **Plot options...** button, you will be able to configure your plot by dragging and dropping columns inside **Keys**, **Series groupings**, or **Values boxes**.

For example, by using the settings in the following screenshot, these fields can easily produce a donut chart that can immediately show you this particular condition of the dataset:



11. Finally, in order to process our data as best we can, we need to clean it up a little bit. As you probably can imagine, our data is full of punctuation marks, such as commas and dots, and this does not give us useful information to help us distinguish ham messages from spam ones. We will remove them by using the following code:

```
import re
def removePunctuation(text):
    text = re.sub("[^0-9a-zA-Z ]", "", text)
    return text
removePunctuationUDF = udf(removePunctuation)
data = data.withColumn("cleantext", removePunctuationUDF(data.text))
```

With this simple code, we are defining a function called `removePunctuation`. This function uses a regular expression (the `re` feature imported by the command in the first line) that is designed to remove all non-alphanumeric characters.

12. After having defined the function, we need to encapsulate it into a **UDF** (short for **User Defined Function**). A UDF is a function that can be applied on a column, and used to process each item of the column independently, generating (and not aggregating) a new cleaned item for each old item. In this case, what we are doing is taking each text item in each row and applying the `removePunctuation` function to them, generating new items that will be put inside a `cleantext` feature.
13. By calling `data.printSchema()` and then `display(data)`, you can see that everything went as expected:

ham	spam	text	cleantext
ham		Go until jurong point, crazy. Available only in bugis n great world la e buffet... Cine there got amore wat...	Go until jurong point crazy Available only in bugis n great world la e buffet Cine there got amore wat...
ham		Ok lar.. Joking wif u oni...	Ok lar Joking wif u oni...
spam		Free entry in 2 a wkly comp to win FA Cup final tkts 21st May 2005. Text FA to 87121 to receive entry question/std txt rateT&Cs apply 08452810075over18s	Free entry in 2 a wkly comp to win FA Cup final tkts 21st May 2005 Text FA to 87121 to receive entry question/std txt rateT&Cs apply 08452810075over18s
ham		U dun say so early hor... U c already then say...	U dun say so early hor U c already then say...

Feature engineering

We are now ready to start doing some machine learning! We will do some feature engineering in order to prepare our dataset as best we can. In this step, raw text data contained in `comment_text`, will be transformed into feature vectors and new features will be created using the existing dataset.

We are going to use the following transformers to create a DataFrame that will be ready to be used as a training dataset for our model:

- **Tokenizer**, which takes a sentence and breaks it in individual terms (words).
- **StopWordsRemover**, which takes as an input as a sequence of strings and drops all the stop words from the input. You typically want to remove stop words, because they appear frequently but they don't carry as much meaning. Spark MLlib already provides a list of stop words by default.
- **HashingTF** and **IDF**, which will allow our model to be trained on only relevant words.

We will now begin our process.

Tokenizers

A tokenizer is a transformer that converts an input string to lowercase and then splits it by whitespace characters. Consider the following `comment_text`:

```
"Explanation
Why the edits made under my username Hardcore Metallica Fan were
reverted? They weren't vandalism, just closure on some GAs after I
voted at New York Dolls FAC. And please don't remove the template from
the talk page since I'm retired now.89.205.38.27"
```

After passing this comment through a tokenizer, we will get an array like this:

```
['explanation', 'why', 'the', 'edits', 'made', 'under', 'my',
'username', 'hardcore', 'metallica', 'fan', 'were', 'reverted?',
'they', "weren't", 'vandalism', 'just', 'closure', 'on', 'some',
'gas', 'after', 'i', 'voted', 'at', 'new', 'york', 'dolls', 'fac.',
'and', 'please', "don't", 'remove', 'the', 'template', 'from', 'the',
'talk', 'page', 'since', "i'm", 'retired', 'now.89.205.38.27']
```

As you can see, the sentence has been divided into words (where a word is assumed to be a sequence of characters without whitespace characters in the middle) and makes all of them lowercase.

In the following code, you may notice two parameters, `inputCol` and `outputCol`. The first one determines which feature has to be tokenized, while the last gives the name of the new feature that will contain the array of the tokenized sentence. Here is the code:

```
from pyspark.ml.feature import Tokenizer, StopWordsRemover, HashingTF

tokenizer = Tokenizer(inputCol="cleantext", outputCol="words")
tokenizedDF = tokenizer.transform(data)
```

```
tokenizedDF.printSchema()
print(tokenizedDF.first())
print(len(tokenizedDF.first().words))
```

Here, we import the elements we are going to use and then we instantiate `Tokenizer`. As previously mentioned, `Tokenizer` is a transformer that takes a string and gives back an array that contains the individual terms. This step is needed because we want to train our model on a feature vector and this is the first step to progress from a string to a vector.

Because of this, we are giving to `Tokenizer` our `cleantext` column (that is, the one without punctuation, generated in the previous step), and we are asking it to generate a new column called `words`. As soon as you run the code, you will see that a new column has been added and the first word vector from the first line is displayed.

StopWordsRemover

`StopWordsRemover` is a transformer that generates a new feature by removing words that are contained in a set defined by us. This set is called stop words set. Stop words are those words that are normally inside a text, but don't create additional value in the text analysis. For example, `and`, `is`, `the` are typical words that will not help us classify a text. MLlib's `StopWordsRemover` gives us a list of ready-to-use common stop words in different languages, including Danish, Dutch, English, Finnish, French, German, Hungarian, Italian, Norwegian, Portuguese, Russian, Spanish, Swedish, and Turkish. You can extend it, if you want, for your particular application. In our case, the standard one will be sufficient.

In order to load the default stop words, we need to call the `loadDefaultStopWords` static method and provide it with the desired language, as follows:

```
add_stopwords = StopWordsRemover.loadDefaultStopWords('english')
```

If we print the list out, we can see that is composed by 181 stop words such as `i`, `me`, `my`, `myself`, `we`, `our`, `ours`, `ourselves`, and `you`. You can also see that the list contains already lowercase words. It's time to run our `StopWordsRemover` transformer on our dataset with the following code:

```
stopwordsRemover = StopWordsRemover(inputCol="words",
                                     outputCol="filtered").setStopWords(add_stopwords)
stoppedDF = stopwordsRemover.transform(tokenizedDF)
stoppedDF.printSchema()
print(stoppedDF.first())
print(len(stoppedDF.first().filtered))
```

A `StopWordsRemover` has been created and is given two parameters for the input and output feature. Invoking the `setStopWords` method, we can pass in the stop words list that we previously generated. Finally, by running the transformer, we transform `tokenizedDF` into a `stoppedDF` DataFrame. By printing the schema, we can see that a new feature has been added and it's called `filtered` as requested. If we print out the first row in our brand new DataFrame, we see that the feature `filtered` contains the following:

```
['go', 'jurong', 'point', 'crazy', 'available', 'bugis', 'n', 'great',  
 'world', 'la', 'e', 'buffet', 'cine', 'got', 'amore', 'wat']
```

By comparing this array with the previous one generated by the tokenizer, you can see that our array – for the first row – passed from 20 words to 16. This task has been accomplished with three lines of code on more than 5,000 rows of a free text dataset, in less than one second. Can you feel the power of this platform?

TF-IDF

Term frequency - inverse document frequency (TF-IDF) is a feature vectorization method that's widely used in text mining to reflect the importance of a term to a document in the corpus. In other words, what this method does is to give higher importance to words that appear frequently inside a single document, but not inside the whole dataset. If a word appears very frequently inside the dataset, it's probably something that is not of much importance to the problem. Run the following code:

```
hashingTF = HashingTF(inputCol="words", outputCol="rawFeatures",  
numFeatures=200)  
featurizedData = hashingTF.transform(stoppedDF)  
idf = IDF(inputCol="rawFeatures", outputCol="features")  
idfModel = idf.fit(featurizedData)  
rescaledData = idfModel.transform(featurizedData)  
rescaledData.select("label", "features").take(2)
```

By running `HashingTF` and `IDF` in sequence, we will get a `features` column that contains our feature vectors. For your understanding, check the `numFeatures` parameter for `HashingTF`. That parameter gives to `HashingTF` the size of the term dictionary, and for each term, a frequency value is generated. The `IDF` will then re-scale the frequency, generating the final values. Those are the ones that will be used to train our model.

As you can see, they are put in the `features` column.

Model training and testing

We have now a feature vector column in our dataset. We should now train our model and analyze it. Later on, we should test it to see how it behaves with unseen data. A good data scientist will then validate it by passing new unlabeled data in order to see how it really behaves, but this step is out of the scope of this walkthrough and is left as homework:

1. Let's start by splitting our data into training and test sets:

```
split_data = rescaledData.randomSplit([0.8, 0.2])
training_data = split_data[0]
test_data = split_data[1]
print("Training data: ", training_data.count())
print("Test data: ", test_data.count())
```

As you see, we are dividing the original DataFrame into two new DataFrames; one containing a random 80% and the other one containing the remaining 20%.

2. After doing this, we are ready to train our classifier. In order to keep this as simple as possible, we are using a LogisticRegression classifier, as shown in the following code:

```
from pyspark.ml.classification import LogisticRegression
lr = LogisticRegression(featuresCol="features", labelCol='label',
regParam=0.1)
lrModel = lr.fit(training_data)
resultmodel = lrModel.transform(training_data)
print("Coefficients: " + str(lrModel.coefficients))
print("Intercept: " + str(lrModel.intercept))
```

After a few seconds, you should get the coefficients and the intercept of the classifier. As you can see, the total number of coefficients is the same of the number that you provided previously in the HashingTF step:

- As you can see, after creating a new logistic regression (an estimator that is provided with our training data) we get back a transformer that we can use to transform our training data. That transformer will add up three new features: raw prediction, probability, and prediction. The last one is the one that will contain the predicted label (that is, 1 for spam, 0 for ham):

	text	label	probability	prediction
1	resultmodel.select("text", "label", "probability", "prediction").show(1000)			
	▶ (1) Spark Jobs			
	+-----+-----+-----+-----+			
	text label probability prediction			
	+-----+-----+-----+-----+			
	<#gt; in mc... 0.0 [0.98639570128428... 0.0			
	<#gt; mins ... 0.0 [0.88331158900189... 0.0			
	<DECIMAL> ... 0.0 [0.95436989949649... 0.0			
	and picking the... 0.0 [0.92648302070955... 0.0			
	gonna let me kno... 0.0 [0.93861249609722... 0.0			
	said kiss, kiss,... 0.0 [0.94332095997636... 0.0			
	what number do u... 0.0 [0.97940909540518... 0.0			
	"Gimme a few" was... 0.0 [0.98718570640502... 0.0			
	"Its Ur luck to L... 0.0 [0.65527155761719... 0.0			
	"Response" is one... 0.0 [0.96271745464508... 0.0			
	"SYMPTOMS" when U... 0.0 [0.94267969914720... 0.0			
	"Speak only when ... 0.0 [0.71477091843028... 0.0			

Congratulations! You have trained your first text classifier model with Azure Databricks! We will now see how this model behaves.

4. First of all, we will define a function called `displayResults` that, given a DataFrame with labels and predictions, will print out a number of metrics that you should know well: true positives, true negatives, false positive, false negatives, accuracy, precision, recall, false-positive rate, and F1. The following is the code:

```
def displayResults(resultDF):  
  
    totalCount = resultDF.count()  
    tp = resultDF.where("prediction == 1 and label == 1").count()  
    tn = resultDF.where("prediction == 0 and label == 0").count()  
    fp = resultDF.where("prediction == 1 and label == 0").count()  
    fn = resultDF.where("prediction == 0 and label == 1").count()  
    acc = (tp + tn) / totalCount  
    precision = tp / (tp + fp)  
    recall = tp / (tp + fn)  
    fpr = fp / (fp + tn)  
  
    print("True negatives: ", tn)  
    print("True positives: ", tp)  
    print("False positives: ", fp)  
    print("False negatives: ", fn)  
    print("Accuracy: {}".format(round(acc * 100, 2)))  
    print("Precision: {}".format(round(precision * 100, 2)))  
    print("Recall: {}".format(round(recall * 100, 2)))  
    print("F1: {}".format(round(200*precision*recall/ (precision+recall), 2)))  
  
    print("FPR: {}".format(round(fpr * 100, 2)))
```

The code should be an no-brainer for you.

5. We will now display the results, and then let's predict our test data and display the results again:

```
displayResults(resultmodel)  
  
predictedTestDF = lrModel.transform(test_data)  
predictedTestDF.printSchema()  
displayResults(predictedTestDF)
```

What you should see is that the model itself is quite accurate, even if the recall is not so good:

```
1 displayResults(resultmodel)
  ▶ (5) Spark Jobs
    True negatives: 3828
    True positives: 411
    False positives: 20
    False negatives: 202
    Accuracy: 95.02%
    Precision: 95.36%
    Recall: 67.05%
    F1: 78.74%
    FPR: 0.52%
```

We can probably improve it by either tuning our hyperparameters, or trying different algorithms (such as naive Bayes or decision trees, for example).

Exporting the model

When a model is trained, tested, and validated, it is common to need to export it in order to use it in production environments. Serializing models is an easy task with Azure Databricks. With just two lines of code, you will be able to do what you need.

The serialization format is called **MLeap**. MLeap is a famous serialization format for machine learning models and pipelines. It supports different libraries, such as scikit-learn and TensorFlow, and allows you to export them to an MLeap bundle. Serialized models can obviously be deserialized later in order to retrain, test, or further validate them. This package has an Apache 2.0 license and you can find the GitHub repository at <https://github.com/combust/mleap>. MLeap allows data scientists and engineers to deploy machine learning pipelines from Spark and scikit-learn to a portable format and execution engine.

Another huge benefit of using MLeap is that a team of developers is not required to create production-ready ML pipelines. Developers can export an entire pipeline to MLeap and run it wherever it is needed.



For more information on MLeap, go to the official website
at <http://mleap-docs.combus.ml/>.



Let's export our previously generated model:

1. First of all, we need to import MLeap libraries into our clusters. In order to do that, we have to go to our Azure Databricks workspace, click on **Workspace** and then, after clicking on the arrow near our username, select **Create** and then **Library**.
2. We have to install two libraries by attaching them to our cluster:
 - From a source Maven coordinate, specify the fully-qualified Maven artifact coordinate, `ml.combust.mleap:mleap-spark_2.11:0.13.0`.
 - From PyPI, install the package named `mleap`.
3. MLeap supports serializing the model to one ZIP file. In order to serialize to a ZIP file, make sure the URI begins with JAR file and ends with `.zip`. Here is the code for the new cell:

```
%sh  
rm -rf /tmp/mleap_model  
mkdir /tmp/mleap_model
```

4. Those two lines remove (if it exists) and create a folder called `mleap_model`. This is the one that will host our MLeap ZIP file. In the following cell, use this code:

```
import mleap.pyspark  
from mleap.pyspark.spark_support import SimpleSparkSerializer  
lrModel.serializeToBundle("jar:file:/tmp/mleap_model/SMSSpamModel.  
zip", resultModel)  
dbutils.fs.cp("file:/tmp/mleap_model/SMSSpamModel.zip", "/  
FileStore/mleap/SMSSpamModel.zip")
```

This block does different things. At the beginning, it imports `SimpleSparkSerializer`. Then, in the destination model, the `serializeToBundle` method is called.

5. As previously stated, in order to generate a ZIP file, we need to specify a path that starts with JAR file and ends with ZIP. As you can see, we specified to put the `trainedModel.zip` into the previously created folder structure.

6. Unfortunately, this is not enough, as this folder is not available for us and so we cannot get the file. In order to download it, we need to move the file into the `FileStore` folder. `FileStore` is a special folder within DBFS where you can save files and have them accessible in your web browser. You can use `FileStore` to do the following:
 - Save files, such as images and libraries, that are accessible within HTML and JavaScript when you call `displayHTML`.
 - Save output files that you want to download to your local desktop.
7. In order to download the file, it will be enough to point your browser to `https://[databricks-instance]/files/<file-name>.zip`, where `[databricks-instance]` is the root URL of your Azure Databricks workspace, while `[file-name]` is the full path of the file; in our example, this is `mleap/trainedModel.zip`.
For example, if you are running the workspace in WestUS, the final URL will be `https://westus.azuredatabricks.net/files/mleap/trainedModel.zip`.

That's it! You just downloaded your first MLeap model file.

Azure Machine Learning

As you probably know by following the walkthrough, a machine learning project is composed of a lot of iterative processes, such as getting fresh new data, training different models, finding the right one, testing it, and deploying it into production. It normally requires different functionalities, and data scientists use different technologies and tools to control this pipeline.

The great news is that Azure Machine Learning simplifies this process greatly. By supporting open source technologies and Python packages, such as PyTorch, TensorFlow, and scikit-learn, data scientists like yourself will be able to train models on your machines using your favorite tools, such as Jupyter Notebooks, and then scale out to the cloud. You can then create build clusters programmatically using the Azure Machine Learning SDK for Python, or attach them to existing ones. A lot of different compute targets are available, such as Azure Machine Learning Compute or Azure Databricks, as you already know.

As soon as the package is ready to be deployed, it is easy to put it into production from Azure Machine Learning. You will be able to create a Docker container image and publish it to an Azure Container Instance or to Azure Kubernetes Service. By generating an image, you will be able also to deploy it to your on-premise data center or on different cloud services.

There are many touchpoints between Azure Databricks and Azure Machine Learning. Consider the following:

- You can train a model on Azure Databricks using MLlib, and then deploy the model to an Azure Container Instance from within Azure Databricks.
- You can use automated machine learning capabilities by integrating with the Azure ML SDK in Azure Databricks.
- You can use Azure Databricks as a compute target from an Azure Machine Learning pipeline.


In the following sections, we are going to see how to deploy our previously trained model on Azure Databricks to an Azure Container Instance, in order to have a web service where we can send a request and get back a prevision.

Creating an Azure Machine Learning workspace


Before integrating Azure Databricks with Azure Machine Learning, we need to enable the latter by creating a so-called **workspace**. A workspace is the resources container for Azure Machine Learning. All the artifacts produced using this service are contained inside a particular workspace. It keeps a list of compute targets (for example, Azure Databricks clusters) and a history of the training runs, including logs and metrics. Generated models are registered (that is, contained) with the workspace, and by providing a scoring script, you will generate an image that will later be deployed.

The steps are as follows:

1. In order to create a workspace, sign into your Azure portal and, in the search bar, enter machine learning.
2. **Machine Learning service workspaces** will appear as a search result. Select it:



3. Provide the form with a name, a subscription, a resource group, and a location. I suggest creating the workspace inside the same region where you created the Azure Databricks workspace.
4. Then click on the blue **Create** button, and you are done. A few minutes later, a new Azure Machine service workspace will appear inside your Azure resources.
5. As soon as the workspace is created, click on it in order to access the resource:



In the main blade, you will see that different artifacts are registered with the workspace. These are as follows:

- **Experiments:** An experiment is a collection of different runs of the same script. As you will see, information related to a particular run is automatically stored, allowing you to analyze important metrics. You will be able to create experiments from Azure Databricks, by using the Azure Machine Learning SDK for Python.
- **Compute:** It should be clear to you by now, but the compute targets are the resources that you will use to train or host your service deployments. You can add your local computer, an Azure Machine Learning Compute, Azure Databricks, and many others.
- **Models:** A model is generally produced by an Azure Machine Learning experiment, but you can use models trained outside Azure Machine Learning experiment by importing them, if they are serialized using MLeap. You can even train a model with the learning framework of your choice, including scikit-learn, XGBoost, PyTorch, TensorFlow, Chainer, and Microsoft Cognitive Toolkit.


- **Images:** These are the most reliable way to deploy a model. An image contains the model; a scoring script or application that is used to pass input data to the model and get back the response; and finally, all the dependencies needed by either the model or the scoring script. For example, you might include a Conda environment file that lists Python package dependencies.
- **Deployments:** These are concrete instantiations of an image. Azure Machine Learning supports two different types of deployments: a web service deployment that consists of an instance of Azure Container Instances or Azure Kubernetes Service and provides an HTTP endpoint that gets the data and returns a result, or an **IoT** module that can be deployed using Azure IoT Edge on edge devices.
- **Pipelines:** These are workflows of machine learning phases. For example, a pipeline might include data prep, model training, and model deployment.
- **Activities:** These are long-running operations such as creating or deleting a compute target, or running a script on a compute target.

Azure Machine Learning SDK for Python

In order to access Azure Machine Learning services and registries programmatically from our notebooks, whether they are Jupyter or Azure Notebooks or running inside Azure Databricks, we need to use an SDK provided by Microsoft called Azure Machine Learning SDK. For more information, go to <https://docs.microsoft.com/en-us/azure/machine-learning/service/?view=azure-ml-py>.

With this SDK, you will be able to programmatically manage cloud resources for your machine learning experiments, and train models either locally, or by using compute resources (and even GPU-accelerated machines). You will also be able to take advantage of automated machine learning, which accepts configuration parameters and training data, and automatically tests a number of algorithms and hyperparameters to find the best model for you. Last, but not least, with Azure Machine Learning SDK, you will be able to finally deploy your model into RESTful services, consumable by any application.

In order to use this library inside an Azure Databricks notebook, we need to import it into our cluster. In order to do that, enter into your Azure Databricks workspace, and then click Workspace, then click on the arrow next to your username and select **Create | Library**:



Finally, fill in the form as follows:

- Source: **PyPi**
- PyPi name: `azureml-sdk[databricks]`

After clicking the blue **Create** button, set the library to be installed on the whole cluster:

 A screenshot of the 'Create Library' dialog box. At the top, it says 'Create Library'. Below that is a section for 'Library Source' with tabs for Upload, DBFS, PyPi (which is selected and highlighted in blue), Maven, and CRAN. Under 'Repository', there's a field labeled 'Optional'. Under 'Package', there's a field containing the text 'azureml-sdk[databricks]'. At the bottom of the dialog are two buttons: a blue 'Create' button and a grey 'Cancel' button.

Integrating Azure Databricks and Azure Machine Learning

For this section, we are going to use the other two workbooks in the GitHub repository, available at <https://github.com/marconline/azure-databricks>. The first file we are going to use is `AzureML - Workspaces API.py`, which will let us configure Azure Databricks to connect to Azure Machine Learning.

Now it's time to connect Azure Databricks to Azure Machine Learning. In this section, we are going to do the following:

- Programmatically create a new Azure Machine Learning workspace.
- Rewrite our SMS spam classifier in order to send experiments and results to our Azure Machine Learning workspace.
- Select the best trained model (relative to some parameters) and register it with Azure Machine Learning.
- Deploy that model to an Azure Container Instance as a RESTful web service.
- Simulate a call to that service with a fake client (Postman).

Let's go through these stages one by one.

Programmatically create a new Azure Machine Learning workspace

The steps are as follows:

1. First of all, we will write the following code:

```
import azureml.core

print("SDK version:", azureml.core.VERSION)
subscription_id = "[Your Azure Subscription Id]"
resource_group = "[Your Resource Group Name]"
workspace_name = "[Your New Workspace Name]"
workspace_region = "[Azure Region Name (eg. westeurope or eastus2)]"

auth = None
```

2. With this initial code, we configure some variables. In detail, we will need to provide the following:
 - Your Azure subscription ID. You can find it by searching for subscriptions inside the Azure portal. Then, as soon as the table containing all of your subscriptions is shown, just copy the relative subscription ID.
 - The Resource Group where you want this new workspace to be inserted.
 - The new Azure Machine Learning workspace's name.
 - The Azure region where you want this workspace to be located.

3. Next up, we will write the code to create the workspace:

```
from azureml.core import Workspace
ws = Workspace.create(name = workspace_name,subscription_id =
= subscription_id,resource_group = resource_group, location =
workspace_region,auth = auth,exists_ok=True)
```

As you can see, we are using the `Workspace` class provided by the SDK. This class defines a static method, `create`, which takes in some parameters, whose values were defined previously. The only two that we didn't speak about yet are `auth` and `exists_ok`. The first configures the authentication provider: providing a `None` value allows us to ask Azure to authenticate us either through the default CLI credentials, or by providing us with a code to enter on a login page. The last one will let this call succeed even if a workspace with that name already exists in our Azure subscription.

4. Another interesting part is the one where we serialize our workspace's configuration to a JSON file, in order to load everything without copying and pasting all the previous values. In order to do that, it's just enough to run the following command:

```
ws.write_config()
```

The generated file is persisted inside the local disk, and it will be easy to read it back using the `from_config` method provided by the `Workspace` class. We will see that in action in the next section. For now, well done! A new workspace has been created. Let's move on.

SMS spam classifier on Azure Machine Learning

Now you can open our last workbook, Azure ML - SMS Spam Classification.py.

In order to go on, we need to refactor our code a little. This is necessary for code readability, and we will use this as an opportunity to show Azure Databricks pipelines, something that was not shown to you previously in order to keep things as simple as possible:

1. First of all, let's load our Azure ML workspace configuration:

```
from azureml.core import Workspace
auth = None

ws = Workspace.from_config(auth = auth)
print('Workspace name: ' + ws.name, 'Azure region: ' +
ws.location, 'Subscription id: ' + ws.subscription_id, 'Resource
group: ' + ws.resource_group, sep = '\n')
```

As you can see, reading our config.json file is as simple as writing a line of Python code. We are all set and are ready to communicate with Azure Machine Learning.

2. Now we are going to move our data preparation step in a single cell with the following code:

```
import re
def removePunctuation(text):
    text=re.sub("[^0-9a-zA-Z ]", "", text)
    return text

removePunctuationUDF = udf(removePunctuation)

data = spark.read.format('csv').options(delimiter='\t',
inferSchema='true').load('/FileStore/tables/SMSSpamCollection.
csv')
data = data.withColumnRenamed("_c0", "ham_spam").
withColumnRenamed("_c1", "text")
data = data.withColumn("cleantext", removePunctuationUDF(data.
text))

#split data into training and test
split_data = data.randomSplit([0.8, 0.2])
training_data = split_data[0]
test_data = split_data[1]
print("Training data: ", training_data.count())
print("Test data: ", test_data.count())
```

As you can see, we already downloaded, cleaned, and correctly labeled our data. After that, we split it into training and test DataFrames.

3. Finally, we will define all of our transformers and estimators in a single place. It's important to understand that, by now, we are not transforming data. We are just defining the steps that will build our machine learning pipeline, as you will see through the following code:

```
from pyspark.ml.feature import StringIndexer, Tokenizer,  
StopWordsRemover, CountVectorizer, HashingTF, IDF  
stringIndexer = StringIndexer(inputCol="ham_spam",  
outputCol="label")  
tokenizer = Tokenizer(inputCol="cleantext", outputCol="words")  
add_stopwords = StopWordsRemover.loadDefaultStopWords('english')  
stopwordsRemover = StopWordsRemover(inputCol="words",  
outputCol="filtered").setStopWords(add_stopwords)  
hashingTF = HashingTF(inputCol="words", outputCol="rawFeatures",  
numFeatures=200)  
idf = IDF(inputCol="rawFeatures", outputCol="features")
```

Pipelines are standardized APIs for machine learning algorithms that allow you to easily combine multiple steps into a single pipeline or workflow. A pipeline is a chained sequence of transformers and estimators (each one encapsulated into a `PipelineStage`) that has to be run in a specific order. The input DataFrame is transformed, step by step, in a new DataFrame.

4. As soon as your pipeline is defined, you will be able to execute it by simply calling `fit` or `transform`, providing an input DataFrame. At that moment, the DataFrame is passed to each step, starting from the first. If the current step is a transformer, its `transform()` method is called; otherwise, if it's an estimator, the `fit()` method is called and, if there are further steps, its `transform()` method is also invoked.

By using pipelines, you can rest assured that training and test data go through identical feature processing steps.

In the following step, we are going to create a pipeline in order to test it iteratively with a different value for a particular parameter.

Experimenting with and selecting the best model

It's now time to do something great! We successfully connected to Azure Machine Learning from Azure Databricks and we created a workspace. We prepared our steps for our machine learning pipeline: fantastic! Our next step will be to train our previous model, but this time, we are going to define an experiment. An experiment is the main entry point into experimenting with Azure Machine Learning.

Each experiment is composed by one or multiple runs, where each run is a single trial, and allows monitoring and logging. In this section, we will also choose the best model; that is, the one that gave us the best metrics on the run. This will be the one that we will publish to the world as a RESTful web service in the following section. This is probably one of the most complicated parts, but if you follow along, it will become clear in a few pages:


1. We will start by analyzing the following code:

```
import shutil
import os
from pyspark.ml.classification import LogisticRegression
from pyspark.ml.evaluation import BinaryClassificationEvaluator
from pyspark.ml import Pipeline, PipelineModel

from azureml.core.experiment import Experiment
from azureml.core.run import Run

#defining some variables
model_name = "smsspamclassif_runs.mml"
model_dbfs = os.path.join("/dbfs", model_name)

regs = [0.0001, 0.001, 0.01, 0.1]
```



There are comments present alongside the code. You will find the complete notebook on the GitHub link provided at the beginning of the chapter.



2. By now, nothing should be strange. We imported some definitions, some of which (`Run` and `Experiment`) are taken from the Azure ML SDK and defined few variables: `regs`, in particular, is the array containing different values for the regularization parameters that we are going to use while training our `LogisticRegression` classifier, as follows:

```
myexperiment = Experiment(ws, "SMS_Spam_Classifier")
main_run = myexperiment.start_logging()
```

In those two lines, we are interfacing with the experiment part of our Azure Machine Learning workspace. As you can see, to define a new experiment, it is necessary to construct it by passing the workspace reference (`ws`) and a name. In order to start it, you will need to call the `start_logging` method that creates an interactive run. Any metrics that are logged during the session are added to the run record in the experiment.

3. We are ready to start our machine learning pipeline, training it with different values of our regularization parameter:

```
for reg in regs:
    print("Regularization rate: {}".format(reg))
    with main_run.child_run("reg-" + str(reg)) as run:
        lr = LogisticRegression(featuresCol="features",
labelCol='label', regParam=reg)
        pipe = Pipeline(stages=[stringIndexer, tokenizer,
stopwordsRemover, hashingTF, idf, lr])
        model_p = pipe.fit(training_data)
        # make prediction on test_data
        pred = model_p.transform(test_data)
```

4. We are currently inside a `for` loop, cycling through each regularization parameter value that we want to test. On the `main_run`, we can spin up a child run by calling the `child_run` method. Inside the context of our child run, we define the following:

- A `LogisticRegression` classifier, passing it the current regularization parameter value (`regParam`)
- `Pipeline`, passing in our sequence of steps: `StringIndexer`, `Tokenizer`, `StopWordsRemover`, `HashingTF`, `IDF` and, finally, the defined `LogisticRegression`

5. After doing that, you can see how easy is to run Pipeline on `training_data`: we just need to call the `fit` method and pass in the DataFrame. Then we can use the trained model to transform our `test_data` DataFrame in order to get the predictions. Easy enough, isn't it?
6. Now it's time to log some metrics for this run, as shown in the following code:

```
bce = BinaryClassificationEvaluator(rawPredictionCol='rawPredicti  
on')  
  
au_roc = bce.setMetricName('areaUnderROC').evaluate(pred)  
au_prc = bce.setMetricName('areaUnderPR').evaluate(pred)  
tp = pred.where("prediction == 1 and label == 1").count()  
tn = pred.where("prediction == 0 and label == 0").count()  
fp = pred.where("prediction == 1 and label == 0").count()  
fn = pred.where("prediction == 0 and label == 1").count()  
  
totalCount = pred.count()  
  
acc = (tp + tn) / totalCount  
precision = tp / (tp + fp)  
recall = tp / (tp + fn)  
f1 = 2 * precision*recall/(precision+recall)  
  
run.log("reg", reg)  
run.log("au_roc", au_roc)  
run.log("au_prc", au_prc)  
run.log("TN", tn)  
run.log("TP", tp)  
run.log("FP", fp)  
run.log("FN", fn)  
run.log("Accuracy", round(acc, 2))  
run.log("Precision", round(precision, 2))  
run.log("Recall", round(recall, 2))  
run.log("F1", round(f1, 2))  
run.log_list("columns", training_data.columns)
```

As in our initial example, we are computing different metrics (such as true positives, true negatives, and accuracy) and, additionally, we are pushing in a `BinaryClassificationEvaluator`. This evaluator expects two columns: `raw_prediction` and `label`. Fortunately, those columns are generated for us by our `LogisticRegression` classifier. `BinaryClassificationEvaluator` is able, by now, to give us back two different metrics: `areaUnderROC` and `areaUnderPR`.

7. You can log those metrics in the context of your run by calling the `log()` method and providing a metric name and a value. Those metrics are then stored in Azure Machine Learning and are available for reading whenever you desire:

```
# save model
model_p.write().overwrite().save(model_name)
# upload the serialized model into run history record
mdl, ext = model_name.split(".")
model_zip = mdl + ".zip"
shutil.make_archive(mdl, 'zip', model_dbfs)
run.upload_file("outputs/" + model_name, model_zip)

shutil.rmtree(model_dbfs)
os.remove(model_zip)
```


In this final part of the loop, we save the model; we ZIP it by calling the `shutil.make_archive` method; and we call the `upload_file` method on our run. This is very important because we are able to store, for each run in each experiment, the zipped model that we can, obviously, download whenever we want to do what we like. We will see it in action shortly. After having uploaded the model, we remove the temporary local files.

8. It's now time to complete the loop and close the experimental process. This requires us to call the `complete` method on the main run. Finally, we will print `run_id`, which is a classic identifier that we may want to use in future calls, as follows:

```
# Run completed
main_run.complete()
print ("run id:", main_run.id)
```

As soon as you run this code, Azure Databricks will train and test four different `LogisticRegression` classifiers, each one with a different value for the regularization parameter. Each run will calculate important metrics and will upload them, plus the trained model, to Azure Machine Learning.

9. By entering into the Azure portal, then inside your Azure Machine Learning workspace, you will see that the **Experiment** tab is not empty anymore. You will find your **SMS_Spam_Classifier** and, by entering, you will see some statistics about your runs and the duration in seconds, as seen in the following screenshot:



10. Scrolling down, you should see only one run, and by clicking on it, you should see four different child runs. Inside each child run, you will finally see metrics and the zipped model, uploaded while training:

TRACKED METRICS	
reg	0.0001000
au_roc	0.9775
au_prc	0.9239
TN	908
TP	121
FP	15
FN	26
Accuracy	0.9600
Precision	0.8900
Recall	0.8200
F1	0.8600
columns	Vector[3]

These are, for example, metrics obtained by a LogisticRegression classifier with 0.0001 used as regularization parameter value.

- Now, before publishing our model, we need to choose the best one. We are going to use the one with the best au_roc metric, but feel free to use a different logic. Here is some code, commented step by step, as usual:

```
import os

# get the best model, based on AU ROC metric
metrics = main_run.get_metrics(recursive=True)
best_run_id = max(metrics, key = lambda k: metrics[k]['au_roc'])
print("Best Run ID: {} (regularization parameter {}) - AU ROC: {}".
format(best_run_id, metrics[best_run_id]['reg'], metrics[best_run_id]['au_roc']))
```

In these first lines, we get the metrics registered on our experiment. Please note that passing a True value for the recursive parameter is mandatory, as metrics, in our case, have been stored inside child runs.

12. Then, after getting the metrics, we are running a max function in order to get the best child run id (stored inside the best_run_id variable):

```
child_runs = {}

for r in main_run.get_children():
    child_runs[r.id] = r
    best_run = child_runs[best_run_id]
    best_model_file_name = "best_model.zip"
    best_run.download_file(name = 'outputs/' + model_zip, output_
file_path = best_model_file_name)
```

13. Next, we are cycling on all the child runs in order to get the one with the ID found before. After finding it, we download the model—remember that it was uploaded as an artifact of our run—to a local folder:

```
if os.path.isfile(model_dbfs) or os.path.isdir(model_dbfs):

    shutil.rmtree(model_dbfs)

    shutil.unpack_archive(best_model_file_name, model_dbfs)

    model_name_dbfs = os.path.join("/dbfs", model_name)
    model_local = "file:" + os.getcwd() + "/" + model_name
    dbutils.fs.cp(model_name, model_local, True)
```

And finally, we are going to unpack the downloaded file and move it from DBFS to a local file.

Great, we are almost done! Let's go on.

Deploying to Azure Container Instances

Perfect! We are going to push our best model online, using Azure ML and creating an image for Azure Image Container. This image will be deployed and a RESTful web service will be available worldwide to get text messages and provide a prediction that will state whether the SMS is ham or spam.

The deployment process requires three artifacts:

- A model
- A scoring script
- A configuration file (conda)

Let's create those one by one, starting with the model:

1. In order to register our model with the Azure ML model registry, we need to use the `Model` class. Let's see the code:

```
#Register the model
from azureml.core.model import Model
mymodel = Model.register(model_path = model_name,
model_name = model_name,
description = "SMS Spam Classifier",
workspace = ws)

print(mymodel.name, mymodel.description, mymodel.version)
```

After doing this, you will see your model inside the Models tab of your Azure ML workspace, as shown in the following screenshot:

The screenshot shows the 'Models' section of the Azure ML studio interface. At the top, there are buttons for Refresh, Create Image, Add Model, and Delete. Below is a table with columns: NAME, VERSION, and DESCRIPTION. A single row is listed: smsspamclassif_runs.mml, Version 1, SMS Spam Classifier. At the bottom are Back and Next buttons.

NAME	VERSION	DESCRIPTION
smsspamclassif_runs.mml	1	SMS Spam Classifier

2. Now we need a scoring script. A scoring script is a Python script that will be run when the web service is invoked. This script must include two functions:
 - `init()`: This loads the model into a global object. This function is run only once when the container is started.
 - `run(input_data)`: This uses the associated model to predict a value based on the input data. Inputs and outputs are normally in JSON format, but other formats are supported.
3. We will create this file inside our notebook and write it as a local file, in order to pass it to Azure Machine Learning as soon as we are going to deploy the model. Let's see the code:

```
%%writefile score_sparkml.py
score_sparkml = """
import json
```

```
def init():

    import pyspark
    from azureml.core.model import Model
    from pyspark.ml import PipelineModel

    global trainedModel
    global spark

    spark = pyspark.sql.SparkSession.builder.appName("SMS Spam
Classifier").getOrCreate()
    model_name = "{model_name}" #interpolated
    model_path = Model.get_model_path(model_name)
    trainedModel = PipelineModel.load(model_path)

def run(input_json):
    if isinstance(trainedModel, Exception):
        return json.dumps({{"trainedModel":str(trainedModel)}})

    try:
        sc = spark.sparkContext
        input_list = json.loads(input_json)
        input_rdd = sc.parallelize(input_list)
        input_df = spark.read.json(input_rdd)

        # Compute prediction
        prediction = trainedModel.transform(input_df)
        predictions = prediction.collect()
        preds = [str(x['prediction'])] for x in predictions]
        return preds

    except Exception as e:

        result = str(e)
        return result

    """ .format(model_name=model_name)
    exec(score_sparkml)

    with open("score_sparkml.py", "w") as file:
        file.write(score_sparkml)
```

4. Finally, we're really at last step before going into production—let's create our conda file:

```
from azureml.core.conda_dependencies import CondaDependencies

myacienv = CondaDependencies.create(conda_packages=[]) #here you
will pass needed library with open("mydeployenv.yml","w") as f:
f.write(myacienv.serialize_to_string())
```

5. Now, let's create the container image on ACI web service, defining the configuration first, before creating the image, and finally deploying the web service using the following code:

```
from azureml.core.webservice import AciWebservice, Webservice

myaci_config = AciWebservice.deploy_configuration(
    cpu_cores = 2,
    memory_gb = 2,
    tags = {'name':'Databricks Azure ML ACI'},
    description = 'SMS Spam Classifier')
```

Here, we created the configuration. We chose to allocate 2 CPU cores with 2 GB of RAM for our web service. We also provide a name using the `description` parameter.

6. It is also possible to ask to protect the access to the web service (by adding an `auth_enabled` parameter) and to serve it using SSL (by adding four different parameters: `ssl_enabled`, `ssl_cert_pem_file`, `ssl_key_pem_file`, and `ssl_cname`). Refer to the following code:

```
service_name = "smssspam"
runtime = "spark-py"
driver_file = "score_sparkml.py"
my_conda_file = "mydeployenv.yml"
from azureml.core.image import ContainerImage
myimage_config = ContainerImage.image_configuration(execution_
script = driver_file,
runtime = runtime,
conda_file = my_conda_file)
```

With the preceding lines of code, we created the `ContainerImage` configuration by providing the two files generated before (the scoring script and the conda file).

7. We still haven't deployed anything, but we are going to do that in the following script:

```
# Webservice creation
myservice = Webservice.deploy_from_model(
    workspace=ws,
    name=service_name,
    deployment_config = myaci_config,
    models = [mymodel],
    image_config = myimage_config)

myservice.wait_for_deployment(show_output=True)
```

Finally, by calling the `deploy_from_model` method and providing all the parameters (the workspace, the container configuration, the image configuration, and the model), we deploy the web service.

8. It will take 10-15 minutes and, at the end, you will have a production-ready web service! Congratulations, we did it!

This is the message that will inform you that everything is all set:

```
Creating image
Image creation operation finished for image smssspam:1, operation
"Succeeded"
Creating service
Running.....
Succeeded
ACI service creation operation finished, operation "Succeeded"
```

9. In order to check it, you can also enter into the Images and Deployments tabs inside the Azure ML service workspace. You will see two new entries, one per tab. That means that we did a great job!

Testing our RESTful intelligent web service

As soon as your web service has been deployed, it's time to test it:

1. We will declare two fake messages, one as spam and one as ham:

```
json_ex = """[
    { \"cleantext\": \"Incredible! You won a 1 month FREE membership
in our prize raffle! Text us at 09061701461 to claim \" },
    { \"cleantext\": \"Hi darling, this is a good message and I think
you will receive it. Love you, see you later!\" } ] """
```

That is a JSON serialized array. As you can see, it contains two serialized objects, each with a `cleantext` property with the text message.

2. We can simply invoke our service by running the following:

```
myservice.run(input_data=json_ex)
```

As you can see, the output is an array with the corresponding predicted label; in this case, ['1.0', '0.0'].

Hey – our classifier got it! Wonderful!

One of the other beautiful aspects of deploying an intelligent web service is that you can call it from different clients, written in different languages. In this example, we are going to use Postman, a famous HTTP client, freely available at www.getpostman.com.

3. After downloading, run the installation. While it's installing, return to Azure Databricks, and run this code in order to get the endpoint of your web service:

```
print(myservice.scoring_uri)
```

This will give you the URL of your web service (for example, <http://52.174.195.195:80/score>).

4. Open Postman and create a new request. Select POST as the method and provide your endpoint URL as the request URL.
5. Then move to the **Body** tab, select **raw** format, choose **JSON (application/json)** as the format, and paste this content in the editor:

```
[{"cleantext": "Incredible! You won a 1 month FREE membership in our prize raffle! Text us at 09061701461 to claim"}, {"cleantext": "Hi darling, this is a good message and I think you will receive it. Love you, see you later!"}]
```

Use the following screenshot as a reference:



6. Click on the blue **Send** button and look at the response pane: the same result is returned. Terrific!

Summary

Phew! We did a lot of things in this chapter. First of all, we created, with few clicks, an Azure Databricks cluster. We exploited that large amount of computation power to train a logistic regression classifier to distinguish between spam and ham SMS messages. Azure Databricks helps us a lot, simplifying the process of model training, testing, and building.

After this, we entered into the realm of Azure Machine Learning, learning its key features with which we can simplify the development of a machine learning project. We then integrated Azure Machine Learning into Azure Databricks, improving our model by testing it with different regularization parameters. After persisting all the metrics and trained models inside Azure Machine Learning for future use, we created an image and deployed our best model—a web service.

Azure Databricks and Azure Machine Learning provide data scientists with great tools for training anything from simple to complex machine learning models. Computation power is not a problem anymore and, by integrating with different storage services, such as Azure Data Lake Storage or Azure Blob Storage, even big data storage is made easier. All of this is available for use in your tool set without any fixed cost: you pay just for what you use.

I leave it unto you to keep exploring the world of data science. Keep learning Python. Keep learning statistics and probability. Keep your minds open. It is my hope that this book has been a catalyst for you to go out and find even more on the subject.

For further reading beyond this book, I highly recommend looking into well-known data science books and blogs, such as the following:

Dataschool.io, a blog by Kevin Markham

Python for Data Scientists, by Packt

If you would like to contact me for any reason, please feel free to reach out to sinan.u.ozdemir@gmail.com.

Other Books You May Enjoy

If you enjoyed this book, you may be interested in these other books by Packt:




Hands-On Azure for Developers

KamilMrzyg艂d

ISBN: 978-1-78934-062-4

- ▶ Implement serverless components such as Azure functions and logic apps
- ▶ Integrate applications with available storages and containers
- ▶ Understand messaging components, including Azure Event Hubs and Azure Queue Storage
- ▶ Gain an understanding of Application Insights and other proper monitoring solutions
- ▶ Store your data with services such as Azure SQL and Azure Data Lake Storage
- ▶ Develop fast and scalable cloud applications

Another Book You May Enjoy —————



Hands-On Linux Administration on Azure

Frederik Vos

ISBN: 978-1-78913-096-6

- ▶ Understand why Azure is the ideal solution for your open source workloads
- ▶ Master essential Linux skills and learn to find your way around the Linux environment
- ▶ Deploy Linux in an Azure environment
- ▶ Use configuration management to manage Linux in Azure
- ▶ Manage containers in an Azure environment
- ▶ Enhance Linux security and use Azure's identity management systems
- ▶ Automate deployment with Azure Resource Manager (ARM) and Powershell
- ▶ Employ Ansible to manage Linux instances in an Azure cloud environment

Leave a review – let other readers know what you think

Please share your thoughts on this book with others by leaving a review on the site that you bought it from. If you purchased the book from Amazon, please leave us an honest review on this book's Amazon page. This is vital so that other potential readers can see and use your unbiased opinion to make purchasing decisions, we can understand what our customers think about our products, and our authors can see your feedback on the title that they have worked with Packt to create. It will only take a few minutes of your time, but is valuable to other potential customers, our authors, and Packt. Thank you!

Index

A

A/B test
about 134
Adam Optimizer
about 358
addition rule, probability 98, 99
Apache 2.0 license
reference link 384
Apache Spark 361
arithmetic mean 138
arithmetic symbols
about 71
dot product 72, 73, 74
proportional 72
summation 71, 72
AutoRegressive Integrated Moving Average (ARIMA) 340
Azure Databricks
about 363
cluster, creating 367, 368, 370
configuring 366, 367
data, loading 371, 372
dataset, prepping 373, 374, 375, 376, 377
dataset, reading 373, 374, 376, 377
feature engineering 377
integrating 392
model, exporting 384, 385, 386
model testing 381, 382, 383, 384
model training 381, 382, 383, 384
text classifier, training 370, 371
URL 363, 364
Azure Databricks, codes
URL, for downloading 360
Azure Databricks, workbook
URL, for downloading 370

Azure Machine Learning SDK
reference link 390
Azure Machine Learning service
about 386, 387
Azure Container Instances, deploying 402, 403, 405, 406
integrating 392
model, experimenting 396, 397, 399, 400, 401, 402
model, selecting 396, 397, 399, 400, 401, 402
RESTful intelligent web service, testing 406, 407
SDK, for Python 390, 391
SMS spam classifier 394, 395
workspace, creating 387, 388, 389, 390

Azure Machine Learning service workspace
creating 392, 393

Azure portal
URL 366
Azure subscription
URL 366

B

back-propagation algorithm 317
Bagging (Bootstrap aggregation)
about 309
balance point, data 38
Bayes' formula 72
Bayesian approach
about 91, 106
Bayes' theorem
about 106, 107, 108, 109, 110
applications 110
medical studies example 112, 113
Titanic example 110, 111, 112

bias/variance tradeoff 283
 about 286
 errors, due to bias 286
 errors, due to variance 286
 example 287, 288, 290, 291, 292, 294, 295
 overfitting 296
 underfitting 295
 with error functions 296, 297

big data 16

binary classifier 103

binomial random variable
 about 120
 conditions 120
 example 120, 121
 shortcuts 122

C

Cartesian graph 75

causation
 obtaining 197

centroids 262

chi-square goodness of fit test
 about 175
 assumptions 176
 example 177

chi-square independence test
 assumptions 179

chi-square test
 for association/independence 178

chi-square tests 175

classification
 about 209, 210
 and regression, selecting between 211
 examples 210

classification tree
 about 256, 257, 258, 259, 260, 261
 versus regression tree 258

clustering
 about 212

clusters 262

cluster validation
 about 270
 feature extraction 272, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283
 principal component analysis (PCA) 273, 274, 275, 276, 277, 278, 279, 280, 282, 283

coefficient of variation 143

collectively exhaustive events
 about 106

comma separated value (CSV) 34

communication 181, 182
 strategy 199

complementary events, probability 102, 103

compound events
 about 95, 96, 97

computer programming 11

conditional probability
 about 98

confidence intervals
 about 163
 calculating 164, 165
 creating 166, 167

confounding factor
 about 136

confusion matrices
 about 103
 false negatives 103
 false positives 103
 true negatives 103
 true positives 103

continuous data 36

continuous random variable
 about 126, 128

correlation
 versus causation 192, 193, 194, 195, 196

correlation coefficients 150
 about 151

correlations
 in data 150, 151, 152

cross-validation error
 versus training error 305, 306, 307

D

data
 characteristics 29
 coffee shop data, example 32, 33, 34
 flavors 27
 levels 37
 obtaining 133
 obtaining, via experimental means 133, 134,

- 135
obtaining, via observational means 133
sampling 133
structure, imposing 47
world alcohol consumption data, example 34, 35
- Databricks**
about 363
- Databricks File System (DBFS)** 372
- Databricks Units (DBUs)** 367
- data exploration**
about 51
basic questions 52
titanic dataset 62, 63, 64, 65
Yelp dataset 53, 54, 55
- DataFrame** 55
- data management**
in Apache Spark 362
- data mining** 16
- data pre-processing**
about 29
- data pre-processing, example**
about 29, 30
relative length, of text 31
special characters, checking 30
topics, selecting 31
word/phrase counts 30
- data sampling**
about 135
probability sampling 136
random sampling 136, 137
unequal probability sampling 137
- data science**
about 4, 49
need for 5
xyz123 Technologies example 6
- data science case studies**
about 17
government paper pushing automation 17, 18
job description 21, 22, 23
marketing dollars 19, 20
- data science, steps**
about 50
data exploration 51
data modeling 51
data, obtaining 50
- interesting question, asking 50
results, communicating 51
results, visualizing 51
- data science Venn diagram**
about 7, 8
- data types**
differentiating 28
qualitative data 32
quantitative data 32
- decision trees**
about 253, 254, 255
classification tree 256, 257, 258, 259, 260, 261
comparing, with random forests 314, 315
regression tree, building 256
- Deep Neural Network Classifier (DNNClassifier)**
about 353
- dimension reduction**
about 212, 276
feature extraction 276
feature selection 276
- discrete data** 36
- discrete random variable**
about 114, 115, 116, 117, 118, 119
binomial random variable 120, 121
continuous random variable 126, 127, 128
geometric random variable 122, 123
Poisson random variable 124, 125
types 119
- domain knowledge** 15
- dot product** 72, 73, 74
- dummy variables**
about 238, 239, 240, 241, 242
- E**
- effective visualization**
bar charts 185, 187
box plots 189, 190, 191, 192
histograms 187, 189
identifying 182
line graphs 184, 185
scatter plots 182, 183, 184
- empirical rule**
about 152, 153
example 153

ensemble learning

about 307

ensembling

about 307, 308

characteristics 308

classification 307

methods 309

random forests 309, 311, 312, 313, 314

random forests, comparing with decision trees 314, 315

regression 307

entropy 256**error functions 296, 297****Euler's number 231****event**

about 90

experimental units 133**exploration tips, qualitative data**

about 56

filtering 58, 59, 60

nominal level columns 56, 57, 58

ordinal level columns 60, 61

exploratory data analysis (EDA) 16

about 323

exponent

about 76, 77, 78

extramarital affairs case study

about 340, 342, 343, 344, 345, 346, 347

F**false positive 174****feature engineering, Azure Databricks**

StopWordsRemover 379, 380

Term frequency - inverse document frequency (TF-IDF) 380

tokenizer 378, 379

feature extraction 261

about 273, 274, 275, 276, 277, 278, 279, 280, 282, 283

cons 283

pros 283

feature selection

about 276

filtering 58**Frequentist approach**

about 91, 92

example 92

law of large numbers 93, 94

G**geometric mean 46****geometric random variable**

about 122, 123

conditions 122

example 123

shortcuts 124

Gini index 256**global score**

about 271

gradient descent

about 349

graphs 192

about 75

grid searching

about 302, 303, 304

training error, versus cross-validation error
305, 306, 307

H**hidden_units**

about 353

hypothesis tests

about 168

conducting 169

for categorical variables 175

one sample t-tests 170

I**independence, probability 101****ineffective visualization**

identifying 182

intersection

about 80

interval level

about 42

example 42

mathematical operations 42

measures of center 42, 43

measures of variation 43

J

Jaccard measure
about 81

K

k-fold cross validation
about 352

K folds cross-validation
about 298, 300, 301, 302
features 299, 300

k-means clustering
about 262, 263
beer example 267, 268, 269, 270
data points example 264, 265, 266, 267
optimal number, selecting 270

K-Nearest Neighbors (KNN) algorithm 297

L

levels, data
about 37
interval level 42
nominal level 37
ordinal level 39
ratio level 45

likelihood 108, 246

Likert scale
about 117

linear algebra 74
about 82
matrix multiplication 83

linear regression
about 217, 218, 219, 220, 221
predictors, adding 222, 223
regression metrics 224, 225, 226, 227, 229, 230

logarithm
about 76, 77, 78

logistic regression
about 231, 232
math 235, 236, 237, 238

log odds
about 232, 234, 235

M

machine learning 10, 15
about 202

cons 215, 216
disadvantages 204
example 203, 204
overview 215
process 205
pros 215

machine learning, technologies
about 360
Apache Spark 361
Azure Databricks 363
Databricks 363
data management, in Apache Spark 362
MLlib 364, 365

machine learning, types
about 205
supervised learning 206
unsupervised learning 212, 213

magnitude, set
about 79

math
about 8
spawner-recruit models example 9, 10

mathematics
about 67, 68

matrix
about 68, 69, 70

matrix multiplication
about 83
procedure 83, 84, 85, 86

Mean Squared Error (MSE) 256

measure of center 38

measures of center
about 138

measures of relative standing
about 144, 145, 146, 147, 148, 149
correlations, in data 150, 151, 152

measures of variation
about 139, 141, 142, 144
definition 143
example 143

measures of variation, interval level
about 43
standard deviation 44, 45

median 40, 139

MLeap 384

MLlib
about 364

estimators 365
learning algorithms 364, 365
transformers 365
mode, dataset 38
model coefficients
about 220
models 8
multilayer perceptron (MLP) 317
multiplication rule, probability 100, 101
mutual exclusivity, probability 100
mutually exhaustive 106

N

Naive Bayes classification
about 245, 246, 247, 248, 249, 250, 251, 252, 253
neural network
about 315
structure 315, 316, 317, 318, 320, 321
neural networks
advantages 316
anomaly detection 316
creating, with TensorFlow 352, 354, 356, 357, 358
entity movement 316
pattern recognition 316
nominal level
about 37
data, describing 38
examples 37
mathematical operations 38
measure of center 38
normalizing constant 108, 246
null model
about 229

O

odds
about 232, 234, 235
one sample t-test
about 170
assumptions 171, 172, 173
example 171
ordinal level
about 39
examples 39

mathematical operations 39, 40
measures of center 40, 41
organized data 4
overfitting
about 226, 296
suggestions 296

P

parameter
about 132
perceptrons 315
point estimate
about 155, 156, 157, 158, 159, 160
Poisson random variable
about 124, 125
example 125
shortcuts 125
population
about 131
posterior 107, 246
Postman
URL 407
predictive analytics models
about 206
predictors
about 206
adding 222, 223
principal component analysis (PCA)
about 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283
prior 107
prior probability 107, 246
probabilistic model 15
probability
about 90, 91, 232, 234
notation 90
rules 98
probability density function (PDF) 126
probability mass function (PMF)
about 115
probability sampling
about 136
procedure
about 89
proper subset
about 80

proportional 72

PyBrain 317

Python

example 13

need for 11

practices 12, 13

Q

qualitative data

about 32

exploration tips 56

versus quantitative data 31, 32

quantitative data

about 32

continuous data 36

discrete data 36

R

random forests

about 309, 311, 312, 313, 314

advantages 315

comparing, with decision trees 314, 315

disadvantages 315

random sampling

about 136

random variable

about 113, 114

discrete random variable 114, 115, 116, 117, 118, 119

ratio level

about 45

examples 45

measures of center 46

problems 46

regression

and classification, selecting between 211

examples 210

regression metrics

about 224, 225, 227, 229, 230

mean absolute error (MAE) 224

mean squared error (MSE) 224

root mean squared error (RMSE) 224

regression tree

building 256

versus classification tree 258

reinforcement learning

about 213, 214

relative frequency 92

relative length 31

Resilient Distributed Datasets (RDDs) 362

response

about 206

root-mean-square error (RMSE) 336

rules, probability

about 98

addition rule 98, 99

complementary events 102, 103

independence 101

multiplication rule 100, 101

mutual exclusivity 100

S

sample space

about 90

sampling bias

about 136

sampling distributions

about 160, 163

creating 161, 162

scalar 72

set theory

about 78, 79, 80, 81, 82

Silhouette Coefficient

about 270, 271, 272

Simpson paradox 197

Simpson's paradox 196

single tweet

parsing 13, 14

slope

about 75

SMS Spam Collection Data Set

reference link 370

spawner-recruit models example 9, 10

square matrix

about 70

standard deviation 44, 45

about 140

standard normal distribution 126

statistical model 15

statistical modeling

about 216

statistics 192

about 131, 132
measures of center 138
measures of relative standing 144, 145, 147, 148, 149
measures of variation 139, 140, 141, 142
measuring 138

stock price prediction based on social media
about 323
classification route 338, 339, 340
enhancement 340
exploratory data analysis 324, 325, 326, 328, 330, 331, 332, 333, 334, 335
regression route 336, 337
text sentiment analysis 323, 324

structured data
about 28
versus unstructured data 28, 29

subset
about 79

summation 71, 72

sum of squared residuals
about 220

superset
about 80

supervised learning
about 206
classification 210
heart attack prediction example 207, 208
predictor-response relationship 209
regression 210
types 209

T

TensorFlow
about 348
case study 348, 349, 350, 351, 352
neural networks, creating 352, 353, 354, 356, 357, 358
using 348

test statistic 173

text classifier
training, with Azure Databricks 370, 371

titanic dataset 62, 63, 64, 65

training error
versus cross-validation error 305, 306, 307

type I error 174

Type I error 104
type II error 175
Type II error 104

U

underfitting
about 295
suggestions 296

unequal probability sampling
about 137

union
about 81

unorganized data 4

unstructured data
about 28
versus structured data 28, 29

unsupervised learning
about 212, 213, 261
reinforcement learning 213, 214
using 261

User Defined Function (UDF) 377

V

variance
about 117

vector
about 68, 69, 70

verbal communication 197
about 198
data findings 198

virtual machines (VMs) 367

X

xyz123 Technologies
example 6

Y

Yelp dataset
about 53, 54
DataFrames 55
Series object 56

Z

z-score 144