Curriculum vitæ

last updated June 11, 2020

fosco.loregian@gmail.com fouche@yoneda.ninja fosco.loregian@taltech.ee Fosco Loregian github.com/tetrapharmakon fosco.loregian

RESEARCH INTERESTS

Category theory and everything about it.

- Stable ∞-categories
- Homotopical algebra
- Groth(endieck) derivators
- 2-categories and formal category theory
- locally presentable and accessible categories

thesis: t-structures on stable ∞ -categories : arXiv2005.14295

- type theory and functional programming.

Currently working on: coend calculus; bicategories of generalised profunctors as an axiomatisation of integral kernels; profunctor algebras in functional programming; bicategories of profunctors seen as universal semantics for 2-dimensional algebraic theories (in the large); teaching category theory to computer scientists; ontology, mereology and the Yoneda lemma; formal category theory.

| CURRENT POSITION | 2020 - |
|--|---------------------|
| 1 Postdoctoral fellow Tallinna Tehnikaülikooli Küberneetika Instituut Tallinn EE | Jan 2020 - |
| PAST POSITIONS | 2016 2020 |
| 1 Postdoctoral fellow Centro de Matemática da Universidade de Coimbra Coimbra | Jul 2019 Dec 2019 |
| 2 Postdoctoral fellow Max-Planck-Institut für Mathematik Bonn | Sep 2018 Feb 2019 |
| 3 Postdoctoral fellow Masarykova univerzita Brno ■ | Mar 2017 Apr 2018 |
| 4 Postdoctoral fellow and Assistant Professor University of Western Ontario London ■◆■ | Sep 2016 Nov 2016 |
| EDUCATION | 2008 2016 |
| 1 Ph.D. in Mathematics SISSA Trieste ■■ | Oct 2012 Jun 2016 |

2 | M.Sc. in Mathematics

Oct 2010 | Jul 2012

Università degli studi di Padova **thesis**: *Orlov reconstruction theorem*

3 | B.Sc. in Mathematics

Università degli studi di Padova 💶

thesis: Monads and Beck's theorem

Jan 2008 | Jun 2010

PUBLICATIONS

1 | Triangulated factorization systems and *t*-structures

w/S. Virili |

1705.08565v3 | *Journal of Algebra* | doi:10.1016/j.jalgebra.2019.12.021

We define triangulated factorization systems on triangulated categories, and prove that a suitable subclass thereof (the normal triangulated torsion theories) corresponds bijectively to t-structures on the same category. This result will then be placed in the framework of derivators regarding a triangulated category as the base of a stable derivator.

2 | Categorical notions of fibration

w/E. Riehl |

1806.06129 | Expos. Math. (2019) | doi:10.1016/j.exmath.2019.02.004

Fibrations over a category B, introduced to category theory by Grothendieck, encode pseudo-functors $B^{\circ} \leadsto \mathbf{Cat}$, while the special case of discrete fibrations encode presheaves $B^{\circ} \to \mathbf{Set}$. A two-sided discrete variation encodes functors $B^{\circ} \times A \to \mathbf{Set}$, which are also known as profunctors from A to B. By work of Street, all of these fibration notions can be defined internally to an arbitrary 2-category or bicategory. While the two-sided discrete fibrations model profunctors internally to \mathbf{Cat} , unexpectedly, the dual two-sided codiscrete cofibrations are necessary to model V-profunctors internally to V- \mathbf{Cat} .

3 | Hearts and towers in stable infinity-categories

w/D. Fiorenza, G. Marchetti |

1501.04658 | Journal of Homotopy and Related Structures 2019 | doi:10.1007/s40062-019-00237-0

We exploit the equivalence between t-structures and normal torsion theories on a stable ∞ -category to show how a few classical topics in the theory of triangulated categories, i.e., the characterization of bounded t-structures in terms of their hearts, their associated cohomology functors, semiorthogonal decompositions, and the theory of tiltings, as well as the more recent notion of Bridgeland's slicings, are all particular instances of a single construction, namely, the tower of a morphism associated with a J-slicing of a stable ∞ -category C, where J is a totally ordered set equipped with a monotone \mathbb{Z} -action.

4 | A standard theorem on adjunctions in two variables

1902.06074 | Preprints of the MPIM, 2018 (67)

We record an explicit proof of the theorem that lifts a two-variable adjunction to the arrow categories of its domains.

5 | A Fubini rule for ∞-coends

1902.06086 | Preprints of the MPIM, 2018 (68)

We prove a Fubini rule for ∞ -co/ends of ∞ -functors $F: \mathbb{C}^{op} \times \mathbb{C} \to \mathbb{D}$. This allows to lay down "integration rules", similar to those in classical co/end calculus, also in the setting of ∞ -categories.

6 | Homotopical Algebra is not concrete

w/l. Di Liberti

 $1704.00303 \mid Journal \ of \ Homotopy \ and \ Related \ Structures \ (2017): 1-15 \mid doi:10.1007/s40062-018-0197-3$ We generalize Freyd's well-known result that "homotopy is not concrete", offering a general method to show that under certain assumptions on a model category M, its homotopy category ho(M) cannot be concrete. This result is part of an attempt to understand more deeply the relation between set theory and abstract homotopy theory.

7 | Sober Ontic Structural Realism and Yoneda lemma

abstract at the Triennial conference of the SILFS, Bologna

A note on why the Yoneda lemma prevents to take too strong a position towards the non-existence of relata (radical ontic structural realism posits that only relations exist).

8 | Coend calculus

based on 1501.02503v4 | book to appear for Cambridge University Press (2020?)

A survey of the most striking and useful applications of *co/end calculus*. This is a revised version of 1501.02503v4. After having given a series of preliminary definitions, we characterize co/ends as particular co/limits; then we derive a number of results directly

from this characterization. The last sections discuss the most interesting examples where co/end calculus serves as a powerful abstract way to do explicit computations in diverse fields like Algebra, Algebraic Topology and Category Theory. The appendices serve to sketch a number of results in theories heavily relying on co/end calculus.

9 | t-structures are normal torsion theories

1408.7003 | Applied Categorical Structures 24.2 (2016): 181-208 | doi:10.1007/s10485-015-9393-z

We characterize t-structures in stable ∞ -categories as suitable quasicategorical factorization systems. More precisely we show that a t-structure t on a stable ∞ -category C is equivalent to a normal torsion theory $\mathbb F$ on C, i.e. to a factorization system $\mathbb F=(E,M)$ where both classes satisfy the 3-for-2 cancellation property, and a certain compatibility with pullbacks/pushouts.

Preprints

1 | Categorical Ontology I

w/D. Dentamaro |

http://philsci-archive.pitt.edu/17136/

The present paper approaches ontology and metaontology through mathematics, and more precisely through category theory. We exploit the theory of elementary toposes to claim that a satisfying "theory of existence", and more at large ontology itself, can both be obtained through category theory. In this perspective, an ontology is a mathematical object: it is a category, the universe of discourse in which our mathematics (intended at large, as a theory of knowledge) can be deployed. The internal language that all categories possess prescribes the modes of existence for the objects of a fixed ontology/category. This approach resembles, but is more general than, fuzzy logics, as most choices of E and thus of Ω_E yield nonclassical, many-valued logics. Framed this way, ontology suddenly becomes more mathematical: a solid corpus of techniques can be used to backup philosophical intuition with a useful, modular language, suitable for a practical foundation. As both a test-bench for our theory, and a literary divertissement, we propose a possible category-theoretic solution of Borges' famous paradoxes of Tlön's "nine copper coins", and of other seemingly paradoxical construction in his literary work. We then delve into the topic with some vistas on our future works.

2 | Profunctor optics, a categorical update 2001.07488

w/B. Clarke, et al. |

Profunctor optics are bidirectional data accessors that capture data transformation patterns such as accessing subfields or iterating over containers. They are modular, meaning that we can construct accessors for complex structures by combining simpler ones. Profunctor optics have been studied only using Sets as the enriching category and in the non-mixed case. However, functional programming languages are arguably better described by enriched categories and we have found that some structures in the literature are actually mixed optics. Our work generalizes a classic result by Pastro and Street on Tambara theory and uses it to describe mixed V-enriched profunctor optics and to endow them with V-category structure. We provide some original families of optics and derivations, including an elementary one for traversals that solves an open problem posed by Milewski. Finally, we discuss a Haskell implementation.

3 | On the unicity of formal category theories 1901.01594v1 | Submitted to TAC, January 2019

w/I. Di Liberti |

We prove an equivalence between cocomplete Yoneda structures and certain proarrow equipments on a 2-category K. In order to do this, we recognize the presheaf construction of a cocomplete Yoneda structure as a relative, lax idempotent monad sending each admissible 1-cell f:A o B to an adjunction $\mathbb{P}_!f\dashv\mathbb{P}^*f$. Each cocomplete Yoneda structure on **K** arises in this way from a relative lax idempotent monad "with enough adjoint 1-cells", whose domain generates the ideal of admissibles, and the Kleisli category of such a monad equips its domain with proarrows. We call these structures "yosegi". Quite often, the presheaf construction associated to a yosegi generates an ambidextrous Yoneda structure; in such a setting there exists a fully formal version

4 | Accessibility and presentability in 2-categories

of Isbell duality.

w/I. Di Liberti |

1804.08710v4 | Submitted to JPAA, January 2019

We outline a definition of accessible and presentable objects in a 2-category K endowed with a Yoneda structure; this perspective suggests a unified treatment of many "Gabriel-Ulmer like" theorems (like the classical Gabriel-Ulmer representation for locally presentable categories, Giraud theorem, and Gabriel-Popescu theorem), asserting how presentable objects arise as reflections of generating ones. In a 2-category with a Yoneda structure, two non-equivalent definitions of presentability for $A \in \mathbf{K}$ can in principle be given: in the most interesting, it is generally false that all presheaf objects $\mathbb{P}A$ are presentable; this leads to the definition of a Gabriel-Ulmer structure, i.e. a Yoneda structure rich enough to concoct Gabriel-Ulmer duality and to make this asymmetry disappear. We end the paper with a roundup of examples, involving classical (set-based and enriched), low dimensional and higher dimensional category theory.

5 | Localization theory for derivators

1802.08193v1 | Submitted to TAC, March 2018

We outline the theory of reflections for prederivators, derivators and stable derivators. In order to parallel the classical theory valid for categories, we outline how reflections can be equivalently described as categories of fractions, reflective factorization systems, and categories of algebras for idempotent monads. This is a further development of the theory of monads and factorization systems for derivators.

$6 \mid Recollements in stable \infty$ -categories

w/D. Fiorenza I

1507.03913v2

We develop the theory of recollements in a stable ∞ -categorical setting. In the axiomatization of Beilinson, Bernstein and Deligne, recollement situations provide a generalization of Grothendieck's "six functors" between derived categories. The adjointness relations between functors in a recollement D^0 , D, D^1 induce a "recollée" t-structure $t_0 \uplus t_1$ on D^1 , given t-structures t_0 , t_1 on D^0 , D^1 . Such a classical result, well-known in the setting of triangulated categories, is recasted in the setting of stable ∞ -categories and the properties of the associated (∞ -categorical) factorization systems are investigated. In the geometric case of a stratified space, various recollements arise, which "interact well" with the combinatorics of the intersections of strata to give a well-defined, associative \oplus operation. From this we deduce a generalized associative property for n-fold gluing $t_0 \uplus \cdots \uplus t_n$, valid in any stable ∞ -category.

TALKS

| 1 | The art of \int Invited speaker ItaCa - Italian Category theorists conference | Dec 2019 |
|----|--|----------|
| 2 | Axiomatic cohesion of toposes Invited speaker Università "La Sapienza" - Rome | Dec 2019 |
| 3 | The formal category theory of derivators Invited speaker Workshop on Derivators - Regensburg | Apr 2019 |
| 4 | On the unicity of the formal theory of categories Talk on 1901.01594 ULB - Bruxelles | Dec 2018 |
| 5 | Accessibility and Presentability in 2-categories Talk on 1804.08710 Università degli studi di Torino | Nov 2018 |
| 6 | Homotopical algebra is not concrete Contributed talk <i>British Topology Meeting</i> Leicester | Sep 2017 |
| 7 | The formal category theory of derivators Invited speaker Some trends in Algebra Prague | Sep 2017 |
| 8 | Sober Ontic Structural Realism Invited speaker SILFS Bologna | Jun 2017 |
| 9 | Model categories Invited speaker A categorical day in Turin Torino | May 2017 |
| 10 | <i>t</i> -derivators Invited speaker <i>Young researchers in homotopy theory</i> , Bonn | Feb 2017 |
| 11 | Coend calculus Lectures on 1501.02503 Leeds | May 2016 |

TEACHING & ORGANIZATIONAL ACTIVITIES

1 | 📂 ITI9200 - Introduction to Category Theory

Jan 2020 | Jun 2020

Introduction to Category Theory and its Applications (Sissejuhatus kategooriateooriasse ja selle rakendustesse).

2 | appointee for Adjoint school 2019

Mar 2019 | Jun 2019

A webinar and online applied Category Theory reading course. The project name is *Traversal optics and profunctors*. Led to the development of arXiv:2001.07488.

3 | **2**-categories

Padova - IT

A short course on 2-dimensional category theory. Tentative program: monoidal and enriched categories, the calculus of coends and Kan extensions, 2-categories, the bicategory of profunctors, the 2-category of derivators, 2-dimensional limits, the formal theory of monads, formal category theory.

4 | D PSSL 103 - Brno

MU Brno - CZ

I have been one of the organizers of 103rd Peripathetic Seminar on Sheaves and Logic.

5 | Formal category theory

MU Brno - CZ

A series of lectures having the scope to breach in Riehl-Verity's theory of ∞ -cosmoi.

6 | Elements of Finite Mathematics

UWO London - CA

Techniques of counting, probability, discrete and continuous random variables.

7 | F Homotopical Algebra

MU Brno - CZ

A bottom-up introduction to the language of Homotopical Algebra

8 | 🗗 appointee for Kan Extension Seminar I

Jan 2014 | Jul 2014

A webinar and online Category Theory reading course.

9 | supervisor and coadvisor B.Sc. in Mathematics

student: Giovanni Ronchi

Adjoint Functors | amslaurea.unibo.it

OTHER ACTIVITIES

1 | Sparse skills

I like the art of crafting books and drawing maps; this is not unrelated to my love for Mathematics. I am a pretty decent TeXnic (I maintain this CV as a github repo here). I know bits of Haskell, Python, and Wolfram. I like artificial languages (mi satus verki vortaron al matematiko, kun terminoj el teoria kategorioj); again, this is not unrelated to my love for Mathematics.

2 | Reviewer for

zbMath, AMS Math. Rev.

Foro Lorgia