Cucumber Report

| *Start : Nov 04, 11:34:02.220 pm*	*End : Nov 04, 11:34:13.787 pm*	*Duration : 11.567 s*
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 4 FAILED - 0 SKIPPED - 0	PASSED - 12 FAILED - 0 SKIPPED - 0

1

4

12

Pass %

Pass %

Pass %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
API Test	11.567 s	4	4	0	0	12	12	0	0

TAG	Scenario				Feature			
Name	*T*	*P*	*F*	*S*	*T*	*P*	*F*	*S*
@smoke	1	1	0	0	1	1	0	0
@regression	4	4	0	0	1	1	0	0
@get	1	1	0	0	1	1	0	0
@post	1	1	0	0	1	1	0	0
@put	1	1	0	0	1	1	0	0
@delete	1	1	0	0	1	1	0	0
@slow	1	1	0	0	1	1	0	0

#	Feature Name	T	P	F	S	Duration
1	API Test	4	4	0	0	11.567 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	API Test	Verify the status code and response of a GET request	4	4	0	0	8.855 s
2		Create a new resource using POST request	3	3	0	0	0.946 s
3		Update a resource using PUT request	3	3	0	0	0.883 s
4		Delete a resource using DELETE request	2	2	0	0	0.777 s

API Test

PASSED	DURATION - 11.567 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0		Steps Total - 12 Pass - 12 Fail - 0 Skip - 0	
/ 11:34:02.220 pm // 11:34:13.787 pm /					

Verify the status code and response of a GET request

PASSED	DURATION - 8.855 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:34:02.278 pm // 11:34:11.133 pm /				
API Test				
@smoke @regression @get				

#	Step / Hook Details	Status	Duration
1	Given I send a GET request to "https://jsonplaceholder.typicode.com/posts/1"	PASSED	5.923 s
2	Then the response status code should be 200	PASSED	0.004 s
3	And the response should have "userId" with value 1	PASSED	2.327 s
4	And the response should have "body" with value	PASSED	0.521 s
	quia et suscipit suscipit recusandae consequuntur expedita et cum reprehenderit molestiae ut ut quas totam nostrum rerum est autem sunt rem eveniet architecto		

Create a new resource using POST request

PASSED	*DURATION - 0.946 s*

/ 11:34:11.150 pm // 11:34:12.096 pm /

API Test

@post @regression

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration

1	Given I send a POST request to "https://jsonplaceholder.typicode.com/posts" with body
	
	{
	  "title": "foo",
	  "body": "bar",
	  "userId": 1
	}
		PASSED	0.915 s

2	Then the response status code should be 201	PASSED	0.000 s
3	And the response should have "title" with value "foo"	PASSED	0.015 s

Update a resource using PUT request

PASSED	*DURATION - 0.883 s*

/ 11:34:12.112 pm // 11:34:12.995 pm /

API Test

@put @regression

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration

1	Given I send a PUT request to "https://jsonplaceholder.typicode.com/posts/1" with body
	
	{
	  "id": 1,
	  "title": "foo",
	  "body": "bar",
	  "userId": 1
	}
		PASSED	0.851 s

#	Step / Hook Details	Status	Duration
2	Then the response status code should be 200	PASSED	0.000 s
3	And the response should have "title" with value "foo"	PASSED	0.032 s

Delete a resource using DELETE request

PASSED	DURATION - 0.777 s
/ 11:34:13.010 pm // 11:34:13.787 pm /	
API Test	
@delete @slow @regression	

Steps
Total - 2
Pass - 2
Fail - 0
Skip - 0

2

#	Step / Hook Details	Status	Duration
1	Given I send a DELETE request to "https://jsonplaceholder.typicode.com/posts/1"	PASSED	0.777 s
2	Then the response status code should be 200	PASSED	0.000 s