

Fundamental Forces as Natural Measurement Operators: A Quantum Informational Framework for Matter

Paolo Poli

“Author is unaffiliated with any academic institution. This research was conducted independently.”

Italy

July 24, 2025

Abstract

In conventional quantum theory, the emergence of classical observables from quantum states is typically attributed to external measurements or decoherence processes. This paper proposes a novel framework in which the four fundamental forces—electromagnetism, weak interaction, strong interaction, and gravity—are reconceptualized as intrinsic measurement operators acting on quantum states. Rather than merely mediating interactions, these forces naturally “observe” quantum systems, collapsing probabilistic wavefunctions into spacetime-localized phenomena. Within this perspective, matter is not a fixed ontological entity but a dynamic informational outcome of the universe’s internal measurement structure. We present a minimal mathematical formalism, explore reinterpretations of experimental phenomena (e.g., beta decay), and discuss implications for quantum foundations, gauge symmetries, and spacetime emergence.

Introduction

The standard model of particle physics describes matter as composed of discrete particles whose interactions are governed by fundamental forces. Quantum mechanics, in parallel, depicts particles as probabilistic wavefunctions that collapse upon measurement. These two perspectives often rely on an external observer or apparatus to induce observation—posing profound challenges for quantum ontology and the measurement problem.

This work advances a new hypothesis: that the fundamental forces themselves are intrinsic measurement operators embedded within the structure of physical law. In this view, the interaction between a quantum state and a force constitutes a measurement that actualizes the state into observable matter. Thus, measurement is not an external act—it is a natural dynamical process governed by symmetry and interaction.

We argue that:

Matter is a relational construct, emerging from the interplay between quantum states and internal forces-as-observers.

Fundamental forces operate as selective, symmetry-governed operators that extract observables from su-

perposed potentials.

The collapse of the wavefunction reflects a universal protocol of informational resolution, not a subjective event.

By revisiting known experiments (e.g., weak-force-mediated decay) under this framework, we show that many quantum processes can be viewed as acts of natural selection and actualization, where forces mediate the transition from potential to actuality.

1 Theoretical Framework and Mathematical Formalism

We consider physical reality as emerging from the interaction between quantum states and intrinsic operators associated with the fundamental forces. Quantum states are represented by elements of a Hilbert space, and forces are cast as internal measurement operators that perform physical resolutions—rather than externally imposed observations.

1.1 Quantum States and Measurement

Let the quantum state of a system be represented by:

$$|\psi\rangle \in \mathcal{H}$$

where \mathcal{H} denotes the Hilbert space of possible states, and $|\psi\rangle$ is a superposition encoding probabilistic information about observables.

In conventional quantum theory, measurement is enacted by an external operator \hat{M} , yielding an eigenstate $|\phi\rangle$. In our framework, such operators are reinterpreted as the intrinsic *forces of nature*.

1.2 Fundamental Forces as Natural Measurement Operators

We define four fundamental operators:

$$\hat{O}_{em}, \quad \hat{O}_{weak}, \quad \hat{O}_{strong}, \quad \hat{O}_{grav}$$

Each operator corresponds to a natural force:

- \hat{O}_{em} : Electromagnetic interaction — resolves properties such as charge, spin, and momentum.

- \hat{O}_{weak} : Weak interaction — resolves flavor, chirality, and particle identity.
- \hat{O}_{strong} : Strong interaction — binds color charges and resolves confinement states.
- \hat{O}_{grav} : Gravitational interaction — resolves energy distributions and induces spacetime localization.

Each operator acts on quantum states to yield definite observational outcomes:

$$\hat{O}_f|\psi\rangle = |\phi\rangle$$

where $\hat{O}_f \in \{\hat{O}_{em}, \hat{O}_{weak}, \hat{O}_{strong}, \hat{O}_{grav}\}$, and $|\phi\rangle$ is a physically observable state.

1.3 Example: Beta Decay

Let $|\psi_n\rangle$ be the unstable quantum state of a neutron. The weak interaction acts through its measurement operator:

$$\hat{O}_{weak}|\psi_n\rangle = |\phi_p\rangle \otimes |\phi_e\rangle \otimes |\phi_{\bar{\nu}}\rangle$$

This process resolves the neutron state into:

- $|\phi_p\rangle$: proton state,
- $|\phi_e\rangle$: electron state,
- $|\phi_{\bar{\nu}}\rangle$: antineutrino state.

This resolution obeys conservation laws and represents an intrinsic act of measurement rather than transformation.

1.4 Implications for Quantum Ontology

Matter emerges through internal acts of resolution performed by symmetry-bound operators. In this framework:

- Measurement is a physical process, not a metaphysical abstraction.
- Decoherence reflects natural selection among possible eigenstates.
- Spacetime may emerge from gravitational measurement:

$$\hat{O}_{grav}|\psi_{vac}\rangle \rightarrow \text{Localized spacetime event}$$

2 Reinterpreting Experimental Phenomena Through Informational Measurement

In this section, we reinterpret key quantum interactions not as transformations of particles, but as intrinsic acts of measurement performed by fundamental forces. Each process is viewed as the resolution

of a quantum state into observable entities, mediated by a specific operator associated with the governing interaction.

2.1 Beta Decay as Informational Resolution

Traditionally, beta decay describes the transformation of a neutron into a proton, electron, and antineutrino via weak interaction. In our framework, the neutron is treated as an unstable quantum state $|\psi_n\rangle$ subject to resolution:

$$\hat{O}_{weak}|\psi_n\rangle = |\phi_p\rangle \otimes |\phi_e\rangle \otimes |\phi_{\bar{\nu}_e}\rangle$$

The operator \hat{O}_{weak} acts not as a mediator but as a selective observer that extracts stable eigenstates from the neutron's internal configuration. The resulting states obey conservation laws of charge, spin, lepton number, and energy.

2.2 Compton Scattering and Electromagnetic Selection

Compton scattering is conventionally viewed as the inelastic interaction between a photon and an electron, resulting in energy transfer. In our model, the electromagnetic force performs an act of joint measurement:

$$\hat{O}_{em}(|\psi_\gamma\rangle \otimes |\psi_e\rangle) = |\phi'_\gamma\rangle \otimes |\phi'_e\rangle$$

Here, \hat{O}_{em} resolves both photon and electron states simultaneously, yielding updated observables such as momentum and wavelength. The interaction serves as a symmetry-governed exchange of information.

2.3 Quantum Entanglement as Reciprocal Measurement

Entangled systems exhibit non-local correlations that defy classical intuition. Rather than invoking an external observer, we interpret entanglement as mutual measurement:

$$\hat{O}_{link}|\psi_{AB}\rangle = |\phi_A\rangle \otimes |\phi_B\rangle$$

The operator \hat{O}_{link} , derived from internal coupling (e.g., via spin, charge, or polarization), acts bilaterally on an entangled state. Outcome resolution occurs only through relational observation — particles A and B define each other's states.

3 Philosophical and Theoretical Implications

The framework proposed herein invites a reexamination of core assumptions within both physics and metaphysics. By positioning fundamental forces as intrinsic measurement operators, we replace the notion of passive interaction with active selection. Reality,

in this context, is not a substrate populated by particles—it is a dynamic architecture of informational relationships.

3.1 Ontological Shift: Matter as Measurement Outcome

In conventional ontology, matter is assumed to be the base reality upon which interactions occur. In our model, matter is not fundamental—it is emergent. Each particle arises through an act of measurement carried out by a force-specific operator:

$$|\psi\rangle \xrightarrow{\hat{O}_f} |\phi\rangle$$

This formalism implies that a quantum state’s ontological status is relational; it becomes meaningful only through interaction. Matter is redefined as the result of symmetry-bound informational collapse.

3.2 Redefining Decoherence and Causality

Decoherence is traditionally viewed as a loss of quantum coherence due to environmental coupling. In this framework, decoherence becomes an inevitable outcome of intrinsic measurement processes—forces themselves serve as selective environments governed by conservation laws.

Causality also shifts: rather than a timeline of particle interactions, we have a sequence of internal measurements that actualize the universe. Each physical event is a resolution of prior potentialities via natural symmetry constraints.

3.3 Spacetime as Gravitational Measurement Output

The gravitational operator \hat{O}_{grav} differs fundamentally in scope. While other forces resolve properties within spacetime, gravitation measures energy itself—and in doing so, it defines the structure of spacetime:

$$\hat{O}_{grav}|\psi_{vac}\rangle \rightarrow \text{Localized curvature or event}$$

This repositions spacetime not as a stage, but as an emergent registry of informational collapse. Geometry is not preexistent—it is produced via resolution of quantum configurations by \hat{O}_{grav} .

4 Future Prospects and Theoretical Extensions

This framework opens the door to multiple lines of further inquiry, both formal and empirical. By reframing the forces of nature as intrinsic measurement operators, we gain new tools for interpreting quantum phenomena, redefining ontological categories, and potentially unifying matter and spacetime under informational principles.

4.1 Mathematical Generalization

We envision a generalized formalism where each operator \hat{O}_f corresponds to symmetry-enforced projection within a tensor network or categorical space. This could be formalized using operator algebras, topological quantum field theory, or category-theoretic models:

$$\hat{O}_f : \mathcal{H} \rightarrow \mathcal{E}_f \subset \mathcal{O}$$

where \mathcal{E}_f is the space of extractable observables determined by force f , and \mathcal{O} the global space of observational events.

4.2 Experimental Validity and Hypothesis Testing

The core hypothesis may be evaluated through reinterpretation of existing quantum experiments:

- Weak decay rates as symmetry-conditioned information collapse.
- Scattering cross-sections reinterpreted as state-resolution probabilities.
- Gravitational localization of quantum states (e.g., via superposed mass interferometry).

These observations could provide indirect validation for the idea that interactions encode measurement-like behavior beyond instrumentalist frameworks.

5 Future Prospects and Theoretical Extensions

This framework opens the door to multiple lines of further inquiry, both formal and empirical. By reframing the forces of nature as intrinsic measurement operators, we gain new tools for interpreting quantum phenomena, redefining ontological categories, and potentially unifying matter and spacetime under informational principles.

5.1 Mathematical Generalization

We envision a generalized formalism where each operator \hat{O}_f corresponds to symmetry-enforced projection within a tensor network or categorical space. This could be formalized using operator algebras, topological quantum field theory, or category-theoretic models:

$$\hat{O}_f : \mathcal{H} \rightarrow \mathcal{E}_f \subset \mathcal{O}$$

where \mathcal{E}_f is the space of extractable observables determined by force f , and \mathcal{O} the global space of observational events.

5.2 Experimental Validity and Hypothesis Testing

The core hypothesis may be evaluated through reinterpretation of existing quantum experiments:

- Weak decay rates as symmetry-conditioned information collapse.
- Scattering cross-sections reinterpreted as state-resolution probabilities.
- Gravitational localization of quantum states (e.g., via superposed mass interferometry).

These observations could provide indirect validation for the idea that interactions encode measurement-like behavior beyond instrumentalist frameworks.

Acknowledgments

This paper emerges from an independent inquiry into theoretical physics and the philosophy of science. The central idea — reinterpreting fundamental forces as intrinsic measurement operators — was developed by the author as a speculative framework for a new ontology of quantum interaction and matter emergence.

The manuscript was written with the assistance of advanced digital tools used to support linguistic formulation, mathematical clarity, and structural refinement. The conceptual innovation, theoretical model, and interpretive direction are entirely the author's own.

This work is offered as a free and open contribution to the exploration of modern physics foundations, with a creative, dialogical, and independent spirit.

References

- [1] Rovelli, C. (1996). Relational Quantum Mechanics. *International Journal of Theoretical Physics*.
- [2] Wheeler, J.A. (1990). Information, Physics, Quantum: The Search for Links. In *Complexity, Entropy and the Physics of Information*.
- [3] Lloyd, S. (2006). Programming the Universe. *Knopf*.
- [4] Hardy, L. (2001). Quantum Theory From Five Reasonable Axioms. arXiv:quant-ph/0101012