



### 1 PATIENT DEMOGRAPHICS

Patient Name: \_\_\_\_\_ Date of Birth: \_\_\_\_\_ Sex: ☐ M ☐ F ☐ Other  
Health Card #: \_\_\_\_\_ Phone: \_\_\_\_\_ Symptom onset / duration: \_\_\_\_\_

### 2 REFERRING PROVIDER

Name / Credentials: \_\_\_\_\_ CPSO / NP Reg #: \_\_\_\_\_  
Clinic / Office: \_\_\_\_\_ Fax: \_\_\_\_\_ Phone: \_\_\_\_\_

### 3 REASON FOR REFERRAL

☐ Pre-conception planning ☐ During pregnancy ☐ Postpartum / breastfeeding ☐ Medication safety review ☐ Second opinion  
☐ Co-management

Clinical concern / additional detail:

### 4 REPRODUCTIVE STATUS & RHEUMATIC DIAGNOSIS

Reproductive status: ☐ Planning pregnancy ☐ Pregnant — GA \_\_\_\_\_ EDD \_\_\_\_\_ ☐ Postpartum ☐ Breastfeeding  
Rheumatic diagnosis: ☐ SLE ☐ RA ☐ Antiphospholipid syndrome ☐ axSpA ☐ PsA ☐ Systemic sclerosis ☐ Myositis ☐ Vasculitis ☐  
Undifferentiated CTD ☐ Other: \_\_\_\_\_  
Disease activity: ☐ Remission ☐ Low ☐ Moderate to high Current treatment: \_\_\_\_\_

*Well-controlled disease on pregnancy-compatible medication is the single biggest lever on outcomes; active disease is usually the larger risk.*

### 5 RISK FLAGS & CLINICAL FEATURES (★ = high-yield for pregnancy risk)

#### Disease / obstetric history

☐ Active disease now or at conception ★  
☐ Lupus nephritis, current or prior ★  
☐ Prior pre-eclampsia / HELLP ★  
☐ Prior pregnancy loss or stillbirth ★

#### Antibody-linked risk

☐ Prior thrombosis (APS) ★  
☐ Prior neonatal lupus / heart block ★  
☐ Anti-Ro positive and pregnant ★

#### High-risk organ involvement

☐ Pulmonary hypertension (high-risk) ★  
☐ Significant renal disease ★  
☐ Cardiac or pulmonary disease  
☐ Interstitial lung disease

### 6 LABORATORY / ANTIBODIES (attach — pregnancy-critical panel)

KEY RESULTS — anti-Ro/SSA: ☐ Pos ☐ Neg anti-La/SSB: ☐ Pos ☐ Neg aPL (LA / aCL / anti-β2GPI): ☐ Pos ☐ Neg Platelets: \_\_\_\_\_  
Creatinine: \_\_\_\_\_

#### Antibodies

☐ Anti-Ro / SSA\* (fetal heart-block risk)  
☐ Anti-La / SSB ★  
☐ Antiphospholipid (LA, aCL, b2GPI) ★  
☐ ANA  
☐ Anti-dsDNA  
☐ ENA panel

#### Disease / organ

☐ CBC  
☐ Creatinine / eGFR  
☐ Urinalysis + ACR (proteinuria) ★  
☐ C3 / C4 complement ★  
☐ Liver enzymes

#### Medications (list ALL)

☐ Current medications: \_\_\_\_\_  
☐ Flag: MTX, mycophenolate, leflunomide, cyclophosphamide, warfarin, ACEi/ARB  
☐ Continue pregnancy-compatible agents

*Flag teratogens (MTX, mycophenolate, leflunomide, cyclophosphamide) and warfarin / ACEi / ARBs; these usually need stopping or switching before or during pregnancy.*

Referring Provider Signature: \_\_\_\_\_ Date: \_\_\_\_\_

*Please attach: relevant lab results, imaging reports, and consultation notes. Outpatient / ambulatory referrals only.*