21BDS0340

Abhinav Dinesh Srivatsa

Programming for Data Science Lab

Digital Assignment – II

Code

```
# Load necessary libraries
library(dplyr)
setwd("/Users/abhi/College Work/Year 3 Semester 2 (Sem 6)/Programming for Data
Science Lab/Assignment 2/")
print(getwd())
file_path <- "Contacts.csv"</pre>
df <- read.csv(file_path)</pre>
# Displaying a summary of the dataset
summary(df)
# Check for missing values
missing_values <- sum(is.na(df))</pre>
cat("Number of missing values:", missing_values, "\n")
# Handle missing values (replace with mean, median, or remove)
# Example: Replace missing values with the mean of the column
df <- df %>% mutate_if(is.character, ~ifelse(is.na(.), "empty", .))
# Remove duplicate rows
df <- distinct(df)</pre>
# Check for outliers and handle them if necessary
# Example: Remove outliers from a numeric column
# outliers <- boxplot.stats(df$numeric_column)$out</pre>
# df <- df %>% filter(!numeric_column %in% outliers)
# Save the cleaned dataset to a new file
# Replace 'cleaned_dataset.csv' with your desired file name
write.csv(df, 'cleaned_dataset.txt', row.names = FALSE)
head(df)
Output
> # Load necessary libraries
> library(dplyr)
> setwd("/Users/abhi/College Work/Year 3 Semester 2 (Sem 6)/Programming for Data
Science Lab/Assignment 2/")
> print(getwd())
```

```
[1] "/Users/abhi/College Work/Year 3 Semester 2 (Sem 6)/Programming for Data
Science Lab/Assignment 2"
> file_path <- "Contacts.csv"</pre>
> df <- read.csv(file_path)</pre>
> # Displaying a summary of the dataset
> summary(df)
    Source
                     FirstName
                                          LastName
                                                           Companies
                                                                           Title
Emails
 Length: 68
                    Length: 68
                                        Length: 68
                                                           Mode:logical
Mode:logical
               Length:68
 Class :character
                   Class :character
                                       Class :character
                                                           NA's:68
                                                                          NA's:68
Class :character
Mode :character
                    Mode :character
                                       Mode :character
Mode :character
                     CreatedAt
 PhoneNumbers
                                        Addresses
                                                        Sites
InstantMessageHandles FullName
 Length:68
                    Length: 68
                                       Mode:logical
                                                       Mode:logical
                                                                      Mode:logical
Mode:logical
                                       NA's:68
 Class :character
                    Class :character
                                                       NA's:68
                                                                      NA's:68
NA's:68
Mode :character
                    Mode :character
                                               Profiles
 Birthday
                Location
                               BookmarkedAt
Mode:logical
                Mode:logical
                               Mode:logical
                                               Mode:logical
NA's:68
                NA's:68
                               NA's:68
                                               NA's:68
> # Check for missing values
> missing_values <- sum(is.na(df))</pre>
> cat("Number of missing values:", missing_values, "\n")
Number of missing values: 680
> # Handle missing values (replace with mean, median, or remove)
> # Example: Replace missing values with the mean of the column
> df <- df %>% mutate_if(is.character, ~ifelse(is.na(.), "empty", .))
> # Remove duplicate rows
> df <- distinct(df)</pre>
> # Check for outliers and handle them if necessary
> # Example: Remove outliers from a numeric column
> # outliers <- boxplot.stats(df$numeric_column)$out</pre>
> # df <- df %>% filter(!numeric_column %in% outliers)
> # Save the cleaned dataset to a new file
> # Replace 'cleaned_dataset.csv' with your desired file name
> write.csv(df, 'cleaned_dataset.txt', row.names = FALSE)
> head(df)
           Source
                              FirstName LastName Companies Title
Emails
         PhoneNumbers
```

| 1 MOBILE_CONTACTS | Me | | NA | NA | | |
|--|----------------|-------------|-----------|-----------|------------|-------|
| tanushsrivatsa@gmail.com | 74836 85981 | | | | | |
| <pre>2 MOBILE_CONTACTS Shyam Sir</pre> | - Chemistry | | NA | NA | | |
| shyamsundermatta@gmail.com | 99581 37588 | 3 | | | | |
| 3 MOBILE_CONTACTS | Archit | Murali | NA | NA | | |
| +917517066578 | | | | | | |
| 4 MOBILE_CONTACTS | Swami | Vibhu | NA | NA | | |
| +919442504602 | | | | | | |
| 5 MOBILE_CONTACTS | Nishank | Das | NA | NA | | |
| +916299926210 | | | | | | |
| 6 MOBILE_CONTACTS | Ayush | Mishra | NA | NA | | |
| +917581903399 | | | | | | |
| CreatedAt Addresse | s Sites Instar | ntMessageHa | ndles Ful | lName Bir | ¹thday Loc | ation |
| BookmarkedAt Profiles | | | | | | |
| 1 6/24/23, 5:22 AM N | A NA | | NA | NA | NA | NA |
| NA NA | | | | | | |
| 2 6/24/23, 5:22 AM N | A NA | | NA | NA | NA | NA |
| NA NA | | | | | | |
| 3 6/24/23, 5:22 AM N | A NA | | NA | NA | NA | NA |
| NA NA | | | | | | |
| 4 6/24/23, 5:22 AM N | A NA | | NA | NA | NA | NA |
| NA NA | | | | | | |
| 5 6/24/23, 5:22 AM N | A NA | | NA | NA | NA | NA |
| NA NA | | | | | | |
| 6 6/24/23, 5:22 AM N | A NA | | NA | NA | NA | NA |
| NA NA | | | | | | |