

Sophix V3 MVP Runtime Simplification Baseline

Date: 2026-06-01

Status: Binding implementation baseline for first build wave

Purpose: convert the performance/complexity assessment into concrete implementation rules that squads must follow unless architecture governance approves an exception.

1. Binding Principles

1. A DD is a capability contract, not a deployment boundary.
2. A worker topic is a logical task contract, not a pod name.
3. A BPMN process is used only when the work is long-running, asynchronous, human-approved, retryable, or compensating.
4. Drools is used only for configurable business policy, not fixed validation.
5. Reporting dashboards and exports use REP-01.
6. No frontend or backend component reads another module's database directly.
7. Cache is acceleration only; current transactional truth comes from the owning module.
8. Dense frontend screens must use panelized reads, lazy loading, timeouts, and optional read aggregation.
9. The first release implements revenue-critical journeys before advanced commercial/assurance/audit scope.

2. Approved Deployment Groups

The first production build should target these deployable groups:

Group	Capabilities
Edge/API gateway	Routing, auth enforcement, rate limits, correlation headers.
Customer/catalog API	ILM, PLM, SIP, RLM, tech regions, lightweight config APIs.
Subscription API/workflow	SUB-LM, SUB-WF APIs, subscription lifecycle worker group.
Billing API/jobs	Charging, payment application, invoices, wallet, dunning, tax, rating batch interfaces.
Fulfillment API/workflow	FUL-02/03/04/05/07/08/09/10 and provisioning orchestration.
Field operations API	WO, EM-02 contractor/staff, field audit process types.
Equipment/stock API	OSR stock, equipment instance, RMA/swap, procurement, inventory audit.
CRM/commercial API	TCK, ASR type flows, SALES, EM-01, campaigns, discounts, CVM.
Integration workers	Payment gateway, provisioning, tax gateway, mediation/rating ingestion, external callbacks.
Reporting API	REP-01 mart, dashboards, exports, reconciliation APIs.
Shared workers	Consolidated low-volume task handlers with per-topic metrics.

Splitting a group later requires a reason: throughput, security isolation, release independence, scaling profile, or separate team ownership.

3. First Release Scope

3.1 Must Build First

- foundations;
- ILM customer/account/KYC basics;
- WIK catalog/package/HomePass setup;
- SUB-LM and SUB-WF framework;
- subscription activation;

- payment application and selected payment gateway;
- charging/invoice basics;
- FUL-02 happy path;
- FUL-03 activation;
- WO installation flow;
- OSR stock/equipment basics;
- EM-02 contractor/staff basics;
- NOT/ICN basics;
- TCK basic ticket;
- Backoffice essential operations;
- contractor app installation execution;
- REP-01 minimal dashboards.

3.2 Build After Core Stabilizes

- pause/resume/terminate;
- dunning and non-payment suspension;
- WO support/shifting;
- OSR-RMA/swap;
- provisioning reconciliation;
- customer self-care;
- reporting exports/reconciliation.

3.3 Defer Or Limit In First Release

Capability	First-release rule
ASR-01/02/03/04	Implement as TCK ticket types and rules, not separate services.
FA-01/02/03	Implement as one field-audit capability with <code>audit_type</code> .
CVM	Rule-based queues only; no ML platform.
Campaigns/discounts	Basic eligibility and assignment only.
Procurement/inventory audit	Seed stock first; add procurement/audit after stock basics.
USSD	Limited menus: balance, payment instruction/status, ticket create/status, language.
Mediation/rating	Offline batch after wallet/payment basics.
Technology migration	Admin-only cohorts via SUB-WF + FUL-10; no broad self-service cross-tech migration.

4. Communication Rules

Scenario	Required pattern
Command	Frontend calls one owning module API. That module calls only required participants or starts workflow.
Long-running work	API returns accepted/operation id; Camunda/events track completion. Do not hold HTTP calls open for minutes.
Dashboard	REP-01 only for aggregate totals.
Customer 360	Panelized reads with independent errors; optional read aggregator.
Gateway callback	Dedicated integration module validates/dedupes, then calls owning module.
Event reaction	Outbox/inbox, idempotent consumers, no cross-module DB writes.

5. Architecture Exception Process

Any exception must state:

- which baseline rule is being broken;
- why the simpler pattern is insufficient;
- expected throughput/latency/security reason;
- how observability and rollback will work;
- whether the exception is temporary or permanent.

Without an approved exception, this baseline overrides DD wording that appears to imply more deployments, more workers, or broader first-release scope.