

TSBC-1577 Report - VA1 compliance live matrix preflight

TSBC-1577 Report - VA1 compliance live matrix preflight

Source issue: [TSBC-1577](#)

Parent issue: [TSBC-1573](#)

PDF filename: TSBC-1577-report.pdf

Report generated: 2026-07-30T19:45:00Z

Brand pack: stack-lab

Hypothesis verdict: INCONCLUSIVE

Dispatched follow-up key: TSBC-1573-VA1-LIVE-RUN

Hypothesis

The pre-registered Gate VA1 behavioral probe matrix can run live only after both prerequisites are clear:

1. TSBC power mode reports `heavyTasksAllowed=true`.
2. The `claude-sonnet-5` row has an operator-approved, unpaused Claude bench agent.

The intended live matrix remains: 4 probe cells x 3 model rows x 3 reps, with no approved deviation or narrowing.

Method

1. Used the scoped wake payload for [TSBC-1577](#): `reason=issue_assigned`, `fallbackFetchNeeded=false`, and harness-held checkout.
2. Ran the exact registered command from the issue:

```
cd /Users/glad0s/paperclip/benchmark
python3 run_va1_compliance.py --models grok-4.3,codex-gpt-5.4,claude-sonnet-5 --rep
```

3. Allowed the VA1 harness preflight to fail closed before creating fixture issues or invoking bench lanes.
4. Preserved the generated preflight run outputs under `work-products/TSBC-1577/` and prepared this PDF closeout artifact for the blocked heartbeat.

Data

Check	Observed value	Result
TSBC power mode	mode=low , heavyTasksAllowed=false , reason ThinkStack Capital sprint 13-23; ThinkStack Media sprint 09-03	blocker
Claude bench agent	Bench-claude-sonnet-5 , id 53a4e9d3-81b1-4d86-8f87-e19447412f0e , status paused , pause reason manual	blocker
Grok bench row	Bench-grok-4.3 , id 7fffa42f-467a-4f76-b802-4dc8bd552bd9 , status idle	admissible after power clears
Codex bench row	Bench-codex-gpt-5.4 , id 5bcc7a94-6715-43eb-ad53-da7bd300ef79 , status idle	admissible after power clears
Live fixture cells created	0/36	not run because preflight blocked
VA1 ledger rows appended	0 for run va1-20260730-203722	expected for blocked preflight

Generated preflight run root:

/Users/glad0s/paperclip/benchmark/results/va1-20260730-203722

Suite source:

/Users/glad0s/paperclip/benchmark/va1_compliance/suite.json

Suite SHA-256:

83a4dba5e21fe520a46be96a12aab68029dc7f5abd62140ebfb94c9ff5ddc01b

Acceptance Status

Acceptance criterion	Status
Live run creates 4 probe cells x 3 model rows x 3 reps, unless approved deviation recorded	blocked; no approved deviation recorded
<code>ledger/results.jsonl</code> receives <code>va1_compliance</code> pass and aggregate rows	blocked; no live rows appended
Report adherence percent per P1/P2/P3/P4 and model family	blocked; sample count is <code>0</code> , adherence is not computed
Flag any lane/model below 75%	blocked; no lane/model samples exist
Attach run report/PDF/evidence back to parent TSBC-1573	this preflight evidence packet is prepared for attachment

Verdict

INCONCLUSIVE .

The live VA1 compliance matrix did not run because both pre-registered blockers are still active. This is not a narrowed benchmark and not a substitute for the required 36-cell live run. The correct disposition is blocked until TSBC power mode reports `heavyTasksAllowed=true` and the Claude row has an operator-approved unpaused bench agent.

Unblock Actions

1. TSBC power controller/operator: clear the sprint power gate so `/Users/glad0s/paperclip/benchmark/.tsbc-power.json` reports `heavyTasksAllowed=true` .
2. Operator/bench owner: unpause `Bench-claude-sonnet-5` or provide another approved unpaused Claude bench agent id for the `claude-sonnet-5` row.
3. Bench-Manager: rerun the exact registered command after both gates are clear.

TSKB Delta

None. This heartbeat produced issue-specific benchmark preflight evidence only.

Render Command

```
brandsuite pdf --brand stack-lab -- \  
  --input work-products/TSBC-1577/TSBC-1577-report.md \  
  --out work-products/TSBC-1577/TSBC-1577-report.pdf \  
  --title "TSBC-1577 Report - VA1 compliance live matrix preflight"
```